

The L^AT_EX 2_ε Sources

Johannes Braams
David Carlisle
Alan Jeffrey
Leslie Lamport
Frank Mittelbach
Chris Rowley
Rainer Schöpf

2017/01/01 Patch level 3

This file is maintained by the L^AT_EX Project team.
Bug reports can be opened (category `latex`) at
<http://latex-project.org/bugs.html>.

Contents

a	ltdirchk.dtx	1
1	L^AT_EX System Dependent Initialisations	1
2	Initialisation	2
2.1	INITEX	2
2.2	Some bits of 2e	4
3	texsys.cfg	5
3.1	texsys.cfg	5
3.2	UNIX (web2c)	7
3.3	UNIX (other)	7
3.4	MSDOS (emtex)	7
3.5	MSDOS (other)	7
3.6	VMS (DECUS T _E X, PD VMS 3.6)	7
3.7	VMS (???)	8
3.8	MACINTOSH (OzT _E X 1.6)	8
3.9	MACINTOSH (other)	8
3.10	FAKE EXAMPLE	8
4	Setting \@currdir	9
5	Setting \input@path	10

6	Filename Parsing	11
7	T_EX Versions	13
8	ltxcheck.tex	13
b	lplain.dtx	14
9	Plain T_EX	14
c	ltvers.dtx	32
10	Version Identification	32
d	ltdefns.dtx	34
11	Definitions	34
11.1	Initex initialisations	34
11.2	Saved versions of T _E X primitives	34
11.3	Command definitions	35
11.4	Robust commands and protect	43
11.5	Internal defining commands	46
e	lalloc.dtx	49
12	Counters	49
f	lcntrl.dtx	51
13	Program control structure	51
g	lterror.dtx	55
14	Error handling	55
14.1	General commands	55
14.2	Specific errors	60
h	ltpar.dtx	63
15	Paragraphs	63
15.1	Implementation	63
i	ltspace.dtx	65

16 Spacing	65
16.1 User Commands	65
16.2 Chris' comments	65
16.3 Some immediate actions	67
16.4 The code	68
16.5 Vertical spacing	73
16.6 Horizontal space (and breaks)	76
 j ltlogos.dtx	 79
17 Logos	79
 k ltfiles.dtx	 80
18 File Handling	80
18.1 Safe Input Macros	86
18.2 Listing files	88
 l ltoutenc.dtx	 90
19 Font encodings	90
19.1 Removing encoding-specific commands	92
19.2 The order of declarations	93
19.3 Docstrip modules	93
19.4 Definitions for the kernel	94
19.4.1 Declaration commands	94
19.4.2 Hyphenation	100
19.4.3 Miscellania	101
19.4.4 Default encodings	101
19.4.5 Math material	103
19.5 Definitions for the OT1 encoding	105
19.6 Definitions for the T1 encoding	107
19.7 Definitions for the OMS encoding	112
19.8 Definitions for the OML encoding	112
19.9 Definitions for the OT4 encoding	112
19.10 Definitions for the TS1 encoding	114
19.11 Definitions for the TU encoding	119
 20 Package files	 127
20.1 The fontenc package	127
20.2 The textcomp package	129
20.2.1 Supporting oldstyle digits	137
20.2.2 Subset encoding defaults	138
 m ltcounts.dtx	 140

21 Counters and Lengths	140
21.1 Environment Counter Macros	140
n ltlength.dtx	146
22 Lengths	146
o ltfsbas.dtx	147
23 Preliminary macros	147
24 Macros for setting up the tables	148
25 Selecting a new font	153
25.1 Macros for the user	153
25.2 Macros for loading fonts	157
26 Assigning math fonts to <i>versions</i>	162
p ltfsstrc.dtx	168
27 Introduction	168
28 A driver for this document	168
29 The Implementation	169
30 Handling Options	169
31 Macros common to fam.tex and tracefnt.sty	171
31.1 General font loading	171
31.2 Math fonts setup	175
31.2.1 Outline of algorithm for math font sizes	175
31.2.2 Code for math font size setting	177
31.2.3 Other code for math	178
32 Scaled font extraction	180
32.1 Sizefunctions	187
q ltfsncmp.dtx	190
r ltfsdcl.dtx	194
33 Interface Commands	194
s ltfsini.dtx	217

34 NFSS Initialisation	217
34.1 Providing math <i>versions</i>	217
34.2 Miscellaneous	219
 t fontdef.dtx	 223
35 Introduction	223
36 Customization	223
37 The docstrip modules	224
38 A driver for this document	224
39 The fonttext.ltx file	225
39.1 Encodings	225
39.2 Defaults	227
40 The fontmath.ltx file	228
40.1 The font encodings used	228
40.1.1 Symbolfont and Alphabet declarations	228
40.2 Math font sizes	229
40.3 The math symbol assignments	229
40.3.1 The letters	230
40.3.2 The digits	231
40.3.3 Punctuation, brace, etc. keys	231
40.3.4 Delimitercodes for characters	231
40.4 Symbols accessed via control sequences	232
40.4.1 Greek letters	232
40.4.2 Ordinary symbols	233
40.4.3 Large Operators	233
40.4.4 Binary symbols	234
40.4.5 Relations	234
40.4.6 Arrows	236
40.4.7 Punctuation symbols	237
40.4.8 Math accents	237
40.4.9 Radicals	237
40.4.10 Over and under something, etc	237
40.4.11 Delimiters	238
40.5 Math versions of text commands	239
40.6 Other special functions and parameters	240
40.6.1 Biggggg	240
40.6.2 The log-like functions	240
40.6.3 Parameters	240
 41 Default cfg files	 240
 u preload.dtx	 241

42 Overview	241
43 Customization	241
44 Module switches for the DOCSTRIP program	242
45 A driver for this document	242
46 The code	242
 v ltfntcmd.dtx	 245
47 Introduction	245
48 The implementation	247
49 Initialization	252
 w ltpageno.dtx	 253
50 Page Numbering	253
 x ltxref.dtx	 254
51 Cross Referencing	254
51.1 Cross Referencing	254
51.2 An extension of counter referencing	256
 y ltmiscen.dtx	 258
52 Miscellaneous Environments	258
52.1 Environments	258
52.2 Center, Flushright, Flushleft	262
52.3 Verbatim	264
 z ltmath.dtx	 267
53 Math setup	267
53.1 Math commands based on plain T _E X	267
53.1.1 The log-like functions	267
53.1.2 Biggggg	268
53.1.3 The UNSORTED Rest	268
53.2 Math Environments	271
53.3 External options to the standard document classes	275
53.3.1 Left equation numbering	275
53.3.2 Flush left equations	276

A	ltlists.dtx	279
54	List, and related environments	279
54.1	List and Trivlist	280
54.2	Vertical Spacing (skips)	281
54.3	Penalties	281
54.4	Horizontal Spacing (dimens)	281
54.5	Default Values	282
54.6	Itemize and Enumerate	292
B	ltboxes.dtx	294
55	L^AT_EX Box commands	294
55.1	Some low-level constructs	305
C	lftab.dtx	306
56	Tabbing, Tabular and Array Environments	306
56.1	tabbing	306
56.2	array and tabular environments	314
D	ltpictur.dtx	328
57	Picture Mode	328
57.1	Curves	347
E	ltthm.dtx	350
58	Theorem Environments	350
F	ltsect.dtx	354
59	Sectioning Commands	354
59.1	The Title	354
59.2	Sectioning	355
59.2.1	Initializations	361
59.3	Table of Contents etc.	361
59.3.1	Convention	361
59.3.2	Commands	361
G	lfloat.dtx	364
60	Floats	364
60.1	Floating Environments	364
60.2	Footnotes	377

H	ltxglo.dtx	384
61	Index and Glossary Generation	384
I	ltbibl.dtx	386
62	Bibliography Generation	386
62.1	Default definitions	389
J	ltpage.dtx	390
63	Page styles and related commands	390
63.1	Page Style Commands	390
63.2	How a page style makes running heads and feet	390
63.3	marking conventions	390
K	ltoutput.dtx	393
64	Output Routine	393
64.1	Floats	393
64.1.1	Kludgeins	446
64.1.2	Float control	447
64.1.3	Float placement parameters	459
L	ltclass.dtx	463
65	Introduction	463
66	User interface	463
66.1	Option processing	464
67	Class and Package interface	464
67.1	Class name and version	464
67.2	Package name and version	465
67.3	Requiring other packages	465
67.4	Declaring new options	466
67.5	Safe Input Macros	466
68	Implementation	467
68.1	Hooks	478
68.2	Providing shipment	480
69	After Preamble	482
M	lthyphen.dtx	483

N	ltnuatex.dtx	485
70	Overview	485
71	Core T_EX functionality	485
72	Plain T_EX interface	486
73	Lua functionality	486
73.1	Allocators in Lua	486
73.2	Lua access to T _E X register numbers	487
73.3	Module utilities	488
73.4	Callback management	488
74	Implementation	489
74.1	Minimum LuaT _E X version	489
74.2	Older L ^A T _E X/Plain T _E X setup	489
74.2.1	Fixes to <code>etex.src/etex.sty</code>	490
74.2.2	luatex specific settings	490
74.3	Attributes	491
74.4	Category code tables	491
74.5	Named Lua functions	493
74.6	Custom whatsits	494
74.7	Lua bytecode registers	494
74.8	Lua chunk registers	494
74.9	Lua loader	494
74.10	Lua module preliminaries	496
74.11	Lua module utilities	496
74.11.1	Module tracking	496
74.11.2	Module messages	497
74.12	Accessing register numbers from Lua	498
74.13	Attribute allocation	499
74.14	Custom whatsit allocation	500
74.15	Bytecode register allocation	500
74.16	Lua chunk name allocation	500
74.17	Lua callback management	501
74.17.1	Housekeeping	501
74.17.2	Handlers	503
74.17.3	Public functions for callback management	505
O	ltfinal.dtx	510
75	Final settings	510
75.1	Debugging	510
75.2	Typesetting parameters	510
75.3	Lccodes for hyphenation	512
75.4	Hyphenation	515
75.5	Font loading	515
75.6	Input encoding	516
75.7	Lccodes and uccodes	517

75.8	Applying Patch files	518
75.9	Freeing Memory	519
75.10	Initialise file list	520
75.11	Dumping the format	520
 Change History		521
 Index		579

File a

ltdirchk.dtx

1 L^AT_EX System Dependent Initialisations

This file implements the semi-automatic determination of various system dependent parts of the initialisation. The actual definitions may be placed in a file `texsys.cfg`. Thus for operating systems for which the tests here do not result in acceptable settings, a ‘hand written’ `texsys.cfg` may be produced.

The macros that must be defined are:

`\@currdir` `\@currdir{filename}<space>` should expand to a form of the filename that uniquely refers to the ‘current directory’ if this is possible. (The expansion should also end with a space.) on UNIX, this is `\def\@currdir{./}`. For more exotic operating systems you may want to make `\@currdir` a macro with arguments delimited by `.` and/or `<space>`. If the operating system has no concept of directory structure, this macro should be defined to be empty.

`\input@path` If the primitive `\openin` searches the same directories as the primitive `\input`, then it is possible to tell (using `\ifeof`) whether a file exists before trying to input it. For systems like this, `\input@path` should be left undefined.

If `\openin` does not ‘follow’ `\input` then `\input@path` must be defined to be a list of directories to search for input files. The format for each directory is as for `\@currdir`, normally just a prefix is required, but it may be a macro with space-delimited argument. That is, if `<dir>` is an entry in the input path, T_EX will try to load the expansion of `<dir><filename><space>`

So either `<dir>` should be defined as a macro with argument delimited by space, or it should just expand to a directory name, including the final directory separator, so that it may be concatenated with the `<filename>`. This means that for UNIX-like syntax, each `<dir>` should end with a slash, `/`.

`\input@path` should expand to a list of such directories, each in a `{}` group.

`\filename@parse` After a call of the form: `\filename@parse{<filename>}`, the three macros `\filename@area`, `\filename@base`, `\filename@ext` should be defined to be the ‘area’ (or directory), basename and extension respectively. If there was no extension specified in `<filename>`, `\filename@ext` should be `\let` to `\relax` (so this case may be tested with `\ifundefined{filename@ext}` and, perhaps a default extension substituted).

Normally one would not need to define this macro in `texsys.cfg` as the automatic tests can supply parsers that work with UNIX and VMS and Macintosh syntax, as well as a basic parser that will cover many other cases. However some operating systems may need a ‘hand produced’ parser in which case it should be defined in this file.

The UNIX parser also works for most MSDOS T_EX versions. Currently if the UNIX, VMS or Macintosh parser is not used, `\filename@parse` is defined to always return an empty area, and to split the argument into basename and extension at the first ‘.’ that occurs in the name. Parsers for other formats may be defined in `texsys.cfg`, in which case they will be used in preference to the default definitions.

`\@TeXversion` `\@TeXversion` is now set automatically by the initialisation tests in this file. You should not need to set it in `texsys.cfg`, however the following documentation

is left for information. L^AT_EX does not set this variable exactly, the automatic tests set it to:

2 for any version, v , $v < 3.0$
 3 for any version, v , $3.0 \leq v \leq 3.14$
 $\langle undefined \rangle$ otherwise.

However these values are accurate enough for L^AT_EX to take appropriate action for these old T_EXs.

If your T_EX is older than version 3.141, then you should define `\@TeXversion` (using `\def`) to be the version number. If you do not do this¹, L^AT_EX will not work around a bug in old T_EX versions, and so error messages will appear in a very strange format, with `^^J` appearing instead of line breaks:

```
! LaTeX Error: \rubbish undefined.^^J^^JSee the LaTeX manual or LaTeX Companion
for explanation.^^JType H <return> for immediate help.
...
```

```
1.3 \renewcommand{\rubbish}
      {}
?
```

However if you put `\def\@TeXversion{3.14}` in `texsys.cfg` the following format will be used:

```
! LaTeX Error: \rubbish undefined.
```

```
See the LaTeX manual or LaTeX Companion for explanation.
Type H <return> for immediate help.
! .
...
```

```
1.3 \renewcommand{\rubbish}
      {}
?
```

Note that this has an extra line `! .` which does not appear in error messages that use the default settings with a current version of T_EX, but this should not cause any confusion we hope.

2 Initialisation

As this file is read at a very early stage, some definitions that are normally considered to be part of the format must be made here.

2.1 INITEX

```
1 \<dircheck>
2 \<initex>
3 \<initex>\ifnum\catcode'\{=1
4 \<initex> \errmessage
5 \<initex> {LaTeX must be made using an initex with no format preloaded}
```

¹Actually if your T_EX is really old, version 2, L^AT_EX can detect this, and sets `\@TeXversion` to 2 if it is not set in the `cfg` file.

```

6 <initex>\fi
7 \catcode'\{=1
8 \catcode'\}=2

```

If Lua_{TEX} is in use the extensions and other new primitives have to be activated: this is done as early as possible. Older versions of Lua_{TEX} do not hide the primitives: a version check is not needed as the version itself will be missing in the case where action is needed!

```

9 \ifx\directlua\undefined
10 \else
11 \ifx\luatexversion\undefined

```

Enable e-TeX/pdfTeX/Umath primitives with their natural names

```

12 \directlua{tex.enableprimitives("",%
13 tex.extraprimitives('etex', 'pdftex', 'umath'))}

```

In current formats enable primitives with unprefix names. the latexrelease guards allow the primitives to be defined with a \luatex prefix if older formats are specified.

```

14 </initex>
15 </dircheck>
16 <*initex, latexrelease>
17 (latexrelease)\ifx\directlua\undefined\else
18 (latexrelease)\IncludeInRelease{2015/10/01}{\luatexluafunction}
19 (latexrelease) {LuaTeX (prefixed names)}%
20 \directlua{tex.enableprimitives("",%
21 tex.extraprimitives("omega", "aleph", "luatex"))}
22 (latexrelease)\EndIncludeInRelease
23 (latexrelease)\IncludeInRelease{0000/00/00}{\luatexluafunction}
24 (latexrelease) {LuaTeX (prefixed names)}%
25 (latexrelease)\directlua{
26 (latexrelease) tex.enableprimitives(
27 (latexrelease) "luatex",
28 (latexrelease) tex.extraprimitives("core","omega", "aleph", "luatex")
29 (latexrelease) )
30 (latexrelease) local i
31 (latexrelease) local t = { }
32 (latexrelease) for _,i in pairs(tex.extraprimitives("luatex")) do
33 (latexrelease) if not string.match(i,"^U") then
34 (latexrelease) if not string.match(i, "^luatex") then
35 (latexrelease) table.insert(t,i)
36 (latexrelease) end
37 (latexrelease) else
38 (latexrelease) if string.match(i,"^Uchar$") then
39 (latexrelease) table.insert(t,i)
40 (latexrelease) end
41 (latexrelease) end
42 (latexrelease) end
43 (latexrelease) for _,i in pairs(t) do
44 (latexrelease) tex.print(
45 (latexrelease) "\noexpand\\let\noexpand\\" .. i
46 (latexrelease) .. "\noexpand\\undefined"
47 (latexrelease) )
48 (latexrelease) end
49 (latexrelease)}
50 (latexrelease)\EndIncludeInRelease

```

```

51 <latexrelease>\fi
52 </initex, latexrelease>
53 <*dircheck>
54 <*initex>
55 \fi
56 \fi

```

A test can now be made for eTeX.

```

57 <initex>\ifx\TeXversion\undefined
58 <initex> \errmessage
59 <initex> {LaTeX requires e-TeX}
60 <initex> \expandafter\endinput
61 <initex>\fi

```

That distraction over, back to the basics of a format.

```

62 \catcode'\#=6
63 \catcode'\^=7
64 \chardef\active=13
65 \catcode'\@=11
66 \countdef\count@=255
67 \let\bgroup={ \let\egroup=}
68 \ifx@@input\@undefined\let@@input\input\fi
69 \ifx@@end\@undefined\let@@end\end\fi
70 \chardef\@inputcheck0
71 \chardef\sixt@@n=16
72 \newlinechar'\^^J
73 \def\typeout{\immediate\write17}
74 \def\dospecials{\do\ \do\\\do\{\do\}\do\$\do\&%
75 \do\#\do\^\do\_ \do\% \do\~}
76 \def\@makeother#1{\catcode'#1=12\relax}
77 \def\space{ }
78 \def\@tempswafalse{\let\if@tempswa\iffalse}
79 \def\@tempswatrue{\let\if@tempswa\iftrue}
80 \let\if@tempswa\iffalse
81 \def\loop#1\repeat{\def\iterate{#1\relax\expandafter\iterate\fi}%
82 \iterate \let\iterate\relax}
83 \let\repeat\fi
84 </initex>

```

2.2 Some bits of 2e

```

85 <*2kernel>
86 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}
87 \long\def\@firstoftwo#1#2{#1}
88 \long\def\@secondoftwo#1#2{#2}

```

This is a special version of \ProvidesFile for initex use.

```

89 \def\ProvidesFile#1{%
90 \begingroup
91 \catcode'\ 10 %
92 \ifnum \endlinechar<256 %
93 \ifnum \endlinechar>\m@ne
94 \catcode\endlinechar 10 %
95 \fi
96 \fi
97 \@makeother\/%

```

```

98     \ifnextchar[{\@providesfile{#1}}{\@providesfile{#1}[]}]
99 \def\@providesfile#1[#2]{%
100     \wlog{File: #1 #2}%
101     \@addtofilelist{ #2}%
102     \endgroup}
103 \long\def\@addtofilelist#1{}
104 \def\@empty{}
105 \catcode'\%=12
106 \def\@percentchar{%}
107 \catcode'\%=14
108 \let\@currdir\@undefined
109 \let\input@path\@undefined
110 \let\filename@parse\@undefined

\strip@prefix

111 \def\strip@prefix#1>{}
112 </2ekernel>

```

3 texsys.cfg

As mentioned above, any site specific definitions required to describe the filename handling must be entered into a file `texsys.cfg`. If `texsys.cfg` can not be located by `\openin`, we write a default version out. The default version only contains comments, so we do not actually input the file in that case. The automatic tests later will, hopefully, correctly define the required macros.

The tricky code below checks to see if `texsys.cfg` exists. If it does not, all the text in this file between `START` and `END` is copied verbatim to a new file `texsys.cfg`. If `texsys.cfg` is found, then it is simply input. This is only done when this file is being used unstripped.

```

113 <docstrip>
114 \openin15=texsys.cfg
115 \ifeof15
116 \typeout{** Writing a default texsys.cfg}
117 \immediate\openout15=texsys.cfg
118 \begingroup
119 \catcode'\^M\active%
120 \let^M\par%
121 \def\reserved@a#1^M{%
122   \def\reserved@b{#1}%
123   \ifx\reserved@b\reserved@c\endgroup\else%
124     \immediate\write15{#1}%
125     \expandafter\reserved@a\fi}%
126 \def\reserved@d#1START^M{\let\do\@makeother\dospecials\reserved@a}%
127 \catcode'\%=12
128 \def\reserved@c{END}
129 \reserved@d

START

```

3.1 texsys.cfg

This file contains the site specific definitions of the four macros `\@currdir`, `\input@path`, `\filename@parse` and `\@TeXversion`.

As distributed it only contains comments, however this ‘empty’ file will work on many systems because of the automatic tests built into `ltdirchk.dtx`. You *are* allowed to edit this file to add definitions of these macros appropriate to your system.

The macros that must be defined are:

`\@currdir` `\@currdir{filename}<space>` should expand to a form of the filename that uniquely refers to the ‘current directory’ if this is possible. (The expansion should also end with a space.) on UNIX, this is `\def\@currdir{./}`. For more exotic operating systems you may want to make `\@currdir` a macro with arguments delimited by `.` and/or `<space>`. If the operating system has no concept of directory structure, this macro should be defined to be empty.

`\input@path` If the primitive `\openin` searches the same directories as the primitive `\input`, then it is possible to tell (using `\ifeof`) whether a file exists before trying to input it. For systems like this, `\input@path` should be left undefined.

If `\openin` does not ‘follow’ `\input` then `\input@path` must be defined to be a list of directories to search for input files. The format for each directory is as for `\@currdir`, normally just a prefix is required, but it may be a macro with space-delimited argument. That is, if `<dir>` is an entry in the input path, `TEX` will try to load the expansion of

`<dir><filename><space>`

So either `<dir>` should be defined as a macro with argument delimited by space, or it should just expand to a directory name, including the final directory separator, so that it may be concatenated with the `<filename>`. This means that for UNIX-like syntax, each `<dir>` should end with a slash, `/`. One exception to this rule is that the input path should *always* contain the empty directory `{}` as this will allow ‘full pathnames’ to be used, and the ‘current directory’ to be searched.

`\input@path` should expand to a list of such directories, each in a `{}` group.

`\filename@parse` After a call of the form: `\filename@parse{<filename>}`, the three macros `\filename@area`, `\filename@base`, `\filename@ext` should be defined to be the ‘area’ (or directory), basename and extension respectively. If there was no extension specified in `<filename>`, `\filename@ext` should be `\let` to `\relax` (so this case may be tested with `\@ifundefined{filename@ext}` and, perhaps a default extension substituted).

Normally one would not need to define this macro in `texsys.cfg` as the automatic tests can supply parsers that work with UNIX and VMS syntax, as well as a basic parser that will cover many other cases. However some operating systems may need a ‘hand produced’ parser in which case it should be defined in this file.

The UNIX parser also works for most MSDOS `TEX` versions. Currently if the UNIX or VMS parser is not used, `\filename@parse` is defined to always return an empty area, and to split the argument into basename and extension at the first ‘.’ that occurs in the name. Parsers for other formats may be defined in `texsys.cfg`, in which case they will be used in preference to the default definitions.

`\@TeXversion` You should not need to set this macro in `texsys.cfg`. `LATEX` tests to set this automatically. See the comments in the opening section of `ltdirchk.dtx`.

The following sections give examples of definitions which might work on various systems. These are currently mainly untested as I only have access to a few systems, all of which do not need this file as the automatic tests work. All the code is commented out.

3.2 UNIX (web2c)

This implementation does make `\openin` and `\input` look in the same places. Acceptable settings are made by `ltdirchk.dtx`, and so this file may be empty. The definitions below are therefore just for information.

```
130 %\def\@currdir{./}
131 %\let\input@path\undefined
```

3.3 UNIX (other)

Apparently some commercial UNIX implementations have different paths for `\openin` and `\input`. For these one could use definitions like the following (with whatever directories are used at your site): note that the directory names should end with `/`.

```
132 % \def\@currdir{./}
133 % \def\input@path{%
134 %   {/usr/local/lib/tex/inputs/distrib/}%
135 %   {/usr/local/lib/tex/inputs/contrib/}%
136 %   {/usr/local/lib/tex/inputs/local/}%
137 % }
```

3.4 MSDOS (emtex)

This implementation does make `\openin` and `\input` look in the same places. Acceptable settings are made by `ltdirchk.dtx`, and so this file may be empty. The definitions below are therefore just for information.

```
138 % \def\@currdir{./}
139 % \let\input@path\undefined
```

3.5 MSDOS (other)

Some PC implementations have different paths for `\openin` and `\input`. For these one could use definitions like the following (with whatever directories are used at your site): note that the directory names should end with `/`. This assumes the implementation uses UNIX style `/` as the directory separator.

```
140 % \def\@currdir{./}
141 % \def\input@path{%
142 %   {c:/tex/inputs/distrib/}%
143 %   {c:/tex/inputs/contrib/}%
144 %   {c:/tex/inputs/local/}%
145 % }
```

3.6 VMS (DECUS T_EX, PD VMS 3.6)

This implementation does make `\openin` and `\input` look in the same places. Acceptable settings are made by `ltdirchk.dtx`, and so this file may be empty. The definitions below are therefore just for information.

```
146 % \def\@currdir{[] }
147 % \let\input@path\undefined
```

3.7 VMS (???)

Some VMS implementations have different paths for `\openin` and `\input`. For these one could use definitions like the following:

```
148 % \def\currdir{[]}  
149 % \def\input@path{%  
150 %   {tex_inputs:}%  
151 %   {SOMEDISK:[SOME.TEX.DIRECTORY]}%  
152 % }
```

3.8 MACINTOSH (OzTeX 1.6)

This implementation does make `\openin` and `\input` look in the same places. Acceptable settings are made by `ltdirchk.dtx`, and so this file may be empty. The definitions below are therefore just for information.

```
153 % \def\currdir{:}  
154 % \let\input@path\undefined
```

3.9 MACINTOSH (other)

Some Macintosh implementations have different paths for `\openin` and `\input`. For these one could use definitions like the following (with whatever folders are used on your machine): note that the directory names should end with `:`, and they should contain *no* spaces.

```
155 % \def\currdir{:}  
156 % \def\input@path{%  
157 %   {Hard-Disk:Applications:TeX:TeX-inputs:}%  
158 %   {Hard-Disk:Applications:TeX:My-inputs:}%  
159 % }
```

3.10 FAKE EXAMPLE

This example is for an operating system that has filenames of the form `<area>name`. For maximum compatibility with macro sets, you want `name.ext` to be mapped to `<ext>name`. and `<area>name.ext` to be mapped to `<area.ext>name`. `\input` does this mapping automatically, but `\openin` does not, and does not look in the same places as `\input`. `<>name` is the desired ‘current directory’ syntax.

the following code would possibly work:

```
160 % \def\@dir#1#2 {%  
161 %   \@d@r{#1}#2..\@nil}  
162 % \def\@d@r#1#2.#3.#4\@nil{%  
163 %   <\ifx\@dir#1\@dir\else#1\ifx\@dir#3\@dir\else.\fi\fi#3>#2 }  
164 %  
165 % \def\currdir{\@dir{}}  
166 % \def\input@path{%  
167 %   {\@dir{area.one}}%  
168 %   {\@dir{area.two}}%  
169 % }  
END  
170 \immediate\closeout15
```

If `texsys.cfg` did exist, then input it.

```

171 \else
172 \typeout{** Using the existing texsys.cfg}
173 \closein15
174 \input texsys.cfg
175 \fi
176 \docstrip

```

If the stripped version of this file is being used (in `latex2e.ltx`) then `texsys.cfg` should be there, so just input it.

```

177 \dircheck\input texsys.cfg

```

4 Setting `\currdir`

`\currdir` This is a local definition of `\IfFileExists`. It tries to relocate `texsys.aux`. If `\IfFileExists` it succeeds, then the `\currdir` syntax has been determined. If all the tests fail then `\currdir` will be set to `\empty`, and `ltxcheck` will warn of this when it checks the format.

```

178 \begingroup
179 \count@ \time
180 \divide \count@ 60
181 \count2 = - \count@
182 \multiply \count2 60
183 \advance \count2 \time

```

`\today` The current date and time stamp.

```

184 \edef \today {%
185   \the \year / \two@digits { \the \month } / \two@digits { \the \day } : %
186   \two@digits { \the \count@ } : \two@digits { \the \count2 } }

```

Create a file `texsys.aux` (hopefully in the current directory), then try to locate it again.

```

187 \immediate \openout15 = texsys.aux
188 \immediate \write15 { \today ^^J }
189 \immediate \closeout15 %

```

#1 is the file to try, #2 is what to do on success, #3 on failure.

```

190 \def \IfFileExists #1#2#3 {%
191   \openin \@inputcheck #1 %
192   \ifeof \@inputcheck
193     #3 \relax
194   \else
195     \read \@inputcheck to \reserved@a
196     \ifx \reserved@a \today
197       \typeout { #1 found } #2 \relax
198     \else
199       \typeout { BAD: old file \reserved@a (should be \today) } %
200       #3 \relax
201     \fi
202   \fi
203   \closein \@inputcheck }
204 \endlinechar = -1

```

If `\@currdir` has not been pre-defined in `texsys.cfg` then test for UNIX, VMS and Oz-TeX-Mac. syntax.

```

205 \ifx\@currdir\@undefined
206   \IfFileExists{./texsys.aux}{\gdef\@currdir{.}}%
207   {\IfFileExists{[]texsys.aux}{\gdef\@currdir{[]}}%
208    {\IfFileExists{:texsys.aux}{\gdef\@currdir{:}}{}}}

```

If it is still undefined at this point, all the above tests failed. Earlier versions interactively prompted for a definition at this point, but it seems impossible to reliably obtain information from users at this point in the installation. This version of the file produces a format with no user-interaction. Later if the format is not suitable for the system, `texsys.cfg` may be edited and the format re-made.

```

209 \ifx\@currdir\@undefined
210   \global\let\@currdir\empty
211   \typeout{^^J^^J%
212     !! No syntax for the current directory could be found^^J%
213   }%
214 \fi

```

Otherwise `\@currdir` was defined in `texsys.cfg`. In this case check that the syntax specified works on this system. (In case a complete L^AT_EX system has been copied from one system to another.) If the test fails, give up. The installer should remove or correct the offending `texsys.cfg` and try again.

```

215 \else
216   \IfFileExists{\@currdir texsys.aux}{-}{%
217     \edef\reserved@a{\errhelp{%
218       texsys.cfg specifies the current directory syntax to be^^J%
219       \meaning\@currdir^^J%
220       but this does not work on this system.^^J%
221       Remove texsys.cfg and restart.}}\reserved@a
222     \errmessage{Bad texsys.cfg file: \noexpand\@currdir}\@@end}

```

The version of `\@currdir` in `texsys.cfg` looks OK.

```

223 \fi

224 \immediate\closeout15 %
225 \endgroup

226 \typeout{^^J^^J%
227   \noexpand\@currdir set to:
228   \expandafter\strip@prefix\meaning\@currdir.^^J%
229 }

```

Stop here if the file is being used unstripped.

```

230 (*docstrip)
231 \relax\endinput
232 </docstrip>

```

5 Setting `\input@path`

Earlier versions of this file attempted to automatically test whether `\input@path` was required, and interactively prompt for a path if necessary. This was not found to be very reliable. The first-time installer of L^AT_EX 2_ε can not be expected to have enough information to supply the correct information to the prompts. Now

the interaction is omitted. After the format is made the installer can attempt to run the test document `ltxcheck.tex` through $\text{\LaTeX 2}_{\epsilon}$. This will check, amongst other things, whether `texsys.cfg` will need to be edited and the format remade.

```
\input@path Now set up the \input@path.
      \input@path should either be undefined, or a list of directories as described
      in the introduction.
233   \typeout{^^J%
234     Assuming \noexpand\openin and \noexpand\input^^J%
235     \ifx\input@path\undefined
\input@path has not been pre-defined.
236       have the same search path.^^J%
237     \else
\input@path has been defined in texsys.cfg.
238       have different search paths.^^J%
239       LaTeX will use the path specified by \noexpand\input@path:^^J%
240     \fi
241   }
```

6 Filename Parsing

```
\filename@parse Split a filename into its components.
242 \ifx\filename@parse\undefined
243   \def\reserved@a{.}\ifx\currdir\reserved@a
\filename@parse was not specified in texsys.cfg, but \@currdir looks like
UNIX...
244   \typeout{^^JDefining UNIX/DOS style filename parser.^^J}
245   \def\filename@parse#1{%
246     \let\filename@area\empty
247     \expandafter\filename@path#1/\}
      Search for the last /.
248     \def\filename@path#1/#2\{;%
249     \ifx\#2\%
250       \def\reserved@a{\filename@simple#1.\}%
251     \else
252       \edef\filename@area{\filename@area#1/}%
253       \def\reserved@a{\filename@path#2\}%
254     \fi
255     \reserved@a}
256 \else\def\reserved@a{[]}\ifx\currdir\reserved@a
\filename@parse was not specified in texsys.cfg, but \@currdir looks like
VMS...
257   \typeout{^^JDefining VMS style filename parser.^^J}
258   \def\filename@parse#1{%
259     \let\filename@area\empty
260     \expandafter\filename@path#1/\}
```

Search for the last].

```

261 \def\filename@path#1]#2\{ %
262 \ifx\#2\%
263 \def\reserved@a{\filename@simple#1.\}%
264 \else
265 \edef\filename@area{\filename@area#1}%
266 \def\reserved@a{\filename@path#2\}%
267 \fi
268 \reserved@a}
269 \else\def\reserved@a{:}\ifx\@currdir\reserved@a
\filename@parse was not specified in texsys.cfg, but \@currdir looks like Mac-
intosh...
270 \typeout{^^JDefining Mac style filename parser.^^J}
271 \def\filename@parse#1{ %
272 \let\filename@area\@empty
273 \expandafter\filename@path#1:\}

```

Search for the last :.

```

274 \def\filename@path#1:#2\{ %
275 \ifx\#2\%
276 \def\reserved@a{\filename@simple#1.\}%
277 \else
278 \edef\filename@area{\filename@area#1}%
279 \def\reserved@a{\filename@path#2\}%
280 \fi
281 \reserved@a}
282 \else
\filename@parse was not specified in texsys.cfg. So just make a simple parser
that always sets \filename@area to empty.
283 \typeout{^^JDefining generic filename parser.^^J}
284 \def\filename@parse#1{ %
285 \let\filename@area\@empty
286 \expandafter\filename@simple#1.\}
287 \fi\fi\fi

```

\filename@simple is used by all three versions. Finally we can split off the extension.

```

288 \def\filename@simple#1.#2\{ %
289 \ifx\#2\%
290 \let\filename@ext\relax
291 \else
292 \edef\filename@ext{\filename@dot#2\}%
293 \fi
294 \edef\filename@base{#1}

```

Remove a final dot, added earlier.

```

295 \def\filename@dot#1.\{#1}
296 \else
Otherwise, \filename@parse was specified in texsys.cfg.
297 \typeout{^^J^^J}
298 \noexpand\filename@parse was defined in texsys.cfg:^^J%

```

```

299     \expandafter\strip@prefix\meaning\filename@parse.^~J%
300     }
301 \fi

```

7 \TeX Versions

`\@TeXversion` \TeX versions older than than 3.141 require `\@TeXversion` to be set. This can be determined automatically due to a trick suggested by Bernd Raichle. (Actually this will not always get the correct version number, eg \TeX 3.14 would be detected as \TeX 3, but \LaTeX only needs to take account of \TeX 's older than 3, or between 3 and 3.14.

```

302 \ifx\@TeXversion\@undefined
303   \ifx\@undefined\inputlineno
304     \def\@TeXversion{2}
305   \else
306     {\catcode'\^^J=\active
307      \def\reserved@a#1#2\@@{\if#1\string^3\fi}
308      \edef\reserved@a{\expandafter\reserved@a\string^^J\@@}
309      \ifx\reserved@a\@empty\else\gdef\@TeXversion{3}\fi}
310   \fi
311 \fi
312 </dircheck>

```

8 `ltxcheck.tex`

After the format has been made, and `article.cls` moved with the other files to the 'standard input directory' as specified in `install.txt`, the format may be checked by running the file `ltxcheck.tex`.

File b

lplain.dtx

9 Plain T_EX

L^AT_EX includes almost all of the functionality of Knuth's original 'Basic Macros'. That is, the plain T_EX format described in Appendix B of the T_EXBook. However, some of the user commands are not much use so, in order to save memory, we may remove them from the kernel into a package. Here is a list of the commands that may be removed (PROBABLY NOT COMPLETE).

```
\magstep      \magstephalf
\mathhexbox
\vglue        \vgl@
\hglue        \hgl@
```

This file is by now very small as most of it has been moved to more appropriate kernel files: it may disappear completely one day.

L^AT_EX font definitions are done using NFSS2 so none of PLAIN's font definitions are in L^AT_EX.

L^AT_EX has its own tabbing environment, so PLAIN's is disabled.

L^AT_EX uses its own output routine, so most of the plain one was removed.

```
1 (*2ekernel)
2 \catcode'\{=1 % left brace is begin-group character
3 \catcode'\}=2 % right brace is end-group character
4 \catcode'\$=3 % dollar sign is math shift
5 \catcode'\&=4 % ampersand is alignment tab
6 \catcode'\#=6 % hash mark is macro parameter character
7 \catcode'\^=7 % circumflex and uparrow are for superscripts
8 \catcode'\_ =8 % underline and downarrow are for subscripts
9 \catcode'\^I=10 % ascii tab is a blank space
10 \chardef\active=13 \catcode'\^=\active % tilde is active
11 \catcode'\^L=\active \def^L{\par}% ascii form-feed is \par
12 \message{catcodes,}
```

We had to define the `\catcodes` right away, before the message line, since `\message` uses the `{` and `}` characters. When INITEX (the T_EX initializer) starts up, it has defined the following `\catcode` values:

```
\catcode'\^@=9 %  ascii null is ignored
\catcode'\^M=5 %  ascii return is end-line
\catcode'\ =0 %    backslash is TeX escape character
\catcode'\%=14 %   percent sign is comment character
\catcode'\ =10 %   ascii space is blank space
\catcode'\^?=15 %  ascii delete is invalid
\catcode'\A=11 ... \catcode'\Z=11 % uppercase letters
\catcode'\a=11 ... \catcode'\z=11 % lowercase letters
all others are type 12 (other)
```

Here is a list of the characters that have been specially catcoded:

```
13 \def\dospecials{\do\ \do\\\do\{\do\}\do\$ \do\&%
14 \do\# \do\^ \do\_ \do\% \do\^}
```


(not counting ascii null, tab, linefeed, formfeed, return, delete) Each symbol in the list is preceded by , which can be defined if you want to do something to every item in the list.

We make @ signs act like letters, temporarily, to avoid conflict between user names and internal control sequences of plain format.

```
15 \catcode'@=11
```

To make the plain macros more efficient in time and space, several constant values are declared here as control sequences. If they were changed, anything could happen; so they are private symbols.

```
\@ne Small constants are defined using \chardef.
\tw@ 16 \chardef\@ne=1
\thr@@ 17 \chardef\tw@=2
\sixt@@n 18 \chardef\thr@@=3
\@cclv 19 \chardef\sixt@@n=16
        20 \chardef\@cclv=255

\@cclvi Constants above 255 defined using \mathchardef.
\@m 21 \mathchardef\@cclvi=256
\@M 22 \mathchardef\@m=1000
\@MM 23 \mathchardef\@M=10000
      24 \mathchardef\@MM=20000
```

Allocation of registers

Here are macros for the automatic allocation of \count, \box, \dimen, \skip, \muskip, and \toks registers, as well as \read and \write stream numbers, \fam codes, \language codes, and \insert numbers.

```
25 \message{registers,}
```

When a register is used only temporarily, it need not be allocated; grouping can be used, making the value previously in the register return after the close of the group. The main use of these macros is for registers that are defined by one macro and used by others, possibly at different nesting levels. All such registers should be defined through these macros; otherwise conflicts may occur, especially when two or more macro packages are being used at the same time.

The following counters are reserved:

- 0 to 9 page numbering
- 10 count allocation
- 11 dimen allocation
- 12 skip allocation
- 13 muskip allocation
- 14 box allocation
- 15 toks allocation
- 16 read file allocation
- 17 write file allocation
- 18 math family allocation
- 19 language allocation
- 20 insert allocation
- 21 the most recently allocated number
- 22 constant -1

New counters are allocated starting with 23, 24, etc. Other registers are allocated starting with 10. This leaves 0 through 9 for the user to play with safely, except that counts 0 to 9 are considered to be the page and subpage numbers (since they are displayed during output). In this scheme, `\count 10` always contains the number of the highest-numbered counter that has been allocated, `\count 14` the highest-numbered box, etc. Inserts are given numbers 254, 253, etc., since they require a `\count`, `\dimen`, `\skip`, and `\box` all with the same number; `\count 20` contains the lowest-numbered insert that has been allocated. Of course, `\box255` is reserved for `\output`; `\count255`, `\dimen255`, and `\skip255` can be used freely.

It is recommended that macro designers always use `\global` assignments with respect to registers numbered

1, 3, 5, 7, 9,

and always non-`\global` assignments with respect to registers

0, 2, 4, 6, 8, 255.

This will prevent “save stack buildup” that might otherwise occur.

```
26 \count10=22 % allocates \count registers 23, 24, ...
27 \count11=9 % allocates \dimen registers 10, 11, ...
28 \count12=9 % allocates \skip registers 10, 11, ...
29 \count13=9 % allocates \muskip registers 10, 11, ...
30 \count14=9 % allocates \box registers 10, 11, ...
31 \count15=9 % allocates \toks registers 10, 11, ...
32 \count16=-1 % allocates input streams 0, 1, ...
33 \count17=-1 % allocates output streams 0, 1, ...
34 \count18=3 % allocates math families 4, 5, ...
35 \count19=0 % allocates \language codes 1, 2, ...
36 \count20=255 % allocates insertions 254, 253, ...
```

```
\insc@unt The insertion counter and most recent allocation.
\allocationnumber 37 \countdef\insc@unt=20
38 \countdef\allocationnumber=21
```

```
\m@ne The constant -1.
39 \countdef\m@ne=22 \m@ne=-1
```

```
\wlog Write on log file (only)
40 \def\wlog{\immediate\write\m@ne}
```

```
\count@ Here are abbreviations for the names of scratch registers that don't need to be
\dimen@ allocated.
\dimen@i 41 \countdef\count@=255
\dimen@ii 42 \dimendef\dimen@=0
\skip@ 43 \dimendef\dimen@i=1 % global only
\toks@ 44 \dimendef\dimen@ii=2
45 \skipdef\skip@=0
46 \toksdef\toks@=0
```

```
\newcount Now, we define \newcount, \newbox, etc. so that you can say \newcount\foo and
\newdimen \foo will be defined (with \countdef) to be the next counter.
\newskip To find out which counter \foo is, you can look at \allocationnumber.
\newmuskip Since there's no \boxdef command, \chardef is used to define a \newbox,
\newbox \newinsert, \newfam, and so on.
\newread
\newwrite
```

```
\newlanguage File b: ltplain.dtx Date: 2017/01/06 Version v2.3b
```

L^AT_EX change: remove `\outer` from `\newcount` and `\newdimen` (FMi) This is necessary to use `\newcount` inside `\if...` later on. Also remove from `\newskip`, `\newbox` `\newwrite` and `\newfam` (DPC) to save later redefinition.

```

47 </2ekernel>
48 <*2ekernel | latexrelease>
49 <latexrelease>\IncludeInRelease{2015/01/01}%
50 <latexrelease>                {\newcount}{Extended Allocation}%

51 \def\newcount {\e@alloc\count \countdef {\count10}\insc@unt\float@count}
52 \def\newdimen {\e@alloc\dimen \dimendef {\count11}\insc@unt\float@count}
53 \def\newskip {\e@alloc\skip \skipdef {\count12}\insc@unt\float@count}
54 \def\newmuskip
55     {\e@alloc\muskip\muskipdef{\count13}\m@ne\e@alloc@top}

```

For compatibility use `\chardef` in the classical range.

```

56 \def\newbox    {\e@alloc\box
57                 {\ifnum\allocationnumber<\@ccclvi
58                  \expandafter\chardef
59                  \else
60                  \expandafter\e@alloc@chardef
61                  \fi}
62                 {\count14}\insc@unt\float@count}
63 \def\newtoks   {\e@alloc\toks \toksdef{\count15}\m@ne\e@alloc@top}
64 \def\newread   {\e@alloc\read \chardef{\count16}\m@ne\sixt@@n}

```

Skip `\write18` due to its traditional use as a shell-escape.

```

65 \ifx\directlua\@undefined
66   \def\newwrite {\e@alloc\write \chardef{\count17}\m@ne\sixt@@n}
67 \else
68   \def\newwrite {\e@alloc\write
69                 {\ifnum\allocationnumber=18 \allocationnumber19\fi
70                  \global\chardef}%
71                 {\count17}%
72                 \m@ne
73                 {128}}
74 \fi

75 \def\new@mathgroup
76     {\e@alloc\mathgroup\chardef{\count18}\m@ne\e@mathgroup@top}
77 \let\newfam\new@mathgroup

78 \ifx\directlua\@undefined
79   \def\newlanguage {\e@alloc\language \chardef{\count19}\m@ne\@ccclvi}
80 \else
81   \def\newlanguage {\e@alloc\language \chardef{\count19}\m@ne{16384}}
82 \fi
83 </2ekernel | latexrelease>

84 <latexrelease>\EndIncludeInRelease
85 <latexrelease>\IncludeInRelease{0000/00/00}%
86 <latexrelease>                {\newcount}{Extended Allocation}%
87 <latexrelease>\def\newcount{\alloc@0\count\countdef\insc@unt}
88 <latexrelease>\def\newdimen{\alloc@1\dimen\dimendef\insc@unt}
89 <latexrelease>\def\newskip{\alloc@2\skip\skipdef\insc@unt}
90 <latexrelease>\def\newmuskip{\alloc@3\muskip\muskipdef\@ccclvi}
91 <latexrelease>\def\newbox{\alloc@4\box\chardef\insc@unt}

```

```

92 <latexrelease>\def\newtoks{\alloc@5\toks\toksdef\@cclvi}
93 <latexrelease>\def\newread{\alloc@6\read\chardef\sixt@@n}
94 <latexrelease>\def\newwrite{\alloc@7\write\chardef\sixt@@n}
95 <latexrelease>\def\new@mathgroup{\alloc@8\fam\chardef\sixt@@n}
96 <latexrelease>\def\newlanguage{\alloc@9\language\chardef\@cclvi}
97 <latexrelease>\let\newfam\new@mathgroup
98 <latexrelease>\EndIncludeInRelease

\@alloc@chardef The upper limit of extended registers, which leaves this number (eg \dimen32767)
\@alloc@top always unallocated by these macros. cf traditional \dimen255.
99 <*2ekernel | latexrelease>
100 <latexrelease>\IncludeInRelease{2015/01/01}%
101 <latexrelease> \{\@alloc@chardef\}{Extended Allocation}%

102 \ifx\directlua\@undefined
103 \ifx\widowpenalties\@undefined

classic tex has 28 registers.
104 \mathchardef\@alloc@top=255
105 \let\@alloc@chardef\chardef
106 \else

etex and xetex have 215 registers.
107 \mathchardef\@alloc@top=32767
108 \let\@alloc@chardef\mathchardef
109 \fi
110 \else

luatex has 216 registers.
111 \chardef\@alloc@top=65535
112 \let\@alloc@chardef\chardef
113 \fi

114 </2ekernel | latexrelease>
115 <latexrelease>\EndIncludeInRelease
116 <latexrelease>\IncludeInRelease{0000/00/00}%
117 <latexrelease> \{\@alloc@chardef\}{Extended Allocation}%
118 <latexrelease>\let\@alloc@top\@undefined
119 <latexrelease>\let\@alloc@chardef\@undefined
120 <latexrelease>\EndIncludeInRelease

\@mathgroup@top The upper limit of extended math groups (\fam) 16 in classic TEX and e-TEX, but
256 in Unicode TeX variants.
121 <*2ekernel | latexrelease>
122 <latexrelease>\IncludeInRelease{2015/01/01}%
123 <latexrelease> \{\@mathgroup@top\}{Extended Allocation}%

124 \ifx\Umathcode\@undefined

classic and e tex have 16 fam (0–15).
125 \chardef\@mathgroup@top=16
126 \else

xetex and luatex have 256 fam (0–255).
127 \chardef\@mathgroup@top=256
128 \fi

```

```

129 </2kernel | latexrelease>
130 <latexrelease>\EndIncludeInRelease
131 <latexrelease>\IncludeInRelease{0000/00/00}%
132 <latexrelease>{\e@mathgroup@top}{Extended Allocation}%
133 <latexrelease>\let\e@mathgroup@top\@undefined
134 <latexrelease>\EndIncludeInRelease

```

\e@alloc A modified version of `\alloc@` that takes the count register rather than just the final digit of its number (assuming `\count1x`). It also has an extra argument to give the top of the extended range.

```

#1 #2 #3 #4 #5 #6
\e@alloc type defcmd current top extended-top newname
Note that if just a single allocation range is required (not omitting a range up
to 255 for inserts) then -1 should be used for the first upper bound argument, #4.
135 <*2kernel | latexrelease>
136 <latexrelease>\IncludeInRelease{2015/01/01}{\e@alloc}{Extended Allocation}%

137 \def\e@alloc#1#2#3#4#5#6{%
138   \global\advance#3\@ne
139   \e@ch@ck{#3}{#4}{#5}#1%
140   \allocationnumber#3\relax
141   \global#2#6\allocationnumber
142   \log{\string#6=\string#1the\allocationnumber}}%
143 </2kernel | latexrelease>
144 <latexrelease>\EndIncludeInRelease
145 <latexrelease>\IncludeInRelease{0000/00/00}{\e@alloc}{Extended Allocation}%
146 <latexrelease>\let\e@alloc\@undefined
147 <latexrelease>\EndIncludeInRelease
148 <*2kernel>

```

\e@ch@ck Extended check command. If the first range is exceeded, bump to 256 (or 266 for counts) and try again, testing the extended range.

\extrafloats Allocate matching registers from the top of the extended range and add to `\@freelist`.

```

149 </2kernel>
150 <*2kernel | latexrelease>
151 <latexrelease>\IncludeInRelease{2015/10/01}
152 <latexrelease>{\e@ch@ck}{Extended Allocation (checking)}%

153 \gdef\e@ch@ck#1#2#3#4{%
154   \ifnum#1<#2\else

```

If we've reached the classical top limit, bump to 256 or 266 for counts (count 256–265 are reserved by the allocation system).

```

155   \ifnum#1=#2\relax
156     \global#1\@cclvi
157     \ifx\count#4\global\advance#1 10 \fi
158   \fi

```

Check we are below the extended limit.

```

159   \ifnum#1<#3\relax
160     \else
161     \errmessage{No room for a new \string#4}%

```

```

162 \fi
163 \fi}%
164 \<latexrelease>\EndIncludeInRelease
165 \<latexrelease>\IncludeInRelease{2015/01/01}%
166 \<latexrelease>{\e@ch@ck}{Extended Allocation (checking)}%
167 \<latexrelease>\gdef\e@ch@ck#1#2#3#4{%
168 \<latexrelease> \ifnum#1<#2\else
169 \<latexrelease> \ifnum#1=#2\relax
170 \<latexrelease> #1\@cclvi
171 \<latexrelease> \ifx\count#4\advance#1 10 \fi
172 \<latexrelease> \fi
173 \<latexrelease> \ifnum#1<#3\relax
174 \<latexrelease> \else
175 \<latexrelease> \errmessage{No room for a new #4}%
176 \<latexrelease> \fi
177 \<latexrelease> \fi}%
178 \<latexrelease>\EndIncludeInRelease
179 \<latexrelease>\IncludeInRelease{0000/00/00}%
180 \<latexrelease>{\e@ch@ck}{Extended Allocation (checking)}%
181 \<latexrelease>\let\e@ch@ck\@undefined
182 \<latexrelease>\EndIncludeInRelease

183 \<latexrelease>\IncludeInRelease{2015/01/01}%
184 \<latexrelease>{\extrafloats}{Extra floats}%

185 \let\float@count\e@alloc@top

\extrafloats

186 \ifx\numexpr\@undefined
In classic TeX use \newinsert to allocate float boxes.

187 \def\extrafloats#1{%
188 \count@#1\relax
189 \ifnum\count@>\z@
190 \newinsert\reserved@a
191 \global\expandafter\chardef
192 \csname bx@\the\allocationnumber\endcsname\allocationnumber
193 \@cons\@freelist{\csname bx@\the\allocationnumber\endcsname}%
194 \advance\count@\m@ne
195 \expandafter\extrafloats
196 \expandafter\count@
197 \fi
198 }%

199 \else

In e-tex take float boxes from the top of the extended range.

200 \def\extrafloats#1{%
201 \ifnum#1>\z@
202 \count@\numexpr\float@count-1\relax
203 \ch@ck0\count@\count
204 \ch@ck1\count@\dimen
205 \ch@ck2\count@\skip
206 \ch@ck4\count@\box
207 \global\e@alloc\chardef\float@count\count@
208 \global\expandafter\e@alloc\chardef

```

```

209 \csname bx@\the\float@count\endcsname\float@count
210 \@cons\@freelist{\csname bx@\the\float@count\endcsname}%
211 \expandafter
212 \extrafloats\expandafter{\numexpr#1-1\relax}%
213 \fi}%
214 \fi

215 \if2kernel | latexrelease
216 \latexrelease\EndIncludeInRelease
217 \latexrelease\IncludeInRelease{0000/00/00}%
218 \latexrelease{\extrafloats}{Extra floats}%
219 \latexrelease\let\float@count\@undefined
220 \latexrelease\let\extrafloats\@undefined
221 \latexrelease\EndIncludeInRelease
222 \if2kernel

\alloc@

223 \def\alloc@#1#2#3#4#5{\global\advance\count1#1\@ne
224 \ch@ck#1#4#2% make sure there's still room
225 \allocationnumber\count1#1%
226 \global#3#5\allocationnumber
227 \wlog{\string#5=\string#2\the\allocationnumber}}

\newinsert

228 \if2kernel
229 \if2kernel | latexrelease
230 \latexrelease\IncludeInRelease{2015/10/01}
231 \latexrelease{\newinsert}{Extended \newinsert}%
232 \ifx\numexpr\@undefined
If e-TeX is not available use the original plain TeX definition of \newinsert.
233 \def\newinsert#1{\global\advance\insc@unt \m@ne
234 \ch@ck0\insc@unt\count
235 \ch@ck1\insc@unt\dimen
236 \ch@ck2\insc@unt\skip
237 \ch@ck4\insc@unt\box
238 \allocationnumber\insc@unt
239 \global\chardef#1\allocationnumber
240 \wlog{\string#1=\string\insert\the\allocationnumber}}
241 \else
The highest register allowed with \insert.
242 \ifx\directlua\@undefined
243 \chardef\@insert@top255
244 \else
245 \chardef\@insert@top\@alloc@top
246 \fi
If the classic registers are exhausted, take an insert from the free float list and use
\extrafloats to add a new float to that list.
247 \def\newinsert#1{%
248 \@tempwafalse
249 \global\advance\insc@unt\m@ne
250 \ifnum\count10<\insc@unt

```

```

251 \ifnum\count11<\insc@unt
252 \ifnum\count12<\insc@unt
253 \ifnum\count14<\insc@unt
254   \@tempswatrue
255 \fi\fi\fi\fi
256 \if@tempswa
257 \allocationnumber\insc@unt
258 \else
259 \global\advance\insc@unt\@ne
260 \extrafloats\@ne
261 \@next\@currbox\@freelist
262   {\ifnum\@currbox<\e@insert@top
263     \allocationnumber\@currbox
264     \else
265     \ch@ck0\m@ne\insert
266     \fi}%
267   {\ch@ck0\m@ne\insert}}%
268 \fi
269 \global\chardef#1\allocationnumber
270 \wlog{\string#1=\string\insert\the\allocationnumber}%
271 }

272 \fi
273 </2ekernel | latexrelease>

274 <latexrelease>\EndIncludeInRelease
275 <latexrelease>\IncludeInRelease{0000/00/00}%
276 <latexrelease>           {\newinsert}{Extended \newinsert}}%
277 <latexrelease>\let\e@insert@top\@undefined
278 <latexrelease>\def\newinsert#1{\global\advance\insc@unt \m@ne
279 <latexrelease> \ch@ck0\insc@unt\count
280 <latexrelease> \ch@ck1\insc@unt\dimen
281 <latexrelease> \ch@ck2\insc@unt\skip
282 <latexrelease> \ch@ck4\insc@unt\box
283 <latexrelease> \allocationnumber\insc@unt
284 <latexrelease> \global\chardef#1\allocationnumber
285 <latexrelease> \wlog{\string#1=\string\insert\the\allocationnumber}}
286 <latexrelease>\EndIncludeInRelease
287 <*2ekernel>

\ch@ck

288 \gdef\ch@ck#1#2#3{%
289   \ifnum\count1#1<#2\else
290     \errmessage{No room for a new #3}%
291   \fi}

\newhelp
292 \def\newhelp#1#2{\newtoks#1#1\expandafter{\csname#2\endcsname}}

\maxdimen Here are some examples of allocation.
\hideskip 293 \newdimen\maxdimen \maxdimen=16383.99999pt % the largest legal <dimen>
294 \newskip\hideskip \hideskip=-1000pt plus 1fill % negative but can grow

\p@
\z@
\z@skip
\voidb@x File b: ltplain.dtx Date: 2017/01/06 Version v2.3b

```



```

295 \newdimen\p@ \p@=1pt % this saves macro space and time
296 \newdimen\z@ \z@=0pt % can be used both for 0pt and 0
297 \newskip\z@skip \z@skip=0pt plus0pt minus0pt
298 \newbox\voidb@x % permanently void box register

```

Assign initial values to T_EX's parameters

```

299 \message{parameters,}

```

All of T_EX's numeric parameters are listed here, but the code is commented out if no special value needs to be set. INITEX makes all parameters zero except where noted.

```

300 \pretolerance=100
301 \tolerance=200 % INITEX sets this to 10000
302 \hbadness=1000
303 \vbadness=1000
304 \linepenalty=10
305 \hyphenpenalty=50
306 \exhyphenpenalty=50
307 \binoppenalty=700
308 \relpenalty=500
309 \clubpenalty=150
310 \widowpenalty=150
311 \displaywidowpenalty=50
312 \brokenpenalty=100
313 \predisplaypenalty=10000

\postdisplaypenalty=0
\interlinepenalty=0
\floatingpenalty=0, set during \insert
\outputpenalty=0, set before TeX enters \output

314 \doublehyphendemerits=10000
315 \finalhyphendemerits=5000
316 \adjdemerits=10000

\looseness=0, cleared by TeX after each paragraph
\pausing=0
\holdinginserts=0
\tracingonline=0
\tracingmacros=0
\tracingstats=0
\tracingparagraphs=0
\tracingpages=0
\tracingoutput=0

317 \tracinglostchars=1

\tracingcommands=0
\tracingrestores=0
\language=0

318 \uchyph=1

\lefthyphenmin=2 \righthyphenmin=3 set below
\globaldefs=0
\maxdeadcycles=25 % INITEX does this

```

```

\hangafter=1 % INITEX does this, also TeX after each paragraph
\fam=0
\mag=1000 % INITEX does this
\escapechar='\ % INITEX does this
319 \defaultthyphenchar='\-
320 \defaultskewchar=-1

\endlinechar='\^M % INITEX does this
\newlinechar=-1      \LaTeX\ sets this in ltdefs.dtx.
321 \delimiterfactor=901

\time=now % TeX does this at beginning of job
\day=now % TeX does this at beginning of job
\month=now % TeX does this at beginning of job
\year=now % TeX does this at beginning of job

```

In L^AT_EX we don't want box information in the transcript unless we do a full tracing.

```

322 \showboxbreadth=-1
323 \showboxdepth=-1
324 \errorcontextlines=-1

325 \hfuzz=0.1pt
326 \vfuzz=0.1pt
327 \overfullrule=5pt
328 \maxdepth=4pt
329 \splitmaxdepth=\maxdimen
330 \boxmaxdepth=\maxdimen

\lineskiplimit=0pt, changed by \normalbaselines
331 \delimitershortfall=5pt
332 \nulldelimiterspace=1.2pt
333 \scriptspace=0.5pt

\mathsurround=0pt
\predisplaysize=0pt, set before TeX enters $$
\displaywidth=0pt, set before TeX enters $$
\displayindent=0pt, set before TeX enters $$
334 \parindent=20pt

\hangindent=0pt, zeroed by TeX after each paragraph
\hoffset=0pt
\voffset=0pt

\baselineskip=0pt, changed by \normalbaselines
\lineskip=0pt, changed by \normalbaselines

335 \parskip=0pt plus 1pt
336 \abovedisplayskip=12pt plus 3pt minus 9pt
337 \abovedisplayshortskip=0pt plus 3pt
338 \belowdisplayskip=12pt plus 3pt minus 9pt
339 \belowdisplayshortskip=7pt plus 3pt minus 4pt

```

```

\leftskip=0pt
\rightskip=0pt
340 \topskip=10pt
341 \splittopskip=10pt

\tabskip=0pt
\spaceskip=0pt
\xspaceskip=0pt
342 \parfillskip=0pt plus 1fil

\normalbaselineskip We also define special registers that function like parameters:
\normallineskip 343 \newskip\normalbaselineskip \normalbaselineskip=12pt
\normallineskiplimit 344 \newskip\normallineskip \normallineskip=1pt
345 \newdimen\normallineskiplimit \normallineskiplimit=0pt

\interfootlinepenalty
346 \newcount\interfootnotelinepenalty \interfootnotelinepenalty=100

Definitions for preloaded fonts

\magstephalf
\magstep 347 \def\magstephalf{1095 }
348 \def\magstep#1{\ifcase#1 \@m\or 1200\or 1440\or 1728\or
349 2074\or 2488\fi\relax}

Macros for setting ordinary text

\frenchspacing
\nonfrenchspacing 350 \def\frenchspacing{\sfcode'\.\@m \sfcode'\?\@m \sfcode'\!\@m
351 \sfcode'\:\@m \sfcode'\;\@m \sfcode'\,\@m}
352 \def\nonfrenchspacing{\sfcode'\.3000\sfcode'\?3000\sfcode'\!3000%
353 \sfcode'\:2000\sfcode'\;1500\sfcode'\,1250 }

\normalbaselines
354 \def\normalbaselines{\lineskip\normallineskip
355 \baselineskip\normalbaselineskip \lineskiplimit\normallineskiplimit}

\M Save a bit of space by using \let here.
\I 356 \def\^M{\ } % control <return> = control <space>
357 \let\^I\^M % same for <tab>

\lq
\rq 358 \def\lq{' }
359 \def\rq{' }

\lbrack
\rbrack 360 \def\lbrack{[ }
361 \def\rbrack{[ ]}

\aa These are not from plain.tex but they are similar to other commands found here
\AA and nowhere else, being alternate input forms for characters.
362 \def \aa {\r a}
363 \def \AA {\r A}

```

```

\endgraf
\endline 364 \let\endgraf=\par
365 \let\endline=\cr

\space
366 \def\space{ }

\empty This probably ought to go altogether, but let it to the LATEX version to save space.
367 \let\empty@empty

\null
368 \def\null{\hbox{}}

\bgroup
\egroup 369 \let\bgroup={
370 \let\egroup=}

\obeylines In \obeylines, we say \let^^M=\par instead of \def^^M{\par} since this allows,
\obeyspaces for example, \let\par=\cr \obeylines \halign{...
371 {\catcode'\^^M=\active % these lines must end with %
372 \gdef\obeylines{\catcode'\^^M=\active \let^^M\par}%
373 \global\let^^M\par} % this is in case ^^M appears in a \write
374 \def\obeyspaces{\catcode'\ \active}
375 {\obeyspaces\global\let \space}

\loop We use Kabelschacht's method of doing loops, see TUB 8#2 (1987). (unless that
\iterate breaks something :-). It turned out to need an extra \relax: see pr/642 (\loop
\repeat could do one iteration too much in certain cases).
376 \long\def \loop #1\repeat{%
377 \def\iterate{#1\relax % Extra \relax
378 \expandafter\iterate\fi
379 }%
380 \iterate
381 \let\iterate\relax
382 }

This setting of \repeat is needed to make \loop...\if...\repeat skippable
within another \if....
383 \let\repeat=\fi

LATEX defines \smallskip, etc. in ltspac.dtx.

\nointerlineskip
\offinterlineskip 384 \def\nointerlineskip{\prevdepth-\@m\p@}
385 \def\offinterlineskip{\baselineskip-\@m\p@
386 \lineskip\z@ \lineskiplimit\maxdimen}

\vglue
\hglue 387 \def\vglue{\afterassignment\vgl@skip@=}
388 \def\vgl@{\par \dimen@prevdepth \hrule \@height\z@
389 \nobreak\vskip\skip@ \prevdepth\dimen@}
390 \def\hglue{\afterassignment\hgl@skip@=}
391 \def\hgl@{\leavevmode \count@spacefactor \vrule \@width\z@
392 \nobreak\hskip\skip@ \spacefactor\count@}

```

L^AT_EX defines ~ in ltdefns.dtx.

```

\slash This generates a / acting a bit like - but still allows hyphenation in the word part
preceding it (but not after).
393 \def\slash{/\penalty\exhyphenpenalty}

\break
\nobreak 394 \def\break{\penalty-\@M}
\allowbreak 395 \def\nobreak{\penalty \@M}
396 \def\allowbreak{\penalty \z@}

\filbreak
\goodbreak 397 \def\filbreak{\par\vfil\penalty-200\vfilneg}
398 \def\goodbreak{\par\penalty-500 }

\eject Define \eject as in plain TEX but define \supereject only in the compatibility
file.
399 \def\eject{\par\break}

\removelastskip
400 \def\removelastskip{\ifdim\lastskip=\z@else\vskip-\lastskip\fi}

\smallbreak
\medbreak 401 \def\smallbreak{\par\ifdim\lastskip<\smallskipamount
\bigbreak 402 \removelastskip\penalty-50\smallskip\fi}
403 \def\medbreak{\par\ifdim\lastskip<\medskipamount
404 \removelastskip\penalty-100\medskip\fi}
405 \def\bigbreak{\par\ifdim\lastskip<\bigskipamount
406 \removelastskip\penalty-200\bigskip\fi}

\m@th
407 \def\m@th{\mathsurround\z@}

\underbar Due to LATEX's redefinition of \underline plain TEX's \underbar can be done in
a simpler fashion (but do we need it at all?).
408 \def\underbar#1{\underline{\sbox\tw@{#1}\dp\tw@\z@\box\tw@}}

\strutbox LATEX sets \strutbox in \set@fontsize.
\strut 409 \newbox\strutbox
410 \def\strut{\relax\ifmmode\copy\strutbox\else\unhcopy\strutbox\fi}

\hidewidth For alignment entries that can stick out.
411 \def\hidewidth{\hskip\hideskip}

\narrower
412 \def\narrower{%
413 \advance\leftskip\parindent
414 \advance\rightskip\parindent}

LATEX defines \ae and similar commands elsewhere.
415 \chardef\%= '\%
416 \chardef\&= '\&
417 \chardef\#= '\#

```

Most text commands are actually encoding specific and therefore defined later, so commented out or removed from this file.

```

\leavevmode begins a paragraph, if necessary
418 \def\leavevmode{\unhbox\voidb@x}

\mathhexbox
419 \def\mathhexbox#1#2#3{\mbox{${\mathchar"#1#2#3$}}

\ialign
420 \def\ialign{\everycr{}\tabskip\z@skip\halign} % initialized \halign

\oalign
\o@lign 421 \def\oalign#1{\leavevmode\top{\baselineskip\z@skip \lineskip.25ex%
\oalign 422 \ialign{##\crr#1\crr}}
423 \def\o@lign{\lineskiplimit\z@ \oalign}
424 \def\oalign{\lineskiplimit-\maxdimen \oalign}

\sh@ft The definition of this macro in plain.tex was improved in about 1997; but as a
result its usage was changed and its new definition is not appropriate for LATEX.
Since the version given here has been in use by LATEX for many years it does
not seem prudent to remove it now. As far as we can tell it has only been used to
define \b and \d but this cannot be certain.
425 \def\sh@ft#1{\dimen@.00#1ex\multiply\dimen@\fontdimen1\font
426 \kern-.0156\dimen@} % compensate for slant in lowered accents

\ltx@sh@ft This is the LATEX version of the second incarnation of the plain macro \sh@ft,
which takes a dimension as its argument. It shifts a pseudo-accent horizontally
by an amount proportional to the product of its argument and the slant-per-point
(fontdimen 1).
427 \def\ltx@sh@ft #1{%
428 \dimen@ #1%
429 \kern \strip@pt
430 \fontdimen1\font \dimen@
431 } % kern by #1 times the current slant

LATEX change: the text commands such as \d, \b, \c, \copyright, \TeX are
now defined elsewhere.
LATEX change: Make \t work in a moving argument. Now defined elsewhere.

\hrulefill LATEX change: \kern\z@ added to end of \hrulefill and \dotfill to make them
\dotfill work in ‘tabular’ and ‘array’ environments. (Change made 24 July 1987). LATEX
change: \leavevmode added at beginning of \dotfill and \hrulefill so that
they work as expected in vertical mode.
432 \def\hrulefill{\leavevmode\leaders\hrule\hfill\kern\z@}
The box in \dotfill originally contained (in plain.tex):
\mkern 1.5mu .\mkern 1.5mu;
the width of .44em differs from this by .04pt which is probably an acceptable
difference within leaders.
433 \def\dotfill{%
434 \leavevmode
435 \cleaders \hb@xt@ .44em{\hss.\hss}\hfill
436 \kern\z@}

```

INITEX sets `\sfcode x=1000` for all `x`, except that `\sfcode 'X=999` for upper-case letters. The following changes are needed:

```
437 \sfcode'\)=0 \sfcode'\'=0 \sfcode'\]=0
```

The `\nonfrenchspacing` macro will make further changes to `\sfcode` values.

Definitions related to output

`\magnification` doesn't work in L^AT_EX.

```
\def\magnification{\afterassignment\m@g\count@}
\def\m@g{\mag\count@
\hspace6.5truein\vspace8.9truein\dimen\footins8truein}
```

`\showoverfull` The following commands are used in debugging:

```
438 \def\showoverfull{\tracingonline\@ne}
```

```
\showoutput
\loggingoutput 439 \gdef\loggingoutput{\tracingoutput\@ne
440 \showboxbreadth\maxdimen\showboxdepth\maxdimen\errorstopmode}
441 \gdef\showoutput{\loggingoutput\showoverfull}
442 /2ekernel)
```

```
\tracingall
\loggingall 443 (latexrelease)\IncludeInRelease{2015/01/20}{\loggingall}{etex tracing}%
444 (*2ekernel| latexrelease)
445 \ifx\tracingscantokens\@undefined
446 \gdef\loggingall{%
447 \tracingstats\tw@
448 \tracingpages\@ne
449 \tracinglostchars\@ne
450 \tracingparagraphs\@ne
451 \errorcontextlines\maxdimen
452 \loggingoutput
453 \tracingmacros\tw@
454 \tracingcommands\tw@
455 \tracingrestores\@ne
456 }%
457 \else
458 \gdef\loggingall{%
459 \tracingstats\tw@
460 \tracingpages\@ne
461 \tracinglostchars\tw@
462 \tracingparagraphs\@ne
463 \tracinggroups\@ne
464 \tracingifs\@ne
465 \tracingscantokens\@ne
466 \tracingnesting\@ne
467 \errorcontextlines\maxdimen
468 \loggingoutput
469 \tracingmacros\tw@
470 \tracingcommands\thr@@
471 \tracingrestores\@ne
472 \tracingassigns\@ne
473 }%
474 \fi
```

```

475 \gdef\tracingall{\showoverfull\loggingall}
476 \end{kernel} \end{latexrelease}
477 \end{latexrelease} \end{IncludeInRelease}
478 \end{latexrelease} \end{IncludeInRelease}{0000/00/00}{\loggingall}{etex tracing}%
479 \end{latexrelease} \gdef\loggingall{\tracingcommands\tw@\tracingstats\tw@
480 \tracingpages\@ne\tracinglostchars\@ne
481 \tracingmacros\tw@\tracingparagraphs\@ne\tracingrestores\@ne
482 \errorcontextlines\maxdimen\loggingoutput}
483 \end{latexrelease} \gdef\tracingall{\loggingall\showoverfull}
484 \end{latexrelease} \end{IncludeInRelease}

\tracingnone
\hideoutput 485 \end{latexrelease} \end{IncludeInRelease}{2015/01/20}{\tracingnone}%
486 \end{latexrelease} {turn off etex tracing}%
487 \end{kernel} \end{latexrelease}
488 \ifx\tracingscantokens\undefined
489 \def\tracingnone{%
490   \tracingonline\z@
491   \tracingcommands\z@
492   \showboxdepth\m@ne
493   \showboxbreadth\m@ne
494   \tracingoutput\z@
495   \errorcontextlines\m@ne
496   \tracingrestores\z@
497   \tracingparagraphs\z@
498   \tracingmacros\z@
499   \tracinglostchars\@ne
500   \tracingpages\z@
501   \tracingstats\z@
502 }%
503 \else
504 \def\tracingnone{%
505   \tracingassigns\z@
506   \tracingrestores\z@
507   \tracingonline\z@
508   \tracingcommands\z@
509   \showboxdepth\m@ne
510   \showboxbreadth\m@ne
511   \tracingoutput\z@
512   \errorcontextlines\m@ne
513   \tracingnesting\z@
514   \tracingscantokens\z@
515   \tracingifs\z@
516   \tracinggroups\z@
517   \tracingparagraphs\z@
518   \tracingmacros\z@
519   \tracinglostchars\@ne
520   \tracingpages\z@
521   \tracingstats\z@
522 }%
523 \fi

524 \def\hideoutput{%
525   \tracingoutput\z@
526   \showboxbreadth\m@ne

```



```

527 \showboxdepth\m@ne
528 \tracingonline\m@ne
529 }%

530 </2ekernel | latexrelease>
531 <latexrelease>\EndIncludeInRelease
532 <latexrelease>\IncludeInRelease{0000/00/00}{\tracingnone}%
533 <latexrelease> {turn off etex tracing}%
534 <latexrelease>\let\tracingnone\@undefined
535 <latexrelease>\let\hideoutput\@undefined
536 <latexrelease>\EndIncludeInRelease

    LATEX change: \showhyphens Defined later.
    Punctuation affects the spacing.

537 <*2ekernel>
538 \nonfrenchspacing
539 </2ekernel>

```

File c
ltvers.dtx

10 Version Identification

First we identify the date and version number of this release of L^AT_EX, and set `\everyjob` so that it is printed at the start of every L^AT_EX run.

```

\fmtname
\fmtversion 1 \*2ekernel)
\patch@level 2 \def\fmtname{LaTeX2e}
3 \edef\fmtversion
4 \*2ekernel)
5 (latexrelease)\edef\latexreleaseversion
6 \*2ekernel | latexrelease)
7 {2017/01/01}
8 \*2ekernel | latexrelease)
9 \*2ekernel)
10 \def\patch@level{3}

```

Check that the format being made is not too old. The error message complains about ‘more than 5 years’ but in fact the error is not triggered until 65 months.

This code is currently not activated as we don't know if we already got to the last official 2e version (due to staff shortage or due to a successor (think positive:)).

```

11 \iffalse
12 \def\reserved@a#1/#2/#3\@nil{%
13   \count@ \year
14   \advance \count@ -#1 \relax
15   \multiply \count@ by 12 \relax
16   \advance \count@ \month
17   \advance \count@ -#2 \relax}
18 \expandafter \reserved@a \fmtversion \@nil

```

\count@ is now the age of this file in months. Take a generous definition of ‘year’ so this message is not generated too often.

```

19 \ifnum\count@>65
20   \typeout{^^J%
21   !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!^^J%
22   ! You are attempting to make a LaTeX format from a source file^^J%
23   ! That is more than five years old.^^J%
24   !^^J%
25   ! If you enter <return> to scroll past this message then the format^^J%
26   ! will be built, but please consider obtaining newer source files^^J%
27   ! before continuing to build LaTeX.^^J%
28   !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!^^J%
29 }
30   \errhelp{To avoid this error message, obtain new LaTeX sources.}
31   \errmessage{LaTeX source files more than 5 years old!}
32 \fi
33 \let\reserved@a\relax
34 \fi
```

```

35 \ifnum\patch@level=0
36 \everyjob\expandafter{\the\everyjob
37 \typeout{\fmtname \space<\fmtversion>}}
38 \immediate
39 \write16{\fmtname \space<\fmtversion>}
40 \else\ifnum\patch@level>0
41 \everyjob\expandafter{\the\everyjob
42 \typeout{\fmtname \space<\fmtversion> patch level \patch@level}}
43 \immediate
44 \write16{\fmtname \space<\fmtversion> patch level \patch@level}
45 \else
46 \everyjob\expandafter{\the\everyjob
47 \typeout{\fmtname \space<\fmtversion> pre-release\patch@level}}
48 \immediate
49 \write16{\fmtname \space<\fmtversion> pre-release\patch@level}
50 \fi
51 \fi
52 </2ekernel>

```

\IncludeInRelease

```

53 <2ekernel>\let\@currname\@empty

54 <*2ekernel | latexrelease>
55 \def\IncludeInRelease#1{\kernel@ifnextchar[%
56 {\@IncludeInRelease{#1}}
57 {\@IncludeInRelease{#1}[#1]}}

    If a specific date has not been specified in latexrelease use ‘#1’.
58 \def\@IncludeInRelease#1[#2]{\@IncludeInRelease@se{#2}}

59 \def\@IncludeInRelease@se#1#2#3{%
60 \toks@{[#1] #3}%
61 \expandafter\ifx\csname\string#2+\@currname+IIR\endcsname\relax
62 \ifnum\expandafter\@parse@version#1//00\@nil
63 >\expandafter\@parse@version\fmtversion//00\@nil
64 \GenericInfo{}{Skipping: \the\toks@}%
65 \expandafter\expandafter\expandafter\@gobble@IncludeInRelease
66 \else
67 \GenericInfo{}{Applying: \the\toks@}%
68 \expandafter\let\csname\string#2+\@currname+IIR\endcsname\@empty
69 \fi
70 \else
71 \GenericInfo{}{Already applied: \the\toks@}%
72 \expandafter\@gobble@IncludeInRelease
73 \fi
74 }

75 \long\def\@gobble@IncludeInRelease#1\EndIncludeInRelease{}
76 \let\EndIncludeInRelease\relax
77 </2ekernel | latexrelease>

```

File d

ltdfn.s.dtx

11 Definitions

This section contains commands used in defining other macros.

```
1 (*2kernel)
```

11.1 Initex initialisations

`\two@digits` Prefix a number less than 10 with ‘0’.

```
2 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}
```

`\typeout` Display something on the terminal.

```
3 \def\typeout#1{\begingroup\set@display@protect
4   \immediate\write\@unused{#1}\endgroup}
```

`\newlinechar` A char to be used as new-line in output to files.

```
5 \newlinechar'\^^J
```

11.2 Saved versions of T_EX primitives

The TeX primitive `\foo` is saved as `\@@foo`. The following primitives are handled in this way:

`\@@par`

```
6 \let\@@par=\par
7 %\let\@@input=\input      %%% moved earlier
8 %\let\@@end=\end          %%%
```

`\@@hyph` The following comment was added when these commands were first set up, 19 April 1986: the `\-` command is redefined to allow it to work in the `\ttfamily` type style, where automatic hyphenation is suppressed by setting `\hyphenchar` to `-1`. The original primitive T_EX definition is saved as `\@@hyph` just in case anyone needs it.

There is a need for a robust command for a discretionary hyphen since its exact representation depends on the glyphs available in the current font. For example, with suitable fonts and the T1 font encoding it is possible to use hanging hyphens.

A suitable robust definition that allows for many possible types of font and encoding may be as follows:

```
\DeclareRobustCommand {\-}{%
\discretionary {%
\char \ifnum\hyphenchar\font<\z@
\defaultthyphenchar
\else
\hyphenchar\font
\fi
}{ }{}%
}
```

The redefinition (via `\let`) of `\-` within tabbing also makes the use of a robust command advisable since then any redefinition of `\-` via `\DeclareRobustCommand` will not cause a conflict.

Therefore, macro writers should be hereby warned that these internals will probably change! It is likely that a future release of L^AT_EX will make `\-` effectively an encoding specific text command.

```

9 \let\@chhyph=\-          % Save original primitive definition
10 \def\-\{\discretionary{-}{-}{-}}

\@dischyph
11 \let\@dischyph=\-

\@italiccorr Save the original italic correction.
12 \let\@italiccorr=\/

\@height The following definitions save token space. E.g., using \@height instead of height
\@depth saves 5 tokens at the cost in time of one macro expansion.
\@width 13 \def\@height{height} \def\@depth{depth} \def\@width{width}
\@minus 14 \def\@minus{minus}
\@plus 15 \def\@plus{plus}

\hbxt@ The next one is another 100 tokens worth.
16 \def\hbxt@\{\hbox to}

17 \message{hacks,}
```

11.3 Command definitions

This section defines the following commands:

<code>\@namedef</code>	<code>{\NAME}</code>	Expands to <code>\def\{\NAME}</code> , except name can contain any characters.
<code>\@nameuse</code>	<code>{\NAME}</code>	Expands to <code>\{\NAME}</code> .
<code>\@ifnextchar</code>	<code>X{\YES}\{\NO}</code>	Expands to <code>\YES</code> if next character is an ‘X’, and to <code>\NO</code> otherwise. (Uses <code>\reserved@a</code> – <code>\reserved@c</code> .) NOTE: GOBBLES ANY SPACE FOLLOWING IT.
<code>\@ifstar</code>	<code>{\YES}\{\NO}</code>	Gobbles following spaces and then tests if next the character is a ‘*’. If it is, then it gobbles the ‘*’ and expands to <code>\YES</code> , otherwise it expands to <code>\NO</code> .
<code>\@dblarg</code>	<code>{\CMD}\{\ARG}</code>	Expands to <code>\{\CMD}\[\ARG]\{\ARG}</code> . Use <code>\@dblarg\CS</code> when <code>\CS</code> takes arguments <code>[ARG1]{ARG2}</code> , where default is <code>ARG1 = ARG2</code> .
<code>\@ifundefined</code>	<code>{\NAME}\{\YES}\{\NO}</code>	: If <code>\NAME</code> is undefined then it executes <code>\YES</code> , otherwise it executes <code>\NO</code> . More precisely, true if <code>\NAME</code> either undefined or = <code>\relax</code> .
<code>\@ifdefinable</code>	<code>\NAME{\YES}</code>	Executes <code>\YES</code> if the user is allowed to define <code>\NAME</code> , otherwise it gives an error. The user can define <code>\NAME</code> if <code>\@ifundefined{\NAME}</code> is true, ‘NAME’ ≠ ‘relax’ and the first three letters of ‘NAME’ are not ‘end’, and if <code>\endNAME</code> is not defined.
<code>\newcommand</code>	<code>*{\FOO}\{\i}\{\TEXT}</code>	

User command to define `\F00` to be a macro with i arguments ($i = 0$ if missing) having the definition $\langle TEXT \rangle$. Produces an error if `\F00` already defined.

Normally the command is defined to be `\long` (ie it may take multiple paragraphs in its argument). In the star-form, the command is not defined as `\long` and a blank line in any argument to the command would generate an error.

`\renewcommand` $\star\{\langle F00 \rangle\}[\langle i \rangle]\{\langle TEXT \rangle\}$

Same as `\newcommand`, except it checks if `\F00` already defined.

`\newenvironment` $\star\{\langle F00 \rangle\}[\langle i \rangle]\{\langle DEF1 \rangle\}\{\langle DEF2 \rangle\}$

equivalent to:

`\newcommand{\F00}[i]{DEF1} \def{\endF00}{DEF2}`

(or the appropriate star forms).

`\renewenvironment`

Obvious companion to `\newenvironment`.

`\@cons` : See description of `\output` routine.

`\@car` `\@car T1 T2 ... Tn\@nil == T1` (unexpanded)

`\@cdr` `\@cdr T1 T2 ... Tn\@nil == T2 ... Tn` (unexpanded)

`\typeout` $\{\langle message \rangle\}$

Produces a warning message on the terminal.

`\typein` $\{\langle message \rangle\}$

Types message, asks the user to type in a command, then executes it

`\typein` $[\langle CS \rangle]\{\langle MSG \rangle\}$

Same as above, except defines `\CS` to be the input instead of executing it.

`\typein`

```

18 \def\typein{%
19   \let\@typein\relax
20   \@testopt\@xtypein\@typein}

21 \ifx\directlua\@undefined

22 \def\@xtypein[#1]#2{%
23   \typeout{#2}%
24   \advance\endlinechar\@M
25   \read\@inputcheck to#1%
26   \advance\endlinechar-\@M
27   \@typein}%

28 \else

29 \def\@xtypein[#1]#2{%
30   \typeout{#2}%
31   \begingroup \endlinechar\m@ne
32   \read\@inputcheck to#1%
33   \expandafter\endgroup
34   \expandafter\def\expandafter#1\expandafter{#1}%
35   \@typein}%

36 \fi

```

`\@namedef`

```

37 \def\@namedef#1{\expandafter\def\csname #1\endcsname}

```

`\@nameuse`

```

38 \def\@nameuse#1{\csname #1\endcsname}

```

```

\@cons
39 \def\@cons#1#2{\begingroup\let\@elt\relax\xdef#1{#1\@elt #2}\endgroup}

\@car
\@cdr
40 \def\@car#1#2\@nil{#1}
41 \def\@cdr#1#2\@nil{#2}

\@carcube \@carcube T1 ... Tn\@nil = T1 T2 T3 ,  $n > 3$ 
42 \def\@carcube#1#2#3#4\@nil{#1#2#3}

\@onlypreamble This macro adds its argument to the list of commands stored in \@preamblecmds
\@preamblecmds to be disabled after \begin{document}. These commands are redefined to gener-
ate \@notprerr at this point.
43 \def\@preamblecmds{}
44 \def\@onlypreamble#1{%
45   \expandafter\gdef\expandafter\@preamblecmds\expandafter{%
46     \@preamblecmds\do#1}}
47 \@onlypreamble\@onlypreamble
48 \@onlypreamble\@preamblecmds

\@star@or@long Look ahead for a *. If present reset \l@ngrel@x so that the next definition, #1,
will be non-long.
49 \def\@star@or@long#1{%
50   \ifstar
51     {\let\l@ngrel@x\relax#1}%
52     {\let\l@ngrel@x\long#1}}

\l@ngrel@x This is either \relax or \long depending on whether the *-form of a definition
command is being executed.
53 \let\l@ngrel@x\relax

\newcommand User level \newcommand.
54 \def\newcommand{\@star@or@long\new@command}

\new@command
55 \def\new@command#1{%
56   \@testopt{\@newcommand#1}0}

\@newcommand Handling arguments for \newcommand.
\@argdef 57 \def\@newcommand#1[#2]{%
\@xargdef 58   \kernel@ifnextchar [{\@xargdef#1[#2]}%
59     {\@argdef#1[#2]}}
Define #1 if it is definable.
Both here and in \@xargdef the replacement text is absorbed as an argument
because if we are not allowed to make the definition we have to get rid of it
completely.
60 \long\def\@argdef#1[#2]#3{%
61   \@ifdefinable #1{\@yargdef#1\@ne{#2}{#3}}
Handle the second optional argument.
62 \long\def\@xargdef#1[#2]#3#4{%
63   \@ifdefinable#1{%

```

Define the actual command to be:

```
\def\foo{\@protected@testopt\foo\\foo{default}}
```

where `\\foo` is a csname generated from applying `\csname` and `\string` to `\foo`, ie the actual name contains a backslash and therefore can't clash easily with existing command names. "Default" is the contents of the second optional argument of `(re)newcommand`.

```
64 \expandafter\def\expandafter#1\expandafter{%
65 \expandafter
66 \@protected@testopt
67 \expandafter
68 #1%
69 \csname\string#1\endcsname
70 {#3}}%
```

Now we define the internal macro ie `\\foo` which is supposed to pick up all arguments (optional and mandatory).

```
71 \expandafter\@yargdef
72 \csname\string#1\endcsname
73 \tw@
74 {#2}%
75 {#4}}}
```

`\@testopt` This macro encapsulates the most common call to `\@ifnextchar`, saving several tokens each time it is used in the definition of a command with an optional argument. `#1` The code to execute in the case that there is a `[` need not be a single token but can be any sequence of commands that 'expects' to be followed by `[`. If this command were only used in `\newcommand` definitions then `#1` would be a single token and the braces could be omitted from `{#1}` in the definition below, saving a bit of memory.

```
76 \long\def\@testopt#1#2{%
77 \kernel@ifnextchar[{#1}]{#1[{#2}]}}
```

`\@protected@testopt` Robust version of `\@testopt`. The extra argument (`#1`) must be a single token. If protection is needed the call expands to `\protect` applied to this token, and the 2nd and 3rd arguments are discarded (by `\@x@protect`). Otherwise `\@testopt` is called on the 2nd and 3rd arguments.

This method of making commands robust avoids the need for using up two csnames per command, the price is the extra expansion time for the `\ifx` test.

```
78 \def\@protected@testopt#1{%%
79 \ifx\protect\@typeset@protect
80 \expandafter\@testopt
81 \else
82 \@x@protect#1%
83 \fi}
```

`\@yargdef` These generate a primitive argument specification, from a L^AT_EX [*<digit>*] form; in fact *<digit>* can be anything such that `\number <digit>` is single digit.

`\@yargdef` Reorganised slightly so that `\renewcommand{\reserved@a}[1]{foo}` works. I am not sure this is worth it, as a following `\newcommand` would over-write the definition of `\reserved@a`.

Recall that L^AT_EX2.09 goes into an infinite loop with
`\renewcommand[1]{\@tempa}{foo}`
(DPC 6 October 93).

Reorganised again (DPC 1999). Rather than make a loop to construct the argument spec by counting, just extract the required argument spec by using a delimited argument (delimited by the digit). This is faster and uses less tokens. The coding is slightly odd to preserve the old interface (using `#2 = \tw@` as the flag to surround the first argument with `[]`). But the new method did not allow for the number of arguments `#3` not being given as an explicit digit; hence (further expansion of this argument and use of) `\number` was added later in 1999.

It is not clear why these are still `\long`.

```

84 \long \def \@yargdef #1#2#3{%
85   \ifx#2\tw@
86     \def\reservedb##11{####1}}%
87   \else
88     \let\reservedb\@gobble
89   \fi
90   \expandafter
91     \@yargd@f \expandafter{\number #3}#1%
92 }

93 \long \def \@yargd@f#1#2{%
94   \def \reserved@a ##1#1##2##{%
95     \expandafter\def\expandafter#2\reserved@b ##1#1%
96   }%
97   \l@ngrel@x \reserved@a 0##1##2##3##4##5##6##7##8##9##1%
98 }

```

`\@reargdef`

```

99 \long\def\@reargdef#1[#2]{%
100   \@yargdef#1\@ne{#2}}

```

`\renewcommand` Check the command name is already used. If not give an error message. Then temporarily disable `\@ifdefinable` then call `\newcommand`. (Previous version `\let#1=\relax` but this does not work too well if `#1` is `\@tempa-e`.)

```

101 \def\renewcommand{\@star@or@long\renew@command}

```

`\renew@command`

```

102 \def\renew@command#1{%
103   \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
104   \expandafter\@ifundefined\@gtempa
105     {\@latex@error{\noexpand#1undefined}\@ehc}%
106     \relax
107   \let\@ifdefinable\@rc@ifdefinable
108   \new@command#1}

```

`\@ifdefinable` Test is user is allowed to define a command.

```

\@ifdefinable 109 \long\def\@ifdefinable #1#2{%
\@rc@ifdefinable 110   \edef\reserved@a{\expandafter\@gobble\string #1}%
111   \@ifundefined\reserved@a
112     {\edef\reserved@b{\expandafter\@carcube \reserved@a xxx\@nil}%
113     \ifx \reserved@b\@qend \@notdefinable\else

```

```

114         \ifx \reserved@a\@qrelax \@notdefinable\else
115             #2%
116         \fi
117     \fi}%
118     \@notdefinable}

```

Saved definition of \@ifdefinable.

```
119 \let\@@ifdefinable\@ifdefinable
```

Version of \@ifdefinable for use with \renewcommand. Does not do the check this time, but restores the normal definition.

```

120 \long\def\@rc@ifdefinable#1#2{%
121     \let\@ifdefinable\@@ifdefinable
122     #2}

```

\newenvironment Define a new user environment. #1 is the environment name. #2# Grabs all the tokens up to the first {. These will be any optional arguments. They are not parsed at this point, but are just passed to \@newenv which will eventually call \newcommand. Any optional arguments will then be parsed by \newcommand as it defines the command that executes the ‘begin code’ of the environment.

This #2# trick removed with version 1.2i as it fails if a { occurs in the optional argument. Now use \@ifnextchar directly.

```
123 \def\newenvironment{\@star@or@long\new@environment}
```

\new@environment

```

124 \def\new@environment#1{%
125     \@testopt{\@newenva#1}0}

```

\@newenva

```

126 \def\@newenva#1[#2]{%
127     \kernel@ifnextchar [{\@newenvb#1[#2]}{\@newenv{#1}{[#2]}}}]

```

\@newenvb

```
128 \def\@newenvb#1[#2][#3]{\@newenv{#1}{[#2][#3]}}
```

\renewenvironment Redefine an environment. For \renewenvironment disable \@ifdefinable and then call \newenvironment. It is OK to \let the argument to \relax here as there should not be a @temp... environment.

```
129 \def\renewenvironment{\@star@or@long\renew@environment}
```

\renew@environment

```

130 \def\renew@environment#1{%
131     \ifundefined{#1}%
132     {\@latex@error{Environment #1 undefined}\@ehc
133     }\relax
134     \expandafter\let\csname#1\endcsname\relax
135     \expandafter\let\csname end#1\endcsname\relax
136     \new@environment{#1}}

```

\@newenv The internal version of \newenvironment.

Call \newcommand to define the *begin-code* for the environment. \def is used for the *end-code* as it does not take arguments. (but may contain \pars)

Make sure that an attempt to define a ‘graf’ or ‘group’ environment fails.

```

137 \long\def\@newenv#1#2#3#4{%
138   \@ifundefined{#1}%
139     {\expandafter\let\csname#1\expandafter\endcsname
140      \csname end#1\endcsname}%
141   \relax
142   \expandafter\new@command
143     \csname #1\endcsname#2{#3}%
144     \l@ngrel@x\expandafter\def\csname end#1\endcsname{#4}}

```

`\newif` And here's a different sort of allocation: For example, `\newif\iffoo` creates `\footrue`, `\foofalse` to go with `\iffoo`.

```

145 \def\newif#1{%
146   \count@\escapechar \escapechar\m@ne
147   \let#1\iffalse
148   \@if#1\iftrue
149     \@if#1\iffalse
150   \escapechar\count@}

```

`\@if`

```

151 \def\@if#1#2{%
152   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
153     \expandafter\@gobbletwo\string#2\endcsname
154     {\let#1#2}}

```

`\providecommand` `\providecommand` takes the same arguments as `\newcommand`, but discards them if #1 is already defined. Otherwise it just acts like `\newcommand`. This implementation currently leaves any discarded definition in `\reserved@a` (and possibly `\reserved@a`) this wastes a bit of space, but it will be reclaimed as soon as these scratch macros are redefined.

```

155 \def\providecommand{\@star@or@long\provide@command}

```

`\provide@command`

```

156 \def\provide@command#1{%
157   \begingroup
158   \escapechar\m@ne\xdef\@gtempa{\string#1}%
159   \endgroup
160   \expandafter\@ifundefined\@gtempa
161     {\def\reserved@a{\new@command#1}}%
162     {\def\reserved@a{\renew@command\reserved@a}}%
163   \reserved@a}%

```

`\CheckCommand` `\CheckCommand` takes the same arguments as `\newcommand`. If the command already exists, with the same definition, then nothing happens, otherwise a warning is issued. Useful for checking the current state before a macro package starts redefining things. Currently two macros are considered to have the same definition if they are the same except for different default arguments. That is, if the old definition was: `\newcommand\xxx[2][a]{(#1)(#2)}` then `\CheckCommand\xxx[2][b]{(#1)(#2)}` would *not* generate a warning, but, for instance `\CheckCommand\xxx[2]{(#1)(#2)}` would.

```

164 \def\CheckCommand{\@star@or@long\check@command}

```

`\CheckCommand` is only available in the preamble part of the document.

```

165 \@onlypreamble\CheckCommand

```

```

\check@command
166 \def\check@command#1#2#{\@check@c#1{#2}}
167 \@onlypreamble\check@command

\@check@c \CheckCommand itself just grabs all the arguments we need, without actually look-
ing for [ optional argument forms. Now define \reserved@a. If \reserved@a is
then defined, compare it with the “\#1’ otherwise compare \reserved@a with #1.
168 \long\def\@check@c#1#2#3{%
169   \expandafter\let\csname\string\reserved@a\endcsname\relax
170   \renew@command\reserved@a#2{#3}%
171   \@ifundefined{\string\reserved@a}%
172   {\@check@eq#1\reserved@a}%
173   {\expandafter\@check@eq
174     \csname\string#1\expandafter\endcsname
175     \csname\string\reserved@a\endcsname}}
176 \@onlypreamble\@check@c

\@check@eq Complain if #1 and #2 are not \ifx equal.
177 \def\@check@eq#1#2{%
178   \ifx#1#2\else
179     \@latex@warning@no@line
180       {Command \noexpand#1 has
181        changed.\MessageBreak
182        Check if current package is valid}%
183   \fi}
184 \@onlypreamble\@check@eq

\@gobble The \@gobble macro is used to get rid of its argument.
\@gobbletwo 185 \long\def \@gobble #1{}
\@gobblefour 186 \long\def \@gobbletwo #1#2{}
187 \long\def \@gobblefour #1#2#3#4{}

\@firstofone Some argument-grabbers.
\@firstoftwo 188 \long\def \@firstofone#1{#1}
\@secondoftwo 189 \long\def \@firstoftwo#1#2{#1}
190 \long\def \@secondoftwo#1#2{#2}

\@iden \@iden is another name for \@firstofone for compatibility reasons.
191 \let\@iden\@firstofone

\@thirdofthree Another grabber now used in the encoding specific section.
192 \long\def \@thirdofthree#1#2#3{#3}

\@expandtwoargs A macro to totally expand two arguments to another macro
193 \def\@expandtwoargs#1#2#3{%
194 \edef\reserved@a{\noexpand#1{#2}{#3}}\reserved@a}

\@backslashchar A category code 12 backslash.
195 \edef\@backslashchar{\expandafter\@gobble\string\}

```

11.4 Robust commands and protect

Fragile and robust commands are one of the thornier issues in L^AT_EX's commands. Whilst typesetting documents, L^AT_EX makes use of many of T_EX's features, such as arithmetic, defining macros, and setting variables. However, there are (at least) three different occasions when these commands are not safe. These are called 'moving arguments' by L^AT_EX, and consist of:

- writing information to a file, such as indexes or tables of contents.
- writing information to the screen.
- inside an `\edef`, `\message`, `\mark`, or other command which evaluates its argument fully.

The method L^AT_EX uses for making fragile commands robust is to precede them with `\protect`. This can have one of five possible values:

- `\relax`, for normal typesetting. So `\protect\foo` will execute `\foo`.
- `\string`, for writing to the screen. So `\protect\foo` will write `\foo`.
- `\noexpand`, for writing to a file. So `\protect\foo` will write `\foo` followed by a space.
- `\@unexpandable@protect`, for writing a moving argument to a file. So `\protect\foo` will write `\protect\foo` followed by a space. This value is also used inside `\edefs`, `\marks` and other commands which evaluate their arguments fully.
- `\@unexpandable@noexpand`, for performing a deferred write inside an `\edef`. So `\protect\foo` will write `\foo` followed by a space. If you want `\protect\foo` to be written, you should use `\@unexpandable@protect`. (Removed as never used).

<code>\@unexpandable@protect</code>	These commands are used for setting <code>\protect</code> inside <code>\edefs</code> .
<code>\@unexpandable@noexpand</code>	<pre> 196 \def\@unexpandable@protect{\noexpand\protect\noexpand} 197 %\def\@unexpandable@noexpand{\noexpand\noexpand\noexpand} </pre>

<code>\DeclareRobustCommand</code>	This is a package-writers command, which has the same syntax as <code>\newcommand</code> , but which declares a protected command. It does this by having
<code>\declare@robustcommand</code>	

`\DeclareRobustCommand\foo`
define `\foo` to be `\protect\foo<space>`,
and then use `\newcommand\foo<space>`.
Since the internal command is `\foo<space>`, when it is written to an auxiliary file, it will appear as `\foo`.

We have to be a bit cleverer if we're defining a short command, such as `_`, in order to make sure that the auxiliary file does not include a space after the command, since `_ a` and `_a` aren't the same. In this case we define `_` to be:

```
\x@protect\_ \protect\_<space>
```

which expands to:

```

\ifx\protect\@typeset@protect\else
  \x@protect\
\fi
\protect\_<space>

```

Then if `\protect` is `\@typeset@protect` (normally `\relax`) then we just perform `_<space>`, and otherwise `\x@protect@` gobbles everything up and expands to `\protect_.`

Note: setting `\protect` to any value other than `\relax` whilst in ‘typesetting’ mode will cause commands to go into an infinite loop! In particular, setting `\relax` to `\@empty` will cause `_` to loop forever. It will also break lots of other things, such as protected `\ifmmodes` inside `\haligns`. If you really really have to do such a thing, then please set `\@typeset@protect` to be `\@empty` as well. (This is what the code for `\patterns` does, for example.)

More fun with `\expandafter` and `\csname`.

```

198 \def\DeclareRobustCommand{\@star@or@long\declare@robustcommand}
199 \def\declare@robustcommand#1{%
200   \ifx#1\@undefined\else\ifx#1\relax\else
201     \@latex@info{Redefining \string#1}%
202   \fi\fi
203   \edef\reserved@a{\string#1}%
204   \def\reserved@b{#1}%
205   \edef\reserved@b{\expandafter\strip@prefix\meaning\reserved@b}%
206   \edef#1{%
207     \ifx\reserved@a\reserved@b
208       \noexpand\x@protect
209       \noexpand#1%
210     \fi
211     \noexpand\protect
212     \expandafter\newcommand\csname
213       \expandafter\@gobble\string#1 \endcsname
214   }%
215   \let\@ifdefinable\rc@ifdefinable
216   \expandafter\newcommand\csname
217     \expandafter\@gobble\string#1 \endcsname
218 }

```

```

\x@protect
\x@protect
219 \def\x@protect#1{%
220   \ifx\protect\@typeset@protect\else
221     \x@protect#1%
222   \fi
223 }
224 \def\x@protect#1\fi#2#3{%
225   \fi\protect#1%
226 }

```

```

\@typeset@protect
227 \let\@typeset@protect\relax

```

```

\set@display@protect These macros set \protect appropriately for typesetting or displaying.
\set@typeset@protect 228 \def\set@display@protect{\let\protect\string}
229 \def\set@typeset@protect{\let\protect\@typeset@protect}

\protected@edef The commands \protected@edef and \protected@xdef perform ‘safe’ \edefs
\protected@xdef and \xdefs, saving and restoring \protect appropriately. For cases where restoring
\unrestored@protected@xdef \protect doesn’t matter, there’s an ‘unsafe’ \unrestored@protected@xdef,
\restore@protect useful if you know what you’re doing!
230 \def\protected@edef{%
231   \let\@protect\protect
232   \let\protect\@unexpandable@protect
233   \afterassignment\restore@protect
234   \edef
235 }
236 \def\protected@xdef{%
237   \let\@protect\protect
238   \let\protect\@unexpandable@protect
239   \afterassignment\restore@protect
240   \xdef
241 }
242 \def\unrestored@protected@xdef{%
243   \let\protect\@unexpandable@protect
244   \xdef
245 }
246 \def\restore@protect{\let\protect\@protect}

\protect The normal meaning of \protect
247 \set@typeset@protect

\MakeRobust The macro firstly checks if the controls sequence in question exists at all.
248 </2ekernel>
249 <latexrelease>\IncludeInRelease{2015/01/01}{\MakeRobust}{\MakeRobust}%
250 <*2ekernel| latexrelease>
251 \def\MakeRobust#1{%
252   \ifundefined{\expandafter\@gobble\string#1}{%
253     \latex@error{The control sequence ‘\string#1’ is undefined!%
254     \MessageBreak There is nothing here to make robust}%
255     \@eha
256   }%

Then we check if the macro is already robust. We do this by testing if the internal
name for a robust macro is defined, namely \foo_␣. If it is already defined do
nothing, otherwise set \foo_␣ equal to \foo and redefine \foo so that it acts like
a macro defined with \DeclareRobustCommand.

257   {%
258     \ifundefined{\expandafter\@gobble\string#1\space}%
259     {%
260       \expandafter\let\csname
261       \expandafter\@gobble\string#1\space\endcsname=#1%
262       \edef\reserved@a{\string#1}%
263       \def\reserved@b{#1}%
264       \edef\reserved@b{\expandafter\strip@prefix\meaning\reserved@b}%
265       \edef#1{%

```

```

266      \ifx\reserved@a\reserved@b
267      \noexpand\x@protect\noexpand#1%
268      \fi
269      \noexpand\protect\expandafter\noexpand
270      \csname\expandafter\@gobble\string#1\space\endcsname}%
271  }%
272  {\@latex@info{The control sequence ‘\string#1’ is already robust}}%
273  }%
274 }%
275 </2ekernel | latexrelease>
276 <latexrelease>\EndIncludeInRelease
277 <latexrelease>\IncludeInRelease{0000/00/00}{\MakeRobust}{\MakeRobust}%
278 <latexrelease>\let\MakeRobust\@undefined
279 <latexrelease>\EndIncludeInRelease
280 (*2ekernel)

```

11.5 Internal defining commands

These commands are used internally to define other L^AT_EX commands.

\@ifundefined Check if first arg is undefined or **\relax** and execute second or third arg depending,

```

281 \def\@ifundefined#1{%
282   \expandafter\ifx\csname#1\endcsname\relax
283   \expandafter\@firstoftwo
284   \else
285   \expandafter\@secondoftwo
286   \fi}

```

\@qend The following define **\@qend** and **\@qrelax** to be the strings ‘end’ and ‘relax’
\@qrelax with the characters **\catcoded 12**.

```

287 \edef\@qend{\expandafter\@cdr\string\end\@nil}
288 \edef\@qrelax{\expandafter\@cdr\string\relax\@nil}

```

\@ifnextchar **\@ifnextchar** peeks at the following character and compares it with its first argument. If both are the same it executes its second argument, otherwise its third.

```

289 \long\def\@ifnextchar#1#2#3{%
290   \let\reserved@d=#1%
291   \def\reserved@a{#2}%
292   \def\reserved@b{#3}%
293   \futurelet\@let@token\@ifnch}

```

\kernel@ifnextchar This macro is the kernel version of **\@ifnextchar** which is used in a couple of places to prevent the AMS variant from being used since in some places this produced chaos (for example if an **fd** file is loaded in a random place then the optional argument to **\ProvidesFile** could get printed there instead of being written only in the log file. This happened when there was a space or a newline between the mandatory and optional arguments! It should really be fixed in the **amsmath** package one day, but...

Note that there may be other places in the kernel where this version should be used rather than the original, but variable, version.

```

294 \let\kernel@ifnextchar\@ifnextchar

```


`\@ifnch` `\@ifnch` is a tricky macro to skip any space tokens that may appear before the character in question. If it encounters a space token, it calls `xifnch`.

```
295 \def\@ifnch{%
296   \ifx\@let@token\@sptoken
297     \let\reserved@c\@xifnch
298   \else
299     \ifx\@let@token\reserved@d
300       \let\reserved@c\reserved@a
301     \else
302       \let\reserved@c\reserved@b
303     \fi
304   \fi
305   \reserved@c}
```

`\@sptoken` The following code makes `\@sptoken` a space token. It is important here that the control sequence `\:` consists of a non-letter only, so that the following whitespace is significant. Together with the fact that the equal sign in a `\let` may be followed by only one optional space the desired effect is achieved. NOTE: the following hacking must precede the definition of `\:` as math medium space.

```
306 \def\:\{\let\@sptoken= } \: % this makes \@sptoken a space token
```

`\@xifnch` In the following definition of `\@xifnch`, `\:` is again used to get a space token as delimiter into the definition.

```
307 \def\:\{\@xifnch} \expandafter\def\:\: {\futurelet\@let@token\@ifnch}
```

`\makeatletter` Make internal control sequences accessible or inaccessible.

```
\makeatother 308 \def\makeatletter{\catcode'\@11\relax}
309 \def\makeatother{\catcode'\@12\relax}
```

`\@ifstar` The new implementation below avoids passing the *<true code>* Through one more `\def` than the *<false code>*, which previously meant that `#` had to be written as `####` in one argument, but `##` in the other. The `*` is gobbled by `\@firstoftwo`.

```
310 \def\@ifstar#1{\@ifnextchar *{\@firstoftwo{#1}}}
```

`\@dblarg`

```
\@xdblarg 311 \long\def\@dblarg#1{\kernel@ifnextchar[{\#1}{\@xdblarg{#1}}}
312 \long\def\@xdblarg#1#2#1[{\#2}]{\#2}}
```

`\@sanitize` The command `\@sanitize` changes the catcode of all special characters except for braces to ‘other’. It can be used for commands like `\index` that want to write their arguments verbatim. Needless to say, this command should only be executed within a group, or chaos will ensue.

```
313 \def\@sanitize{\@makeother\ \@makeother\\\@makeother$\@makeother\&%
314 \@makeother\#\@makeother^\@makeother_\@makeother%\@makeother\~}
```

`\@onelevel@sanitize` This makes the whole “meaning” of `#1` (its one-level expansion) into catcode 12 tokens: it could be used in `\DeclareRobustCommand`.

If it is to be used on default float specifiers, this should be done when they are defined.

```
315 \def \@onelevel@sanitize #1{%
316   \edef #1{\expandafter\strip@prefix
317             \meaning #1}%
318 }
```

319 </2ekernel>

File e

lalloc.dtx

12 Counters

This section deals with counter and other variable allocation.

1 (*2ekernel)

The following are from plain T_EX:

\z@ A zero dimen or number. It's more efficient to write \parindent\z@ than
 \parindent 0pt.

\@ne The number 1.

\m@ne The number -1.

\tw@ The number 2.

\sxt@@n The number 16.

\@m The number 1000.

\@MM The number 20000.

\@xxxii The constant 32.

2 \chardef\@xxxii=32

\@Mi Constants 1001-1004.

\@Mii 3 \mathchardef\@Mi=10001

\@Miii 4 \mathchardef\@Mii=10002

\@Miv 5 \mathchardef\@Miii=10003

6 \mathchardef\@Miv=10004

\@tempcnta Scratch count registers used by L^AT_EX kernel commands.

\@tempcntb 7 \newcount\@tempcnta

8 \newcount\@tempcntb

\if@tempswa General boolean switch used by L^AT_EX kernel commands.

9 \newif\if@tempswa

\@tempdima Scratch dimen registers used by L^AT_EX kernel commands.

\@tempdimb 10 \newdimen\@tempdima

\@tempdimc 11 \newdimen\@tempdimb

12 \newdimen\@tempdimc

\@tempboxa Scratch box register used by L^AT_EX kernel commands.

13 \newbox\@tempboxa

\@tempskipa Scratch skip registers used by L^AT_EX kernel commands.

\@tempskipb 14 \newskip\@tempskipa

15 \newskip\@tempskipb

```

\@temptokena Scratch token register used by LATEX kernel commands.
16 \newtoks\@temptokena

\@flushglue Glue used for \right- & \leftskip = 0pt plus 1fil
17 \newskip\@flushglue \@flushglue = 0pt plus 1fil
18 \>/2ekernel\

```

File f

ltnctrl.dtx

13 Program control structure

This section defines a number of control structure macros, such as while-loops and for-loops.

```

1 (*2kernel)
2 \message{control,}

\@whilenum TEST \do {BODY}
\@whiledim TEST \do {BODY} : These implement the loop
    while TEST do BODY od
    where TEST is a TeX \ifnum or \ifdim test, respectively.
    They are optimized for the normal case of TEST initially false.

\@whilesw SWITCH \fi {BODY} : Implements the loop
    while SWITCH do BODY od
    Optimized for normal case of SWITCH initially false.

\@for NAME := LIST \do {BODY} : Assumes that LIST expands to
A1,A2,
    ... ,An .
    Executes BODY n times, with NAME = Ai on the i-th
iteration.
    Optimized for the normal case of n = 1. Works for n=0.

\@tfor NAME := LIST \do {BODY}
    if, before expansion, LIST = T1 ... Tn where each Ti is a
    token or {...}, then executes BODY n times, with NAME = Ti
    on the i-th iteration. Works for n=0.

NOTES: 1. These macros use no \@temp sequences.
        2. These macros do not work if the body contains anything that
        looks syntactically to TeX like an improperly balanced \if
        \else \fi.

\@whilenum TEST \do {BODY} ==
BEGIN
    if TEST
    then BODY
        \@iwhilenum{TEST \relax BODY}
END

\@iwhilenum {TEST BODY} ==
BEGIN
    if TEST
    then BODY

```

```

        \@nextwhile = def(\@iwhilenum)
    else \@nextwhile = def(\@whilenoop)
    fi
    \@nextwhile {TEST BODY}
END

\@whilesw SWITCH \fi {BODY} ==
BEGIN
    if SWITCH
    then BODY
        \@iwhilesw {SWITCH BODY}\fi
    fi
END

\@iwhilesw {SWITCH BODY} \fi ==
BEGIN
    if SWITCH
    then BODY
        \@nextwhile = def(\@iwhilesw)
    else \@nextwhile = def(\@whileswnoop)
    fi
    \@nextwhile {SWITCH BODY} \fi
END

\@whilenoop
\@whilenum 3 \long\def\@whilenum#1\do #2{\ifnum #1\relax #2\relax\@iwhilenum{#1\relax
\@iwhilenum 4 #2\relax}\fi}
5 \long\def\@iwhilenum#1{\ifnum #1\expandafter\@iwhilenum
6 \else\expandafter\@gobble\fi{#1}}

\@whiledim
\@iwhiledim 7 \long\def\@whiledim#1\do #2{\ifdim #1\relax#2\@iwhiledim{#1\relax#2}\fi}
8 \long\def\@iwhiledim#1{\ifdim #1\expandafter\@iwhiledim
9 \else\expandafter\@gobble\fi{#1}}

\@whileswnoop
\@whilesw 10 \long\def\@whilesw#1\fi#2{#1#2\@iwhilesw{#1#2}\fi\fi}
\@iwhilesw 11 \long\def\@iwhilesw#1\fi{#1\expandafter\@iwhilesw
12 \else\@gobbletwo\fi{#1}\fi}

\@for NAME := LIST \do {BODY} ==
    BEGIN \@forloop expand(LIST),\@nil,\@nil \@@ NAME {BODY}
END

\@forloop CAR, CARCDR, CDRCDR \@@ NAME {BODY} ==
    BEGIN
        NAME = CAR
        if def(NAME) = def(\@nnil)
        else BODY;
    
```

```

NAME = CARCDR
if def(NAME) = def(\@nnil)
  else BODY
    \@iforloop CDRCDR \@@ NAME \do {BODY}
  fi
fi
END

\@iforloop CAR, CDR \@@ NAME {BODY} =
NAME = CAR
if def(NAME) = def(\@nnil)
  then \@nextwhile = def(\@fornoop)
  else BODY ;
    \@nextwhile = def(\@iforloop)
  fi
\@nextwhile name cdr {body}

\@tfor NAME := LIST \do {BODY}
= \@tforloop LIST \@nil \@@ NAME {BODY}

\@tforloop car cdr \@@ name {body} =
name = car
if def(name) = def(\@nnil)
  then \@nextwhile == \@fornoop
  else body ;
    \@nextwhile == \@forloop
  fi
\@nextwhile name cdr {body}

\@nnil
13 \def\@nnil{\@nil}

\@empty
14 \def\@empty{}

\@fornoop
15 \long\def\@fornoop#1\@#2#3{}

\@for
16 \long\def\@for#1:=#2\do#3{%
17   \expandafter\def\expandafter\@fortmp\expandafter{#2}%
18   \ifx\@fortmp\@empty \else
19     \expandafter\@forloop#2,\@nil,\@nil\@#1{#3}\fi}

\@forloop
20 \long\def\@forloop#1,#2,#3\@#4#5{\def#4{#1}\ifx #4\@nnil \else
21   #5\def#4{#2}\ifx #4\@nnil \else#5\@iforloop #3\@#4{#5}\fi\fi}

\@iforloop
22 \long\def\@iforloop#1,#2\@#3#4{\def#3{#1}\ifx #3\@nnil
23   \expandafter\@fornoop \else
24   #4\relax\expandafter\@iforloop\fi#2\@#3{#4}}

```

```

\@tfor
25 \def\@tfor#1:={\@tfor#1 }
26 \long\def\@tfor#1#2\do#3{\def\@fortmp{#2}\ifx\@fortmp\space\else
27   \@tforloop#2\@nil\@nil\@#1{#3}\fi}
28 \long\def\@tforloop#1#2\@#3#4{\def#3{#1}\ifx #3\@nnil
29   \expandafter\@fornoop \else
30   #4\relax\expandafter\@tforloop\fi#2\@#3{#4}}

\@break@tfor Break out of a \@tfor loop. This should be called inside the scope of an \if. See
\iffilenamepath for an example.
31 \long\def\@break@tfor#1\@#2#3{\fi\fi}

\@removeelement Removes an element from a comma-separated list and puts it into a control se-
quence, called as \@removeelement{<element>}{<list>}{<cs>}. Due to the imple-
mentation method the <element> is not allowed to contain braces.
32 \def\@removeelement#1#2#3{%
33   \def\reserved@a##1,#1,##2\reserved@a{##1,##2\reserved@b}%
34   \def\reserved@b##1,\reserved@b##2\reserved@b{%
35     \ifx,##1\@empty\else##1\fi}%
36   \edef#3{%
37     \expandafter\reserved@b\reserved@a,#2,\reserved@b,#1,\reserved@a}}

38 </2ekernel>

```


File g

lterror.dtx

14 Error handling

This section defines L^AT_EX's error commands.

```
1 (*2ekernel)
```

The '2ekernel' code ensures that a `\usepackage{autoerr}` is essentially ignored if a 'full' format is being used that has the error messages already in the format.

These days we don't support autoloading approach any longer, but this part bit is kept in case it is used in old documents.

```
2 \expandafter\let\csname ver@autoerr.sty\endcsname\fmtversion
```

14.1 General commands

\MessageBreak This command prints a new-line inside a message, followed by a continuation line begun with `\@msg@continuation`. Normally it is defined to be `\relax`, but inside messages, it is let to `\@message@break`.

```
3 \let\MessageBreak\relax
```

\GenericInfo This takes two arguments: a continuation and a message, and sends the result to the log file.

```
4 \DeclareRobustCommand{\GenericInfo}[2]{%
5   \begingroup
6     \def\MessageBreak{^^J#1}%
7     \set@display@protect
8     \immediate\write\m@ne{#2\on@line.}%
9   \endgroup
10 }
```

\GenericWarning This takes two arguments: a continuation and a message, and sends the result to the screen.

```
11 \DeclareRobustCommand{\GenericWarning}[2]{%
12   \begingroup
13     \def\MessageBreak{^^J#1}%
14     \set@display@protect
15     \immediate\write\@unused{^^J#2\on@line.^^J}%
16   \endgroup
17 }
```

\GenericError This macro takes four arguments: a continuation, an error message, where to go for further information, and the help information. It displays the error message, and sets the error help (the result of typing `h` to the prompt), and does a horrible hack to turn the last context line (which by default is the only context line) into just three dots. This could be made more efficient.

```
18 \bgroup
19 \lccode'\@=' \ %
```

```

20 \lccode'\~=' \ %
21 \lccode'\}=' \ %
22 \lccode'\{=' \ %
23 \lccode'\T=' \T%
24 \lccode'\H=' \H%
25 \catcode'\ =11\relax%
26 \lowercase{%
27 \egroup%

```

Unfortunately T_EX versions older than 3.141 have a bug which means that `^^J` does not force a linebreak in `\message` and `\errmessage` commands. So for these old T_EX's we use `\typeout` to produce the message, and then have an empty `\errmessage` command. This causes an extra line of the form

! .

To appear on the terminal, but if you do not like it, you can always upgrade your T_EX! In order for your format to use this version, you must define the macro `\@TeXversion` to be the version number, e.g., 3.14 of the underlying T_EX. See the comments in `ltdircheck.dtx`.

```

28 \dimen@ \ifx\@TeXversion\undefined4\else\@TeXversion\fi\p@%
29 \ifdim\dimen@>3.14\p@%

```

First the 'standard case'.

```

30 \DeclareRobustCommand{\GenericError}[4]{%
31 \begingroup%
32 \immediate\write\@unused{}%
33 \def\MessageBreak{^^J}%
34 \set@display@protect%
35 \edef%
36 %    %<-----do not delete this space!----->%
37 \@err@
38 {{#4}}%
39 \errhelp
40 %    %<-----do not delete this space!----->%
41 \@err@
42 \let
43 %    %<-----do not delete this space!----->%
44 \@err@
45 \@empty
46 \def\MessageBreak{^^J#1}%
47 \def~{\errmessage{%
48 #2.^^J^^J%
49 #3^^J%
50 Type H <return> for immediate help%
51 %    %<-----do not delete this space!----->%
52 \@err@
53 }}%
54 ~%
55 \endgroup}%
56 \else%

```

Secondly the version for old T_EX's.

```

57 \DeclareRobustCommand{\GenericError}[4]{%
58 \begingroup%

```

```

59 \immediate\write\@unused{}%
60 \def\MessageBreak{^^J}%
61 \set@display@protect%
62 \edef%
63 %    %<-----do not delete this space!----->%
64 \@err@ %
65 {{#4}}%
66 \errhelp
67 %    %<-----do not delete this space!----->%
68 \@err@ %
69 \let
70 %    %<-----do not delete this space!----->%
71 \@err@ %
72 \errmessage
73 \def\MessageBreak{^^J#1}%
74 \def~{\typeout{! %
75 #2.^^J^^J%
76 #3^^J%
77 Type H <return> for immediate help.}%
78 %    %<-----do not delete this space!----->%
79 \@err@ %
80 {}}%
81 ~%
82 \endgroup}%
83 \fi}%

```

`\PackageError` These commands are intended for use by package and class writers, to give information to authors. The syntax is:

<code>\PackageWarning</code>	<code>\PackageError{<package>}{<error>}{<help>}</code>
<code>\PackageWarningNoLine</code>	<code>\PackageWarning{<package>}{<warning>}</code>
<code>\PackageInfo</code>	<code>\PackageWarningNoLine{<package>}{<warning>}</code>
<code>\ClassError</code>	<code>\PackageInfo{<package>}{<info>}</code>
<code>\ClassWarning</code>	
<code>\ClassWarningNoLine</code>	
<code>\ClassInfo</code>	

and similarly for classes. The `Error` commands print the `<error>` message, and present the interactive prompt; if the author types `h`, then the `<help>` information is displayed. The `Warning` commands produce a warning but do not present the interactive prompt. The `WarningNoLine` commands do the same, but don't print the input line number. The `Info` commands write the message to the `log` file. Within the messages, the command `\MessageBreak` can be used to break a line, `\protect` can be used to protect command names, and `\space` is a space, for example:

```

\newcommand{\foo}{F00}
\PackageWarning{ethel}{%
  Your hovercraft is full of eels,\MessageBreak
  and \protect\foo\space is \foo}

```

produces:

```

Package ethel warning: Your hovercraft is full of eels,
(ethel)                and \foo is F00 on input line 54.

```

```

84 \gdef\PackageError#1#2#3{%
85   \GenericError{%
86     (#1)\@spaces\@spaces\@spaces\@spaces
87   }{%
88     Package #1 Error: #2%
89   }{%
90     See the #1 package documentation for explanation.%
91   }{#3}%
92 }

93 \def\PackageWarning#1#2{%
94   \GenericWarning{%
95     (#1)\@spaces\@spaces\@spaces\@spaces
96   }{%
97     Package #1 Warning: #2%
98   }%
99 }

100 \def\PackageWarningNoLine#1#2{%
101   \PackageWarning{#1}{#2@gobble}%
102 }

103 \def\PackageInfo#1#2{%
104   \GenericInfo{%
105     (#1) \@spaces\@spaces\@spaces
106   }{%
107     Package #1 Info: #2%
108   }%
109 }

110 \gdef\ClassError#1#2#3{%
111   \GenericError{%
112     (#1) \space\@spaces\@spaces\@spaces
113   }{%
114     Class #1 Error: #2%
115   }{%
116     See the #1 class documentation for explanation.%
117   }{#3}%
118 }

119 \def\ClassWarning#1#2{%
120   \GenericWarning{%
121     (#1) \space\@spaces\@spaces\@spaces
122   }{%
123     Class #1 Warning: #2%
124   }%
125 }

126 \def\ClassWarningNoLine#1#2{%
127   \ClassWarning{#1}{#2@gobble}%
128 }

129 \def\ClassInfo#1#2{%
130   \GenericInfo{%
131     (#1) \space\space\@spaces\@spaces
132   }{%
133     Class #1 Info: #2%
134   }%
135 }

```

```

\@latex@error Errors and other info, for use in the LATEX core.
\@latex@warning 136 \gdef\@latex@error#1#2{%
\@latex@warning@no@line 137 \GenericError{%
\@latex@info 138 \space\space\space\@spaces\@spaces\@spaces
\@latex@info@no@line 139 }{%
140 LaTeX Error: #1%
141 }{%
142 See the LaTeX manual or LaTeX Companion for explanation.%
143 }{#2}%
144 }

145 \def\@latex@warning#1{%
146 \GenericWarning{%
147 \space\space\space\@spaces\@spaces\@spaces
148 }{%
149 LaTeX Warning: #1%
150 }%
151 }

152 \def\@latex@warning@no@line#1{%
153 \@latex@warning{#1\@gobble}}

154 \def\@latex@info#1{%
155 \GenericInfo{%
156 \@spaces\@spaces\@spaces
157 }{%
158 LaTeX Info: #1%
159 }%
160 }

161 \def\@latex@info@no@line#1{%
162 \@latex@info{#1\@gobble}}

\@font@warning and \@font@info are defined later since they have to be
redefined by the tracefnt package.

\def\@font@warning#1{%
\GenericWarning{%
{(font)\@spaces\@spaces}%
{Font Warning: #1}%
}
\def\@font@info#1{%
\GenericInfo{%
(font)\space\@spaces
}%
Font Info: #1%
}%
}

\c@errorcontextlines \errorcontextlines as a LATEX counter, so that it may be manipulated with
\setcounter (once it is defined :-))
163 \let\c@errorcontextlines\errorcontextlines
164 \c@errorcontextlines=-1

\on@line The message ‘ on input line n’.
165 \def\on@line{ on input line \the\inputlineno}

```

`\@warning` Older L^AT_EX messages. For the moment, these `\let` to the new message commands.
`\@@warning` They may be changed later, once only obsolete packages and classes contain them.
`\@latexerr`

```
166 \let\@warning\@latex@warning
167 \let\@@warning\@latex@warning@no@line
168 \global\let\@latexerr\@latex@error
```

`\@spaces` Four spaces.

```
169 \def\@spaces{\space\space\space\space}
```

14.2 Specific errors

`\@eha` The more common error help messages.

```
\@ehb 170 \gdef\@eha{%
\@ehc 171 Your command was ignored.\MessageBreak
\@ehd 172 Type \space I <command> <return> \space to replace it %
173 with another command,\MessageBreak
174 or \space <return> \space to continue without it.}
175 \gdef\@ehb{%
176 You've lost some text. \space \@ehc}
177 \gdef\@ehc{%
178 Try typing \space <return> %
179 \space to proceed.\MessageBreak
180 If that doesn't work, type \space X <return> \space to quit.}
181 \gdef\@ehd{%
182 You're in trouble here. \space\@ehc}
```

`\@notdefinable` Error message generated in `\@ifdefinable` from calls to one of the commands `\newcommand`, `\newlength` or `\newtheorem` specifying an already-defined command name or one that begins `\end...`

```
183 \gdef\@notdefinable{%
184 \@latex@error{%
185 Command \@backslashchar\reserved@a\space
186 already defined.\MessageBreak
187 Or name \@backslashchar\@qend... illegal,
188 see p.192 of the manual}\@eha}
```

`\@nolnerr` Generated by `\newline` and `\\` when called in vertical mode.

```
189 \gdef\@nolnerr{%
190 \@latex@error{There's no line here to end}\@eha}
```

`\@nocounterr` Generated by `\setcounter`, `\addtocounter` or `\newcounter` if applied to an undefined counter *<cnt>*.

`\@nocnterr` Obsolete error message generated in L^AT_EX 2.09 by `\setcounter`, `\addtocounter` or `\newcounter` for undefined counter. DO NOT use for L^AT_EX 2_ε it MIGHT vanish! Use `\@nocounterr{<cnt>}` instead.

```
191 \gdef\@nocounterr#1{%
192 \@latex@error{No counter '#1' defined}\@eha}
193 \gdef\@nocnterr{\@nocounterr?}
```

`\@ctrerr` Called when trying to print the value of a counter numbered by letters that's greater than 26.

```

194 \gdef\@ctrerr{%
195   \latex@error{Counter too large}\@ehb}

```

`\@nodocument` Error produced if paragraphs are typeset in the preamble.

```

196 \gdef\@nodocument{%
197   \latex@error{Missing \protect\begin{document}}\@ehd}

```

`\@badend` Called by `\end` that doesn't match its `\begin`. RmS 1992/08/24: added code to `\@badend` to display position of non-matching `\begin`. FMi 1993/01/14: missing space added.

```

198 \gdef\@badend#1{%
199   \latex@error{\protect\begin{\@currenvir}\@currenvline
200               \space ended by \protect\end{#1}}\@eha}

```

`\@badmath` Called by `\[, \], \(< or \)` when used in wrong mode.

```

201 \gdef\@badmath{%
202   \latex@error{Bad math environment delimiter}\@eha}

```

`\@toodeep` Called by a list environment nested more than six levels deep, or an enumerate or itemize nested more than four levels.

```

203 \gdef\@toodeep{%
204   \latex@error{Too deeply nested}\@ehd}

```

`\@badpoptabs` Called by `\endtabbing` when not enough `\poptabs` have occurred, or by `\poptabs` when too many have occurred.

```

205 \gdef\@badpoptabs{%
206   \latex@error{\protect\pushtabs\space and \protect\poptabs
207               \space don't match}\@ehd}

```

`\@badtab` Called by `\>, \+, \- or \<` when stepping to an undefined tab.

```

208 \gdef\@badtab{%
209   \latex@error{Undefined tab position}\@ehd}

```

`\@preamerr` This error is special: it appears in places where we normally have to `\protect` expansions. However, to prevent a protection of the error message itself (which would result in the message getting printed not issued on the terminal) we need to locally reset `\protect` to `\relax`.

```

210 \gdef\@preamerr#1{%
211   \begingroup
212     \let\protect\relax
213     \latex@error{\ifcase #1 Illegal character\or
214                 Missing @-exp\or Missing p-arg\fi\space
215                 in array arg}\@ehd
216   \endgroup}

```

`\@badlinearg` Occurs in `\line` and `\vector` command when a bad slope argument is encountered.

```

217 \gdef\@badlinearg{%
218   \latex@error{%
219       Bad \protect\line\space or \protect\vector
220       \space argument}\@ehb}

```

`\@parmoderr` Occurs in a float environment or a `\marginpar` when encountered in inner vertical mode.

```

221 \gdef\@parmoderr{%
222   \@latex@error{Not in outer par mode}\@ehb}

\@fltovf Occurs in float environment or \marginpar when there are no more free boxes for
storing floats.
223 \gdef\@fltovf{%
224   \@latex@error{Too many unprocessed floats}\@ehb}

\@latexbug Occurs in output routine. This is bad news.
225 \gdef\@latexbug{%
226   \@latex@error{This may be a LaTeX bug}{Call for help}}

\@badcrerr This error was removed and replaced by \@nolnerr.
227 %\def\@badcrerr {\@latex@error{Bad use of \protect\\}\@ehc}

\@noitemerr \addvspace or \addpenalty was called when not in vmode. Probably caused by
a missing \item.
228 \gdef\@noitemerr{%
229   \@latex@error{Something's wrong--perhaps a missing %
230     \protect\item}\@ehc}

\@notprerr A command that can be used only in the preamble appears after the command
\begin{document}.
231 \gdef\@notprerr{%
232   \@latex@error{Can be used only in preamble}\@eha}

\@inmatherr Issued by commands that don't work correctly within math (like \item). There
is no real error recovery happening, e.g., the user might get additional errors
afterwards.
233 \gdef\@inmatherr#1{%
234   \relax
235   \ifmmode
236     \@latex@error{Command \protect#1 invalid in math mode}\@ehc
237   \fi}

\@invalidchar An error for use with invalid characters. This is commented out, since we decided
to use catcode 15 instead.
238 %\def\@invalidchar{\@latex@error{Invalid character in input}\@ehc}
239 \endkernel

```

As well as the above error commands some error messages are directly coded to save space. The Messages already present in `LATEX2.09` included:

`Environment --- undefined`
Issued by `\begin` for undefined environment.

`tab overflow`
Occurs in `\=` when maximum number of tabs exceeded.

`\< in mid line`
Occurs in `\<` when it appears in middle of line.

`Float(s) lost`
In output routine, caused by a float environment or `\marginpar` occurring in inner vertical mode.

File h

ltpar.dtx

15 Paragraphs

This section of the kernel declares the commands used to set `\par` and `\everypar` when ever their function needs to be changed for a long time.

15.1 Implementation

There are two situations in which `\par` may be changed:

- Long-term changes, in which the new value is to remain in effect until the current environment is left. The environments that change `\par` in this way are the following:
 - All list environments (itemize, quote, etc.)
 - Environments that turn `\par` into a noop: tabbing, array and tabular.
- Temporary changes, in which `\par` is restored to its previous value the next time it is executed. The following are all such uses.
 - `\end` when preceded by `\@endparenv`, which is called by `\endtrivlist`
 - The mechanism for avoiding page breaks and getting the spacing right after section heads.

`\@setpar` To permit the proper interaction of these two situations, long-term changes are made by the `\@setpar{<VAL>}` command. It's function is:

To set `\par`. It `\def`'s `\par` and `\@par` to `<VAL>`.

`\@restorepar` Short-term changes are made by the usual `\def\par` commands. The original values are restored after a short-term change by the `\@restorepar` commands.

`\@@par` `\@@par` always is defined to be the original `TEX \par`.

`\everypar` `\everypar` is changed only for the short term. Whenever `\everypar` is set non-null, it should restore itself to null when executed.

The following commands change `\everypar` in this way:

- `\item`
- `\end` when preceded by `\@endparenv`, which is called by `\endtrivlist`
- `\minipage`

When dealing with `\par` and `\everypar` remember the following two warnings:

1. Commands that make short-term changes to `\par` and `\everypar` must take account of the possibility that the new commands and the ones that do the restoration may be executed inside a group. In particular, `\everypar` is executed inside a group whenever a new paragraph begins with a left brace. The `\everypar` command that restores its definition should be local to the current group (in case the command is inside a minipage used inside someplace

where `\everypar` has been redefined). Thus, if `\everypar` is redefined to do an `\everypar{}` it could take several executions of `\everypar` before the restoration “holds”. This usually causes no problem. However, to prevent the extra executions from doing harm, use a global switch to keep anything harmful in the new `\everypar` from being done twice.

2. Commands that change `\everypar` should remember that `\everypar` might be supposed to set the following switches false:

- `@nobreak`
- `@minipage`

they should do the setting if necessary.

```
1 \*2kernel)
2 \message{par,}
```

`\@setpar` Initiate a long-term change to `\par`.

```
\@par 3 \def\@setpar#1{\def\par{#1}\def\@par{#1}}
```

The default definition of `\@par` will ensure that if `\@restorepar` defines `\par` to execute `\@par` it will redefine itself to the primitive `\@@par` after one iteration.

```
4 \def\@par{\let\par\@@par\par}
5 \*2kernel)
```

`\@restorepar` Restore from a short-term change to `\par`.

```
6 \def\@restorepar{\def\par{\@par}}
```

File i

ltspace.dtx

16 Spacing

This section deals with spacing, and line- and page-breaking.

16.1 User Commands

`\nopagebreak` [$\langle i \rangle$] : $\langle i \rangle = 0, \dots, 4$.
 Default argument = 4. Puts a penalty into the vertical list output as follows:
 0 : penalty = 0
 1 : penalty = `\@lowpenalty`
 2 : penalty = `\@medpenalty`
 3 : penalty = `\@highpenalty`
 4 : penalty = 10000
`\pagebreak` [$\langle i \rangle$] : same as except negatives of its penalty
`\linebreak` [$\langle i \rangle$] : analog of the above
`\nolinebreak` [$\langle i \rangle$] : analog of the above
`\samepage` : inhibits page breaking most places by setting the following penalties to 10000:
`\interlinepenalty`
`\postdisplaypenalty`
`\interdisplaylinepenalty`
`\@beginparpenalty`
`\@endparpenalty`
`\@itempenalty`
`\@secpenalty`
`\interfootnotelinepenalty`
`\` : initially defined to be `\newline`
`\` [$\langle length \rangle$] : initially defined to be `\vspace{\langle length \rangle}\newline`
 Note: `*` adds a `\adjust{\penalty 10000}`
 OBSOLETE COMMANDS (which never made it into the manual):
`\obeycr` : defines `\CRi` == `\relax`
`\restorecr` : restores `\CRi` to its usual meaning.

16.2 Chris' comments

There are several aspects of the handling of space in horizontal mode that are inconsistent or do not work well in some cases. These are largely concerned with ignoring the effect of space tokens that would otherwise typeset an inter-word space.

Negating the effect of such space tokens is achieved by two mechanisms:

- `\unskip` is used to remove the glue just added by a space that has already had its effect; it is sometimes invoked after an `\ifdim` test on `\lastskip` (see below);
- `\ignorespaces` is used to ignore space-tokens yet to come.

The test done on `\lastskip` is sometimes for equality with zero and sometimes for being positive. Recall also that the test is only on the natural length of the glue and that no glue cannot be distinguished from glue whose natural length is zero: to summarise, a pretty awful test. It is not clear why these tests are not all the same; I think that they should all be for equality. One place where `\unskip` is often used is just before a `\par` (which itself internally does an `\unskip`) and one bit of code (in `\@item`) even has two `\unskips` before a `\par`. These uses may be fossil code but if they are necessary, maybe `\@killglue` would be even safer.

Such removal of glue by `\unskip` may sometimes have the wrong result, removing not the glue from a space-token but other explicit glue; this is sometimes not what is intended.

A common way to prevent such removal is to add an `\hskip\z@` after the glue that should not be removed. This protects that glue against one `\unskip` with no test but not against more than one. It does work for ‘tested `\unskips`’. This is used by `\hspace*` but not by `\hspace`; this is inconsistent as the star is supposed to prevent removal only at the beginning of a line, not at the end, or in a tabular, etc.

If this reason for removing glue were the only consideration then a tested-`\unskip` and protection by `\hskip\z@` would suffice but would need to be consistently implemented.

However, the class of invisibles, commands and environments tries to be even cleverer: one of these tries to leave only one inter-word space whenever there is one before it and one after it; and it does this quite well.

But problems can arise when there is not a space-token on both sides of it; in particular, when an invisible appears at the beginning or end of a piece of text the method still leaves one space token whereas usually in these cases it should leave none.

Also, the current rules do not work well when more than one such command appears consecutively, separated by space-tokens; it leaves glue between every other invisible.

There is also a question about what these commands should do when they occur next to spaces that do not come from space tokens but, for example, from `\hspace`. Should they still produce ‘just one space’? If so, which one? It is good to note that the manual is sufficiently cautious about invisibles that we are not obliged to make anything work.

Another interesting side-road to explore is whether the space-tokens either side of an `\hspace{...}` should be ignored.

One alternative to the current algorithm that is often suggested is that all glue around the invisible should be consolidated into a space after it (usually without stating how much glue should be put there). The command `\nolinebreak` is implemented this way (and `\linebreak` should also be). This does not work correctly for the following common case:

```
... some text
\index{some-word}
some-word and more text.
```

This is optimal coding since it is normal to index a word that gets split across a page-break on its starting page. This would, on the other hand, fix another common (and documented) failure of the current system: when the invisible is

the last thing in a paragraph the space before it is not removed and, worse, it is also hidden from the paragraph-ending mechanism so that an ‘empty’ line can be created at the end of the paragraph.

Another deficiency (I think) of the current system is that the following is treated as having the `\index` command between the paragraphs, which is probably not what the author intended (since there is no empty line after it).

```
\index{beginnings}
Beginnings of paragraphs ...
```

I know of no algorithm that will handle satisfactorily even all the most common cases; note that it could be that the best algorithm may be different for different invisibles since, for example, the common uses and expected behaviour of `\index`, `\marginpar`, `\linebreak`, `\pagebreak` and `\vspace` are somewhat different. [For example, is `\vspace` ever used in the middle of a paragraph?]

One method that can (and is) used to make invisible commands produce no space when used at the beginning of text is to put in some glue that is nearly enough the same as no glue or glue of zero length in all respects except for the precise test for not being exactly equal to zero; examples of such glue are `\hskip 1sp` and, possibly better but more complex, `\hskip -1sp \hskip 1sp`. However, this only works when it is known that user-supplied text is about to start.

Some similar concerns apply to the handling of space and penalties in vertical mode; there is an extra hurdle here as `\unskip` does not work on the main vertical list. The complexity of the tests done by `\addvspace` have never been explained.

The implementation of space hacks etc for vertical mode is another major area that needs further attention; my earlier experiments did not produce much improvement over the current unsatisfactory situation.

One particular problem is what happens when the following very natural coding is used (part of the problem here is that this looks like an hmode problem, but it is not):

```
... end of text.

\begin{enumerate}
  \item \label{item:xxx} Item text.
\end{enumerate}
```

16.3 Some immediate actions

- Fix bug in `\linebreak`.
- Fix bug in `*`.
- Reimplement `\\`, etc, removing extra `\vadjusts` and getting better error trapping (this seems to involve a lot more tokens).
- Investigate whether `\\`, etc need to be errors in vmode; I think that they could be noops (maybe with a warning).
- Make all(?) `\unskips` include test for zero skip (rather than other tests or no test).

- Consider replacing `\hskip 1sp` by something better (here called an ‘infinitesimal’ skip).
- Look at all `\hskip\z@` (or similar) to see if they should be changed to an ‘infinitesimal’ skip.
- Resolve the inconsistency between `\hspace` and `\hspace*`.
- Remove unnecessary `\unskips`.
- Investigate and rationalise the ‘newline’ code.
- Find better algorithms for all sorts of things or, easier(?), fix T_EX itself.

16.4 The code

```

1 (*2ekernel)
2 \message{spacing,}

\pagebreak
\nopagebreak 3 \def\pagebreak{\@testopt{\@no@pgbk-}4}
4 \def\nopagebreak{\@testopt{\@no@pgbk4}

\@no@pgbk
5 \def\@no@pgbk #1[#2]{%
6   \ifvmode
7     \penalty #1\@getpen{#2}%
8   \else
9     \@bsphack
10    \vadjust{\penalty #1\@getpen{#2}}%
11    \@esphack
12  \fi}

\linebreak
\nolinebreak 13 \def\linebreak{\@testopt{\@no@lnbk-}4}
14 \def\nolinebreak{\@testopt{\@no@lnbk4}

\@no@lnbk
15 \def\@no@lnbk #1[#2]{%
16   \ifvmode
17     \@nolnerr
18   \else
19     \@tempskipa\lastskip
20     \unskip
21     \penalty #1\@getpen{#2}%
22     \ifdim\@tempskipa>\z@
23       \hskip\@tempskipa
24       \ignorespaces
25     \fi
26   \fi}

\samepage
27 \def\samepage{\interlinepenalty\@M
28   \postdisplaypenalty\@M

```

```

29 \interdisplaylinepenalty\@M
30 \@beginparpenalty\@M
31 \@endparpenalty\@M
32 \@itempenalty\@M
33 \@secpenalty\@M
34 \interfootnotelinepenalty\@M}

```

`\` The purpose of the new code is to fix a few bugs; however, it also attempts to optimize the following, in order of priority:

1. efficient execution of plain `\`;
2. efficient execution of `\\[...]`;
3. memory use;
4. name-space use.

The changes should make no difference to the typeset output. It appears to be safe to use `\reserved@e` and `\reserved@f` here (other reserved macros are somewhat disastrous).

These changes made `\newline` even less robust than it had been, so now it is explicitly robust, like `\`.

```

\@normalcr The internal definition of the ‘normal’ definition of \.
35 \DeclareRobustCommand\{\%
36   \let \reserved@e \relax
37   \let \reserved@f \relax
38   \@ifstar{\let \reserved@e \vadjust \let \reserved@f \nobreak
39             \@xnewline}%
40             \@xnewline}
41 \expandafter\let\expandafter\@normalcr
42   \csname\expandafter\@gobble\string\ \endcsname

```

```

\newline A simple form of the ‘normal’ definition of \.
43 \DeclareRobustCommand\newline{\@normalcr\relax}

```

```

\@xnewline
44 \def\@xnewline{\@ifnextchar[% ] bracket matching
45               \@newline
46               {\@gnewline\relax}}

```

```

\@newline
47 \def\@newline[#1]{\let \reserved@e \vadjust
48                  \@gnewline {\vskip #1}}

```

`\@gnewline` The `\nobreak` added to prevent null lines when `\` ends an overfull line. Change made 24 May 89 as suggested by Frank Mittelbach and Rainer Schöpf

```

49 \def\@gnewline #1{%
50   \ifvmode
51     \@nolnerr
52   \else
53     \unskip \reserved@e {\reserved@f#1}\nobreak \hfil \break
54   \fi}

```

```

\@getpen
55 \def\@getpen#1{\ifcase #1 \z@ \or \@lowpenalty\or
56     \@medpenalty \or \@highpenalty
57     \else \@M \fi}

\if@nbreak Switch used to avoid page breaks caused by \label after a section heading, etc.
It should be GLOBALLY set true after the \nbreak and globally set false by
the next invocation of \everypar.
Commands that reset \everypar should globally set it false if appropriate.
58 \def\@nbreakfalse{\global\let\if@nbreak\iffalse}
59 \def\@nbreaktrue {\global\let\if@nbreak\iftrue}
60 \@nbreakfalse

\@savsk Registers used to save the space factor and last skip.
\@savsf 61 \newdimen\@savsk
62 \newcount\@savsf

\@bsphack \@bsphack and \@esphack used by macros such as \index and \begin{@float}
... \end{@float} that want to be invisible — i.e., not leave any extra space when
used in the middle of text. Such a macro should begin with \@bsphack and end
with \@esphack The macro in question should not create any text, nor change the
mode.
Before giving the current definition we give an extended definition that is
currently not used (because it doesn't work as advertised:-)
These are generalised hacks which attempt to do sensible things when 'invisible
commands' appear in vmode too.
They need to cope with space in both hmode (plus spacefactor) and vmode,
and also cope with breaks etc. In vmode this means ensuring that any following
\addvspace, etc sees the correct glue in \lastskip.
In fact, these improved versions should be used for other cases of 'whatsits,
thingies etc' which should be invisible. They are only for commands, not environ-
ments (see notes on \@Esphack).
BTW, anyone know why the standard hacks are surrounded by \ifmmode\else
rather than simply \ifhmode?
And are there any cases where saving the spacefactor is essential? I have some
extensions where it is, but it does not appear to be so in the standard uses.

\def \@bsphack{%
  \relax \ifvmode
    \@savsk \lastskip
    \ifdim \lastskip=\z@
    \else
      \vskip -\lastskip
    \fi
  \else
    \ifhmode
      \@savsk \lastskip
      \@savsf \spacefactor
    \fi
  \fi
}

```


I think that, in vmode, it is the safest to put in a `\nobreak` immediately after such things since writes, inserts etc followed by glue give valid breakpoints and, in general, it is possible to create breaks but impossible to destroy them.

```
\def \@esphack{%
  \relax \ifvmode
    \nobreak
    \ifdim \@savsk=\z@
    \else
      \vskip\@savsk
    \fi
  \else
    \ifhmode
      \spacefactor \@savsf
      \ifdim \@savsk>\z@
        \ignorespaces
      \fi
    \fi
  \fi
}
```

For the moment we are going to ignore the vertical versions until they are correct.

```
63 \def\@bsphack{%
64   \relax
65   \ifhmode
66     \@savsk\lastskip
67     \@savsf\spacefactor
68   \fi}
```

`\@esphack` Companion to `\@bsphack`.

```
69 </2ekernel>
70 <latexrelease>\IncludeInRelease{2015/10/01}%
71 <latexrelease>          {\@esphack}{hyphenation after space hack}%
72 <*2ekernel | latexrelease>
73 \def\@esphack{%
74   \relax
75   \ifhmode
76     \spacefactor\@savsf
77     \ifdim\@savsk>\z@
78       \ifdim\lastskip=\z@
79         \nobreak \hskip\z@skip
80       \fi
81       \ignorespaces
82     \fi
83   \fi}%
84 </2ekernel | latexrelease>
85 <latexrelease>\EndIncludeInRelease
86 <latexrelease>\IncludeInRelease{2015/01/01}%
87 <latexrelease>          {\@esphack}{hyphenation after space hack}%
88 <latexrelease>\def\@esphack{%
89 <latexrelease>  \relax
90 <latexrelease>  \ifhmode
91 <latexrelease>    \spacefactor\@savsf
```

```

92 <latexrelease> \ifdim\@savsk>\z@
93 <latexrelease> \nobreak \hskip\z@skip
94 <latexrelease> \ignorespaces
95 <latexrelease> \fi
96 <latexrelease> \fi}%
97 <latexrelease>\EndIncludeInRelease
98 <latexrelease>\IncludeInRelease{0000/00/00}%
99 <latexrelease> {\@esphack}{hyphenation after space hack}%
100 <latexrelease>\def\@esphack{%
101 <latexrelease> \relax
102 <latexrelease> \ifhmode
103 <latexrelease> \spacefactor\@savsf
104 <latexrelease> \ifdim\@savsk>\z@
105 <latexrelease> \ignorespaces
106 <latexrelease> \fi
107 <latexrelease> \fi}%
108 <latexrelease>\EndIncludeInRelease
109 <*2ekernel>

```

\@Esphack A variant of \@esphack that sets the @ignore switch to true (as \@esphack used to do previously). This is currently used only for floats and similar environments.

```

w
110 </2ekernel>
111 <latexrelease>\IncludeInRelease{2015/01/01}%
112 <latexrelease> {\@Esphack}{hyphenation after space hack}%
113 <*2ekernel | latexrelease>
114 \def\@Esphack{%
115 \relax
116 \ifhmode
117 \spacefactor\@savsf
118 \ifdim\@savsk>\z@
119 \nobreak \hskip\z@skip
120 \@ignoretrue
121 \ignorespaces
122 \fi
123 \fi}%
124 </2ekernel | latexrelease>
125 <latexrelease>\EndIncludeInRelease
126 <latexrelease>\IncludeInRelease{0000/00/00}%
127 <latexrelease> {\@Esphack}{hyphenation after space hack}%
128 <latexrelease>\def\@Esphack{%
129 <latexrelease> \relax
130 <latexrelease> \ifhmode
131 <latexrelease> \spacefactor\@savsf
132 <latexrelease> \ifdim\@savsk>\z@
133 <latexrelease> \@ignoretrue
134 <latexrelease> \ignorespaces
135 <latexrelease> \fi
136 <latexrelease> \fi}%
137 <latexrelease>\EndIncludeInRelease
138 <*2ekernel>

```

\@vbsphack Another variant which is useful for invisible things which should not live in vmode (this is how some people feel about marginals).

If it occurs in vmode then it enters hmode and ensures that `\@savsk` is nonzero so that the `\ignorespaces` is put in later. It is not used at present.

```
\def \@vbsphack{ %
  \relax \ifvmode
    \leavevmode
    \@savsk 1sp
    \@savsf \spacefactor
  \else
    \ifhmode
      \@savsk \lastskip
      \@savsf \spacefactor
    \fi
  \fi
}
```

16.5 Vertical spacing

L^AT_EX supports the plain T_EX commands `\smallskip`, `\medskip` and `\bigskip`. However, it redefines them using `\vspace` instead of `\vskip`.

Extra vertical space is added by the command `\addvspace{<skip>}`, which adds a vertical skip of *<skip>* to the document. The sequence `\addvspace{<s1>} \addvspace{<s2>}` is equivalent to `\addvspace{<maximum of s1, s2>}`.

`\addvspace` should be used only in vertical mode, and gives an error if it's not. The `\addvspace` command does *not* add vertical space if `@minipage` is true. The minipage environment uses this to inhibit the addition of extra vertical space at the beginning.

Penalties are put into the vertical list with the `\addpenalty{<penalty>}` command. It works properly when `\addpenalty` and `\addvspace` commands are mixed.

The `@nobreak` switch is set true used when in vertical mode and no page break should occur. (Right now, it is used only by the section heading commands to inhibit page breaking after a heading.)

```
\addvspace{SKIP} ==
BEGIN
  if vmode
    then if @minipage
      else if \lastskip =0
        then \vskip SKIP
      else if \lastskip < SKIP
        then \vskip -\lastskip
          \vskip SKIP
        else if SKIP < 0 and \lastskip >= 0
          then \vskip -\lastskip
            \vskip \lastskip + SKIP
          fi
        fi
      fi
    else useful error message (CAR).
    fi
  END
```

`\@xaddvskip` Internal macro for `\vspace` handling the case that space has previously been added.

```

139 \def\@xaddvskip{%
140   \ifdim\lastskip<\@tempskipb
141     \vskip-\lastskip
142     \vskip\@tempskipb
143   \else
144     \ifdim\@tempskipb<\z@
145       \ifdim\lastskip<\z@
146         \else
147           \advance\@tempskipb\lastskip
148           \vskip-\lastskip
149           \vskip \@tempskipb
150         \fi
151       \fi
152     \fi}

```

`\addvspace` Add vertical space taking into account space already added, as described above.

```

153 \def\addvspace#1{%
154   \ifvmode
155     \if@minipage\else
156       \ifdim \lastskip =\z@
157         \vskip #1\relax
158       \else
159         \@tempskipb#1\relax
160         \@xaddvskip
161       \fi
162     \fi
163   \else
164     \@noitemerr
165   \fi}

```

`\addpenalty`

```

166 \</2ekernel>
167 \<latexrelease>\IncludeInRelease{2015/01/01}%
168 \<latexrelease>          {\addpenalty}{\addpenalty}%
169 \<*2ekernel | latexrelease>

```

Fix provided by Donald (though the original fix was not good enough). In 2005 Plamen Tanovski discovered that this fix wasn't good enough either as the `\vskip` kept getting bigger if several `\addpenalty` commands followed each other. Donald kindly send a new fix.

```

170 \def\addpenalty#1{%
171   \ifvmode
172     \if@minipage
173     \else
174       \if@nobreak
175       \else
176         \ifdim\lastskip=\z@
177           \penalty#1\relax
178         \else
179           \@tempskipb\lastskip

```

We have to make sure the final `\vskip` seen by \TeX is the correct one, namely `\@tempskipb`. However we may have to adjust for `\prevdepth` when placing the penalty but that should not affect the skip we pass on to \TeX .

```

180         \begingroup
181         \@tempskipa\@tempskipb
182         \advance \@tempskipb
183         \ifdim\prevdepth>\maxdepth\maxdepth\else
If \prevdepth is -1000pt due to \nointerlineskip we better not add it!
184         \ifdim \prevdepth = -\@m\p@ \z@ \else \prevdepth \fi
185         \fi
186         \vskip -\@tempskipb
187         \penalty#1%
188         \ifdim\@tempskipa=\@tempskipb
Do nothing if the \prevdepth check made no adjustment.
189         \else
Combine the prevdepth adjustment into a single skip.
190         \advance\@tempskipb -\@tempskipa
191         \vskip \@tempskipb
192         \fi
The final skip is always the specified length.
193         \vskip \@tempskipa
194     \endgroup
195 \fi
196 \fi
197 \fi
198 \else
199     \@noitemerr
200 \fi}%

201 </2ekernel | latexrelease>
202 <latexrelease>\EndIncludeInRelease
203 <latexrelease>\IncludeInRelease{0000/00/00}%
204 <latexrelease>        {\addpenalty}{\addpenalty}%
205 <latexrelease>\def\addpenalty#1{%
206 <latexrelease>    \ifvmode
207 <latexrelease>        \if@minipage
208 <latexrelease>        \else
209 <latexrelease>            \if@nobreak
210 <latexrelease>            \else
211 <latexrelease>                \ifdim\lastskip=\z@
212 <latexrelease>                \penalty#1\relax
213 <latexrelease>            \else
214 <latexrelease>                \@tempskipb\lastskip
215 <latexrelease>                \vskip -\lastskip
216 <latexrelease>                \penalty#1%
217 <latexrelease>                \vskip\@tempskipb
218 <latexrelease>            \fi
219 <latexrelease>        \fi
220 <latexrelease>    \fi
221 <latexrelease>    \else
222 <latexrelease>        \@noitemerr
223 <latexrelease>    \fi}%
224 <latexrelease>\EndIncludeInRelease
225 <*2ekernel>

```

\vspace The new code for these commands depends on the following facts:
\@vspace
\@vspacer

- The value of `prevdepth` is changed only when a box or rule is created and added to a vertical list;
- The value of `prevdepth` is used only when a box is created and added to a vertical list;
- The value of `prevdepth` is always local to the building of one vertical list.

```

226 \DeclareRobustCommand\vspace{\@ifstar\@vspacer\@vspace}
227 \def\@vspace #1{%
228   \ifvmode
229     \vskip #1
230     \vskip\z@skip
231   \else
232     \@bsphack
233     \vadjust{\@restorepar
234               \vskip #1
235               \vskip\z@skip
236             }%
237     \@esphack
238   \fi}
239 \def\@vspacer#1{%
240   \ifvmode
241     \dimen@\prevdepth
242     \hrule \@height\z@
243     \nobreak
244     \vskip #1
245     \vskip\z@skip
246     \prevdepth\dimen@
247   \else
248     \@bsphack
249     \vadjust{\@restorepar
250               \hrule \@height\z@
251               \nobreak
252               \vskip #1
253               \vskip\z@skip}%
254     \@esphack
255   \fi}

```

```

\smallskip
\medskip 256 \def\smallskip{\vspace\smallskipamount}
\bigskip 257 \def\medskip{\vspace\medskipamount}
258 \def\bigskip{\vspace\bigskipamount}

```

```

\smallskipamount
\medskipamount 259 \newskip\smallskipamount \smallskipamount=3pt plus 1pt minus 1pt
\bigskipamount 260 \newskip\medskipamount \medskipamount =6pt plus 2pt minus 2pt
261 \newskip\bigskipamount \bigskipamount =12pt plus 4pt minus 4pt

```

16.6 Horizontal space (and breaks)

`\nobreakdashes` This idea is borrowed from the `amsmath` package but here we define a robust command.

This command is a low-level command designed for use only before hyphens or dashes (such as -, --, or ---).

It could probably be better implemented: it may need its own private token register and temporary command.

Setting the hyphen in a box and then unboxing it means that the normal penalty will not be added after it—and if the penalty is not there a break will not be taken (unless an explicit penalty or glue follows, thus the final `\nobreak`).

Note that even if it is not followed by a '-', it still leaves vmode and sets the spacefactor; so use it carefully!

```

262 \DeclareRobustCommand{\nobreakdashes}{%
263   \leavevmode
264   \toks@{}}%
265   \def\reserved@a##1{\toks@\expandafter{\the\toks@-}%
266     \futurelet\@let@token \reserved@b}%
267   \def\reserved@b  {\ifx\@let@token -%
268     \expandafter\reserved@a
269     \else
270     \setbox\z@ \hbox{\the\toks@\nobreak}%
271     \unhbox\z@
272     \spacefactor\sfcode'\-
273     \fi}%
274   \futurelet\@let@token \reserved@b
275 }
```

`\nobreakspace` This is a robust command that produces a horizontal space at which, in paragraph-mode, a line-break is not possible. We then define an active `~` to expand to it since this is the documented behaviour of `~`. One reason for introducing this is that some 8-bit input encodings have a slot for such a space and we do not want to use active characters as the \LaTeX internal commands.

The braces in the definition of `~` are needed to ensure that a following space is preserved when reading to/from internal files.

We need to keep `\@xobeysp` as it is widely used; so here it is let to the non-robust command `\nobreakspace`.

```

276 \DeclareRobustCommand{\nobreakspace}{%
277   \leavevmode\nobreak\ }
278 \catcode '\~=13
279 \def~{\nobreakspace{}}
280 \expandafter\let\expandafter\@xobeysp\csname nobreakspace \endcsname
```

`\,` Used in paragraph mode produces a `\thinspace`. It has the ordinary definition in math mode. Useful for quotes inside quotes, as in ‘`\,`‘Foo’, he said.’’

```

281 \DeclareRobustCommand{\,}{%
282   \relax\ifmmode\mskip\thinmuskip\else\thinspace\fi
283 }
```

`\@` Placed before a '.', makes it a sentence-ending period. Does the right thing for other punctuation marks as well. Does this by setting spacefactor to 1000.

```

284 \</2ekernel>
285 \<latexrelease>\IncludeInRelease{2015/01/01}%
286 \<latexrelease>          {\@}{Space after \@}%
287 \<*2ekernel | latexrelease>
```

```

288 \def\@{\spacefactor\@m{}}%
289 </2ekernel | latexrelease>
290 <latexrelease>\EndIncludeInRelease
291 <latexrelease>\IncludeInRelease{0000/00/00}%
292 <latexrelease>          {\@}{Space after \@}%
293 <latexrelease>\def\@{\spacefactor\@m}%
294 <latexrelease>\EndIncludeInRelease
295 <*2ekernel>

\hspace
296 \DeclareRobustCommand\hspace{\@ifstar\@hspacer\@hspace}

\@hspace
297 \def\@hspace#1{\hskip #1\relax}

\@hspacer  extra \hskip Opt added 1985/17/12 to guard against a following \unskip \relax
           added 13 Oct 88 for usual TEX lossage replaced both changes by \hskip\z@skip
           27 Nov 91
298 \def\@hspacer#1{\vrule \@width\z@\nobreak
299             \hskip #1\hskip \z@skip}

\fill
300 \newskip\fill
301 \fill = Opt plus 1fill

\stretch
302 \def\stretch#1{\z@ \@plus #1fill\relax}

\thinspace
\negthinspace 303 \def\thinspace{\kern .16667em }
\enspace      304 \def\negthinspace{\kern-.16667em }
              305 \def\enspace{\kern.5em }

\enskip
\quad        306 \def\enskip{\hskip.5em\relax}
\qquad       307 \def\quad{\hskip1em\relax}
              308 \def\qquad{\hskip2em\relax}

\obeycr      The following definitions will probably get deleted or moved to compatibility mode
\restorecr   soon.
309 {\catcode'\^M=13 \gdef\obeycr{\catcode'\^M13 \def\^M{\\\relax}%
310   \gobblecr}%
311 {\catcode'\^M=13 \gdef\gobblecr{\@ifnextchar
312 \gobble\ignorespaces}}
313 \gdef\restorecr{\catcode'\^M5 }}

314 </2ekernel>

```


File j

ltlogos.dtx

17 Logos

Various logos are defined here.

`\TeX` The $\mathrm{T}_{\mathrm{E}}\mathrm{X}$ logo, adjusted so that a full stop after the logo counts as ending a sentence.

```
1 \langle*2ekernel\rangle
2 \def\TeX{T\kern-.1667em\lower.5ex\hbox{E}\kern-.125emX\@}
```

`\LaTeX` The $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$ logo.

```
3 \DeclareRobustCommand{\LaTeX}{L\kern-.36em%
4     {\sbox\z@ T%
5       \vbox to\ht\z@{\hbox{\check@mathfonts
6                             \fontsize\sf@size\z@
7                             \math@fontsfalse\selectfont
8                             A}%
9                             \vss}%
10    }%
11    \kern-.15em%
12    \TeX}
```

`\LaTeXe` The $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}_{2\epsilon}$ logo as proposed by A-W designers.

```
13 \DeclareRobustCommand{\LaTeXe}{\mbox{\m@th
14   \if b\expandafter\@car\f@series\@nil\boldmath\fi
15   \LaTeX\kern.15em2$_{\textstyle\varepsilon}$}}
16 \langle/2ekernel\rangle
```

File k

ltfiles.dtx

18 File Handling

The following user commands are defined in this part:

<code>\document</code>	<code>(ie \begin{document})</code> Reads in the .AUX files and <code>\catcode</code> 's @ to 12.
<code>\nofiles</code>	Suppresses all file output by setting <code>\@files</code> false.
<code>\includeonly</code>	<code>{\NAME1, ... ,NAMEn}</code> Causes only parts NAME1, ... ,NAMEn to be read by their <code>\include</code> commands. Works by setting <code>partsw</code> true and setting <code>\@partlist</code> to NAME1, ... ,NAMEn.
<code>\include</code>	<code>{\NAME}</code> Does an <code>\input</code> NAME unless <code>\@partsw</code> is true and NAME is not in <code>\@partlist</code> . If <code>\@files</code> is true, then it directs .AUX output to NAME.AUX, including a checkpoint at the end.
<code>\input</code>	<code>{\NAME}</code> The same as TeX's <code>\input</code> , except it allows optional braces around the file name. In $\text{\LaTeX 2}_{\epsilon}$, it also avoids the primitive 'missing file' error, if the file can not be found.
<code>\IfFileExists</code>	<code>{\NAME}{\<then>}{\<else>}</code> If the file exists on the system, execute <i>then</i> otherwise execute <i>else</i> .
<code>\InputIfFileExists</code>	<code>{\NAME}{\<then>}{\<else>}</code> If the file exists on the system, execute <i>then</i> and input <i>NAME</i> otherwise execute <i>else</i> .

```
1 (*2ekernel)
2 \message{files,}
```

VARIABLES, SWITCHES AND INTERNAL COMMANDS:

<code>\@mainaux</code>	: Output file number for main .AUX file.
<code>\@partaux</code>	: Output file number for current part's .AUX file.
<code>\@auxout</code>	: Either <code>\@mainout</code> or <code>\@partout</code> , depending on which .AUX file output goes to.
<code>\@input{foo}</code>	: If file foo exists, then <code>\input</code> 's it, otherwise types a warning message.
<code>@files</code>	: Switch – set false if no .AUX, .TOC, .IDX etc files are to be written
<code>@partsw</code>	: Set true by a <code>\includeonly</code> command.
<code>\@partlist</code>	: Set to the argument of the <code>\includeonly</code> command.
<code>\cp@FOO</code>	: The checkpoint for <code>\include</code> 'd file FOO.TEX, written by <code>\@writeckpt</code> at the end of file FOO.AUX

```
\includeonly{FILELIST} ==
BEGIN
```

```

\@partsw := T
\@partlist := FILELIST
END

\include{FILE} ==
BEGIN
\clearpage
if \@filesw = T
then \immediate\write\@mainaux{\string\@input{FILE.AUX}}
fi
if \@partsw = T
then \@tempswa := F
\reserved@a := FILE
for \reserved@a := \@partlist
do if eval(\reserved@a) = eval(\reserved@b)
then \@tempswa := T fi
od
fi

if \@tempswa = T
then \@auxout := \@partaux
if \@filesw = T
then \immediate\openout\@partaux{FILE.AUX}
\immediate\write\@partaux{\relax}
fi
\@input{FILE.TEX}
\clearpage
\@writeckpt{FILE}
if @filesw then \closeout \@partaux fi
\@auxout := \@mainaux
else \cp@FILE
fi
END

\@writeckpt{FILE} ==
BEGIN
if \@filesw = T
\immediate\write on file \@partaux:
\@setckpt{FILE}{
%% }
for \reserved@a := \cl@ckpt
do \immediate\write on file \@partaux:
\global\string\setcounter

{eval(\reserved@a)}{eval(\c@eval(\reserved@a))}
od
%% {
\immediate\write on file \@partaux: }
fi
END

\@setckpt{FILE}{LIST} ==

```

```

BEGIN
  G \cp@FILE := LIST
END

INITIALIZATION
  \@tempswa := T

\@inputcheck Allocate read stream for testing and output stream.
  \@unused 3 \newread\@inputcheck
            4 \newwrite\@unused

  \@mainaux
  \@partaux 5 \newwrite\@mainaux
            6 \newwrite\@partaux

  \if@filesw
  \if@partsw 7 \newif\if@filesw \@fileswtrue
            8 \newif\if@partsw \@partswfalse

\@clubpenalty This stores the current normal (non-infinite) value of \@clubpenalty; it should
               therefore be reset whenever the normal value is changed (as in the bibliography
               in the standard styles).
               9 \newcount\@clubpenalty
               10 \@clubpenalty \@clubpenalty

\document Cancel the \begingroup from \begin
           11 \def\document{\endgroup
           If some options on \documentclass haven't been used by any package we will now
           give a warning since this is most certainly a misspelling.
           12 \ifx\@unusedoptionlist\@empty\else
           13 \latex@warning@no@line{Unused global option(s):^^J%
           14 \spaces[\@unusedoptionlist]}%
           15 \fi
           16 \@colht\textheight
           17 \@colroom\textheight \vsize\textheight
           18 \@columnwidth\textwidth
           19 \@clubpenalty\clubpenalty
           20 \if@twocolumn
           21 \advance\columnwidth -\columnsep
           22 \divide\columnwidth\tw@ \hsize\columnwidth \@firstcolumntrue
           23 \fi
           24 \hsize\columnwidth \linewidth\hsize
           25 \begingroup\@floatplacement\@dblfloatplacement
           26 \makeatletter\let\@writefile\@gobbletwo

           27 \global \let \@multiplelabels \relax
           28 \input{\jobname.aux}%
           29 \endgroup
           30 \if@filesw
           31 \immediate\openout\@mainaux\jobname.aux
           32 \immediate\write\@mainaux{\relax}%
           33 \fi

```

Dateline 1991/03/26: FMi added `\process@table` to support NFSS; This will also work with old fonts if no other style defines `\process@table`. The following line forces the initialization of the math fonts.

```

34 \process@table
35 \let\glb@currsizel@empty %% Force math initialization.

36 \normalsize
37 \everypar{}%
```

So that punctuation in headings is not disturbed by verbatim or other local changes to the space factor codes, save the document default here. This will be locally reset by the output routine. For special cases a class may want to define `\normalsfcode`s directly, in case that definition will be used. (This is an old bug, problem existed in L^AT_EX2.0x and plain T_EX.)

```

38 \ifx\normalsfcode\@empty
39 \ifnum\scode'\.=\@m
40 \let\normalsfcode\frenchspacing
41 \else
42 \let\normalsfcode\nonfrenchspacing
43 \fi
44 \fi
```

Way back in 1991 (08/26) FMi & RmS set the `\noskipsec` switch to true in the preamble and to false here. This was done to trap lists and related text in the preamble but it does not catch everything; hence Change 1.1g was introduced.

```

45 \noskipsecfalse

46 \let \@refundefined \relax
```

Just before disabling the preamble commands we execute the begin document hook which contains any code contributed by `\AtBeginDocument`. Also disable the gathering of the file list, if no `\listfiles` has been issued. `\AtBeginDocument` is redefined at this point so that and such commands that get into the hook do not chase their tail...

```

47 \let\AtBeginDocument\@firstofone
48 \@begindocumenthook
```

Most of the following assignments will be done globally in case the user adds something like `\begin{multicols}` to the document hook, i.e. starts are group in `\begin{document}`.

Since a value of exactly 0pt for `\topskip` causes `\twocolumn[]` to misbehave, we add this check, hoping that it will not cause any problems elsewhere.

```

49 \ifdim\topskip<1sp\global\topskip 1sp\relax\fi
50 \global\@maxdepth\maxdepth
51 \global\let\@begindocumenthook\@undefined
52 \ifx\@listfiles\@undefined
53 \global\let\@filelist\relax
54 \global\let\@addtofilelist\@gobble
55 \fi
```

At the very end we disable all preamble commands. This has to happen after the begin document hooks was executed so that this hook can still use such commands.

```

56 \gdef\do##1{\global\let ##1\@notprerr}%
57 \@preamblecmds
```

The next line saves tokens and also allows `\@nocument` to be used directly to trap preamble errors.

```
58 \global\let \@nocument \relax
```

The next line is a pure safety measure in case a do list is ever expanded at the wrong place. In addition it will save a few tokens to get rid of the above definition.

```
59 \global\let\do\noexpand
```

Use of `\AtBeginDocument` hook might mean that we are already in horizontal mode, so ignore the space after `\begin{document}`.

```
60 \ignorespaces
```

```
61 \@onlypreamble\document
```

`\normalsfcodes` The setting of `\@empty` is just a flag. This command may be defined in a class or package file. If it is still `\@empty` at `\begin{document}` it will be defined to be `\frenchspacing` or `\nonfrenchspacing`, depending on which of those appears to be in effect at that point.

```
62 \let\normalsfcodes\@empty
```

`\nofiles` Set `\@fileswf` which suppresses the places where L^AT_EX makes `\immediate` writes. The `\makeindex` and `\makeglossary` are disabled. `\protected@write` is redefined not to write to the file specified, but rather to write a blank line to the log file. This ensures that a *⟨whatsit⟩* node is still created, and so spacing is not affected by the `\nofiles` command; to ensure this more generally, the `\if@nobreak` test is needed.

```
63 \def\nofiles{%
64   \@fileswf
65   \typeout{No auxiliary output files.^^J}%
66   \long\def\protected@write##1##2##3%
67     {\write\m@ne{}\if@nobreak\ifvmode\nobreak\fi\fi}%
68   \let\makeindex\relax
69   \let\makeglossary\relax}
70 \@onlypreamble\nofiles
```

`\protected@write` This takes three arguments: an output stream, some initialization code, and some text to write. It then writes this, with appropriate handling of `\protect` and `\thepage`.

```
71 \long\def \protected@write#1#2#3{%
72   \begingroup
73   \let\thepage\relax
74   #2%
75   \let\protect\@unexpandable@protect
76   \edef\reserved@a{\write#1{#3}}%
77   \reserved@a
78   \endgroup
79   \if@nobreak\ifvmode\nobreak\fi\fi
80 }
```

```
81 \let\@auxout=\@mainaux
```

`\includeonly`

```
82 \def\includeonly#1{%
83   \@partswtrue
```

```

84 \edef\@partlist{\zap@space#1 \@empty}}
85 \@onlypreamble\includeonly

\include In the definition of \include, \def\reserved@b changed to \edef\reserved@b
to be consistent with the \edef in \includeonly. (Suggested by Rainer Schöpf
& Frank Mittelbach. Change made 20 Jul 88.)
    Changed definition of \include to allow space at end of file name — otherwise,
    typing \include{foo } would cause LATEX to overwrite foo.tex. Change made
    24 May 89, suggested by Rainer Schöpf and Frank Mittelbach
    Made \include check for being used inside an \include'd file, as this will not
    work and cause surprising results.

86 \def\include#1{\relax
87 \ifnum\@auxout=\@partaux
88 \latexerror{\string\include\space cannot be nested}\@eha
89 \else \@include#1 \fi}

\@include

90 \def\@include#1 {%
91 \clearpage
92 \if@filesw
93 \immediate\write\@mainaux{\string\@input{#1.aux}}%
94 \fi
95 \@tempswatrue
96 \if@partsw
97 \@tempswafalse
98 \edef\reserved@b{#1}%
99 \@for\reserved@a:=\@partlist\do
100 {\ifx\reserved@a\reserved@b\@tempswatrue\fi}%
101 \fi
102 \if@tempswa
103 \let\@auxout\@partaux
104 \if@filesw
105 \immediate\openout\@partaux #1.aux
106 \immediate\write\@partaux{\relax}%
107 \fi
108 \input@{#1.tex}%
109 \clearpage
110 \@writeckpt{#1}%
111 \if@filesw
112 \immediate\closeout\@partaux
113 \fi
114 \else
    If the file is not included, reset \deadcycles, so that a long list of non-included
    files does not generate an ‘Output loop’ error.

115 \deadcycles\z@
116 \@nameuse{cp@#1}%
117 \fi
118 \let\@auxout\@mainaux}

\@writeckpt

119 \def\@writeckpt#1{%
120 \if@filesw

```

```

121 \immediate\write\@partaux{\string\@setckpt{#1}\@charlb}%
122 {\let\@elt\@wckptelt \cl@ckpt}%
123 \immediate\write\@partaux{\@charrb}%
124 \fi}

\@wckptelt
125 \def\@wckptelt#1{%
126 \immediate\write\@partaux{%
127 \string\setcounter{#1}{\the\@nameuse{c@#1}}}}

\@setckpt RmS 93/08/31: introduced \@setckpt
128 \def\@setckpt#1{\global\@namedef{cp@#1}}

\@charlb The following defines \@charlb and \@charrb to be { and }, respectively with
\@charrb \catcode 11.
129 {\catcode'\@charlb=2
130 \catcode'\@charrb=11
131 \gdef\@charlb[{
132 \gdef\@charrb[}]
133 ]% }brace matching

```

18.1 Safe Input Macros

```

\IfFileExists
134 \long\def \IfFileExists#1#2#3{%
135 \openin\@inputcheck#1 %
136 \ifeof\@inputcheck
137 \ifx\input@path\@undefined
138 \def\reserved@a{#3}%
139 \else
140 \def\reserved@a{\@iffileonpath{#1}{#2}{#3}}%
141 \fi
142 \else
143 \closein\@inputcheck
144 \edef\@filef@und{#1}%
145 \def\reserved@a{#2}%
146 \fi
147 \reserved@a}

\@iffileonpath If the file is not found by \openin, and \input@path is defined, look in all the
directories specified in \input@path.
148 \long\def\@iffileonpath#1{%
149 \let\reserved@a\@secondoftwo
150 \expandafter\@tfor\expandafter\reserved@b\expandafter
151 : \expandafter=\input@path\do{%
152 \openin\@inputcheck\reserved@b#1 %
153 \ifeof\@inputcheck\else
154 \edef\@filef@und{\reserved@b#1}%
155 \let\reserved@a\@firstoftwo%
156 \closein\@inputcheck
157 \@break@tfor
158 \fi}%
159 \reserved@a}

```


`\InputIfFileExists` Now define `\InputIfFileExists` to input #1 if it seems to exist. Immediately prior to the input, #2 is executed. If the file #1 does not exist, execute ‘#3’.

```

160 \long\def \InputIfFileExists#1#2{%
161   \IfFileExists{#1}%
162     {#2\@addtofilelist{#1}\@input \@filef@und}}

```

`\input` Input a file: if the argument is given in braces use safe input macros, otherwise use TeX’s primitive `\input` command (which is called `\@input` in L^AT_EX).

```

163 \def\input{\@ifnextchar\bgroup\iinput\@input}

```

`\iinput` Define `\iinput` (i.e., `\input`) in terms of `\InputIfFileExists`.

```

164 \def\iinput#1{%
165   \InputIfFileExists{#1}{}%
166   {\filename@parse{#1}%
167    \edef\reserved@a{\noexpand\@missingfileerror
168      {\filename@area\filename@base}%
169      {\ifx\filename@ext\relax tex\else\filename@ext\fi}}%
170   \reserved@a}}

```

`\@input` Define `\@input` in terms of `\IfFileExists`. So this is a ‘safe input’ command, but the files input are not listed by `\listfiles`.

We don’t want .aux, .toc files etc be listed by `\listfiles`. However, something like .bbl probably should be listed and thus should be implemented not by `\@input`.

```

171 \def\@input#1{%
172   \IfFileExists{#1}{\@input\@filef@und}{\typeout{No file #1.}}}

```

`\@input@` Version of `\@input` that does add the file to `\@filelist`.

```

173 \def\@input@#1{\InputIfFileExists{#1}{\typeout{No file #1.}}}

```

`\@missingfileerror` This ‘error’ command avoids TeX’s primitive missing file loop.

Missing file error. Prompt for a new filename, offering a default extension.

```

174 \gdef\@missingfileerror#1#2{%
175   \typeout{^^J! LaTeX Error: File ‘#1.#2’ not found.^^J^^J%
176   Type X to quit or <RETURN> to proceed,^^J%
177   or enter new name. (Default extension: #2)^^J}%
178   \message{Enter file name: }%
179   {\endlinechar\m@ne
180    \global\read\m@ne to\@gtempa}%
181   \ifx\@gtempa\@empty
182     \else
183       \def\reserved@a{x}\ifx\reserved@a\@gtempa\batchmode\@end\fi
184       \def\reserved@a{X}\ifx\reserved@a\@gtempa\batchmode\@end\fi
185       \filename@parse\@gtempa
186       \edef\filename@ext{%
187         \ifx\filename@ext\relax#2\else\filename@ext\fi}%
188       \edef\reserved@a{%
189         \noexpand\InputIfFileExists
190         {\filename@area\filename@base.\filename@ext}%
191         }%
192       {\noexpand\@missingfileerror
193        {\filename@area\filename@base}{\filename@ext}}}%
194   \reserved@a
195   \fi}

```

`\@obsoletefile` For compatibility with L^AT_EX 2.09 document styles, we distribute files called `article.sty`, `book.sty`, `report.sty`, `slides.sty` and `letter.sty`. These use the command `\@obsoletefile`, which produces a warning message.

```
196 \def\@obsoletefile#1#2{%
197   \@latex@warning@no@line{inputting ‘#1’ instead of obsolete ‘#2’}}
198 \@onlypreamble\@obsoletefile
```

18.2 Listing files

`\@filelist` A list of files input so far. The initial value of `\@gobble` eats the comma before the first file name.

```
199 \let\@filelist\@gobble
```

`\@addtofilelist` Add to the list of files input so far. This ‘real’ definition is only used for ‘cfg’ files during initex. An initial definition of `\@gobble` has already been set.

```
200 %\def\@addtofilelist#1{\xdef\@filelist{\@filelist,#1}}
```

`\listfiles` A preamble command to cause `\end{document}` to list files input from the main file.

```
201 \def\listfiles{%
202   \let\listfiles\relax
203   \def\@listfiles##1##2##3##4##5##6##7##8##9\@{%
204     \def\reserved@d{\}%
205     \@tfor\reserved@c:=##1##2##3##4##5##6##7##8\do{%
206       \ifx\reserved@c\reserved@d
207         \edef\filename@area{ \filename@area}%
208       \fi}}%

209   \def\@dofilelist{%
210     \typeout{^J *File List*}%
211     \@for\@currname:=\@filelist\do{%
212       \filename@parse\@currname
213       \edef\reserved@a{%
214         \filename@base.%
215         \ifx\filename@ext\relax tex\else\filename@ext\fi}%
216       \expandafter\let\expandafter\reserved@b
217         \csname ver@\reserved@a\endcsname
218       \expandafter\expandafter\expandafter\@listfiles\expandafter
219         \filename@area\filename@base\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\@
220       \typeout{%
221         \filename@area\reserved@a
222         \ifx\reserved@b\relax\else\@spaces\reserved@b\fi}}%
223     \typeout{ *****^J}}}
```

The `\@filelist` will be de-activated if `\listfiles` does not appear in the preamble. `\begin{document}` contains code equivalent to the following:

```
\AtBeginDocument{%
  \ifx\@listfiles\@undefined
    \let\@filelist\relax
    \let\@addtofilelist\@gobble
  \fi}
```

```
224 \@onlypreamble\listfiles
```

\@dofilelist

225 \let\@dofilelist\relax

226 \endkernel

File 1

ltoutenc.dtx

19 Font encodings

This section of the kernel contains commands for declaring encoding-specific commands, such as accents. It also contains the code for some of the encoding files, including `omlenc.def`, `omsenc.def`, `t1enc.def` and `ot1enc.def` files, which define the OLM, OMS, T1 and OT1 encodings, and the `fontenc` package for selecting encodings.

The `fontenc` package has options for encodings, of which the last option is the default encoding. For example, to use the OT2, OT3 and T1 encodings, with T1 as the default, you say:

```
\usepackage[OT2,OT3,T1]{fontenc}
```

The standard kernel set-up loads font encoding files and selects an encoding as follows.

```
\input {omlenc.def}  
\input {t1enc.def}  
\input {ot1enc.def}  
\input {omsenc.def}  
\fontencoding{OT1}
```

Note that the files in the standard `inputenc` package depend on this behaviour of the kernel.

The syntax for declaring encoding-specific commands is:

```
\DeclareTextCommand{<command>}{<encoding>}  
[<number>][<default>]{<commands>}
```

This command is like `\newcommand`, except that it defines a command which is specific to one encoding. The resulting command is always robust, even if its definition is fragile. For example, the definition of `\l` in the OT1 encoding is:

```
\DeclareTextCommand{\l}{OT1}{\@xxxii l}
```

`\DeclareTextCommand` takes the same optional arguments as `\newcommand`.

```
\ProvideTextCommand{<command>}{<encoding>}  
[<number>][<default>]{<commands>}
```

This acts like `\DeclareTextCommand`, but does nothing if the command is already defined.

```
\DeclareTextSymbol{<command>}{<encoding>}{<slot>}
```

This command defines a text symbol, with a particular slot in that encoding. The commands:

```
\DeclareTextSymbol{\ss}{OT1}{25}  
\DeclareTextCommand{\ss}{OT1}{\char25 }
```

have the same effect, but the `\DeclareTextSymbol` is faster.

```
\DeclareTextAccent{\<command>}{\<encoding>}{\<slot>}
```

This command declares a text accent. The commands:

```
\DeclareTextAccent{"}{OT1}{127}
\DeclareTextCommand{"}{OT1}{\add@accent {127}}
```

have the same effect.

```
\DeclareTextComposite{\<command>
                        {\<encoding>}{\<argument>}{\<slot>}
```

This command declares a composite letter, for example in the T1 encoding `\'a` is slot 225, which is declared by:

```
\DeclareTextComposite{\'}{T1}{a}{225}
```

The *command* will normally have been declared with `\DeclareTextAccent`, or as a one-argument `\DeclareTextCommand`.

`\DeclareTextComposite` is the most common example of using the more general declaration `\DeclareTextCompositeCommand`, which can define a composite to be an arbitrary piece of text.

```
\DeclareTextCompositeCommand{\<command>
                              {\<encoding>}{\<argument>}{\<text>}
```

For example, in the OT1 encoding Å has a hand-crafted definition this is declared as follows

```
\DeclareTextCompositeCommand{\r}{OT1}{A}
{\leavevmode\setbox\z@\hbox{!}\dimen@ \ht\z@\advance\dimen@-1ex%
\rlap{\raise.67\dimen@\hbox{\char23}}A}
```

The *command* will normally have been declared with `\DeclareTextAccent`, or as a one-argument `\DeclareTextCommand`.

The commands defined using the above declarations can be used in two ways. Normally they are used by just calling the command in the appropriate encoding, for example `\ss`. However, sometimes you may wish to use a command in an encoding where it is not defined. If the command has no arguments, then you can use it in another encoding by calling `\UseTextSymbol`:

```
\UseTextSymbol{\<encoding>}{\<command>}
```

For example, `\UseTextSymbol{OT1}{\ss}` has the same effect as:

```
{\fontencoding{OT1}\selectfont\ss}
```

If the command has one argument then you can use it in another encoding by calling `\UseTextAccent`:

```
\UseTextAccent{\<encoding>}{\<command>}{\<text>}
```

For example, if the current encoding is OT2 then `\UseTextAccent{OT1}{\'a}` has the same effect as:

```
{\fontencoding{OT1}\selectfont\'{\fontencoding{OT2}\selectfont a}}
```

You can also declare a default definition for a text command, which will be used if the current encoding has no appropriate definition. Such use will also set the definition for this command in the current encoding to equal this default definition; this makes subsequent uses of the command much faster.

```
\DeclareTextCommandDefault{<command>}{<definition>}
```

For example, the default definition of the command `\textonequarter` (which produces the fraction $\frac{1}{4}$) could be built using math mode:

```
\DeclareTextCommandDefault{\textonequarter}{\ensuremath {\frac{1}{4}}}
```

There is a matching `\Provide` command which will not override an existing default definition:

```
\ProvideTextCommandDefault{<command>}{<definition>}
```

The most common use for these commands is to use symbols from other encodings, so there are some optimizations provided:

```
\DeclareTextSymbolDefault{<command>}{<encoding>}
\DeclareTextAccentDefault{<command>}{<encoding>}
```

are short for:

```
\DeclareTextCommandDefault{<command>}
{\UseTextSymbol{<encoding>}{<command>}}
\DeclareTextCommandDefault[1]{<command>}
{\UseTextAccent{<encoding>}{<command>}{#1}}
```

For example, to make OT1 the default encoding for `\ss` and `\'` you say:

```
\DeclareTextSymbolDefault{\ss}{OT1}
\DeclareTextAccentDefault{\'}{OT1}
```

Note that you can use these commands on any zero- or one-argument commands declared with `\DeclareText*` or `\ProvideText*`, not just those defined using `\DeclareTextSymbol` or `\DeclareTextAccent`.

19.1 Removing encoding-specific commands

In some cases encoding definitions are given to provide some limited support since nothing better is available, for example, the definition for `\textdollar` in OT1 is a hack since \$ and £ actually share the same slot in this encoding. Thus if such a glyph becomes available in a different encoding (e.g., TS1) one would like to get rid of the flaky one and make the default definition point to the new encoding. In such a case defining

```
\DeclareTextSymbol{\textdollar}{TS1}{36}
\DeclareTextSymbolDefault{\textdollar}{TS1}
```

is not enough since if typesetting in OT1 L^AT_EX will still find the encoding specific-definition for OT1 and therefore ignore the new default. Therefore to ensure that in this case the TS1 version is used we have to remove the OT1 declaration:

```
\UndeclareTextCommand{\textdollar}{OT1}
```

Since the \$ sign is a proper glyph in the T1 encoding there is no point removing its definition and forcing L^AT_EX to pick up the TS1 version if typesetting in this encoding. However, assume you want to use the variant dollar sign, i.e., \$ for your dollars. In that case you have to get rid of the T1 declaration as well, e.g., the following would do that for you:

```
\UndeclareTextCommand{\textdollar}{OT1}
\UndeclareTextCommand{\textdollar} {T1}
\DeclareTextCommandDefault{\textdollar}
{\UseTextSymbol{TS1}\textdollaroldstyle}
```

19.2 The order of declarations

If an encoding-specific command is defined for more than one encoding, then it will execute fastest in the encoding in which it was defined last since its top-level definition will be set up to execute in that encoding without any overhead.

For this reason the file `fonttext.ltx` currently first loads the definitions for the T1 encoding and then those for the OT1 encoding so that typesetting in OT1 is optimized since that is (still) the default. However, when T1 is explicitly requested (via `\usepackage[T1]{fontenc}`) the top-level definitions are automatically changed to favour T1 since its declarations are reloaded in the process.

For the same reason default declarations should never come last since they are implemented as a special encoding themselves (with the name ?). Specifying them last would simply mean to make those encoding-specific commands equally inefficient in all encodings. Therefore the `textcomp` package, for example, first sets up all defaults to point to TS1 and then declares the commands in the TS1 encoding.

19.3 Docstrip modules

This `.dtx` file is be used to generate several related files containing font encoding definitions. The mutually exclusive docstrip options are listed here.

T1	generates <code>t1enc.def</code> for the Cork encoding.
TS1	generates <code>ts1enc.def</code> for the Text Companion encoding.
TS1sty	generates <code>textcomp.sty</code> , package that sets up use of the Text Companion encoding.
OT1	generates <code>ot1enc.def</code> for Knuth's CM encoding.
OMS	generates <code>omsenc.def</code> for Knuth's math symbol encoding.
OML	generates <code>omlenc.def</code> for Knuth's math letters encoding.
OT4	generates <code>ot4enc.def</code> for the Polish extension to the OT1 encoding, created by B. Jackowski and M. Ryćko for use with the Polish version of Computer Modern and Computer Concrete.
TU	generates <code>tuenc.def</code> for Unicode font encoding.
package	generates <code>fontenc.sty</code> for selecting encodings.
2ekernel	for the kernel commands.

19.4 Definitions for the kernel

19.4.1 Declaration commands

This section contains definitions for commands such as accents which depend on the current encoding. These commands will usually be kept in `.def` files, for example `ot1enc.def` contains the definitions for the OT1 encoding.

```
1 (*2kernel)
2 \message{font encodings,}

Far too many macros in one block here!
```

`\DeclareTextCommand` If you say:

`\ProvideTextCommand` `\DeclareTextCommand{\foo}{T1}...`

`\DeclareTextSymbol` then `\foo` is defined to be `\T1-cmd \foo \T1\foo`, where `\T1\foo` is *one* control sequence, not two! We then call `\newcommand` to define `\T1\foo`.

```
\@dec@text@cmd 3 \def\DeclareTextCommand{%
\chardef@text@cmd 4 \@dec@text@cmd\newcommand}
\@changed@cmd
\@changed@x
\TextSymbolUnavailable 5 \def\ProvideTextCommand{%
\@inmathwarn 6 \@dec@text@cmd\providecommand}

7 \def\@dec@text@cmd#1#2#3{%
8 \expandafter\def\expandafter#2%
9 \expandafter{%
10 \csname#3-cmd\expandafter\endcsname
11 \expandafter#2%
12 \csname#3\string#2\endcsname
13 }%
14 \let\@ifdefinable\@rc@ifdefinable
15 \expandafter#1\csname#3\string#2\endcsname}
```

This command was introduced to fix a major bug in `\@dec@text@cmd` without changing that command itself. This was thought to be necessary because it is defined in more than one package. (Perhaps the more serious bug is to put complex low-level commands like this in packages?)

The problem it solves is that whereas both `\newcommand` and `\providecommand` (used just above) both handle the resetting of `\@ifdefinable` (following its disabling in `\@dec@text@cmd`), the primitive `\chardef` neither needs the disabling, nor does the resetting.

```
16 \def\chardef@text@cmd{%
17 \let\@ifdefinable\@@ifdefinable
18 \chardef
19 }
20 \def\DeclareTextSymbol#1#2#3{%
21 \@dec@text@cmd\chardef@text@cmd#1{#2}#3\relax
22 }
```

The declarations are only available before `\begin{document}`.

```
23 \onlypreamble\DeclareTextCommand
24 \onlypreamble\DeclareTextSymbol
```

The sneaky bit in all this is what `\T1-cmd \foo \T1\foo` does. There are five possibilities, depending on the current values of `\protect`, `\cf@encoding` and `\ifmmode`:

- If `\protect` is `\@typeset@protect` and `\cf@encoding` is T1, then we execute `\T1\foo`. This should be the normal behaviour, and is optimized for speed.
- If `\protect` is `\@typeset@protect`, `\cf@encoding` is (say) OT1, and `\OT1\foo` is defined, then we execute `\OT1\foo`.
- If `\protect` is `\@typeset@protect`, `\cf@encoding` is (say) OT1, we're in text mode, and `\OT1\foo` is undefined, then we define `\OT1\foo` to be the default value of `\foo`, and execute `\OT1\foo`.
- If `\protect` is `\@typeset@protect`, `\cf@encoding` is (say) OT1, we're in math mode, and `\OT1\foo` is undefined, then we execute the default value of `\foo`. (This is necessary so that things like `X_\copyright` work properly.)
- If `\protect` is not `\@typeset@protect` then we execute `\noexpand\foo`. For example, if we are writing to a file, then this results in `\foo` being written. If we are in a `\mark`, then `\foo` will be put in the mark—since `\foo` is robust, it will then survive all the things which may happen to it whilst it's a `\mark`.

So after all that, we will either execute the appropriate definition of `\foo` for the current encoding, or we will execute `\noexpand\foo`.

The default value of `\foo` is `\?\foo` if it is defined, and an error message otherwise.

When the encoding is changed from T1 to OT1, `\T1-cmd` is defined to be `\@changed@cmd` and `\OT1-cmd` is defined to be `\@current@cmd`. This means that the test for what the current encoding is can be performed quickly.

```

25 \def\@current@cmd#1{%
26   \ifx\protect\@typeset@protect
27     \@inmathwarn#1%
28   \else
29     \noexpand#1\expandafter\@gobble
30   \fi}

31 \def\@changed@cmd#1#2{%
32   \ifx\protect\@typeset@protect
33     \@inmathwarn#1%
34     \expandafter\ifx\csname\cf@encoding\string#1\endcsname\relax
35       \expandafter\ifx\csname ?\string#1\endcsname\relax
36         \expandafter\def\csname ?\string#1\endcsname{%
37           \TextSymbolUnavailable#1%
38         }%
39       \fi
40       \global\expandafter\let
41         \csname\cf@encoding\string#1\expandafter\endcsname
42         \csname ?\string#1\endcsname
43     \fi
44     \csname\cf@encoding\string#1%
45       \expandafter\endcsname
46   \else
47     \noexpand#1%
48   \fi}

49 \gdef\TextSymbolUnavailable#1{%

```

```

50 \latex@error{%
51   Command \protect#1 unavailable in encoding \cf@encoding%
52 }\@eha}

```

The command `\@inmathwarn` produces a warning message if we are currently in math mode. Note that since this command is used inside text commands, it can't call `\relax` before the `\ifmmode`. This means that it is possible for the warning to fail to be issued at the beginning of a row of an `halign` whose template enters math mode. This is probably a bad feature, but there's not much that can be done about it, since adding a `\relax` would break ligatures and kerning between text symbols.

A more efficient solution would be to make `\@inmathwarn` and `\@inmatherr` equal to `\empty` and `\relax` by default, and to have `\everymath` reset them to their usual definitions. This is left for future investigation (for example it may break some third party code).

```

53 \def\@inmathwarn#1{%
54   \ifmmode
55     \latex@warning{Command \protect#1 invalid in math mode}%
56   \fi}

```

`\DeclareTextCommandDefault` These define commands with encoding ?.

`\ProvideTextCommandDefault` Note that `\DeclareTextCommandDefault` can only be used in the preamble, but that the `\Provide` version is allowed in inputenc .def files, so is allowed anywhere.

```

57 \def\DeclareTextCommandDefault#1{%
58   \DeclareTextCommand#1?}

59 \def\ProvideTextCommandDefault#1{%
60   \ProvideTextCommand#1?}

61 \@onlypreamble\DeclareTextCommandDefault
62 %\@onlypreamble\ProvideTextCommandDefault

```

They require `\?<cmd` to be initialized as `\@changed@cmd`.

```

63 \expandafter\let\csname?<cmd\endcsname\@changed@cmd

```

`\DeclareTextAccent` This is just a disguise for defining a TeX `\accent` command.

```

64 \def\DeclareTextAccent#1#2#3{%
65   \DeclareTextCommand#1{#2}{\add@accent{#3}}
66 \@onlypreamble\DeclareTextAccent

```

`\add@accent` To save space this code is shared between all text accents that are set using the `\accent` primitive. The argument is pre-set in a box so that any font loading that is needed is already done within the box. This is needed because font-loading involves grouping and that would prevent the accent mechanism from working so that the accent would not be positioned over the argument. Declarations that change the font should be allowed (only low-level ones are at present) inside the argument of an accent command, but not size changes, as they involve `\setbox` operations which also inhibit the mechanism of the `\accent` primitive.

Note that the whole process is within a group. For a detailed discussion of this reimplementaion and its deficiencies, see pr/3160.

```

67 \def\add@accent#1#2{\hmode@bgroup

```

Turn off the group in `\UseTextSymbol` in case this is used inside the argument of `\add@accent`.

```
68 \let\hmode@start@before@group\@firstofone
69 \setbox\@tempboxa\hbox{#2%
```

When presetting the argument in a box we record its `\spacefactor` for later use after the accent got typeset. This way something like `\‘A` gets the spacefactor of A (i.e., 999) rather than the default value of 1000.

```
70 \global\mathchardef\accent@spacefactor\spacefactor}%
71 \accent#1 #2\egroup\spacefactor\accent@spacefactor}
```

Default definition for `\accent@spacefactor` prevents a horrible death of the above macro inside an unprotected `\edef`.

```
72 \let\accent@spacefactor\relax
```

`\hmode@bgroup`

```
73 \def\hmode@bgroup{\leavevmode\bgroup}
```

<pre>\DeclareTextCompositeCommand \DeclareTextComposite \@text@composite \@text@composite@x \@strip@args</pre>	<p>Another amusing game to play with <code>\expandafter</code>, <code>\csname</code>, and <code>\string</code>. When you say <code>\DeclareTextCompositeCommand{\foo}{T1}{a}{bar}</code>, we look to see if the expansion of <code>\T1\foo</code> begins with <code>\@text@composite</code>, and if it doesn't, we redefine <code>\T1\foo</code> to be:</p> <pre> #1 -> \@text@composite \T1\foo #1\@empty \@text@composite {...}</pre>
----------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

where `...` is the previous definition of `\T1\foo`. Finally, we define `\\T1\foo-a` to expand to `bar`.

```
74 \def\DeclareTextCompositeCommand#1#2#3#4{%
75   \expandafter\let\expandafter\reserved@a\csname#2\string#1\endcsname
76   \expandafter\expandafter\expandafter\ifx
77   \expandafter\@car\reserved@a\relax\relax\@nil \@text@composite \else
78     \edef\reserved@b##1{%
79       \def\expandafter\noexpand
80       \csname#2\string#1\endcsname###1{%
81         \noexpand\@text@composite
82         \expandafter\noexpand\csname#2\string#1\endcsname
83         ###1\noexpand\@empty\noexpand\@text@composite
84         {##1}}}%
85   \expandafter\reserved@b\expandafter{\reserved@a{##1}}%
86   \fi
87   \expandafter\def\csname\expandafter\string\csname
88     #2\endcsname\string#1-\string#3\@empty\endcsname{#4}}
89 \@onlypreamble\DeclareTextCompositeCommand
```

This all works because:

```
\@text@composite \T1\foo A\@empty \@text@composite {...}
```

expands to `\\T1\foo-A` if `\\T1\foo-A` has been defined, and `{...}` otherwise.

Note that `\@text@composite` grabs the first token of the argument and puts just that in the `csname`. This is so that `\‘{\textit{e}}` will work—it checks whether `\\T1\‘-\textit` is defined (which presumably it isn't) and so expands to `{\accent 1 \textit{e}}`.

This trick won't always work, for example `\'{{\itshape e}}` will expand to (with spaces added for clarity):

```
\csname \string \T1\' - \string {\itshape e} \@empty \endcsname
```

which will die pretty horribly. Unfortunately there's not much can be done about this if we're going to use `\csname` lookups as a fast way of accessing composites.

This has an unfortunate 'misfeature' though, which is that in the T1 encoding, `\'aa` produces á. This is not the expected behaviour, and should perhaps be fixed if the fix doesn't affect performance too badly.

Finally, it's worth noting that the `\@empty` is used in `\@text@composite` so that accents will work even when the argument is empty. If you say `\'{}` then this looks up `\T1\'-\@empty`, which ought to be `\relax`, and so all is well. If we didn't include the `\@empty`, then `\'{}` would expand to:

```
\csname \string \T1\' - \string \endcsname
```

so the `\endcsname` would be `\string`'ed and the whole of the rest of the document would be put inside the `\csname`. This would not be good.

```
90 \def\@text@composite#1#2#3\@text@composite{%
91   \expandafter\@text@composite@x
92   \csname\string#1-\string#2\endcsname}
```

Originally the `\@text@composite@x` macro had two arguments and if #1 was not `\relax` it was executed, otherwise #2 was executed. All this happened within the `\ifx` code so that neither #1 nor #2 could have picked up any additional arguments from the input stream. This has now been changed using the typical `\@firstoftwo / \@secondoftwo` coding. This way the final expansion will happen without any `\else` or `\fi` intervening in the case that we need to get a further token from the input stream.

```
93 \def\@text@composite@x#1{%
94   \ifx#1\relax
95     \expandafter\@secondoftwo
96   \else
97     \expandafter\@firstoftwo
98   \fi
99   #1}
```

The command `\DeclareTextComposite` uses `\DeclareTextCompositeCommand` to declare a command which expands out to a single glyph.

```
100 \catcode\z@=11\relax
101 \def\DeclareTextComposite#1#2#3#4{%
102   \def\reserved@a{\DeclareTextCompositeCommand#1{#2}{#3}}%
103   \bgroup
104     \lccode\z@#4%
105     \lowercase{%
106   \egroup
107     \reserved@a ^^@}}
108 \catcode\z@=15\relax
109 \@onlypreamble\DeclareTextComposite
```

`\UseTextAccent`
`\UseTextSymbol`
`\@use@text@encoding`

These fragile commands access glyphs from different encodings. They use grotty low-level calls to the font selection scheme for speed, and in order to make sure

that `\UseTextSymbol` doesn't do anything which you're not allowed to do between an `\accent` and its glyph.

For a detailed discussion of this reimplementaion and its deficiencies, see pr/3160.

```
110 \def\UseTextAccent#1#2#3{%
111   \hmode@start@before@group
112   {%
```

Turn off the group in `\UseTextSymbol` in case this is used inside the arguments of `\UseTextAccent`.

```
113   \let\hmode@start@before@group\@firstofone
114   \let\@curr@enc\cf@encoding
115   \@use@text@encoding{#1}%
116   #2{\@use@text@encoding\@curr@enc#3}%
117   }}
```

```
118 \def\UseTextSymbol#1#2{%
119   \hmode@start@before@group
120   {%
121     \def\@wrong@font@char{\MessageBreak
122       for \noexpand\symbol'\string#2'}%
123     \@use@text@encoding{#1}%
124     #2%
125   }%
126 }
```

```
127 \def\@use@text@encoding#1{%
128   \edef\@f@encoding{#1}%
129   \xdef\font@name{%
130     \csname\curr@fontshape/\@f@size\endcsname}%
131   \pickup@font
132   \font@name
133   \@@enc@update}
```

`\hmode@start@before@group` The `\hmode@start@before@group` starts hmode and should be immediately followed by an explicit `{...}`. Its purpose is to ensure that hmode is started before this group is opened. Inside `\add@accent` and `\UseTextAccent` it is redefined to remove this group so that it doesn't conflict with the `\accent` primitive.

For a detailed discussion see pr/3160.

```
134 \let\hmode@start@before@group\leavevmode
```

`\DeclareTextSymbolDefault` Some syntactic sugar. Again, these should probably be optimized for speed.

```
\DeclareTextAccentDefault 135 \def\DeclareTextSymbolDefault#1#2{%
136   \DeclareTextCommandDefault#1{\UseTextSymbol{#2}#1}}
137 \def\DeclareTextAccentDefault#1#2{%
138   \DeclareTextCommandDefault#1{\UseTextAccent{#2}#1}}
139 \@onlypreamble\DeclareTextSymbolDefault
140 \@onlypreamble\DeclareTextAccentDefault
```

`\UndeclareTextCommand` This command safely removes an encoding specific declaration for a given encoding. It is helpful if one intends to use the default definition always and therefore wants to get rid of a declaration for some specific encoding.

```
141 \def\UndeclareTextCommand#1#2{%
```

If there is no declaration for the current encoding do nothing. (This makes a hash table entry but without eTeX we can't do anything about that).

```
142 \expandafter\ifx\csname#2\string#1\endcsname\relax
143 \else
```

Else: throw away that declaration.

```
144 \global\expandafter\let\csname#2\string#1\endcsname
145 \undefined
```

But this is unfortunately not enough, we have to take a look at the top-level definition of the encoding specific command which for a command `\foo` would look similar to `\T1-cmd \foo \T1\foo` (three tokens).

Of course, instead of `T1` one could see a different encoding name; which one depends the encoding for which `\foo` was declared last.

Now assume we have just removed the declaration for `\foo` in `T1` and the top-level of `\foo` expands to the above. Then we better change that pretty fast otherwise we do get an “undefined csname error” when we try to typeset `\foo` within `T1` instead of getting the default definition for `\foo`. And what is the best way to change that top-level definition? Well, the only “encoding” we know for sure will still be around is the default encoding denoted by `?`.

Thus in case the last token of the top-level expansion is now undefined we change the declaration to look like `\?-cmd \foo \?\foo` which is done by the following (readable?) code:

```
146 \expandafter\expandafter\expandafter
147 \ifx\expandafter\@thirdofthree#1\@undefined
148 \expandafter\gdef\expandafter#1\expandafter
149 {\csname ?-cmd\expandafter\endcsname\expandafter
150 #1\csname?\string#1\endcsname}%
151 \fi
152 \fi
153 }
154 \onlypreamble\UndeclareTextCommand
```

19.4.2 Hyphenation

<code>\patterns</code> <code>\@patterns</code> <code>\hyphenation</code> <code>\@hyphenation</code>	<p>We redefine <code>\patterns</code> and <code>\hyphenation</code> to allow the use of commands declared with <code>\DeclareText*</code> to be used inside them.</p> <pre> 155 %\let\@patterns\patterns 156 %\let\@hyphenation\hyphenation 157 %\def\patterns{% 158 % \bgroup 159 % \let\protect\@empty 160 % \let\@typeset@protect\@empty 161 % \let\@changed@x\@changed@x@mouth 162 % \afterassignment\egroup 163 % \@patterns 164 %} 165 %\def\hyphenation{% 166 % \bgroup 167 % \let\protect\@empty 168 % \let\@typeset@protect\@empty 169 % \let\@changed@x\@changed@x@mouth 170 % \afterassignment\egroup </pre>
--------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

```

171 %    \@@hyphenation
172 %}

```

19.4.3 Miscellania

`\a` The `\a` command is used to access the accent commands even when they have been redefined (for example by the `tabbing` environment). Its internal name is `\@tabacckludge`.

The `\string` within the `\csname` guards against something like `'` being active at the point of use.

```

173 \def\@tabacckludge#1{\expandafter\@changed@cmd
174                               \csname\string#1\endcsname\relax}
175 \let\a=\@tabacckludge

```

19.4.4 Default encodings

We define the default encodings for most commands to be either OT1, OML or OMS. These defaults are in the kernel and therefore fonts with these encodings must be available unless these defaults are redefined elsewhere. Recall that the standard kernel loads the encoding files for these encodings, and also that for the T1 encoding.

The naming conventions in the kernel are not what we would use if we were starting from scratch... Those defined by DEK (like `\ae` and `\ss`) or by the T_EX Users Group Technical Working Group on multi-lingual typesetting (like `\th` and `\ng`) have short names. Those which were added to the kernel in 1993 and early 1994 are named after their Adobe glyph names (like `\guillemotleft` and `\quotedblbase`). Unfortunately, this naming scheme won't work for all glyphs, since some names (like `\space`) are already used, and some (like `\endash`) are very likely to be defined by users. So we're now using the naming scheme of `\text` followed by the Adobe name, (like `\textendash` and `\textsterling`). Except that some glyphs don't have Adobe names, so we're using the names used by fontinst for those (like `\textcompwordmark`). Sigh.

Some accents from OT1:

```

176 \DeclareTextAccentDefault{"}{OT1}
177 \DeclareTextAccentDefault{'}{OT1}
178 \DeclareTextAccentDefault{.}{OT1}
179 \DeclareTextAccentDefault{=}{OT1}
180 \DeclareTextAccentDefault{H}{OT1}
181 \DeclareTextAccentDefault{^}{OT1}
182 \DeclareTextAccentDefault{'}{OT1}
183 \DeclareTextAccentDefault{b}{OT1}
184 \DeclareTextAccentDefault{c}{OT1}
185 \DeclareTextAccentDefault{d}{OT1}
186 \DeclareTextAccentDefault{r}{OT1}
187 \DeclareTextAccentDefault{u}{OT1}
188 \DeclareTextAccentDefault{v}{OT1}
189 \DeclareTextAccentDefault{~}{OT1}

```

Some symbols from OT1:

```

190 %\DeclareTextSymbolDefault{AA}{OT1}
191 \DeclareTextSymbolDefault{AE}{OT1}

```

```

192 \DeclareTextSymbolDefault{\L}{OT1}
193 \DeclareTextSymbolDefault{\OE}{OT1}
194 \DeclareTextSymbolDefault{\O}{OT1}
195 %\DeclareTextSymbolDefault{\aa}{OT1}
196 \DeclareTextSymbolDefault{\ae}{OT1}
197 \DeclareTextSymbolDefault{\i}{OT1}
198 \DeclareTextSymbolDefault{\j}{OT1}

199 \DeclareTextSymbolDefault{\ij}{OT1}
200 \DeclareTextSymbolDefault{\IJ}{OT1}

201 \DeclareTextSymbolDefault{\l}{OT1}
202 \DeclareTextSymbolDefault{\oe}{OT1}
203 \DeclareTextSymbolDefault{\o}{OT1}
204 \DeclareTextSymbolDefault{\ss}{OT1}
205 \DeclareTextSymbolDefault{\textdollar}{OT1}
206 \DeclareTextSymbolDefault{\textemdash}{OT1}
207 \DeclareTextSymbolDefault{\textendash}{OT1}
208 \DeclareTextSymbolDefault{\textexclamdown}{OT1}
209 %\DeclareTextSymbolDefault{\texthyphenchar}{OT1}
210 %\DeclareTextSymbolDefault{\texthyphen}{OT1}
211 \DeclareTextSymbolDefault{\textquestiondown}{OT1}
212 \DeclareTextSymbolDefault{\textquotedblleft}{OT1}
213 \DeclareTextSymbolDefault{\textquotedblright}{OT1}
214 \DeclareTextSymbolDefault{\textquoteleft}{OT1}
215 \DeclareTextSymbolDefault{\textquoteright}{OT1}
216 \DeclareTextSymbolDefault{\textsterling}{OT1}

```

Some symbols from OMS:

```

217 \DeclareTextSymbolDefault{\textasteriskcentered}{OMS}
218 \DeclareTextSymbolDefault{\textbackslash}{OMS}
219 \DeclareTextSymbolDefault{\textbar}{OMS}
220 \DeclareTextSymbolDefault{\textbardbl}{OMS}
221 \DeclareTextSymbolDefault{\textbraceleft}{OMS}
222 \DeclareTextSymbolDefault{\textbraceright}{OMS}
223 \DeclareTextSymbolDefault{\textbullet}{OMS}
224 \DeclareTextSymbolDefault{\textdaggerdbl}{OMS}
225 \DeclareTextSymbolDefault{\textdagger}{OMS}
226 \DeclareTextSymbolDefault{\textparagraph}{OMS}
227 \DeclareTextSymbolDefault{\textperiodcentered}{OMS}
228 \DeclareTextSymbolDefault{\textsection}{OMS}
229 \DeclareTextAccentDefault{\textcircled}{OMS}

```

Some symbols from OML:

```

230 \DeclareTextSymbolDefault{\textless}{OML}
231 \DeclareTextSymbolDefault{\textgreater}{OML}
232 \DeclareTextAccentDefault{\t}{OML}

```

Some defaults we can fake.

The interface for defining `\copyright` changed, it used to use `\expandafter` to add braces at the appropriate points.

```

233 \DeclareTextCommandDefault{\textcopyright}{\textcircled{c}}
234 % \expandafter\def\expandafter
235 % \copyright\expandafter{\expandafter{\copyright}}

236 \DeclareTextCommandDefault{\textasciicircum}{\^{} }

```



```

237 \DeclareTextCommandDefault{\textasciitilde}{\~{}}
238 \DeclareTextCommandDefault{\textcompwordmark}{\leavevmode\kern\z@}
239 \DeclareTextCommandDefault{\textunderscore}{%
240   \leavevmode \kern.06em\vbox{\hrule\@width.3em}}
241 \DeclareTextCommandDefault{\textvisiblespace}{%
242   \mbox{\kern.06em\vrule \@height.3ex}%
243   \vbox{\hrule \@width.3em}%
244   \hbox{\vrule \@height.3ex}}
245 \DeclareTextCommandDefault{\textellipsis}{%
246   .\kern\fontdimen3\font
247   .\kern\fontdimen3\font
248   .\kern\fontdimen3\font}
249 %\DeclareTextCommandDefault{\textregistered}{\textcircled{\scshape r}}
250 \DeclareTextCommandDefault{\textregistered}{\textcircled{%
251   \check@mathfonts\fontsize\sf@size\z@\math@fontfalse\selectfont R}}
252 \DeclareTextCommandDefault{\texttrademark}{\textsuperscript{TM}}
253 \DeclareTextCommandDefault{\SS}{SS}
254 \DeclareTextCommandDefault{\textordfeminine}{\textsuperscript{a}}
255 \DeclareTextCommandDefault{\textordmasculine}{\textsuperscript{o}}

```

19.4.5 Math material

Some commands can be used in both text and math mode:

```

256 \DeclareRobustCommand{\$}{\ifmmode\mathdollar\else\textdollar\fi}
257 \DeclareRobustCommand{\{ }{\ifmmode\lbrace\else\textbraceleft\fi}
258 \DeclareRobustCommand{\} }{\ifmmode\rbrace\else\textbraceright\fi}
259 \DeclareRobustCommand{\P }{\ifmmode\mathparagraph\else\textparagraph\fi}
260 \DeclareRobustCommand{\S }{\ifmmode\mathsection\else\textsection\fi}
261 \DeclareRobustCommand{\dag }{\ifmmode{\dagger}\else\textdagger\fi}
262 \DeclareRobustCommand{\ddag }{\ifmmode{\ddagger}\else\textdaggerdbl\fi}

```

For historical reasons `\copyright` needs `{ }` around the definition in maths.

```

263 \DeclareRobustCommand{\_ }{%
264   \ifmmode\nfss@text{\textunderscore}\else\textunderscore\fi}
265 \DeclareRobustCommand{\copyright }{%
266   \ifmmode{\nfss@text{\textcopyright}}\else\textcopyright\fi}
267 \DeclareRobustCommand{\pounds }{%
268   \ifmmode\mathsterling\else\textsterling\fi}
269 \DeclareRobustCommand{\dots }{%
270   \ifmmode\mathellipsis\else\textellipsis\fi}
271 \let\ldots\dots

```

Default definition of the commabelow accent.

```

272 (/2ekernel)
273 (latexrelease)\IncludeInRelease{2015/10/01}{\textcommabelow}{comma accent}%
274 (*2ekernel | latexrelease)
275 \DeclareTextCommandDefault\textcommabelow[1]

```

```

276 {\hmode\bgroup\oalign{\null#1\crr\hidewidth\raise-.31ex
277 \hbox{\check@mathfonts\fontsize\ssf@size\z@
278 \math@fontsfalse\selectfont,}\hidewidth}\egroup}
279 \latexrelease\EndIncludeInRelease
280 \2ekernel\latexrelease)
281 \latexrelease\IncludeInRelease{0000/00/00}{\textcommabelow}{comma accent}%
282 \latexrelease\let\textcommabelow\undefined
283 \latexrelease\expandafter
284 \latexrelease\let\csname\string\T1\string\c-G\endcsname\undefined
285 \latexrelease\expandafter
286 \latexrelease\let\csname\string\T1\string\c-K\endcsname\undefined
287 \latexrelease\expandafter
288 \latexrelease\let\csname\string\T1\string\c-k\endcsname\undefined
289 \latexrelease\expandafter
290 \latexrelease\let\csname\string\T1\string\c-L\endcsname\undefined
291 \latexrelease\expandafter
292 \latexrelease\let\csname\string\T1\string\c-l\endcsname\undefined
293 \latexrelease\expandafter
294 \latexrelease\let\csname\string\T1\string\c-N\endcsname\undefined
295 \latexrelease\expandafter
296 \latexrelease\let\csname\string\T1\string\c-n\endcsname\undefined
297 \latexrelease\expandafter
298 \latexrelease\let\csname\string\T1\string\c-R\endcsname\undefined
299 \latexrelease\expandafter
300 \latexrelease\let\csname\string\T1\string\c-r\endcsname\undefined
301 \latexrelease\EndIncludeInRelease

Default definition of the commaabove accent(E.G.).
302 \latexrelease\IncludeInRelease{2016/02/01}{\textcommaabove}{comma above}%
303 \2ekernel\latexrelease)
304 \DeclareTextCommandDefault\textcommaabove[1]{%
305 \hmode\bgroup
306 \oalign{%
307 \hidewidth
308 \raise.7ex\hbox{%
309 \check@mathfonts\fontsize\ssf@size\z@\math@fontsfalse\selectfont'%
310 }%
311 \hidewidth\crr
312 \null#1\crr
313 }%
314 \egroup
315 }
316 \latexrelease\EndIncludeInRelease
317 \2ekernel\latexrelease)
318 \latexrelease\IncludeInRelease{0000/00/00}{\textcommaabove}{comma above}%
319 \latexrelease\let\textcommaabove\undefined
320 \latexrelease\expandafter
321 \latexrelease\let\csname\string\OT1\string\c-g\endcsname\undefined
322 \latexrelease\expandafter
323 \latexrelease\let\csname\string\T1\string\c-g\endcsname\undefined
324 \latexrelease\EndIncludeInRelease

```

19.5 Definitions for the OT1 encoding

The definitions for the ‘T_EX text’ (OT1) encoding.

Declare the encoding.

```
325 (*OT1)
326 \DeclareFontEncoding{OT1}{-}{-}
```

Declare the accents.

```
327 \DeclareTextAccent{"}{OT1}{127}
328 \DeclareTextAccent{'}{OT1}{19}
329 \DeclareTextAccent{.}{OT1}{95}
330 \DeclareTextAccent{=}{OT1}{22}
331 \DeclareTextAccent{^}{OT1}{94}
332 \DeclareTextAccent{'}{OT1}{18}
333 \DeclareTextAccent{~}{OT1}{126}
334 \DeclareTextAccent{H}{OT1}{125}
335 \DeclareTextAccent{u}{OT1}{21}
336 \DeclareTextAccent{v}{OT1}{20}
337 \DeclareTextAccent{r}{OT1}{23}
```

Some accents have to be built by hand: Note that `\oalign` and `\o@lign` must be inside a group. In these definitions we no longer use the helper function `\sh@ft` from `plain.tex` since that now has two incompatible definitions.

```
338 \DeclareTextCommand{b}{OT1}[1]
339   {\hmode@bgroup\o@lign{\relax#1\cr cr\hidewidth\ltx@sh@ft{-3ex}%
340     \vbox to.2ex{\hbox{\char22}\vss}\hidewidth}\egroup}
341 \DeclareTextCommand{c}{OT1}[1]
342   {\leavevmode\setbox\z@ \hbox{#1}\ifdim\ht\z@=1ex\accent24 #1%
343     \else{\oalign{\unhbox\z@\cr cr\hidewidth\char24\hidewidth}}\fi}
344 \DeclareTextCommand{d}{OT1}[1]
345   {\hmode@bgroup
346     \o@lign{\relax#1\cr cr\hidewidth\ltx@sh@ft{-1ex}.\hidewidth}\egroup}
```

Declare the text symbols.

```
347 \DeclareTextSymbol{AE}{OT1}{29}
348 \DeclareTextSymbol{OE}{OT1}{30}
349 \DeclareTextSymbol{O}{OT1}{31}
350 \DeclareTextSymbol{ae}{OT1}{26}
351 \DeclareTextSymbol{i}{OT1}{16}
352 \DeclareTextSymbol{j}{OT1}{17}
353 \DeclareTextSymbol{oe}{OT1}{27}
354 \DeclareTextSymbol{o}{OT1}{28}
355 \DeclareTextSymbol{ss}{OT1}{25}
356 \DeclareTextSymbol{\textemdash}{OT1}{124}
357 \DeclareTextSymbol{\textendash}{OT1}{123}
```

Using the ligatures helps with OT1 fonts that have `\textexclamdown` and `\textquestiondown` in unusual positions.

```
358 %\DeclareTextSymbol{\textexclamdown}{OT1}{60}
359 %\DeclareTextSymbol{\textquestiondown}{OT1}{62}
360 \DeclareTextCommand{\textexclamdown}{OT1}{!'}
361 \DeclareTextCommand{\textquestiondown}{OT1}{?' }
362 %\DeclareTextSymbol{\texthyphenchar}{OT1}{'\-}
363 %\DeclareTextSymbol{\texthyphen}{OT1}{'\-}
364 \DeclareTextSymbol{\textquotedblleft}{OT1}{92}
```

```

365 \DeclareTextSymbol{\textquotedblright}{OT1}{\'"}
366 \DeclareTextSymbol{\textquoteleft}{OT1}{\'{\'}}
367 \DeclareTextSymbol{\textquoteright}{OT1}{\'{\'}}

```

Some symbols which are faked from others:

```

368 % \DeclareTextCommand{\aa}{OT1}
369 %     {\accent23a}}
370 \DeclareTextCommand{\L}{OT1}
371     {\leavevmode\setbox\z@\hbox{L}\hb@xt@\wd\z@{\hss\@xxxii L}}
372 \DeclareTextCommand{\l}{OT1}
373     {\hmode\bgroup\@xxxii l\egroup}
374 % \DeclareTextCommand{\AA}{OT1}
375 %     {\leavevmode\setbox\z@\hbox{h}\dimen@ht\z@\advance\dimen@-1ex%
376 %     \rlap{\raise.67\dimen@\hbox{\char23}}A}

```

In the OT1 encoding Å has a hand-crafted definition, so we have here the first recorded explicit use of `\DeclareTextCompositeCommand`.

```

377 \DeclareTextCompositeCommand{\r}{OT1}{A}
378     {\leavevmode\setbox\z@\hbox{!}\dimen@ht\z@\advance\dimen@-1ex%
379     \rlap{\raise.67\dimen@\hbox{\char23}}A}

```

The dutch language uses the letter ‘ij’. It is available in T1 encoded fonts, but not in the OT1 encoded fonts. Therefor we fake it for the OT1 encoding.

```

380 \DeclareTextCommand{\ij}{OT1}{%
381     \nobreak\hskip\z@skip i\kern-0.02em j\nobreak\hskip\z@skip}
382 \DeclareTextCommand{\IJ}{OT1}{%
383     \nobreak\hskip\z@skip I\kern-0.02em J\nobreak\hskip\z@skip}

```

In the OT1 encoding, £ and \$ share a slot.

```

384 \DeclareTextCommand{\textdollar}{OT1}{\hmode\bgroup
385     \ifdim \fontdimen\@ne\font >\z@
386         \slshape
387     \else
388         \upshape
389     \fi
390     \char‘\$’\egroup}

391 \DeclareTextCommand{\textsterling}{OT1}{\hmode\bgroup
392     \ifdim \fontdimen\@ne\font >\z@
393         \itshape
394     \else
395         \fontshape{ui}\selectfont
396     \fi
397     \char‘$’\egroup}

```

Here we are adding some more composite commands to the OT1 encoding. This makes the use of certain accents with i compatible with their use with the T1 encoding; this enables them to become true L^AT_EX internal representations. However, it will make these accents work a little less fast since a check will always be made for the existence of a composite.

```

398 \DeclareTextComposite{\.}{OT1}{i}{\'i}
399 \DeclareTextComposite{\.}{OT1}{i}{\'i}
400 \DeclareTextCompositeCommand{\'}{OT1}{i}{\@tabacckludge\'i}
401 \DeclareTextCompositeCommand{\'}{OT1}{i}{\@tabacckludge\'i}
402 \DeclareTextCompositeCommand{\~}{OT1}{i}{\~i}
403 \DeclareTextCompositeCommand{\~}{OT1}{i}{\~i}

```

T1 encoding is given more extensive set of overloads for `\c` But here we just adjust `\c{g}`.

```
404 \ifx\textcommaabove\undefined\else
405 \DeclareTextCompositeCommand{\c}{OT1}{g}{\textcommaabove{g}}
406 \fi
407 \end{OT1}
```

19.6 Definitions for the T1 encoding

The definitions for the ‘Extended T_EX text’ (T1) encoding.

Declare the encoding.

```
408 \begin{OT1}
409 \DeclareFontEncoding{T1}{}{}
```

Declare the accents.

```
410 \DeclareTextAccent{\`}{T1}{0}
411 \DeclareTextAccent{\'}{T1}{1}
412 \DeclareTextAccent{\~}{T1}{2}
413 \DeclareTextAccent{\`}{T1}{3}
414 \DeclareTextAccent{\"}{T1}{4}
415 \DeclareTextAccent{\H}{T1}{5}
416 \DeclareTextAccent{\R}{T1}{6}
417 \DeclareTextAccent{\V}{T1}{7}
418 \DeclareTextAccent{\U}{T1}{8}
419 \DeclareTextAccent{\=}{T1}{9}
420 \DeclareTextAccent{\.}{T1}{10}
```

Some accents have to be built by hand. Note that `\oalign` and `\o@lign` must be inside a group. In these definitions we no longer use the helper function `\sh@ft` from `plain.tex` since that now has two incompatible definitions.

```
421 \DeclareTextCommand{\b}{T1}[1]
422   {\hmode\bgroup\o@lign{\relax#1\crrc\hidewidth\ltx@sh@ft{-3ex}%
423     \vbox to.2ex{\hbox{\char9}\vss}\hidewidth}\egroup}
424 \DeclareTextCommand{\c}{T1}[1]
425   {\leavevmode\setbox\z@{\hbox{#1}\ifdim\ht\z@=1ex\accent11 #1%
426     \else\oalign{\unhbox\z@\crrc
427       \hidewidth\char11\hidewidth}}\fi}
428 \DeclareTextCommand{\d}{T1}[1]
429   {\hmode\bgroup
430     \o@lign{\relax#1\crrc\hidewidth\ltx@sh@ft{-1ex}.\hidewidth}\egroup}
431 \DeclareTextCommand{\k}{T1}[1]
432   {\hmode\bgroup\oalign{\null#1\crrc\hidewidth\char12}\egroup}
433 \DeclareTextCommand{\textogonekcentered}{T1}[1]
434   {\hmode\bgroup\oalign{%
435     \null#1\crrc\hidewidth\char12\hidewidth}\egroup}
```

Some symbols are constructed.

Slot 24 contains a small circle intended for construction of these two glyphs.

```
436 \DeclareTextCommand{\textperthousand}{T1}
437   {\% \char 24 } % space or ‘relax as delimiter?’
438 \DeclareTextCommand{\textpertenthousand}{T1}
439   {\% \char 24 \char 24 } % space or ‘relax as delimiter?’
```

Declare the text symbols.

```

440 %\DeclareTextSymbol{\AA}{T1}{197}
441 \DeclareTextSymbol{\AE}{T1}{198}
442 \DeclareTextSymbol{\DH}{T1}{208}
443 \DeclareTextSymbol{\DJ}{T1}{208}
444 \DeclareTextSymbol{\L}{T1}{138}
445 \DeclareTextSymbol{\NG}{T1}{141}
446 \DeclareTextSymbol{\OE}{T1}{215}
447 \DeclareTextSymbol{\O}{T1}{216}
448 \DeclareTextSymbol{\SS}{T1}{223}
449 \DeclareTextSymbol{\TH}{T1}{222}
450 %\DeclareTextSymbol{\aa}{T1}{229}
451 \DeclareTextSymbol{\ae}{T1}{230}
452 \DeclareTextSymbol{\dh}{T1}{240}
453 \DeclareTextSymbol{\dj}{T1}{158}
454 \DeclareTextSymbol{\guillemotleft}{T1}{19}
455 \DeclareTextSymbol{\guillemotright}{T1}{20}
456 \DeclareTextSymbol{\guilsinglleft}{T1}{14}
457 \DeclareTextSymbol{\guilsinglright}{T1}{15}
458 \DeclareTextSymbol{\i}{T1}{25}
459 \DeclareTextSymbol{\j}{T1}{26}
460 \DeclareTextSymbol{\ij}{T1}{188}
461 \DeclareTextSymbol{\IJ}{T1}{156}
462 \DeclareTextSymbol{\l}{T1}{170}
463 \DeclareTextSymbol{\ng}{T1}{173}
464 \DeclareTextSymbol{\oe}{T1}{247}
465 \DeclareTextSymbol{\o}{T1}{248}
466 \DeclareTextSymbol{\quotedblbase}{T1}{18}
467 \DeclareTextSymbol{\quotesinglbase}{T1}{13}
468 \DeclareTextSymbol{\ss}{T1}{255}
469 \DeclareTextSymbol{\textasciicircum}{T1}{'\^}
470 \DeclareTextSymbol{\textasciitilde}{T1}{'\~}
471 \DeclareTextSymbol{\textbackslash}{T1}{'\\}
472 \DeclareTextSymbol{\textbar}{T1}{'|}
473 \DeclareTextSymbol{\textbraceleft}{T1}{'\{ }
474 \DeclareTextSymbol{\textbraceright}{T1}{'\} }
475 \DeclareTextSymbol{\textcompwordmark}{T1}{23}
476 \DeclareTextSymbol{\textdollar}{T1}{'\$}
477 \DeclareTextSymbol{\textemdash}{T1}{22}
478 \DeclareTextSymbol{\textendash}{T1}{21}
479 \DeclareTextSymbol{\textexclamdown}{T1}{189}
480 \DeclareTextSymbol{\textgreater}{T1}{'\>}
481 %\DeclareTextSymbol{\textthyphenchar}{T1}{127}
482 %\DeclareTextSymbol{\textthyphen}{T1}{'\-}
483 \DeclareTextSymbol{\textless}{T1}{'\<}
484 \DeclareTextSymbol{\textquestiondown}{T1}{190}
485 \DeclareTextSymbol{\textquotedblleft}{T1}{16}
486 \DeclareTextSymbol{\textquotedblright}{T1}{17}
487 \DeclareTextSymbol{\textquotedbl}{T1}{'\"}
488 \DeclareTextSymbol{\textquoteleft}{T1}{'\'}
489 \DeclareTextSymbol{\textquoteright}{T1}{'\'}
490 \DeclareTextSymbol{\textsection}{T1}{159}
491 \DeclareTextSymbol{\textsterling}{T1}{191}
492 \DeclareTextSymbol{\textunderscore}{T1}{95}

```

```

493 \DeclareTextSymbol{\textvisiblespace}{T1}{32}
494 \DeclareTextSymbol{\th}{T1}{254}

Declare the composites.

495 \DeclareTextComposite{\.}{T1}{i}{'\i}
496 \DeclareTextComposite{\.}{T1}{i}{'\i}
"80 = 128

497 \DeclareTextComposite{\u}{T1}{A}{128}
498 \DeclareTextComposite{\k}{T1}{A}{129}
499 \DeclareTextComposite{\'}{T1}{C}{130}
500 \DeclareTextComposite{\v}{T1}{C}{131}
501 \DeclareTextComposite{\v}{T1}{D}{132}
502 \DeclareTextComposite{\v}{T1}{E}{133}
503 \DeclareTextComposite{\k}{T1}{E}{134}
504 \DeclareTextComposite{\u}{T1}{G}{135}
"88 = 136

505 \DeclareTextComposite{\'}{T1}{L}{136}
506 \DeclareTextComposite{\v}{T1}{L}{137}
507 \DeclareTextComposite{\'}{T1}{N}{139}
508 \DeclareTextComposite{\v}{T1}{N}{140}
509 \DeclareTextComposite{\H}{T1}{O}{142}
510 \DeclareTextComposite{\'}{T1}{R}{143}
"90 = 144

511 \DeclareTextComposite{\v}{T1}{R}{144}
512 \DeclareTextComposite{\'}{T1}{S}{145}
513 \DeclareTextComposite{\v}{T1}{S}{146}
514 \DeclareTextComposite{\c}{T1}{S}{147}
515 \DeclareTextComposite{\v}{T1}{T}{148}
516 \DeclareTextComposite{\c}{T1}{T}{149}
517 \DeclareTextComposite{\H}{T1}{U}{150}
518 \DeclareTextComposite{\r}{T1}{U}{151}
"98 = 152

519 \DeclareTextComposite{\"}{T1}{Y}{152}
520 \DeclareTextComposite{\'}{T1}{Z}{153}
521 \DeclareTextComposite{\v}{T1}{Z}{154}
522 \DeclareTextComposite{\.}{T1}{Z}{155}
523 \DeclareTextComposite{\.}{T1}{I}{157}
"A0 = 160

524 \DeclareTextComposite{\u}{T1}{a}{160}
525 \DeclareTextComposite{\k}{T1}{a}{161}
526 \DeclareTextComposite{\'}{T1}{c}{162}
527 \DeclareTextComposite{\v}{T1}{c}{163}
528 \DeclareTextComposite{\v}{T1}{d}{164}
529 \DeclareTextComposite{\v}{T1}{e}{165}
530 \DeclareTextComposite{\k}{T1}{e}{166}
531 \DeclareTextComposite{\u}{T1}{g}{167}
"A8 = 168

532 \DeclareTextComposite{\'}{T1}{l}{168}
533 \DeclareTextComposite{\v}{T1}{l}{169}
534 \DeclareTextComposite{\'}{T1}{n}{171}
535 \DeclareTextComposite{\v}{T1}{n}{172}

```

```

536 \DeclareTextComposite{\H}{T1}{o}{174}
537 \DeclareTextComposite{\'}{T1}{r}{175}
"B0 = 176
538 \DeclareTextComposite{\v}{T1}{r}{176}
539 \DeclareTextComposite{\'}{T1}{s}{177}
540 \DeclareTextComposite{\v}{T1}{s}{178}
541 \DeclareTextComposite{\c}{T1}{s}{179}
542 \DeclareTextComposite{\v}{T1}{t}{180}
543 \DeclareTextComposite{\c}{T1}{t}{181}
544 \DeclareTextComposite{\H}{T1}{u}{182}
545 \DeclareTextComposite{\r}{T1}{u}{183}
"B8 = 184
546 \DeclareTextComposite{\"}{T1}{y}{184}
547 \DeclareTextComposite{\'}{T1}{z}{185}
548 \DeclareTextComposite{\v}{T1}{z}{186}
549 \DeclareTextComposite{\.}{T1}{z}{187}
"C0 = 192
550 \DeclareTextComposite{\'}{T1}{A}{192}
551 \DeclareTextComposite{\'}{T1}{A}{193}
552 \DeclareTextComposite{\^}{T1}{A}{194}
553 \DeclareTextComposite{\~}{T1}{A}{195}
554 \DeclareTextComposite{\"}{T1}{A}{196}
555 \DeclareTextComposite{\r}{T1}{A}{197}
556 \DeclareTextComposite{\c}{T1}{C}{199}
"C8 = 200
557 \DeclareTextComposite{\'}{T1}{E}{200}
558 \DeclareTextComposite{\'}{T1}{E}{201}
559 \DeclareTextComposite{\^}{T1}{E}{202}
560 \DeclareTextComposite{\"}{T1}{E}{203}
561 \DeclareTextComposite{\'}{T1}{I}{204}
562 \DeclareTextComposite{\'}{T1}{I}{205}
563 \DeclareTextComposite{\^}{T1}{I}{206}
564 \DeclareTextComposite{\"}{T1}{I}{207}
"D0 = 208
565 \DeclareTextComposite{\~}{T1}{N}{209}
566 \DeclareTextComposite{\'}{T1}{O}{210}
567 \DeclareTextComposite{\'}{T1}{O}{211}
568 \DeclareTextComposite{\^}{T1}{O}{212}
569 \DeclareTextComposite{\~}{T1}{O}{213}
570 \DeclareTextComposite{\"}{T1}{O}{214}
"D8 = 216
571 \DeclareTextComposite{\'}{T1}{U}{217}
572 \DeclareTextComposite{\'}{T1}{U}{218}
573 \DeclareTextComposite{\^}{T1}{U}{219}
574 \DeclareTextComposite{\"}{T1}{U}{220}
575 \DeclareTextComposite{\'}{T1}{Y}{221}
"E0 = 224
576 \DeclareTextComposite{\'}{T1}{a}{224}
577 \DeclareTextComposite{\'}{T1}{a}{225}
578 \DeclareTextComposite{\^}{T1}{a}{226}

```



```

579 \DeclareTextComposite{\~}{T1}{a}{227}
580 \DeclareTextComposite{\"}{T1}{a}{228}
581 \DeclareTextComposite{\r}{T1}{a}{229}
582 \DeclareTextComposite{\c}{T1}{c}{231}
"E8 = 232
583 \DeclareTextComposite{\'}{T1}{e}{232}
584 \DeclareTextComposite{\'}{T1}{e}{233}
585 \DeclareTextComposite{\~}{T1}{e}{234}
586 \DeclareTextComposite{\"}{T1}{e}{235}
587 \DeclareTextComposite{\'}{T1}{i}{236}
588 \DeclareTextComposite{\'}{T1}{i}{236}
589 \DeclareTextComposite{\'}{T1}{i}{237}
590 \DeclareTextComposite{\'}{T1}{i}{237}
591 \DeclareTextComposite{\~}{T1}{i}{238}
592 \DeclareTextComposite{\~}{T1}{i}{238}
593 \DeclareTextComposite{\"}{T1}{i}{239}
594 \DeclareTextComposite{\"}{T1}{i}{239}
"F0 = 240
595 \DeclareTextComposite{\~}{T1}{n}{241}
596 \DeclareTextComposite{\'}{T1}{o}{242}
597 \DeclareTextComposite{\'}{T1}{o}{243}
598 \DeclareTextComposite{\~}{T1}{o}{244}
599 \DeclareTextComposite{\~}{T1}{o}{245}
600 \DeclareTextComposite{\"}{T1}{o}{246}
"F8 = 248
601 \DeclareTextComposite{\'}{T1}{u}{249}
602 \DeclareTextComposite{\'}{T1}{u}{250}
603 \DeclareTextComposite{\~}{T1}{u}{251}
604 \DeclareTextComposite{\"}{T1}{u}{252}
605 \DeclareTextComposite{\'}{T1}{y}{253}

606 \DeclareTextCompositeCommand{\k}{T1}{o}{\textogonekcentered{o}}
607 \DeclareTextCompositeCommand{\k}{T1}{O}{\textogonekcentered{O}}

608 \ifx\textcommaabove\@undefined\else
609 \DeclareTextCompositeCommand{\c}{T1}{g}{\textcommaabove{g}}
610 \fi
611 \ifx\textcommabelow\@undefined\else
612 \DeclareTextCompositeCommand{\c}{T1}{G}{\textcommabelow{G}}
613 \DeclareTextCompositeCommand{\c}{T1}{K}{\textcommabelow{K}}
614 \DeclareTextCompositeCommand{\c}{T1}{k}{\textcommabelow{k}}
615 \DeclareTextCompositeCommand{\c}{T1}{L}{\textcommabelow{L}}
616 \DeclareTextCompositeCommand{\c}{T1}{l}{\textcommabelow{l}}
617 \DeclareTextCompositeCommand{\c}{T1}{N}{\textcommabelow{N}}
618 \DeclareTextCompositeCommand{\c}{T1}{n}{\textcommabelow{n}}
619 \DeclareTextCompositeCommand{\c}{T1}{R}{\textcommabelow{R}}
620 \DeclareTextCompositeCommand{\c}{T1}{r}{\textcommabelow{r}}
621 \fi
622 \end{document}

```

19.7 Definitions for the OMS encoding

The definitions for the ‘ \TeX math symbol’ (OMS) encoding. Even though this is meant to be a math font, it includes some of the standard \LaTeX text symbols.

Declare the encoding.

```
623 (*OMS)
624 \DeclareFontEncoding{OMS}{-}{-}

Declare the symbols.

625 % \changes{v1.99}{2004/02/02}{Added \cs{textbigcircle}}
626 %   Note that slot 13 has in places been named |\Orb|: please root
627 %   out and destroy this impolity wherever you find it!
628 %   \begin{macrocode}
629 \DeclareTextSymbol{\textasteriskcentered}{OMS}{3}      % "03
630 \DeclareTextSymbol{\textbackslash}{OMS}{110}           % "6E
631 \DeclareTextSymbol{\textbar}{OMS}{106}                 % "6A
632 \DeclareTextSymbol{\textbardbl}{OMS}{107}              % "6B
633 \DeclareTextSymbol{\textbraceleft}{OMS}{102}           % "66
634 \DeclareTextSymbol{\textbraceright}{OMS}{103}          % "67
635 \DeclareTextSymbol{\textbullet}{OMS}{15}                % "0F
636 \DeclareTextSymbol{\textdaggerdbl}{OMS}{122}           % "7A
637 \DeclareTextSymbol{\textdagger}{OMS}{121}              % "79
638 \DeclareTextSymbol{\textparagraph}{OMS}{123}           % "7B
639 \DeclareTextSymbol{\textperiodcentered}{OMS}{1}        % "01
640 \DeclareTextSymbol{\textsection}{OMS}{120}              % "78
641 \DeclareTextSymbol{\textbigcircle}{OMS}{13}            % "0D
642 \DeclareTextCommand{\textcircled}{OMS}[1]{\hmode\bgroup
643   \oalign{%
644     \hfil \raise .07ex\hbox {\upshape#1}\hfil \crcr
645     \char 13 % "0D
646   }%
647 \egroup}
648 \end{macrocode}
```

19.8 Definitions for the OML encoding

The definitions for the ‘ \TeX math italic’ (OML) encoding. Even though this is meant to be a math font, it includes some of the standard \LaTeX text symbols.

Declare the encoding.

```
649 (*OML)
650 \DeclareFontEncoding{OML}{-}{-}

Declare the symbols.

651 \DeclareTextSymbol{\textless}{OML}{'\<}
652 \DeclareTextSymbol{\textgreater}{OML}{'\>}
653 \DeclareTextAccent{\t}{OML}{127} % "7F
654 \end{macrocode}
```

19.9 Definitions for the OT4 encoding

These definitions are for the Polish extension to the ‘ \TeX text’ (OT1) encoding. This encoding was created by B. Jackowski and M. Ryćko for use with the Polish version of Computer Modern and Computer Concrete. In positions 0–127 it is

identical to OT1 but it contains some additional characters in the upper half. The L^AT_EX support was developed by Mariusz Olko.

The PL fonts that use it are available as follows:

Metafont sources `ftp://ftp.gust.org.pl/TeX/language/polish/pl-mf.zip`;

Font files `ftp://ftp.gust.org.pl/TeX/language/polish/pl-tfm.zip`.

Declare the encoding.

```
655 \*OT4
656 \DeclareFontEncoding{OT4}{}{}
657 \DeclareFontSubstitution{OT4}{cmr}{m}{n}
```

Declare the accents.

```
658 \DeclareTextAccent{"}{OT4}{127}
659 \DeclareTextAccent{'}{OT4}{19}
660 \DeclareTextAccent{.}{OT4}{95}
661 \DeclareTextAccent{=}{OT4}{22}
662 \DeclareTextAccent{^}{OT4}{94}
663 \DeclareTextAccent{\'}{OT4}{18}
664 \DeclareTextAccent{\~}{OT4}{126}
665 \DeclareTextAccent{\H}{OT4}{125}
666 \DeclareTextAccent{\u}{OT4}{21}
667 \DeclareTextAccent{\v}{OT4}{20}
668 \DeclareTextAccent{\r}{OT4}{23}
```

The ogonek accent is available only under a e A & E. But we have to provide some definition for \k. Some other accents have to be built by hand as in OT1:

```
669 \DeclareTextCommand{\k}{OT4}[1]{%
670   \TextSymbolUnavailable{\k{#1}}#1}
```

In these definitions we no longer use the helper function `\sh@ft` from `plain.tex` since that now has two incompatible definitions.

```
671 \DeclareTextCommand{\b}{OT4}[1]
672   {\hmode\bgroup\o@lign{\relax#1\cr cr\hidewidth\ltx@sh@ft{-3ex}%
673     \vbox to.2ex{\hbox{\char22}\vss}\hidewidth}\egroup}
674 \DeclareTextCommand{\c}{OT4}[1]
675   {\leavevmode\setbox\z@\hbox{#1}\ifdim\ht\z@=1ex\accent24 #1%
676     \else\oalign{\unhbox\z@\cr cr\hidewidth\char24\hidewidth}}\fi}
677 \DeclareTextCommand{\d}{OT4}[1]
678   {\hmode\bgroup
679     \o@lign{\relax#1\cr cr\hidewidth\ltx@sh@ft{-1ex}.\hidewidth}\egroup}
```

Declare the text symbols.

```
680 \DeclareTextSymbol{\AE}{OT4}{29}
681 \DeclareTextSymbol{\OE}{OT4}{30}
682 \DeclareTextSymbol{\O}{OT4}{31}
683 \DeclareTextSymbol{\L}{OT4}{138}
684 \DeclareTextSymbol{\ae}{OT4}{26}
685 \DeclareTextSymbol{\guillemotleft}{OT4}{174}
686 \DeclareTextSymbol{\guillemotright}{OT4}{175}
687 \DeclareTextSymbol{\i}{OT4}{16}
688 \DeclareTextSymbol{\j}{OT4}{17}
689 \DeclareTextSymbol{\l}{OT4}{170}
690 \DeclareTextSymbol{\o}{OT4}{28}
691 \DeclareTextSymbol{\oe}{OT4}{27}
692 \DeclareTextSymbol{\quotedblbase}{OT4}{255}
693 \DeclareTextSymbol{\ss}{OT4}{25}
```

```

694 \DeclareTextSymbol{\textendash}{OT4}{124}
695 \DeclareTextSymbol{\textendash}{OT4}{123}
696 \DeclareTextSymbol{\textexclamdown}{OT4}{60}
697 %\DeclareTextSymbol{\textthyphenchar}{OT4}{'\-}
698 %\DeclareTextSymbol{\textthyphen}{OT4}{'\-}
699 \DeclareTextSymbol{\textquestiondown}{OT4}{62}
700 \DeclareTextSymbol{\textquotedblleft}{OT4}{92}
701 \DeclareTextSymbol{\textquotedblright}{OT4}{'\"}
702 \DeclareTextSymbol{\textquoteleft}{OT4}{'\'}
703 \DeclareTextSymbol{\textquoteright}{OT4}{'\'}

```

Definition for Å as in OT1:

```

704 \DeclareTextCompositeCommand{\r}{OT4}{A}
705   {\leavevmode\setbox\z@\hbox{!}\dimen@ht\z@\advance\dimen@-1ex%
706    \rlap{\raise.67\dimen@\hbox{\char23}}A}

```

In the OT4 encoding, £ and \$ share a slot.

```

707 \DeclareTextCommand{\textdollar}{OT4}{\hmode@bgroup
708   \ifdim \fontdimen\@ne\font >\z@
709     \slshape
710   \else
711     \upshape
712   \fi
713   \char'\$egroup}
714 \DeclareTextCommand{\textsterling}{OT4}{\hmode@bgroup
715   \ifdim \fontdimen\@ne\font >\z@
716     \itshape
717   \else
718     \fontshape{ui}\selectfont
719   \fi
720   \char'\$egroup}

```

Declare the composites.

```

721 \DeclareTextComposite{\k}{OT4}{A}{129}
722 \DeclareTextComposite{\'}{OT4}{C}{130}
723 \DeclareTextComposite{\k}{OT4}{E}{134}
724 \DeclareTextComposite{\'}{OT4}{N}{139}
725 \DeclareTextComposite{\'}{OT4}{S}{145}
726 \DeclareTextComposite{\'}{OT4}{Z}{153}
727 \DeclareTextComposite{\.}{OT4}{Z}{155}
728 \DeclareTextComposite{\k}{OT4}{a}{161}
729 \DeclareTextComposite{\'}{OT4}{c}{162}
730 \DeclareTextComposite{\k}{OT4}{e}{166}
731 \DeclareTextComposite{\'}{OT4}{n}{171}
732 \DeclareTextComposite{\'}{OT4}{s}{177}
733 \DeclareTextComposite{\'}{OT4}{z}{185}
734 \DeclareTextComposite{\.}{OT4}{z}{187}
735 \DeclareTextComposite{\'}{OT4}{0}{211}
736 \DeclareTextComposite{\'}{OT4}{o}{243}
737 /OT4}

```

19.10 Definitions for the TS1 encoding

```

738 (*TS1)
739 \DeclareFontEncoding{TS1}{}{}

```

```
740 \DeclareFontSubstitution{TS1}{cmr}{m}{n}
```

Some accents have to be built by hand. Note that `\oalign` and `\o@lign` must be inside a group.

```
741 \DeclareTextCommand{\capitalcedilla}{TS1}[1]
742   {\hmode\bgroup
743     \oalign{\null#1\crrc\hidewidth\char11\hidewidth}\egroup}
744 \DeclareTextCommand{\capitalogonek}{TS1}[1]
745   {\hmode\bgroup
746     \oalign{\null#1\crrc\hidewidth\char12\hidewidth}\egroup}
```

Accents for capital letters.

These commands can be used by the end user either directly or through definitions of the type

```
\DeclareTextCompositeCommand{\'}{T1}{X}{\capitalacute X}
```

None of the latter definitions are provided by default, since they are probably rarely used.

”00 = 0

```
747 \DeclareTextAccent{\capitalgrave}{TS1}{0}
748 \DeclareTextAccent{\capitalacute}{TS1}{1}
749 \DeclareTextAccent{\capitalcircumflex}{TS1}{2}
750 \DeclareTextAccent{\capitaltilde}{TS1}{3}
751 \DeclareTextAccent{\capitaldieresis}{TS1}{4}
752 \DeclareTextAccent{\capitalhungarumlaut}{TS1}{5}
753 \DeclareTextAccent{\capitalring}{TS1}{6}
754 \DeclareTextAccent{\capitalcaron}{TS1}{7}
```

”08 = 8

```
755 \DeclareTextAccent{\capitalbreve}{TS1}{8}
756 \DeclareTextAccent{\capitalmacron}{TS1}{9}
757 \DeclareTextAccent{\capitaldotaccent}{TS1}{10}
```

Tie accents.

The tie accent was borrowed from the `cmmi` font. The `tc` fonts now provide four tie accents, the first two are done in the classical way with assymetric glyphs hanging out of their boxes; the new ties are centered in their boxes like all other accents. They need a name: please tell us if you know what to call them.

” =

```
758 \DeclareTextAccent{\t}{TS1}{26}
759 \DeclareTextAccent{\capitaltie}{TS1}{27}
760 \DeclareTextAccent{\newtie}{TS1}{28}
761 \DeclareTextAccent{\capitalnewtie}{TS1}{29}
```

Compound word marks.

The text companion fonts contain two compound word marks of different heights, one has `cap_height`, the other `asc_height`.

```
762 \DeclareTextSymbol{\textcapitalcompwordmark}{TS1}{23}
763 \DeclareTextSymbol{\textascendercompwordmark}{TS1}{31}
```

The text companion symbols.

```
764 \DeclareTextSymbol{\textquotestraightbase}{TS1}{13}
```

```

"10 = 16
765 \DeclareTextSymbol{\textquotestraightdblbase}{TS1}{18}
766 \DeclareTextSymbol{\texttwelveudash}{TS1}{21}
767 \DeclareTextSymbol{\textthreequartersemdash}{TS1}{22}
"18 = 24
768 \DeclareTextSymbol{\textleftarrow}{TS1}{24}
769 \DeclareTextSymbol{\textrightarrow}{TS1}{25}
"20 = 32
770 \DeclareTextSymbol{\textblank}{TS1}{32}
771 \DeclareTextSymbol{\textdollar}{TS1}{36}
772 \DeclareTextSymbol{\textquotesingle}{TS1}{39}
"28 = 40
773 \DeclareTextSymbol{\textasteriskcentered}{TS1}{42}
Note that '054 is a comma and '056 is a full stop: these make numbers using
oldstyle digits easier to input.
774 \DeclareTextSymbol{\textdblhyphen}{TS1}{45}
775 \DeclareTextSymbol{\textfractionsolidus}{TS1}{47}
    Oldstyle digits.
    "30 = 48
776 \DeclareTextSymbol{\textzerooldstyle}{TS1}{48}
777 \DeclareTextSymbol{\textoneoldstyle}{TS1}{49}
778 \DeclareTextSymbol{\texttwooldstyle}{TS1}{50}
779 \DeclareTextSymbol{\textthreeoldstyle}{TS1}{51}
780 \DeclareTextSymbol{\textfouroldstyle}{TS1}{52}
781 \DeclareTextSymbol{\textfiveoldstyle}{TS1}{53}
782 \DeclareTextSymbol{\textsixoldstyle}{TS1}{54}
783 \DeclareTextSymbol{\textsevenoldstyle}{TS1}{55}
"38 = 56
784 \DeclareTextSymbol{\texteightoldstyle}{TS1}{56}
785 \DeclareTextSymbol{\textnineoldstyle}{TS1}{57}
    More text companion symbols.
786 \DeclareTextSymbol{\textlangle}{TS1}{60}
787 \DeclareTextSymbol{\textminus}{TS1}{61}
788 \DeclareTextSymbol{\textrangle}{TS1}{62}
"48 = 72
789 \DeclareTextSymbol{\textmho}{TS1}{77}
    The big circle is here to define the command \textcircled. Formerly it was
    taken from the cmsy font.
790 \DeclareTextSymbol{\textbigcircle}{TS1}{79}
791 \DeclareTextCommand{\textcircled}{TS1}[1]{\hmode\bgroup
792   \ooalign{%
793     \hfil \raise .07ex\hbox {\upshape#1}\hfil \crcr
794     \char 79   % '117 = "4F
795   }%
796 \egroup}
    More text companion symbols.
    "50 = 80
797 \DeclareTextSymbol{\textohm}{TS1}{87}

```

"58 = 88

```

798 \DeclareTextSymbol{\textlbrackdbl}{TS1}{91}
799 \DeclareTextSymbol{\textrbrackdbl}{TS1}{93}
800 \DeclareTextSymbol{\textuparrow}{TS1}{94}
801 \DeclareTextSymbol{\textdownarrow}{TS1}{95}
"60 = 96
802 \DeclareTextSymbol{\textasciigrave}{TS1}{96}
803 \DeclareTextSymbol{\textborn}{TS1}{98}
804 \DeclareTextSymbol{\textdivorced}{TS1}{99}
805 \DeclareTextSymbol{\textdied}{TS1}{100}
"68 = 104
806 \DeclareTextSymbol{\textleaf}{TS1}{108}
807 \DeclareTextSymbol{\textmarried}{TS1}{109}
808 \DeclareTextSymbol{\textmusicalnote}{TS1}{110}
"78 = 120
809 \DeclareTextSymbol{\texttildelow}{TS1}{126}
    This glyph, \textdblhyphenchar is hanging, like the hyphenchar of the ec
    fonts.
810 \DeclareTextSymbol{\textdblhyphenchar}{TS1}{127}
"80 = 128
811 \DeclareTextSymbol{\textasciibreve}{TS1}{128}
812 \DeclareTextSymbol{\textasciicaron}{TS1}{129}
    This next glyph is not the same as \textquotedbl.
813 \DeclareTextSymbol{\textacutedbl}{TS1}{130}
814 \DeclareTextSymbol{\textgravedbl}{TS1}{131}
815 \DeclareTextSymbol{\textdagger}{TS1}{132}
816 \DeclareTextSymbol{\textdaggerdbl}{TS1}{133}
817 \DeclareTextSymbol{\textbardbl}{TS1}{134}
818 \DeclareTextSymbol{\textperthousand}{TS1}{135}
"88 = 136
819 \DeclareTextSymbol{\textbullet}{TS1}{136}
820 \DeclareTextSymbol{\textcelsius}{TS1}{137}
821 \DeclareTextSymbol{\textdollaroldstyle}{TS1}{138}
822 \DeclareTextSymbol{\textcentoldstyle}{TS1}{139}
823 \DeclareTextSymbol{\textflorin}{TS1}{140}
824 \DeclareTextSymbol{\textcolonmonetary}{TS1}{141}
825 \DeclareTextSymbol{\textwon}{TS1}{142}
826 \DeclareTextSymbol{\textnaira}{TS1}{143}
"90 = 144
827 \DeclareTextSymbol{\textguarani}{TS1}{144}
828 \DeclareTextSymbol{\textpeso}{TS1}{145}
829 \DeclareTextSymbol{\textlira}{TS1}{146}
830 \DeclareTextSymbol{\textrecipe}{TS1}{147}
831 \DeclareTextSymbol{\textinterrobang}{TS1}{148}
832 \DeclareTextSymbol{\textinterrobangdown}{TS1}{149}
833 \DeclareTextSymbol{\textdong}{TS1}{150}
834 \DeclareTextSymbol{\texttrademark}{TS1}{151}

```

"98 = 152

```
835 \DeclareTextSymbol{\textpertenthousand}{TS1}{152}
836 \DeclareTextSymbol{\textpilcrow}{TS1}{153}
837 \DeclareTextSymbol{\textbaht}{TS1}{154}
838 \DeclareTextSymbol{\textnumero}{TS1}{155}
```

This next name may change. For the following sign we know only a german name, which is abzüglich. The meaning is something like "commercial minus". An ASCII ersatz is ./ (dot slash dot). The temporary English name is `\textdiscount`.

```
839 \DeclareTextSymbol{\textdiscount}{TS1}{156}
840 \DeclareTextSymbol{\textestimated}{TS1}{157}
841 \DeclareTextSymbol{\textopenbullet}{TS1}{158}
842 \DeclareTextSymbol{\textservicemark}{TS1}{159}
```

"A0 = 160

```
843 \DeclareTextSymbol{\textlquill}{TS1}{160}
844 \DeclareTextSymbol{\textrquill}{TS1}{161}
845 \DeclareTextSymbol{\textcent}{TS1}{162}
846 \DeclareTextSymbol{\textsterling}{TS1}{163}
847 \DeclareTextSymbol{\textcurrency}{TS1}{164}
848 \DeclareTextSymbol{\textyen}{TS1}{165}
849 \DeclareTextSymbol{\textbrokenbar}{TS1}{166}
850 \DeclareTextSymbol{\textsection}{TS1}{167}
```

"A8 = 168

```
851 \DeclareTextSymbol{\textasciidieresis}{TS1}{168}
852 \DeclareTextSymbol{\textcopyright}{TS1}{169}
853 \DeclareTextSymbol{\textordfeminine}{TS1}{170}
854 \DeclareTextSymbol{\textcopyleft}{TS1}{171}
855 \DeclareTextSymbol{\textlnot}{TS1}{172}
```

The meaning of the circled-P is "sound recording copyright".

```
856 \DeclareTextSymbol{\textcircledP}{TS1}{173}
857 \DeclareTextSymbol{\textregistered}{TS1}{174}
858 \DeclareTextSymbol{\textasciimacron}{TS1}{175}
```

"B0 = 176

```
859 \DeclareTextSymbol{\textdegree}{TS1}{176}
860 \DeclareTextSymbol{\textpm}{TS1}{177}
861 \DeclareTextSymbol{\texttwosuperior}{TS1}{178}
862 \DeclareTextSymbol{\textthreesuperior}{TS1}{179}
863 \DeclareTextSymbol{\textasciicute}{TS1}{180}
864 \DeclareTextSymbol{\textmu}{TS1}{181} % micro sign
865 \DeclareTextSymbol{\textparagraph}{TS1}{182}
866 \DeclareTextSymbol{\textperiodcentered}{TS1}{183}
```

"B8 = 184

```
867 \DeclareTextSymbol{\textreferencemark}{TS1}{184}
868 \DeclareTextSymbol{\textonesuperior}{TS1}{185}
869 \DeclareTextSymbol{\textordmasculine}{TS1}{186}
870 \DeclareTextSymbol{\textsurd}{TS1}{187}
871 \DeclareTextSymbol{\textonequarter}{TS1}{188}
872 \DeclareTextSymbol{\textonehalf}{TS1}{189}
873 \DeclareTextSymbol{\textthreequarters}{TS1}{190}
874 \DeclareTextSymbol{\texteuro}{TS1}{191}
```



```

" E0 = 208
875 \DeclareTextSymbol{\texttimes}{TS1}{214}
" F0 = 240
876 \DeclareTextSymbol{\textdiv}{TS1}{246}
877 \end{TS1}

```

19.11 Definitions for the TU encoding

The TU encoding was originally introduced in the contributed package `fontspec` as a Unicode encoding for XeTeX and LuaTeX.

Normally for these engines, the input consists of Unicode characters encoded in UTF-8. There is therefore little need to use the traditional (ASCII) encoding-specific commands

However, sometimes (e.g. for backwards compatibility) it can be useful to access these Unicode characters via such ASCII-based markup. The commands provided here cover the characters in the T1 and TS1 encodings, but specified in Unicode position. Almost all the command names have been mechanically extracted from the `inputenc` UTF-8 support, which is essentially doing a reverse mapping from UTF-8 data to L^AT_EX LICR commands.

A few additional names for character which were supported in the original `fontspec` version of this file have also been added, even though they are not currently in the default `inputenc` UTF-8 declarations.

```

878 \begin{*TU}

```

In the base interface the Unicode encoding is always known as TU. But we parameterise the encoding name to allow for modelling differences in Unicode support by different fonts.

```

879 \providecommand\UnicodeEncodingName{TU}

```

As the Unicode encoding, TU, is only currently available with XeTeX or LuaTeX, we detect these engines first, and make adjustments for the differing font loading syntax. For other engines, we issue a warning then abort this file, switching back to T1 encoding.

```

880 \begin{group}\expandafter\expandafter\expandafter\endgroup
881 \expandafter\ifx\csname XeTeXrevision\endcsname\relax
882 \begin{group}\expandafter\expandafter\expandafter\endgroup
883 \expandafter\ifx\csname directlua\endcsname\relax

```

Not LuaTeX or XeTeX, abort with a warning.

```

884 \PackageWarningNoLine{fontenc}
885 {\UnicodeEncodingName\space
886 encoding is only available with XeTeX and LuaTeX.\MessageBreak
887 Defaulting to T1 encoding}
888 \def\encodingdefault{T1}
889 \expandafter\expandafter\expandafter\endinput
890 \else
891 \def\UnicodeFontTeXLigatures{+tlig;}

```

LuaTeX.

```

892 \def\reserved@a#1{%
893   \def\@remove@tlig##1{\@remove@tlig@##1\@nil#1\@nil\relax}
894   \def\@remove@tlig@##1#1{\@remove@tlig@##1}}
895 \edef\reserved@b{\detokenize{+tlig;}}
896 \expandafter\reserved@a\expandafter{\reserved@b}
897 \def\@remove@tlig@##1\@nil#2\relax{#1}

898 \def\remove@tlig#1{%
899   \begingroup
900   \font\remove@tlig
901   \expandafter\@remove@tlig\expandafter{\fontname\font}%
902   \remove@tlig
903   \char#1\relax
904   \endgroup
905 }

906 \fi
907 \else

XeTeX

908 \def\UnicodeFontTeXLigatures{mapping=tex-text;}
909 \def\remove@tlig#1{\XeTeXglyph\numexpr\XeTeXcharglyph#1\relax}
910 \fi

911 \def\UnicodeFontFile#1#2{"[#1]:#2"}
912 \def\UnicodeFontName#1#2{"#1:#2"}

Declare the encoding
913 \DeclareFontEncoding\UnicodeEncodingName{}{}

Declare accent command to use a postpended combining character rather than
the TeX \accent primitive
914 \def\add@unicode@accent#1#2{%
915   \if\relax\detokenize{#2}\relax~^a0\else#2\fi
916   \char#1\relax}

917 \def\DeclareUnicodeAccent#1#2#3{%
918   \DeclareTextCommand{#1}{#2}{\add@unicode@accent{#3}}%
919 }

920 \DeclareTextCommand\textquotesingle \UnicodeEncodingName{%
921   \remove@tlig{"0027}}
922 \DeclareTextCommand\textasciigrave \UnicodeEncodingName{%
923   \remove@tlig{"0060}}
924 \DeclareTextCommand\textquotedbl \UnicodeEncodingName{%
925   \remove@tlig{"0022}}

926 \DeclareTextSymbol{\textdollar} \UnicodeEncodingName{"0024}
927 \DeclareTextSymbol{\textless} \UnicodeEncodingName{"003C}
928 \DeclareTextSymbol{\textgreater} \UnicodeEncodingName{"003E}
929 \DeclareTextSymbol{\textbackslash} \UnicodeEncodingName{"005C}
930 \DeclareTextSymbol{\textasciicircum} \UnicodeEncodingName{"005E}
931 \DeclareTextSymbol{\textunderscore} \UnicodeEncodingName{"005F}
932 \DeclareTextSymbol{\textbraceleft} \UnicodeEncodingName{"007B}
933 \DeclareTextSymbol{\textbar} \UnicodeEncodingName{"007C}
934 \DeclareTextSymbol{\textbraceright} \UnicodeEncodingName{"007D}
935 \DeclareTextSymbol{\textasciitilde} \UnicodeEncodingName{"007E}

```

936 \DeclareTextSymbol{\textexclamdown}	\UnicodeEncodingName{"00A1}
937 \DeclareTextSymbol{\textcent}	\UnicodeEncodingName{"00A2}
938 \DeclareTextSymbol{\textsterling}	\UnicodeEncodingName{"00A3}
939 \DeclareTextSymbol{\textcurrency}	\UnicodeEncodingName{"00A4}
940 \DeclareTextSymbol{\textyen}	\UnicodeEncodingName{"00A5}
941 \DeclareTextSymbol{\textbrokenbar}	\UnicodeEncodingName{"00A6}
942 \DeclareTextSymbol{\textsection}	\UnicodeEncodingName{"00A7}
943 \DeclareTextSymbol{\textasciidieresis}	\UnicodeEncodingName{"00A8}
944 \DeclareTextSymbol{\textcopyright}	\UnicodeEncodingName{"00A9}
945 \DeclareTextSymbol{\textordfeminine}	\UnicodeEncodingName{"00AA}
946 \DeclareTextSymbol{\guillemotleft}	\UnicodeEncodingName{"00AB}
947 \DeclareTextSymbol{\textlnot}	\UnicodeEncodingName{"00AC}
948 \DeclareTextSymbol{\textregistered}	\UnicodeEncodingName{"00AE}
949 \DeclareTextSymbol{\textasciimacron}	\UnicodeEncodingName{"00AF}
950 \DeclareTextSymbol{\textdegree}	\UnicodeEncodingName{"00B0}
951 \DeclareTextSymbol{\texttpm}	\UnicodeEncodingName{"00B1}
952 \DeclareTextSymbol{\texttwosuperior}	\UnicodeEncodingName{"00B2}
953 \DeclareTextSymbol{\textthreesuperior}	\UnicodeEncodingName{"00B3}
954 \DeclareTextSymbol{\textasciicute}	\UnicodeEncodingName{"00B4}
955 \DeclareTextSymbol{\textmu}	\UnicodeEncodingName{"00B5}
956 \DeclareTextSymbol{\textparagraph}	\UnicodeEncodingName{"00B6}
957 \DeclareTextSymbol{\textperiodcentered}	\UnicodeEncodingName{"00B7}
958 \DeclareTextSymbol{\textonesuperior}	\UnicodeEncodingName{"00B9}
959 \DeclareTextSymbol{\textordmasculine}	\UnicodeEncodingName{"00BA}
960 \DeclareTextSymbol{\guillemotright}	\UnicodeEncodingName{"00BB}
961 \DeclareTextSymbol{\textonequarter}	\UnicodeEncodingName{"00BC}
962 \DeclareTextSymbol{\textonehalf}	\UnicodeEncodingName{"00BD}
963 \DeclareTextSymbol{\textthreequarters}	\UnicodeEncodingName{"00BE}
964 \DeclareTextSymbol{\textquestiondown}	\UnicodeEncodingName{"00BF}
965 \DeclareTextSymbol{\AE}	\UnicodeEncodingName{"00C6}
966 \DeclareTextSymbol{\DH}	\UnicodeEncodingName{"00D0}
967 \DeclareTextSymbol{\textttimes}	\UnicodeEncodingName{"00D7}
968 \DeclareTextSymbol{\O}	\UnicodeEncodingName{"00D8}
969 \DeclareTextSymbol{\TH}	\UnicodeEncodingName{"00DE}
970 \DeclareTextSymbol{\ss}	\UnicodeEncodingName{"00DF}
971 \DeclareTextSymbol{\ae}	\UnicodeEncodingName{"00E6}
972 \DeclareTextSymbol{\dh}	\UnicodeEncodingName{"00F0}
973 \DeclareTextSymbol{\textdiv}	\UnicodeEncodingName{"00F7}
974 \DeclareTextSymbol{\o}	\UnicodeEncodingName{"00F8}
975 \DeclareTextSymbol{\th}	\UnicodeEncodingName{"00FE}
976 \DeclareTextSymbol{\DJ}	\UnicodeEncodingName{"0110}
977 \DeclareTextSymbol{\dj}	\UnicodeEncodingName{"0111}
978 \DeclareTextSymbol{\i}	\UnicodeEncodingName{"0131}
979 \DeclareTextSymbol{\IJ}	\UnicodeEncodingName{"0132}
980 \DeclareTextSymbol{\ij}	\UnicodeEncodingName{"0133}
981 \DeclareTextSymbol{\L}	\UnicodeEncodingName{"0141}
982 \DeclareTextSymbol{\l}	\UnicodeEncodingName{"0142}
983 \DeclareTextSymbol{\NG}	\UnicodeEncodingName{"014A}
984 \DeclareTextSymbol{\ng}	\UnicodeEncodingName{"014B}
985 \DeclareTextSymbol{\OE}	\UnicodeEncodingName{"0152}
986 \DeclareTextSymbol{\oe}	\UnicodeEncodingName{"0153}
987 \DeclareTextSymbol{\textflorin}	\UnicodeEncodingName{"0192}
988 \DeclareTextComposite{\=}	\UnicodeEncodingName{Y}{0232}
989 \DeclareTextComposite{\=}	\UnicodeEncodingName{y}{0232}

990 \DeclareTextSymbol{\j}	\UnicodeEncodingName{"0237}
991 \DeclareTextSymbol{\textasciicaron}	\UnicodeEncodingName{"02C7}
992 \DeclareTextSymbol{\textasciibreve}	\UnicodeEncodingName{"02D8}
993 \DeclareTextSymbol{\textacutedbl}	\UnicodeEncodingName{"02DD}
994 \DeclareTextSymbol{\textgravedbl}	\UnicodeEncodingName{"02F5}
995 \DeclareTextSymbol{\texttildelow}	\UnicodeEncodingName{"02F7}
996 \DeclareTextSymbol{\textbaht}	\UnicodeEncodingName{"0E3F}
997 \DeclareTextComposite{\=}	\UnicodeEncodingName{G}{1E20}
998 \DeclareTextComposite{\=}	\UnicodeEncodingName{g}{1E21}
999 \DeclareTextSymbol{\SS}	\UnicodeEncodingName{"1E9E}
1000 \DeclareTextSymbol{\textcompwordmark}	\UnicodeEncodingName{"200C}
1001 \DeclareTextSymbol{\textendash}	\UnicodeEncodingName{"2013}
1002 \DeclareTextSymbol{\textemdash}	\UnicodeEncodingName{"2014}
1003 \DeclareTextSymbol{\textbardbl}	\UnicodeEncodingName{"2016}
1004 \DeclareTextSymbol{\textquotelleft}	\UnicodeEncodingName{"2018}
1005 \DeclareTextSymbol{\textquoteright}	\UnicodeEncodingName{"2019}
1006 \DeclareTextSymbol{\quotesinglbase}	\UnicodeEncodingName{"201A}
1007 \DeclareTextSymbol{\textquotedblleft}	\UnicodeEncodingName{"201C}
1008 \DeclareTextSymbol{\textquotedblright}	\UnicodeEncodingName{"201D}
1009 \DeclareTextSymbol{\quotedblbase}	\UnicodeEncodingName{"201E}
1010 \DeclareTextSymbol{\textdagger}	\UnicodeEncodingName{"2020}
1011 \DeclareTextSymbol{\textdaggerdbl}	\UnicodeEncodingName{"2021}
1012 \DeclareTextSymbol{\textbullet}	\UnicodeEncodingName{"2022}
1013 \DeclareTextSymbol{\textellipsis}	\UnicodeEncodingName{"2026}
1014 \DeclareTextSymbol{\textperthousand}	\UnicodeEncodingName{"2030}
1015 \DeclareTextSymbol{\textpertenthousand}	\UnicodeEncodingName{"2031}
1016 \DeclareTextSymbol{\guilsinglleft}	\UnicodeEncodingName{"2039}
1017 \DeclareTextSymbol{\guilsinglright}	\UnicodeEncodingName{"203A}
1018 \DeclareTextSymbol{\textreferencemark}	\UnicodeEncodingName{"203B}
1019 \DeclareTextSymbol{\textinterrobang}	\UnicodeEncodingName{"203D}
1020 \DeclareTextSymbol{\textfractionsolidus}	\UnicodeEncodingName{"2044}
1021 \DeclareTextSymbol{\textlquill}	\UnicodeEncodingName{"2045}
1022 \DeclareTextSymbol{\textrquill}	\UnicodeEncodingName{"2046}
1023 \DeclareTextSymbol{\textdiscount}	\UnicodeEncodingName{"2052}
1024 \DeclareTextSymbol{\textcolonmonetary}	\UnicodeEncodingName{"20A1}
1025 \DeclareTextSymbol{\textlira}	\UnicodeEncodingName{"20A4}
1026 \DeclareTextSymbol{\textnaira}	\UnicodeEncodingName{"20A6}
1027 \DeclareTextSymbol{\textwon}	\UnicodeEncodingName{"20A9}
1028 \DeclareTextSymbol{\textdong}	\UnicodeEncodingName{"20AB}
1029 \DeclareTextSymbol{\texteuro}	\UnicodeEncodingName{"20AC}
1030 \DeclareTextSymbol{\textpeso}	\UnicodeEncodingName{"20B1}
1031 \DeclareTextSymbol{\textcelsius}	\UnicodeEncodingName{"2103}
1032 \DeclareTextSymbol{\textnumero}	\UnicodeEncodingName{"2116}
1033 \DeclareTextSymbol{\textcircledP}	\UnicodeEncodingName{"2117}
1034 \DeclareTextSymbol{\textrecipe}	\UnicodeEncodingName{"211E}
1035 \DeclareTextSymbol{\textservicemark}	\UnicodeEncodingName{"2120}
1036 \DeclareTextSymbol{\texttrademark}	\UnicodeEncodingName{"2122}
1037 \DeclareTextSymbol{\textohm}	\UnicodeEncodingName{"2126}
1038 \DeclareTextSymbol{\textmho}	\UnicodeEncodingName{"2127}
1039 \DeclareTextSymbol{\textestimated}	\UnicodeEncodingName{"212E}
1040 \DeclareTextSymbol{\textleftarrow}	\UnicodeEncodingName{"2190}
1041 \DeclareTextSymbol{\textuparrow}	\UnicodeEncodingName{"2191}
1042 \DeclareTextSymbol{\textrightarrow}	\UnicodeEncodingName{"2192}
1043 \DeclareTextSymbol{\textdownarrow}	\UnicodeEncodingName{"2193}

```
1044 \DeclareTextSymbol{\textminus} \UnicodeEncodingName{"2212}
```

Not all fonts have U+2217 but using U+002A requires some adjustment.

```
1045 \DeclareTextCommand{\textasteriskcentered}\UnicodeEncodingName{%
1046   \iffontchar\font"2217 \char"2217 \else
1047     \begingroup
1048       \fontsize
1049       {\the\dimexpr1.2\dimexpr\f@size pt\relax}%
1050       {\f@baselineskip}%
1051       \selectfont
1052       \raisebox{-0.6ex}{\dimexpr\height-0.6ex}[0pt]{*}%
1053     \endgroup
1054   \fi
1055 }

1056 \DeclareTextSymbol{\textsurd} \UnicodeEncodingName{"221A}
1057 \DeclareTextSymbol{\textlangle} \UnicodeEncodingName{"2329}
1058 \DeclareTextSymbol{\textrangle} \UnicodeEncodingName{"232A}
1059 \DeclareTextSymbol{\textblank} \UnicodeEncodingName{"2422}
1060 \DeclareTextSymbol{\textvisiblespace} \UnicodeEncodingName{"2423}
1061 \DeclareTextSymbol{\textopenbullet} \UnicodeEncodingName{"25E6}
1062 \DeclareTextSymbol{\textbigcircle} \UnicodeEncodingName{"25EF}
1063 \DeclareTextSymbol{\textmusicalnote} \UnicodeEncodingName{"266A}
1064 \DeclareTextSymbol{\textmarried} \UnicodeEncodingName{"26AD}
1065 \DeclareTextSymbol{\textdivorced} \UnicodeEncodingName{"26AE}
1066 \DeclareTextSymbol{\textinterrobangdown} \UnicodeEncodingName{"2E18}
```

Accents must be declared before the composites that use them.

```
1067 \DeclareUnicodeAccent{\` } \UnicodeEncodingName{"0300}
1068 \DeclareUnicodeAccent{\' } \UnicodeEncodingName{"0301}
1069 \DeclareUnicodeAccent{\^ } \UnicodeEncodingName{"0302}
1070 \DeclareUnicodeAccent{\~ } \UnicodeEncodingName{"0303}
1071 \DeclareUnicodeAccent{\" } \UnicodeEncodingName{"0308}
1072 \DeclareUnicodeAccent{\H } \UnicodeEncodingName{"030B}
1073 \DeclareUnicodeAccent{\r } \UnicodeEncodingName{"030A}
1074 \DeclareUnicodeAccent{\v } \UnicodeEncodingName{"030C}
1075 \DeclareUnicodeAccent{\u } \UnicodeEncodingName{"0306}
1076 \DeclareUnicodeAccent{\= } \UnicodeEncodingName{"0304}
1077 \DeclareUnicodeAccent{\. } \UnicodeEncodingName{"0307}
1078 \DeclareUnicodeAccent{\b } \UnicodeEncodingName{"0332}
1079 \DeclareUnicodeAccent{\c } \UnicodeEncodingName{"0327}
1080 \DeclareUnicodeAccent{\d } \UnicodeEncodingName{"0323}
1081 \DeclareUnicodeAccent{\k } \UnicodeEncodingName{"0328}

1082 \DeclareTextComposite{\^ } \UnicodeEncodingName {}{"005E}
1083 \DeclareTextComposite{\~ } \UnicodeEncodingName {}{"007E}

1084 \DeclareTextComposite{\` } \UnicodeEncodingName{A}{"00C0}
1085 \DeclareTextComposite{\' } \UnicodeEncodingName{A}{"00C1}
1086 \DeclareTextComposite{\^ } \UnicodeEncodingName{A}{"00C2}
1087 \DeclareTextComposite{\~ } \UnicodeEncodingName{A}{"00C3}
1088 \DeclareTextComposite{\" } \UnicodeEncodingName{A}{"00C4}
1089 \DeclareTextComposite{\r } \UnicodeEncodingName{A}{"00C5}
1090 \DeclareTextComposite{\c } \UnicodeEncodingName{C}{"00C7}
1091 \DeclareTextComposite{\` } \UnicodeEncodingName{E}{"00C8}
1092 \DeclareTextComposite{\' } \UnicodeEncodingName{E}{"00C9}
```

1093 \DeclareTextComposite{^}	\UnicodeEncodingName{E}{00CA}
1094 \DeclareTextComposite{ }	\UnicodeEncodingName{E}{00CB}
1095 \DeclareTextComposite{'}	\UnicodeEncodingName{I}{00CC}
1096 \DeclareTextComposite{'}	\UnicodeEncodingName{I}{00CD}
1097 \DeclareTextComposite{^}	\UnicodeEncodingName{I}{00CE}
1098 \DeclareTextComposite{ }	\UnicodeEncodingName{I}{00CF}
1099 \DeclareTextComposite{~}	\UnicodeEncodingName{N}{00D1}
1100 \DeclareTextComposite{'}	\UnicodeEncodingName{O}{00D2}
1101 \DeclareTextComposite{'}	\UnicodeEncodingName{O}{00D3}
1102 \DeclareTextComposite{^}	\UnicodeEncodingName{O}{00D4}
1103 \DeclareTextComposite{~}	\UnicodeEncodingName{O}{00D5}
1104 \DeclareTextComposite{ }	\UnicodeEncodingName{O}{00D6}
1105 \DeclareTextComposite{'}	\UnicodeEncodingName{U}{00D9}
1106 \DeclareTextComposite{'}	\UnicodeEncodingName{U}{00DA}
1107 \DeclareTextComposite{^}	\UnicodeEncodingName{U}{00DB}
1108 \DeclareTextComposite{ }	\UnicodeEncodingName{U}{00DC}
1109 \DeclareTextComposite{'}	\UnicodeEncodingName{Y}{00DD}
1110 \DeclareTextComposite{'}	\UnicodeEncodingName{a}{00E0}
1111 \DeclareTextComposite{'}	\UnicodeEncodingName{a}{00E1}
1112 \DeclareTextComposite{^}	\UnicodeEncodingName{a}{00E2}
1113 \DeclareTextComposite{~}	\UnicodeEncodingName{a}{00E3}
1114 \DeclareTextComposite{ }	\UnicodeEncodingName{a}{00E4}
1115 \DeclareTextComposite{r}	\UnicodeEncodingName{a}{00E5}
1116 \DeclareTextComposite{c}	\UnicodeEncodingName{c}{00E7}
1117 \DeclareTextComposite{'}	\UnicodeEncodingName{e}{00E8}
1118 \DeclareTextComposite{'}	\UnicodeEncodingName{e}{00E9}
1119 \DeclareTextComposite{^}	\UnicodeEncodingName{e}{00EA}
1120 \DeclareTextComposite{ }	\UnicodeEncodingName{e}{00EB}
1121 \DeclareTextComposite{'}	\UnicodeEncodingName{i}{00EC}
1122 \DeclareTextComposite{'}	\UnicodeEncodingName{i}{00EC}
1123 \DeclareTextComposite{'}	\UnicodeEncodingName{i}{00ED}
1124 \DeclareTextComposite{'}	\UnicodeEncodingName{i}{00ED}
1125 \DeclareTextComposite{^}	\UnicodeEncodingName{i}{00EE}
1126 \DeclareTextComposite{~}	\UnicodeEncodingName{i}{00EE}
1127 \DeclareTextComposite{ }	\UnicodeEncodingName{i}{00EF}
1128 \DeclareTextComposite{ }	\UnicodeEncodingName{i}{00EF}
1129 \DeclareTextComposite{~}	\UnicodeEncodingName{n}{00F1}
1130 \DeclareTextComposite{'}	\UnicodeEncodingName{o}{00F2}
1131 \DeclareTextComposite{'}	\UnicodeEncodingName{o}{00F3}
1132 \DeclareTextComposite{^}	\UnicodeEncodingName{o}{00F4}
1133 \DeclareTextComposite{~}	\UnicodeEncodingName{o}{00F5}
1134 \DeclareTextComposite{ }	\UnicodeEncodingName{o}{00F6}
1135 \DeclareTextComposite{'}	\UnicodeEncodingName{u}{00F9}
1136 \DeclareTextComposite{'}	\UnicodeEncodingName{u}{00FA}
1137 \DeclareTextComposite{^}	\UnicodeEncodingName{u}{00FB}
1138 \DeclareTextComposite{ }	\UnicodeEncodingName{u}{00FC}
1139 \DeclareTextComposite{'}	\UnicodeEncodingName{y}{00FD}
1140 \DeclareTextComposite{ }	\UnicodeEncodingName{y}{00FF}
1141 \DeclareTextComposite{=}	\UnicodeEncodingName{A}{0100}
1142 \DeclareTextComposite{=}	\UnicodeEncodingName{a}{0101}
1143 \DeclareTextComposite{u}	\UnicodeEncodingName{A}{0102}
1144 \DeclareTextComposite{u}	\UnicodeEncodingName{a}{0103}
1145 \DeclareTextComposite{k}	\UnicodeEncodingName{A}{0104}
1146 \DeclareTextComposite{k}	\UnicodeEncodingName{a}{0105}

1147 \DeclareTextComposite{'}	\UnicodeEncodingName{C}{0106}
1148 \DeclareTextComposite{'}	\UnicodeEncodingName{c}{0107}
1149 \DeclareTextComposite{^}	\UnicodeEncodingName{C}{0108}
1150 \DeclareTextComposite{^}	\UnicodeEncodingName{c}{0109}
1151 \DeclareTextComposite{.}	\UnicodeEncodingName{C}{010A}
1152 \DeclareTextComposite{.}	\UnicodeEncodingName{c}{010B}
1153 \DeclareTextComposite{v}	\UnicodeEncodingName{C}{010C}
1154 \DeclareTextComposite{v}	\UnicodeEncodingName{c}{010D}
1155 \DeclareTextComposite{v}	\UnicodeEncodingName{D}{010E}
1156 \DeclareTextComposite{v}	\UnicodeEncodingName{d}{010F}
1157 \DeclareTextComposite{=}	\UnicodeEncodingName{E}{0112}
1158 \DeclareTextComposite{=}	\UnicodeEncodingName{e}{0113}
1159 \DeclareTextComposite{u}	\UnicodeEncodingName{E}{0114}
1160 \DeclareTextComposite{u}	\UnicodeEncodingName{e}{0115}
1161 \DeclareTextComposite{.}	\UnicodeEncodingName{E}{0116}
1162 \DeclareTextComposite{.}	\UnicodeEncodingName{e}{0117}
1163 \DeclareTextComposite{k}	\UnicodeEncodingName{E}{0118}
1164 \DeclareTextComposite{k}	\UnicodeEncodingName{e}{0119}
1165 \DeclareTextComposite{v}	\UnicodeEncodingName{E}{011A}
1166 \DeclareTextComposite{v}	\UnicodeEncodingName{e}{011B}
1167 \DeclareTextComposite{^}	\UnicodeEncodingName{G}{011C}
1168 \DeclareTextComposite{^}	\UnicodeEncodingName{g}{011D}
1169 \DeclareTextComposite{u}	\UnicodeEncodingName{G}{011E}
1170 \DeclareTextComposite{u}	\UnicodeEncodingName{g}{011F}
1171 \DeclareTextComposite{.}	\UnicodeEncodingName{G}{0120}
1172 \DeclareTextComposite{.}	\UnicodeEncodingName{g}{0121}
1173 \DeclareTextComposite{c}	\UnicodeEncodingName{G}{0122}
1174 \DeclareTextComposite{c}	\UnicodeEncodingName{g}{0123}
1175 \DeclareTextComposite{^}	\UnicodeEncodingName{H}{0124}
1176 \DeclareTextComposite{^}	\UnicodeEncodingName{h}{0125}
1177 \DeclareTextComposite{~}	\UnicodeEncodingName{I}{0128}
1178 \DeclareTextComposite{~}	\UnicodeEncodingName{i}{0129}
1179 \DeclareTextComposite{~}	\UnicodeEncodingName{i}{0129}
1180 \DeclareTextComposite{=}	\UnicodeEncodingName{I}{012A}
1181 \DeclareTextComposite{=}	\UnicodeEncodingName{i}{012B}
1182 \DeclareTextComposite{=}	\UnicodeEncodingName{i}{012B}
1183 \DeclareTextComposite{u}	\UnicodeEncodingName{I}{012C}
1184 \DeclareTextComposite{u}	\UnicodeEncodingName{i}{012D}
1185 \DeclareTextComposite{u}	\UnicodeEncodingName{i}{012D}
1186 \DeclareTextComposite{k}	\UnicodeEncodingName{I}{012E}
1187 \DeclareTextComposite{k}	\UnicodeEncodingName{i}{012F}
1188 \DeclareTextComposite{k}	\UnicodeEncodingName{i}{012F}
1189 \DeclareTextComposite{.}	\UnicodeEncodingName{I}{0130}
1190 \DeclareTextComposite{^}	\UnicodeEncodingName{J}{0134}
1191 \DeclareTextComposite{^}	\UnicodeEncodingName{j}{0135}
1192 \DeclareTextComposite{^}	\UnicodeEncodingName{j}{0135}
1193 \DeclareTextComposite{c}	\UnicodeEncodingName{K}{0136}
1194 \DeclareTextComposite{c}	\UnicodeEncodingName{k}{0137}
1195 \DeclareTextComposite{'}	\UnicodeEncodingName{L}{0139}
1196 \DeclareTextComposite{'}	\UnicodeEncodingName{l}{013A}
1197 \DeclareTextComposite{c}	\UnicodeEncodingName{L}{013B}
1198 \DeclareTextComposite{c}	\UnicodeEncodingName{l}{013C}
1199 \DeclareTextComposite{v}	\UnicodeEncodingName{L}{013D}
1200 \DeclareTextComposite{v}	\UnicodeEncodingName{l}{013E}

1201 \DeclareTextComposite{'}	\UnicodeEncodingName{N}{0143}
1202 \DeclareTextComposite{\}	\UnicodeEncodingName{n}{0144}
1203 \DeclareTextComposite{c}	\UnicodeEncodingName{N}{0145}
1204 \DeclareTextComposite{c}	\UnicodeEncodingName{n}{0146}
1205 \DeclareTextComposite{v}	\UnicodeEncodingName{N}{0147}
1206 \DeclareTextComposite{v}	\UnicodeEncodingName{n}{0148}
1207 \DeclareTextComposite{=}	\UnicodeEncodingName{O}{014C}
1208 \DeclareTextComposite{=}	\UnicodeEncodingName{o}{014D}
1209 \DeclareTextComposite{u}	\UnicodeEncodingName{O}{014E}
1210 \DeclareTextComposite{u}	\UnicodeEncodingName{o}{014F}
1211 \DeclareTextComposite{H}	\UnicodeEncodingName{O}{0150}
1212 \DeclareTextComposite{H}	\UnicodeEncodingName{o}{0151}
1213 \DeclareTextComposite{\}	\UnicodeEncodingName{R}{0154}
1214 \DeclareTextComposite{\}	\UnicodeEncodingName{r}{0155}
1215 \DeclareTextComposite{c}	\UnicodeEncodingName{R}{0156}
1216 \DeclareTextComposite{c}	\UnicodeEncodingName{r}{0157}
1217 \DeclareTextComposite{v}	\UnicodeEncodingName{R}{0158}
1218 \DeclareTextComposite{v}	\UnicodeEncodingName{r}{0159}
1219 \DeclareTextComposite{'}	\UnicodeEncodingName{S}{015A}
1220 \DeclareTextComposite{'}	\UnicodeEncodingName{s}{015B}
1221 \DeclareTextComposite{^}	\UnicodeEncodingName{S}{015C}
1222 \DeclareTextComposite{^}	\UnicodeEncodingName{s}{015D}
1223 \DeclareTextComposite{c}	\UnicodeEncodingName{S}{015E}
1224 \DeclareTextComposite{c}	\UnicodeEncodingName{s}{015F}
1225 \DeclareTextComposite{v}	\UnicodeEncodingName{S}{0160}
1226 \DeclareTextComposite{v}	\UnicodeEncodingName{s}{0161}
1227 \DeclareTextComposite{c}	\UnicodeEncodingName{T}{0162}
1228 \DeclareTextComposite{c}	\UnicodeEncodingName{t}{0163}
1229 \DeclareTextComposite{v}	\UnicodeEncodingName{T}{0164}
1230 \DeclareTextComposite{v}	\UnicodeEncodingName{t}{0165}
1231 \DeclareTextComposite{~}	\UnicodeEncodingName{U}{0168}
1232 \DeclareTextComposite{~}	\UnicodeEncodingName{u}{0169}
1233 \DeclareTextComposite{=}	\UnicodeEncodingName{U}{016A}
1234 \DeclareTextComposite{=}	\UnicodeEncodingName{u}{016B}
1235 \DeclareTextComposite{u}	\UnicodeEncodingName{U}{016C}
1236 \DeclareTextComposite{u}	\UnicodeEncodingName{u}{016D}
1237 \DeclareTextComposite{r}	\UnicodeEncodingName{U}{016E}
1238 \DeclareTextComposite{r}	\UnicodeEncodingName{u}{016F}
1239 \DeclareTextComposite{H}	\UnicodeEncodingName{U}{0170}
1240 \DeclareTextComposite{H}	\UnicodeEncodingName{u}{0171}
1241 \DeclareTextComposite{k}	\UnicodeEncodingName{U}{0172}
1242 \DeclareTextComposite{k}	\UnicodeEncodingName{u}{0173}
1243 \DeclareTextComposite{^}	\UnicodeEncodingName{W}{0174}
1244 \DeclareTextComposite{^}	\UnicodeEncodingName{w}{0175}
1245 \DeclareTextComposite{^}	\UnicodeEncodingName{Y}{0176}
1246 \DeclareTextComposite{^}	\UnicodeEncodingName{y}{0177}
1247 \DeclareTextComposite{\}	\UnicodeEncodingName{Y}{0178}
1248 \DeclareTextComposite{\}	\UnicodeEncodingName{Z}{0179}
1249 \DeclareTextComposite{\}	\UnicodeEncodingName{z}{017A}
1250 \DeclareTextComposite{.}	\UnicodeEncodingName{Z}{017B}
1251 \DeclareTextComposite{.}	\UnicodeEncodingName{z}{017C}
1252 \DeclareTextComposite{v}	\UnicodeEncodingName{Z}{017D}
1253 \DeclareTextComposite{v}	\UnicodeEncodingName{z}{017E}
1254 \DeclareTextComposite{v}	\UnicodeEncodingName{A}{01CD}


```

1255 \DeclareTextComposite{\v} \UnicodeEncodingName{a}{\01CE}
1256 \DeclareTextComposite{\v} \UnicodeEncodingName{I}{\01CF}
1257 \DeclareTextComposite{\v} \UnicodeEncodingName{i}{\01D0}
1258 \DeclareTextComposite{\v} \UnicodeEncodingName{I}{\01D0}
1259 \DeclareTextComposite{\v} \UnicodeEncodingName{O}{\01D1}
1260 \DeclareTextComposite{\v} \UnicodeEncodingName{o}{\01D2}
1261 \DeclareTextComposite{\v} \UnicodeEncodingName{U}{\01D3}
1262 \DeclareTextComposite{\v} \UnicodeEncodingName{u}{\01D4}
1263 \DeclareTextComposite{\=} \UnicodeEncodingName{AE}{\01E2}
1264 \DeclareTextComposite{\=} \UnicodeEncodingName{ae}{\01E3}
1265 \DeclareTextComposite{\v} \UnicodeEncodingName{G}{\01E6}
1266 \DeclareTextComposite{\v} \UnicodeEncodingName{g}{\01E7}
1267 \DeclareTextComposite{\v} \UnicodeEncodingName{K}{\01E8}
1268 \DeclareTextComposite{\v} \UnicodeEncodingName{k}{\01E9}
1269 \DeclareTextComposite{\k} \UnicodeEncodingName{O}{\01EA}
1270 \DeclareTextComposite{\k} \UnicodeEncodingName{o}{\01EB}
1271 \DeclareTextComposite{\v} \UnicodeEncodingName{j}{\01F0}
1272 \DeclareTextComposite{\v} \UnicodeEncodingName{j}{\01F0}
1273 \DeclareTextComposite{\'} \UnicodeEncodingName{G}{\01F4}
1274 \DeclareTextComposite{\'} \UnicodeEncodingName{g}{\01F5}
1275 \DeclareTextComposite{\textcommabelow} \UnicodeEncodingName{S}{\0218}
1276 \DeclareTextComposite{\textcommabelow} \UnicodeEncodingName{s}{\0219}
1277 \DeclareTextComposite{\textcommabelow} \UnicodeEncodingName{T}{\021A}
1278 \DeclareTextComposite{\textcommabelow} \UnicodeEncodingName{t}{\021B}
1279 \DeclareTextComposite{\.} \UnicodeEncodingName{B}{\01E0}
1280 \DeclareTextComposite{\.} \UnicodeEncodingName{b}{\01E0}
1281 \end{document}

```

20 Package files

This file now also contains some packages that provide access to the more specialised encodings.

20.1 The fontenc package

This package allows authors to specify which encodings they will use. For each encoding F00, the package looks to see if the encoding F00 has already been declared. If it has not, the file `fooenc.def` is loaded. The default encoding is set to be F00.

In addition the package at the moment contains extra code to extend the `\@uclclist` (list of upper/lower case pairs) for encodings that involve cyrillic characters. THIS IS A TEMPORARY SOLUTION and will not stay this way forever (or so we hope) but right now we are missing a proper interface for this and didn't wanted to rush it.

```
1282 \package
```

Here we define a macro that extends the `\@uclclist` if needed and afterwards turns itself in a noop.

```

1283 \def\update@uclc@with@cyrillic{%
1284 \expandafter\def\expandafter\@uclclist\expandafter
1285 {\@uclclist
1286 \cyr\CYRA\cyrabhch\CYRABHCH\cyrabhchdsc\CYRABHCHDSC\cyrabhdze

```

```

1287 \CYRABHDZE\cyrabhha\CYRABHHA\cyrae\CYRAE\cyrb\CYRB\cyrbys
1288 \CYRBYUS\cyrc\CYRC\cyrch\CYRCH\cyrchldsc\CYRCHLDSC\cyrchrdsc
1289 \CYRCHRDSC\cyrchvcrs\CYRCHVCRS\cyrd\CYRD\cyrdelta\CYRDELTA
1290 \cyrdje\CYRDJE\cyrdze\CYRDZE\cyrdzhe\CYRDZHE\cyre\CYRE\cyreps
1291 \CYREPS\cyrerev\CYREREV\cyrery\CYRERY\cyrf\CYRF\cyrfita
1292 \CYRFITA\cyrg\CYRG\cyrgdsc\CYRGDSC\cyrgdschcrs\CYRGDSCHCRS
1293 \cyrgchcrs\CYRGHCRS\cyrgkh\CYRGHK\cyrgup\CYRGUP\cyrh\CYRH
1294 \cyrhdsc\CYRHDSC\cyrhchcrs\CYRHCHCRS\cyrhkh\CYRHKK\cyhrdsn
1295 \CYHRDSN\cyri\CYRI\cyrie\CYRIE\cyrii\CYRII\cyrishrt\CYRISHRT
1296 \cyrishrtdsc\CYRISHRTDSC\cyrizh\CYRIZH\cyrje\CYRJE\cyrk\CYRK
1297 \cyrkbeak\CYRKBEAK\cyrkds\CYRKDSC\cyrkchcrs\CYRKCHCRS\cyrkhh
1298 \CYRKHK\cyrkvcrs\CYRKVCRS\cyr1\CYRL\cyrldsc\CYRLDSC\cyr1hk
1299 \CYRLHK\cyr1je\CYRLJE\cyrml\CYRM\cyrmdsc\CYRMDSC\cyrmhk\CYRMHK
1300 \cyrn\CYRN\cyrndsc\CYRNDSC\cyrng\CYRNG\cyrnhk\CYRNHK\cyrnje
1301 \CYRNJE\cyrnlhk\CYRNLHK\cyro\CYRO\cyrotld\CYROTLD\cyrp\CYRP
1302 \cyrphk\CYRPHK\cyrq\CYRQ\cyrr\CYRR\cyrrdsc\CYRRDSC\cyrrhk
1303 \CYRRHK\cyrrtick\CYRRTICK\cyrs\CYRS\cyrsacrs\CYRSACRS
1304 \cyrschwa\CYRSCHWA\cyrsdsc\CYRSDSC\cyrsemisftsn\CYRSEMISFTSN
1305 \cyrstftsn\CYRSFTSN\cyrsh\CYRSH\cyrshch\CYRSHCH\cyrshha\CYRSHHA
1306 \cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC
1307 \cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC
1308 \cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC
1309 \cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC
1310 \cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC\cyrtdsc\CYRTDSC
1311 \let\update@uclc@with@cyrillic\relax
1312 }

```

Here we process each option:

```

1313 \DeclareOption*{%
1314   \let\encodingdefault\CurrentOption
1315   \edef\reserved@f{%
1316     \lowercase{\def\noexpand\reserved@f{\CurrentOption enc.def}}}%
1317   \reserved@f
1318   \InputIfFileExists\reserved@f
1319     {\PackageError{fontenc}%
1320      {Encoding file '\reserved@f' not found.%
1321       \MessageBreak
1322       You might have misspelt the name of the encoding}%
1323      {Necessary code for this encoding was not
1324       loaded.\MessageBreak
1325       Thus calling the encoding later on will
1326       produce further error messages.}}%
1327   \let\reserved@f\relax

```

In case the current encoding is one of a list of known cyrillic ones we extend the `\@uclclist`:

```

1328 \expandafter\in@\expandafter{\CurrentOption}%
1329                               {T2A,T2B,T2C,X2,LCY,OT2}%
1330 \ifin@

```

But only if it hasn't already been extended. This might happen if there are several calls to `fontenc` loading one of the above encodings. If we don't do this check the `\@uclclist` gets unnecessarily big, slowing down the processing at runtime.

```

1331   \expandafter\in@\expandafter\cyra\expandafter
1332   {\@uclclist}%

```

```

1333     \ifin@
1334     \else
1335         \update@uclc@with@cyrillic
1336     \fi
1337 \fi
1338 }
1339 \ProcessOptions*
1340 \fontencoding\encodingdefault\selectfont

```

To save some space we get rid of the macro extending the `\@uclclist` (might have happened already).

```
1341 \let\update@uclc@with@cyrillic\relax
```

Finally we pretend that the `fontenc` package wasn't read in. This allows for using it several times, e.g., in a class file and in the preamble (at the cost of not getting any version info). That kind of hackery shows that using a general purpose package just for loading an encoding is not the right kind of interface for setting up encodings — it will get replaced at some point in the future.

```

1342 \global\expandafter\let\csname ver@fontenc.sty\endcsname\relax
1343 \global\expandafter\let\csname opt@fontenc.sty\endcsname\relax
1344 \global\let\@ifl@ter@@\@ifl@ter
1345 \def\@ifl@ter#1#2#3#4#5{\global\let\@ifl@ter\@ifl@ter@@}
1346 \endpackage

```

20.2 The `textcomp` package

This one is for the **TS1** encoding which contains text symbols for use with the **T1**-encoded text fonts. It therefore first inputs the file `TS1enc.def` and then sets (or resets) the defaults for the symbols it contains. The result of this is that when one of these symbols is accessed and the current encoding does not provide it, the symbol will be supplied by a silent, local change to this encoding.

```
1347 \let\TS1sty
```

Since many PostScript fonts only implement a subset of **TS1** many commands only produce black blobs of ink. To resolve the resulting problems a number of options have been introduced and some code has been developed to distinguish sub-encodings.

The sub-encodings have a numerical id and are defined as follows for **TS1**:

#5 those **TS1** symbols that are also in the ISO-Adobe character set; without `\textcurrency`, which is often misused for the Euro. Older Type1 fonts from the non- \TeX world provide only this subset.

#4 = **#5** + `\texteuro`. Most newer fonts provide this.

#3 = **#4** + `\textomega`. Can also be described as $\text{TS1} \cap (\text{ISO-Adobe} \cup \text{MacRoman})$. (Except for the missing "currency".)

#2 = **#3** + `\textestimated` + `\textcurrency`. Can also be described as $\text{TS1} \cap \text{Adobe-Western-2}$. This may be relevant for OpenType fonts, which usually show the Adobe-Western-2 character set.

#1 = TS1 without `\textcircled` and `\t`. These two glyphs are often not implemented and if their kernel defaults are changed commands like `\copyright` unnecessarily fail.

#0 = full TS1

And here a summary to go in the transcript file:

```

1348 \PackageInfo{textcomp}{Sub-encoding information:\MessageBreak
1349   \space\space 5 = only ISO-Adobe without
1350                               \string\textcurrency\MessageBreak
1351   \space\space 4 = 5 + \string\texteuro\MessageBreak
1352   \space\space 3 = 4 + \string\textohm\MessageBreak
1353   \space\space 2 = 3 + \noexpand\textestimated+
1354                               \string\textcurrency\MessageBreak
1355   \space\space 1 = TS1 - \noexpand\textcircled-
1356                               \string\t\MessageBreak
1357   \space\space 0 = TS1 (full)\MessageBreak
1358   Font families with sub-encoding setting implement\MessageBreak
1359   only a restricted character set as indicated.\MessageBreak
1360   Family '?' is the default used for unknown fonts.\MessageBreak
1361   See the documentation for details\@gobble}

```

\DeclareEncodingSubset An encoding subset to which a font family belongs is declared by the command `\DeclareEncodingSubset` that takes the major encoding as the first argument (e.g., TS1), the family name as the second argument (e.g., `cmr`), and the subset encoding id as a third, (e.g., 0 for `cmr`).

The default encoding subset to use when nothing is known about the current font family is named `?`.

```

1362 \def\DeclareEncodingSubset#1#2#3{%
1363   \@ifundefined{#1:#2}%
1364     {\PackageInfo{textcomp}{Setting #2 sub-encoding to #1/#3}}%
1365     {\PackageInfo{textcomp}{Changing #2 sub-encoding to #1/#3}}%
1366   \@namedef{#1:#2}{#3}}
1367 \@onlypreamble\DeclareEncodingSubset

```

The options for the package are the following:

safe for unknown font families enables only symbols that are also in the ISO-Adobe character set; without “currency”, which is often misused for the Euro. Older Type1 fonts from the non-TeX world provide only this subset.

euro enables the “safe” symbols plus the `\texteuro` command. Most newer fonts provide this.

full enables all TS1 commands; useful only with fonts like EC or CM bright.

almostfull same as “full”, except that `\textcircled` and `\t` are *not* redefined from their defaults to avoid that commands like `\copyright` suddenly no longer work.

force ignore all subset encoding definitions stored in the package itself or in the configuration file and always use the default subset as specified by one of the other options (seldom useful, only dangerous).

`\iftc@forced` Switch used to implement the force option

```
1368 \newif\iftc@forced \tc@forcedfalse
```

This is implemented by defining the default subset:

```
1369 \DeclareOption{full}{\DeclareEncodingSubset{TS1}{?}{0}}
1370 \DeclareOption{almostfull}{\DeclareEncodingSubset{TS1}{?}{1}}
1371 \DeclareOption{euro}{\DeclareEncodingSubset{TS1}{?}{4}}
1372 \DeclareOption{safe}{\DeclareEncodingSubset{TS1}{?}{5}}
```

The default is “almostfull” which means that old documents will work except that `\textcircled` and `\t` will use the kernel defaults (with the advantage that this also works if the current font (as often the case) doesn’t implement these glyphs.

The “force” option simply sets the switch to true.

```
1373 \DeclareOption{force}{\tc@forcedtrue}
```

The suggestions to user is to use the “safe” option always unless that balks in which case they could switch to “almostfull” but then better check their output manually.

```
1374 \def\tc@errorwarn{\PackageError}
1375 \DeclareOption{warn}{\gdef\tc@errorwarn#1#2#3{\PackageWarning{#1}{#2}}}
1376 \ExecuteOptions{almostfull}
1377 \ProcessOptions\relax
```

`\CheckEncodingSubset` The command `\CheckEncodingSubset` will check if the current font family has the right encoding subset to typeset a certain command. It takes five arguments as follows: first argument is either `\UseTextSymbol`, `\UseTextAccent` depending on whether or not the symbol is a text symbol or a text accent.

The second argument is the encoding from which this symbol should be fetched.

The third argument is either a fake accessor command or an error message. the code in that argument (if ever executed) receives two arguments: `#2` and `#5` of `\CheckEncodingSubset`.

Argument four is the subset encoding id to test against: if this value is higher than the subset id of the current font family then we typeset the symbol, i.e., execute `#1{#2}#5` otherwise it runs `#3#5`, e.g., to produce an error message or fake the glyph somehow.

Argument five is the symbol or accent command that is being checked.

For usage examples see definitions below.

```
1378 \iftc@forced
```

If the “force” option was given we always use the default for testing against.

```
1379 \def\CheckEncodingSubset#1#2#3#4#5{%
1380   \ifnum #4>%
1381     0\csname #2:\endcsname
1382     \relax
1383   \expandafter\@firstoftwo
1384   \else
1385     \expandafter\@secondoftwo
1386   \fi
1387   {#1{#2}}{#3}%
1388   #5%
1389 }
```

In normal circumstances the test is a bit more complicated: first check if there exists a macro `\langle arg2\rangle:\langle current-family\rangle` and if so use that value to test against, otherwise use the default to test against.

```

1390 \else
1391 \def\CheckEncodingSubset#1#2#3#4#5{%
1392   \ifnum #4>%
1393     \expandafter\ifx\csname #2:\f@family\endcsname\relax
1394       0\csname #2:\f@family\endcsname
1395     \else
1396       \csname #2:\f@family\endcsname
1397     \fi
1398   \relax
1399   \expandafter\@firstoftwo
1400 \else
1401   \expandafter\@secondoftwo
1402 \fi
1403   {#1{#2}}{#3}%
1404   #5%
1405 }
1406 \fi

```

`tc@subst`

```

1407 \def\tc@subst#1{%
1408   \tc@errorwarn{textcomp}% % should be latex error if general
1409   {Symbol \string#1 not provided by\MessageBreak
1410     font family \f@family\space
1411     in TS1 encoding.\MessageBreak Default family used instead}\@eha
1412   \bgroup\fontfamily\textcompsubstdefault\selectfont#1\egroup
1413 }

```

`\textcompsubstdefault`

```

1414 \def\textcompsubstdefault{cmr}

```

`\tc@error` `\tc@error` is going to be used in arg #3 of `\CheckEncodingSubset` when a symbol is not available in a certain font family. It gets pass the encoding it normally lives in (arg one) and the name of the symbol or accent that has a problem.

```

1415 % error commands take argument:
1416 % #1 symbol to be used
1417 \def\tc@error#1{%
1418   \PackageError{textcomp}% % should be latex error if general
1419   {Accent \string#1 not provided by\MessageBreak
1420     font family \f@family\space
1421     in TS1 encoding}\@eha
1422 }

```

`\tc@fake@euro` `\tc@fake@euro` is an example of a “fake” definition to use in arg #3 of `\CheckEncodingSubset` when a symbol is not available in a certain font family. Here we produce an Euro symbol by combining a “C” with a “=”.

```

1423 \def\tc@fake@euro#1{%
1424   \leavevmode
1425   \PackageInfo{textcomp}{Faking \noexpand#1for font family
1426     \f@family\MessageBreak in TS1 encoding}%
1427   \valign{##\cr

```

```

1428      \vfil\hbox to 0.07em{\dimen@f@size\p@
1429                      \math@fontsfalse
1430                      \fontsize{.7\dimen@}\z@\selectfont=\hss}%
1431      \vfil\cr%
1432      \hbox{C}\crcr
1433  }%
1434 }

```

\tc@check@symbol These are two abbreviations that we use below to check symbols and accents in
\tc@check@accent TS1. Only there to save some space, e.g., we can then write

```
\DeclareTextCommandDefault{\textcurrency}{\tc@check@symbol3\textcurrency}
```

to ensure that `\textcurrency` is only typeset if the current font has a TS1 subset id of less than 3. Otherwise `\tc@error` is called telling the user that for this font family `\textcurrency` is not available.

```

1435 \def\tc@check@symbol{\CheckEncodingSubset\UseTextSymbol{TS1}\tc@subst}
1436 \def\tc@check@accent{\CheckEncodingSubset\UseTextAccent{TS1}\tc@error}

```

We start with the commands that are “safe” and which can be unconditionally set up, first the accents...

```

1437 \DeclareTextAccentDefault{\capitalcedilla}{TS1}
1438 \DeclareTextAccentDefault{\capitalogonek}{TS1}
1439 \DeclareTextAccentDefault{\capitalgrave}{TS1}
1440 \DeclareTextAccentDefault{\capitalacute}{TS1}
1441 \DeclareTextAccentDefault{\capitalcircumflex}{TS1}
1442 \DeclareTextAccentDefault{\capitaltilde}{TS1}
1443 \DeclareTextAccentDefault{\capitaldieresis}{TS1}
1444 \DeclareTextAccentDefault{\capitalhungarumlaut}{TS1}
1445 \DeclareTextAccentDefault{\capitalring}{TS1}
1446 \DeclareTextAccentDefault{\capitalcaron}{TS1}
1447 \DeclareTextAccentDefault{\capitalbreve}{TS1}
1448 \DeclareTextAccentDefault{\capitalmacron}{TS1}
1449 \DeclareTextAccentDefault{\capitaldotaccent}{TS1}

```

...and then the other glyphs.

```

1450 \DeclareTextSymbolDefault{\textcapitalcompwordmark}{TS1}
1451 \DeclareTextSymbolDefault{\textascendercompwordmark}{TS1}
1452 \DeclareTextSymbolDefault{\textquotestraightbase}{TS1}
1453 \DeclareTextSymbolDefault{\textquotestraightdblbase}{TS1}
1454 \DeclareTextSymbolDefault{\texttwelveudash}{TS1}
1455 \DeclareTextSymbolDefault{\textthreequartersemdash}{TS1}
1456 \DeclareTextSymbolDefault{\textdollar}{TS1}
1457 \DeclareTextSymbolDefault{\textquotesingle}{TS1}
1458 \DeclareTextSymbolDefault{\textasteriskcentered}{TS1}
1459 \DeclareTextSymbolDefault{\textfractionsolidus}{TS1}
1460 \DeclareTextSymbolDefault{\textminus}{TS1}
1461 \DeclareTextSymbolDefault{\textlbrackdbl}{TS1}
1462 \DeclareTextSymbolDefault{\textrbrackdbl}{TS1}
1463 \DeclareTextSymbolDefault{\textasciigrave}{TS1}
1464 \DeclareTextSymbolDefault{\texttildelow}{TS1}
1465 \DeclareTextSymbolDefault{\textasciibreve}{TS1}
1466 \DeclareTextSymbolDefault{\textasciicaron}{TS1}
1467 \DeclareTextSymbolDefault{\textgravedbl}{TS1}
1468 \DeclareTextSymbolDefault{\textacutedbl}{TS1}

```

```

1469 \DeclareTextSymbolDefault{\textdagger}{TS1}
1470 \DeclareTextSymbolDefault{\textdaggerdbl}{TS1}
1471 \DeclareTextSymbolDefault{\textbardbl}{TS1}
1472 \DeclareTextSymbolDefault{\textperthousand}{TS1}
1473 \DeclareTextSymbolDefault{\textbullet}{TS1}
1474 \DeclareTextSymbolDefault{\textcelsius}{TS1}
1475 \DeclareTextSymbolDefault{\textflorin}{TS1}
1476 \DeclareTextSymbolDefault{\texttrademark}{TS1}
1477 \DeclareTextSymbolDefault{\textcent}{TS1}
1478 \DeclareTextSymbolDefault{\textsterling}{TS1}
1479 \DeclareTextSymbolDefault{\textyen}{TS1}
1480 \DeclareTextSymbolDefault{\textbrokenbar}{TS1}
1481 \DeclareTextSymbolDefault{\textsection}{TS1}
1482 \DeclareTextSymbolDefault{\textasciidieresis}{TS1}
1483 \DeclareTextSymbolDefault{\textcopyright}{TS1}
1484 \DeclareTextSymbolDefault{\textordfeminine}{TS1}
1485 \DeclareTextSymbolDefault{\textlnot}{TS1}
1486 \DeclareTextSymbolDefault{\textregistered}{TS1}
1487 \DeclareTextSymbolDefault{\textasciimacron}{TS1}
1488 \DeclareTextSymbolDefault{\textdegree}{TS1}
1489 \DeclareTextSymbolDefault{\textpm}{TS1}
1490 \DeclareTextSymbolDefault{\texttwosuperior}{TS1}
1491 \DeclareTextSymbolDefault{\textthreesuperior}{TS1}
1492 \DeclareTextSymbolDefault{\textasciicute}{TS1}
1493 \DeclareTextSymbolDefault{\textmu}{TS1}
1494 \DeclareTextSymbolDefault{\textparagraph}{TS1}
1495 \DeclareTextSymbolDefault{\textperiodcentered}{TS1}
1496 \DeclareTextSymbolDefault{\textonesuperior}{TS1}
1497 \DeclareTextSymbolDefault{\textordmasculine}{TS1}
1498 \DeclareTextSymbolDefault{\textonequarter}{TS1}
1499 \DeclareTextSymbolDefault{\textonehalf}{TS1}
1500 \DeclareTextSymbolDefault{\textthreequarters}{TS1}
1501 \DeclareTextSymbolDefault{\texttimes}{TS1}
1502 \DeclareTextSymbolDefault{\textdiv}{TS1}

```

The `\texteuro` is only available for subsets with id 4 or less. Otherwise we fake the glyph using `\tc@fake@euro`

```

1503 \DeclareTextCommandDefault{\texteuro}
1504   {\CheckEncodingSubset\UseTextSymbol{TS1}\tc@fake@euro5\texteuro}

```

The `\textohm` is only available for subsets with id 3 or less. Otherwise we produce an error.

```

1505 \DeclareTextCommandDefault{\textohm}{\tc@check@symbol4\textohm}

```

The `\textestimated` and `\textcurrency` are only provided for fonts with subset encoding with id 2 or less.

```

1506 \DeclareTextCommandDefault{\textestimated}%
1507   {\tc@check@symbol3\textestimated}
1508 \DeclareTextCommandDefault{\textcurrency}%
1509   {\tc@check@symbol3\textcurrency}

```

Nearly all of the remaining glyphs are provided only with fonts with id 1 or 0, i.e., are essentially complete.

```

1510 \DeclareTextCommandDefault{\capitaltie}%
1511   {\tc@check@accent2\capitaltie}

```



```

1512 \DeclareTextCommandDefault{\newtie}%
1513     {\tc@check@accent2\newtie}
1514 \DeclareTextCommandDefault{\capitalnewtie}%
1515     {\tc@check@accent2\capitalnewtie}
1516 \DeclareTextCommandDefault{\textleftarrow}%
1517     {\tc@check@symbol2\textleftarrow}
1518 \DeclareTextCommandDefault{\textrightarrow}%
1519     {\tc@check@symbol2\textrightarrow}
1520 \DeclareTextCommandDefault{\textblank}%
1521     {\tc@check@symbol2\textblank}
1522 \DeclareTextCommandDefault{\textdblhyphen}%
1523     {\tc@check@symbol2\textdblhyphen}
1524 \DeclareTextCommandDefault{\textzerooldstyle}%
1525     {\tc@check@symbol2\textzerooldstyle}
1526 \DeclareTextCommandDefault{\textoneoldstyle}%
1527     {\tc@check@symbol2\textoneoldstyle}
1528 \DeclareTextCommandDefault{\texttwooldstyle}%
1529     {\tc@check@symbol2\texttwooldstyle}
1530 \DeclareTextCommandDefault{\textthreeoldstyle}%
1531     {\tc@check@symbol2\textthreeoldstyle}
1532 \DeclareTextCommandDefault{\textfouroldstyle}%
1533     {\tc@check@symbol2\textfouroldstyle}
1534 \DeclareTextCommandDefault{\textfiveoldstyle}%
1535     {\tc@check@symbol2\textfiveoldstyle}
1536 \DeclareTextCommandDefault{\textsixoldstyle}%
1537     {\tc@check@symbol2\textsixoldstyle}
1538 \DeclareTextCommandDefault{\textsevenoldstyle}%
1539     {\tc@check@symbol2\textsevenoldstyle}
1540 \DeclareTextCommandDefault{\texteightoldstyle}%
1541     {\tc@check@symbol2\texteightoldstyle}
1542 \DeclareTextCommandDefault{\textnineoldstyle}%
1543     {\tc@check@symbol2\textnineoldstyle}
1544 \DeclareTextCommandDefault{\textlangle}%
1545     {\tc@check@symbol2\textlangle}
1546 \DeclareTextCommandDefault{\textrangle}%
1547     {\tc@check@symbol2\textrangle}
1548 \DeclareTextCommandDefault{\textmho}%
1549     {\tc@check@symbol2\textmho}
1550 \DeclareTextCommandDefault{\textbigcircle}%
1551     {\tc@check@symbol2\textbigcircle}
1552 \DeclareTextCommandDefault{\textuparrow}%
1553     {\tc@check@symbol2\textuparrow}
1554 \DeclareTextCommandDefault{\textdownarrow}%
1555     {\tc@check@symbol2\textdownarrow}
1556 \DeclareTextCommandDefault{\textborn}%
1557     {\tc@check@symbol2\textborn}
1558 \DeclareTextCommandDefault{\textdivorced}%
1559     {\tc@check@symbol2\textdivorced}
1560 \DeclareTextCommandDefault{\textdied}%
1561     {\tc@check@symbol2\textdied}
1562 \DeclareTextCommandDefault{\textleaf}%
1563     {\tc@check@symbol2\textleaf}
1564 \DeclareTextCommandDefault{\textmarried}%
1565     {\tc@check@symbol2\textmarried}

```

```

1566 \DeclareTextCommandDefault{\textmusicalnote}%
1567     {\tc@check@symbol2\textmusicalnote}
1568 \DeclareTextCommandDefault{\textdblhyphenchar}%
1569     {\tc@check@symbol2\textdblhyphenchar}
1570 \DeclareTextCommandDefault{\textdollaroldstyle}%
1571     {\tc@check@symbol2\textdollaroldstyle}
1572 \DeclareTextCommandDefault{\textcentoldstyle}%
1573     {\tc@check@symbol2\textcentoldstyle}
1574 \DeclareTextCommandDefault{\textcolonmonetary}%
1575     {\tc@check@symbol2\textcolonmonetary}
1576 \DeclareTextCommandDefault{\textwon}%
1577     {\tc@check@symbol2\textwon}
1578 \DeclareTextCommandDefault{\textnaira}%
1579     {\tc@check@symbol2\textnaira}
1580 \DeclareTextCommandDefault{\textguarani}%
1581     {\tc@check@symbol2\textguarani}
1582 \DeclareTextCommandDefault{\textpeso}%
1583     {\tc@check@symbol2\textpeso}
1584 \DeclareTextCommandDefault{\textlira}%
1585     {\tc@check@symbol2\textlira}
1586 \DeclareTextCommandDefault{\textrecipe}%
1587     {\tc@check@symbol2\textrecipe}
1588 \DeclareTextCommandDefault{\textinterrobang}%
1589     {\tc@check@symbol2\textinterrobang}
1590 \DeclareTextCommandDefault{\textinterrobangdown}%
1591     {\tc@check@symbol2\textinterrobangdown}
1592 \DeclareTextCommandDefault{\textdong}%
1593     {\tc@check@symbol2\textdong}
1594 \DeclareTextCommandDefault{\textpertenthousand}%
1595     {\tc@check@symbol2\textpertenthousand}
1596 \DeclareTextCommandDefault{\textpilcrow}%
1597     {\tc@check@symbol2\textpilcrow}
1598 \DeclareTextCommandDefault{\textbaht}%
1599     {\tc@check@symbol2\textbaht}
1600 \DeclareTextCommandDefault{\textnumero}%
1601     {\tc@check@symbol2\textnumero}
1602 \DeclareTextCommandDefault{\textdiscount}%
1603     {\tc@check@symbol2\textdiscount}
1604 \DeclareTextCommandDefault{\textopenbullet}%
1605     {\tc@check@symbol2\textopenbullet}
1606 \DeclareTextCommandDefault{\textservicemark}%
1607     {\tc@check@symbol2\textservicemark}
1608 \DeclareTextCommandDefault{\textlquill}%
1609     {\tc@check@symbol2\textlquill}
1610 \DeclareTextCommandDefault{\textrquill}%
1611     {\tc@check@symbol2\textrquill}
1612 \DeclareTextCommandDefault{\textcopyleft}%
1613     {\tc@check@symbol2\textcopyleft}
1614 \DeclareTextCommandDefault{\textcircledP}%
1615     {\tc@check@symbol2\textcircledP}
1616 \DeclareTextCommandDefault{\textreferencemark}%
1617     {\tc@check@symbol2\textreferencemark}
1618 \DeclareTextCommandDefault{\textsurd}%
1619     {\tc@check@symbol2\textsurd}

```

The `\textcircled` and `\t` are handled specially, unless the current font has a subset id of 0 (i.e. full TS1) we pick the symbols up from the the math font encodings, i.e., the third argument to `\CheckEncodingSubset` uses `\UseTextAccent` to get them from there.

```
1620 \DeclareTextCommandDefault{\textcircled}
1621   {\CheckEncodingSubset\UseTextAccent{TS1}%
1622    {\UseTextAccent{OMS}}1\textcircled}
1623 \DeclareTextCommandDefault{\t}
1624   {\CheckEncodingSubset\UseTextAccent{TS1}%
1625    {\UseTextAccent{OML}}1\t}
```

Finally input the encoding-specific definitions for TS1 thus making the top-level definitions optimised for this encoding (and not for the default encoding, see section 19.2).

```
1626 \input{ts1enc.def}
```

Now having the new glyphs available we also want to make sure that they are used. For most cases this will automatically happen but for some glyphs there are inferior definitions already known to L^AT_EX which will prevent the usage of the TS1 versions (see section 19.1 above). So we better get rid of them:

```
1627 \UndeclareTextCommand{\textsterling}{OT1}
1628 \UndeclareTextCommand{\textdollar} {OT1}
```

Similar declarations should probably be made for other encodings like OT4 if they are in use.

```
1629 %\UndeclareTextCommand{\textsterling}{OT4}
1630 %\UndeclareTextCommand{\textdollar} {OT4}
```

From the T1 encoding there are two candidates for removal: `%0` and `%00` since these are both constructed from `%` followed by a tiny ‘o’ rather than being a single glyph. The problem with this approach is that in PostScript fonts this small zero is usually not available resulting in `%■` rather than `%0` while the real glyph (at least for `\textperthousand`) is available in the PostScript version of TS1. So for the moment we compromise by removing the T1 declaration for `\textperthousand` but keeping the one for `\textpertenthousand`. This will have the effect that with Computer Modern fonts everything will come out (although `%0` and `%00` are not taken from the same physical font) and with PostScript fonts `%0` will come out correctly while `%00` will most likely look like `%■` — which is probably an improvement over just getting a single ‘■’ to indicate a completely missing glyph, which would happen if we also ‘undeclared’ `\textpertenthousand`.

```
1631 \UndeclareTextCommand{\textperthousand}{T1}
1632 %\UndeclareTextCommand{\textpertenthousand}{T1}
```

20.2.1 Supporting oldstyle digits

```
1633 \DeclareRobustCommand\oldstylenums[1]{%
1634   \begingroup
1635   \ifmmode
1636     \mathgroup\symletters #1%
1637   \else
1638     \CheckEncodingSubset@use@text@encoding{TS1}%
1639     {\PackageWarning{textcomp}%
1640      {Oldstyle digits unavailable for
1641       family \f@family.\MessageBreak
```

```

1642         Lining digits used instead}}}%
1643         \tw@{#1}%
1644     \fi
1645 \endgroup
1646 }

```

20.2.2 Subset encoding defaults

For many font families commonly used in the T_EX world we provide the subset encoding data here. Users can add additional font families in the file `textcomp.cfg` if they own other fonts.

However, if the option “forced” was given then all subset encoding specifications are ignored, so there is no point in setting any of them up:

```
1647 \iftc@forced \else
```

Computer modern based fonts (e.g., CM, CM-Bright, Concrete):

```

1648 \DeclareEncodingSubset{TS1}{cmr}      {0}
1649 \DeclareEncodingSubset{TS1}{cmss}     {0}
1650 \DeclareEncodingSubset{TS1}{cmtt}     {0}
1651 \DeclareEncodingSubset{TS1}{cmvtt}    {0}
1652 \DeclareEncodingSubset{TS1}{cmbr}     {0}
1653 \DeclareEncodingSubset{TS1}{cmtl}     {0}
1654 \DeclareEncodingSubset{TS1}{ccr}      {0}

```

PSNFSS fonts:

```

1655 \DeclareEncodingSubset{TS1}{ptm}      {4}
1656 \DeclareEncodingSubset{TS1}{pcr}      {4}
1657 \DeclareEncodingSubset{TS1}{phv}      {4}
1658 \DeclareEncodingSubset{TS1}{ppl}      {3}
1659 \DeclareEncodingSubset{TS1}{pag}      {4}
1660 \DeclareEncodingSubset{TS1}{pbk}      {4}
1661 \DeclareEncodingSubset{TS1}{pnc}      {4}
1662 \DeclareEncodingSubset{TS1}{pzc}      {4}
1663 \DeclareEncodingSubset{TS1}{bch}      {4}
1664 \DeclareEncodingSubset{TS1}{put}      {5}

```

Other CTAN fonts (probably not complete):

```

1665 \DeclareEncodingSubset{TS1}{uag}      {5}
1666 \DeclareEncodingSubset{TS1}{ugq}      {5}
1667 \DeclareEncodingSubset{TS1}{ul8}      {4}
1668 \DeclareEncodingSubset{TS1}{ul9}      {4}    % (LuxiSans, one day)
1669 \DeclareEncodingSubset{TS1}{augie}    {5}
1670 \DeclareEncodingSubset{TS1}{dayrom}   {3}
1671 \DeclareEncodingSubset{TS1}{dayroms}  {3}
1672 \DeclareEncodingSubset{TS1}{pxr}      {0}
1673 \DeclareEncodingSubset{TS1}{pxss}     {0}
1674 \DeclareEncodingSubset{TS1}{pxtt}     {0}
1675 \DeclareEncodingSubset{TS1}{txr}      {0}
1676 \DeclareEncodingSubset{TS1}{txss}     {0}
1677 \DeclareEncodingSubset{TS1}{txtt}     {0}

```

Latin Modern and TeX Gyre:

```

1678 \DeclareEncodingSubset{TS1}{lmr}      {0}
1679 \DeclareEncodingSubset{TS1}{lmdh}     {0}
1680 \DeclareEncodingSubset{TS1}{lmss}     {0}
1681 \DeclareEncodingSubset{TS1}{lmssq}    {0}

```

```

1682 \DeclareEncodingSubset{TS1}{lmvtt} {0}
1683 \DeclareEncodingSubset{TS1}{lmtt} {0}

1684 \DeclareEncodingSubset{TS1}{qhvh} {0}
1685 \DeclareEncodingSubset{TS1}{qag} {0}
1686 \DeclareEncodingSubset{TS1}{qbk} {0}
1687 \DeclareEncodingSubset{TS1}{qcr} {0}
1688 \DeclareEncodingSubset{TS1}{qcs} {0}
1689 \DeclareEncodingSubset{TS1}{qpl} {0}
1690 \DeclareEncodingSubset{TS1}{qtm} {0}
1691 \DeclareEncodingSubset{TS1}{qzc} {0}
1692 \DeclareEncodingSubset{TS1}{qhvc} {0}

```

Fourier-GUTenberg:

```

1693 \DeclareEncodingSubset{TS1}{futs} {4}
1694 \DeclareEncodingSubset{TS1}{futex} {4}
1695 \DeclareEncodingSubset{TS1}{futj} {4}

```

Y&Y's Lucida Bright

```

1696 \DeclareEncodingSubset{TS1}{hlh} {3}
1697 \DeclareEncodingSubset{TS1}{hls} {3}
1698 \DeclareEncodingSubset{TS1}{hlst} {3}

```

The remaining settings for Lucida are conservative: the following fonts contain the `\textohm` character but not the `\texteuro`, i.e., belong to neither subset 4 nor subset 3. If you want to use the `\textohm` with these fonts copy these definition to `textcomp.cfg` and change the subset to 3. However in that case make sure that you do not use the `\texteuro`.

```

1699 \DeclareEncodingSubset{TS1}{hlct} {5}
1700 \DeclareEncodingSubset{TS1}{hlx} {5}
1701 \DeclareEncodingSubset{TS1}{hlce} {5}
1702 \DeclareEncodingSubset{TS1}{hlcn} {5}
1703 \DeclareEncodingSubset{TS1}{hlcw} {5}
1704 \DeclareEncodingSubset{TS1}{hlcf} {5}

```

Other commercial families...

```

1705 \DeclareEncodingSubset{TS1}{pplx} {3}
1706 \DeclareEncodingSubset{TS1}{pplj} {3}
1707 \DeclareEncodingSubset{TS1}{ptmx} {4}
1708 \DeclareEncodingSubset{TS1}{ptmj} {4}

```

If the file `textcomp.cfg` exists it will be loaded at this point. This allows to define further subset encodings for font families not covered by default.

```

1709 \InputIfFileExists{textcomp.cfg}
1710 {\PackageInfo{textcomp}{Local configuration file used}}{}

1711 \fi
1712 \</TS1sty>

```

File m

ltcounts.dtx

21 Counters and Lengths

Commands for defining and using counters. This file defines:

<code>\newcounter</code>	To define a new counter.
<code>\setcounter</code>	To set the value of counters.
<code>\addtocounter</code>	Increase the counter #1 by the number #2.
<code>\stepcounter</code>	Increase a counter by one.
<code>\refstepcounter</code>	Increase a counter by one, also setting the value used by <code>\label</code> .
<code>\value</code>	For accessing the value of the counter as a T _E X number (as opposed to <code>\the<counter></code> which expands to the <i>printed</i> representation of <code><counter></code>)
<code>\arabic</code>	<code>\arabic{<counter>}</code> : 1, 2, 3, ...
<code>\roman</code>	<code>\roman{<counter>}</code> : i, ii, iii, ...
<code>\Roman</code>	<code>\Roman{<counter>}</code> : I, II, III, ...
<code>\alph</code>	<code>\alph{<counter>}</code> : a, b, c, ...
<code>\Alph</code>	<code>\Alph{<counter>}</code> : A, B, C, ...
<code>\fnsymbol</code>	<code>\fnsymbol{<counter>}</code> : *, †, ‡, ...

1 (*2ekernel)

21.1 Environment Counter Macros

An environment foo has an associated counter defined by the following control sequences:

<code>\c@foo</code>	Contains the counter's numerical value. It is defined by <code>\newcount\foocounter</code> .
<code>\thefoo</code>	Macro that expands to the printed value of <code>\foocounter</code> . For example, if sections are numbered within chapters, and section headings look like Section II-3. The Nature of Counters then <code>\thesection</code> might be defined by: <code>\def\thesection</code> <code>{\@Roman{\c@chapter}-\@arabic{\c@section}}</code>
<code>\p@foo</code>	Macro that expands to a printed 'reference prefix' of counter foo. Any <code>\ref</code> to a value created by counter foo will produce the expansion of <code>\p@foo\thefoo</code> when the <code>\label</code> command is executed. See file <code>ltxref.dtx</code> for an extension of this mechanism.
<code>\cl@foo</code>	List of counters to be reset when foo stepped. Has format <code>\@elt{countera}\@elt{counterb}\@elt{counterc}</code> .

NOTE:

`\thefoo` and `\p@foo` *must* be defined in such a way that `\edef\bar{\thefoo}` or `\edef\bar{\p@foo}` defines `\bar` so that it will evaluate to the counter value at the time of the `\edef`, even after `\foocounter` and any other counters have been changed. This will happen if you use the standard commands `\@arabic`, `\@Roman`, etc.

The following commands are used to define and modify counters.

`\refstepcounter{<foo>}`
 Same as `\stepcounter`, but it also defines `\@currentreference` so that a subsequent `\label{<bar>}` command causes `\ref{<bar>}` to generate the current value of counter `<foo>`.

`\@definecounter{<foo>}`
 Initializes counter `{<foo>}` (with empty reset list), defines `\p@foo` and `\thefoo` to be null. Also adds `<foo>` to `\cl@ckpt` – the reset list of a dummy counter `@ckpt` used for taking checkpoints for the `\include` system.

`\@addtoreset{<foo>}{<bar>}` : Adds counter `<foo>` to the list of counters `\cl@bar` to be reset when counter `<bar>` is stepped.

`\setcounter` `\setcounter{<foo>}{<val>}` : Globally sets `\foocounter` equal to `<val>`.

```

2 \def\setcounter#1#2{%
3   \@ifundefined{c@#1}%
4     {\@nocounterr{#1}}%
5     {\global\csname c@#1\endcsname#2\relax}}
```

`\addtocounter` `\addtocounter{<foo>}{<val>}` Globally increments `\foocounter` by `<val>`.

```

6 \def\addtocounter#1#2{%
7   \@ifundefined{c@#1}%
8     {\@nocounterr{#1}}%
9     {\global\advance\csname c@#1\endcsname #2\relax}}
```

`\newcounter` `\newcounter{<newctr>}[<oldctr>]` Defines `<newctr>` to be a counter, which is reset when counter `<oldctr>` is stepped. If `<newctr>` already defined produces ‘c@newctr already defined’ error.

```

10 \def\newcounter#1{%
11   \expandafter\ifdefinable \csname c@#1\endcsname
12     {\@definecounter{#1}}%
13     \@ifnextchar[{\@newctr{#1}}{-}]}
```

`\value` `\value{<ctr>}` produces the value of counter `<ctr>`, for use with a `\setcounter` or `\addtocounter` command.

```

14 \def\value#1{\csname c@#1\endcsname}
```

`\@newctr`

```

15 \def\@newctr#1[#2]{%
16   \@ifundefined{c@#2}{\@nocounterr{#2}}{\@addtoreset{#1}{#2}}}
```

`\stepcounter` `\stepcounterfoo` Globally increments counter `\c@F00` and resets all subsidiary counters.

```

17 \def\stepcounter#1{%
18   \addtocounter{#1}\@ne
19   \begingroup
20     \let\@elt\@stpelt
21     \csname cl@#1\endcsname
22   \endgroup}
```

`\@stpelt` Rather than resetting the “within” counter to zero we set it to `-1` and then run `\stepcounter` that moves it to `0` and also initiates resetting the next level down.

```

23 </2ekernel>
24 \ifx\@stpelt\@includeinrelease\@includeinrelease{2015/01/01}\@stpelt}
```

```

25 \latexrelease)                                {Reset nested counters}%
26 (*2ekernel | latexrelease)
27 \def\@stpelt#1{\global\csname c@#1\endcsname \m@ne\stepcounter{#1}}%
28 \latexrelease)\EndIncludeInRelease
29 /2ekernel | latexrelease)
30 \latexrelease)\IncludeInRelease{0000/00/00}{\@stpelt}
31 \latexrelease)                                {Reset nested counters}%%
32 \latexrelease)\def\@stpelt#1{\global\csname c@#1\endcsname \z@}%
33 \latexrelease)\EndIncludeInRelease
34 (*2ekernel)

\cl@ckpt

35 \def\cl@ckpt{\@elt{page}}

\@definecounter

36 \def\@definecounter#1{\expandafter\newcount\csname c@#1\endcsname
37   \setcounter{#1}\z@
38   \global\expandafter\let\csname cl@#1\endcsname\@empty
39   \@addtoreset{#1}{@ckpt}%
40   \global\expandafter\let\csname p@#1\endcsname\@empty
41   \expandafter
42   \gdef\csname the#1\expandafter\endcsname\expandafter
43     {\expandafter\@arabic\csname c@#1\endcsname}}

\@addtoreset

44 \def\@addtoreset#1#2{\expandafter\@cons\csname cl@#2\endcsname {{#1}}

    Numbering commands for definitions of \theCOUNTER and \list arguments.
    All commands can now be used in text and math mode.

\arabic Representation of counter as arabic numerals. Changed 29 Apr 86 to make it
print the obvious thing it COUNTER not positive.
45 \def\arabic#1{\expandafter\@arabic\csname c@#1\endcsname}

\roman Representation of counter as lower-case Roman numerals.
46 \def\roman#1{\expandafter\@roman\csname c@#1\endcsname}

\Roman Representation of counter as upper-case Roman numerals.
47 \def\Roman#1{\expandafter\@Roman\csname c@#1\endcsname}

\alph Representation of counter as a lower-case letter: 1 = a, 2 = b, etc.
48 \def\alph#1{\expandafter\@alph\csname c@#1\endcsname}

\Alph Representation of counter as an upper-case letter: 1 = A, 2 = B, etc.
49 \def\Alph#1{\expandafter\@Alph\csname c@#1\endcsname}

\fnsymbol Representation of COUNTER as a footnote symbol: 1 = *, 2 = †, etc.
50 \def\fnsymbol#1{\expandafter\@fnsymbol\csname c@#1\endcsname}

\@arabic \@arabic\F00counter Representation of \F00counter as arabic numerals.
51 \def\@arabic#1{\number #1} %% changed 29 Apr 86

```



```

\@roman \@roman\F00counter Representation of \F00counter as lower-case Roman nu-
merals.
52 \def\@roman#1{\romannumeral #1}

\@Roman \@Roman\F00counter Representation of \F00counter as upper-case Roman nu-
merals.
53 \def\@Roman#1{\expandafter\@slowromancap\romannumeral #1@}

\@slowromancap Fully expandable macro to change a roman number to uppercase.
54 \def\@slowromancap#1{\ifx @#1% then terminate
55     \else
56     \if i#1I\else\if v#1V\else\if x#1X\else\if l#1L\else\if
57     c#1C\else\if d#1D\else \if m#1M\else#1\fi\fi\fi\fi\fi\fi\fi
58     \expandafter\@slowromancap
59     \fi
60 }

\@alph \@alph\F00counter Representation of \F00counter as a lower-case letter: 1 =
a, 2 = b, etc.
61 \def\@alph#1{%
62     \ifcase#1\or a\or b\or c\or d\or e\or f\or g\or h\or i\or j\or
63     k\or l\or m\or n\or o\or p\or q\or r\or s\or t\or u\or v\or w\or x\or
64     y\or z\else\@ctrerr\fi}

\@Alph \@Alph\F00counter Representation of \F00counter as an upper-case letter: 1 =
A, 2 = B, etc.
65 \def\@Alph#1{%
66     \ifcase#1\or A\or B\or C\or D\or E\or F\or G\or H\or I\or J\or
67     K\or L\or M\or N\or O\or P\or Q\or R\or S\or T\or U\or V\or W\or X\or
68     Y\or Z\else\@ctrerr\fi}

\@fnsymbol Typesetting old fashioned footnote symbols. This can be done both in text or
math mode now.

This macro is another example of an ever recurring problem in TEX: Deter-
mining if something is text-mode or math-mode. It is imperative for the decision
between text and math to be delayed until the actual typesetting is done as the
code in question may go through an \edef or \write where an \ifmode test
would be executed prematurely. Hence in the implementation below, \@fnsymbol
is not robust in itself but the parts doing the actual typesetting are.

In the case of \@fnsymbol we make use of the robust command \TextOrMath
which takes two arguments and typesets the first if in text-mode and the second if
in math-mode. Note that in order for this command to make the correct decision,
it must insert a \relax token if run under regular TEX, which ruins any kerning
between the preceding characters and whatever awaits typesetting. If you use
eTEX as engine for LATEX (as recommended) this unfortunate side effect is not
present.
69 </2ekernel>
70 <latexrelease>\IncludeInRelease{2015/01/01}{\@fnsymbol}{Use \TextOrMath}%
71 <*2ekernel | latexrelease>
72 \def\@fnsymbol#1{%
73     \ifcase#1\or \TextOrMath\textasteriskcentered *\or

```

```

74 \TextOrMath \textdagger \dagger\or
75 \TextOrMath \textdaggerdbl \ddagger \or
76 \TextOrMath \textsection \mathsection\or
77 \TextOrMath \textparagraph \mathparagraph\or
78 \TextOrMath \textbardbl \|\or
79 \TextOrMath {\textasteriskcentered\textasteriskcentered}{**}\or
80 \TextOrMath {\textdagger\textdagger}{\dagger\dagger}\or
81 \TextOrMath {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}\else
82 \ctrerr \fi
83 }%
84 </2ekernel| latexrelease>
85 <latexrelease>\EndIncludeInRelease
86 <latexrelease>\IncludeInRelease{0000/00/00}{\@fnsymbol}{Use \TextOrMath}%
87 <latexrelease>\def\@fnsymbol#1{\ensuremath{%
88 <latexrelease> \ifcase#1\or *\or \dagger\or \ddagger\or \mathsection\or
89 <latexrelease> \mathparagraph\or \|\or **\or \dagger\dagger
90 <latexrelease> \or \ddagger\ddagger \else\ctrerr\fi}}%
91 <latexrelease>\EndIncludeInRelease
92 <*2ekernel>

```

`\TextOrMath` When using regular T_EX, we make this command robust so that it always selects the correct branch in an `\ifmmode` switch with the usual disadvantage of ruining kerning. For the application we use it for here that shouldn't matter. The alternative would be to mimic `\IeC` from `inputenc` but then it will have the disadvantage of choosing the wrong branch if appearing at the beginning of an alignment cell. However, users of eT_EX will be pleasantly surprised to get the best of both worlds and no bad side effects.

First some code for checking if we are running eT_EX but making sure not to permanently turn `\protected` into `\relax`.

```

93 </2ekernel>
94 <latexrelease>\IncludeInRelease{2015/01/01}{\TextOrMath}{\TextOrMath}%
95 <*2ekernel| latexrelease>
96 \begingroup\expandafter\expandafter\expandafter\endgroup
97 \expandafter\ifx\csname protected\endcsname\relax

```

In case of ordinary T_EX we define `\TextOrMath` as a robust command but make sure it always grabs its arguments. If we didn't do this it might very well gobble spaces in the input stream.

```

98 \DeclareRobustCommand\TextOrMath{%
99 \ifmmode \expandafter\@secondoftwo
100 \else \expandafter\@firstoftwo \fi}
101 \protected@edef\TextOrMath#1#2{\TextOrMath{#1}{#2}}
102 \else

```

For eT_EX the situation is similar. The robust macro is a hidden one so that we again avoid problems of gobbling spaces in the input.

```

103 \protected\expandafter\def\csname TextOrMath\space\endcsname{%
104 \ifmmode \expandafter\@secondoftwo
105 \else \expandafter\@firstoftwo \fi}
106 \edef\TextOrMath#1#2{%
107 \expandafter\noexpand\csname TextOrMath\space\endcsname
108 {#1}{#2}}
109 \fi
110 </2ekernel| latexrelease>

```

```

111 \latexrelease\EndIncludeInRelease
112 \latexrelease\IncludeInRelease{0000/00/00}{\TextOrMath}{\TextOrMath}%
113 \latexrelease\let\TextOrMath\@undefined
114 \latexrelease\EndIncludeInRelease
115 \*2ekernel)
116 \2ekernel)

```

File n ltnlength.dtx

22 Lengths

```

\newlength Declare #1 to be a new length command.
\setlength Set the length command, #1, to the value #2.
\addtolength Increase the value of the length command, #1, by the value #2.
\settowidth Set the length, #1 to the width of a box containing #2.
\settoheight Set the length, #1 to the height of a box containing #2.
\settodepth Set the length, #1 to the depth of a box containing #2.

1 (*2ekernel)
2 \message{lengths,}

\newlength
3 \def\newlength#1{\@ifdefinable#1{\newskip#1}}

\setlength
4 (/2ekernel)
5 \langle latexrelease \rangle \IncludeInRelease{2015/01/01}%
6 \langle latexrelease \rangle \setlength{Using \setlength with \dimen0}%
7 (*2ekernel | latexrelease)

8 \def\setlength#1#2{#1 #2\relax}
9 (/2ekernel | latexrelease)
10 \langle latexrelease \rangle \EndIncludeInRelease
11 \langle latexrelease \rangle \IncludeInRelease{0000/00/00}%
12 \langle latexrelease \rangle \setlength{Using \setlength with \dimen0}%
13 \langle latexrelease \rangle \def\setlength#1#2{#1#2\relax}
14 \langle latexrelease \rangle \EndIncludeInRelease
15 (*2ekernel)

\addtolength \relax added 24 Mar 86
16 \def\addtolength#1#2{\advance#1 #2\relax}

\settoheight The obvious analogs of \settowidth.
\settodepth
17 \def\@settodim#1#2#3{\setbox\@tempboxa\hbox{#{#3}}#2#1\@tempboxa}
\settowidth
\@settodim Clear the memory afterwards (which might be a lot).
18 \setbox\@tempboxa\box\voidb@x}
19 \def\settoheight{\@settodim\ht}
20 \def\settodepth {\@settodim\dp}
21 \def\settowidth {\@settodim\wd}

\@settopoint This macro takes the contents of the skip register that is supplied as its argument
and removes the fractional part to make it a whole number of points. This can be
used in class files to avoid values like 345.4666666pt when calculating a dimension.

22 \def\@settopoint#1{\divide#1\p@\multiply#1\p@}
23 (/2ekernel)

```

File o

ltfssbas.dtx

This file contains the main implementation of the ‘low level’ font selection commands. See other parts of the L^AT_EX distribution, or *The L^AT_EX Companion* for higher level documentation of the L^AT_EX ‘New’ Font Selection Scheme.

Warning: The macro documentation is still basically the documentation from the first NFSS release and therefore in some cases probably not completely accurate.

The ‘2ekernel’ code ensures that a `\usepackage{autofss1}` is essentially ignored if a ‘full’ format is being used that has picture mode already in the format. Note the `autofss2` loading is currently disabled.

```
1 (2ekernel)\expandafter\let\csname ver@autofss1.sty\endcsname\fmtversion
```

23 Preliminary macros

We define a number of macros that will be used later.

`\@nomath` `\@nomath` is used by most macros that will have no effect in math mode. It issues a warning message.

```
2 (*2ekernel)
3 \def\@nomath#1{\relax\ifmmode
4   \@font@warning{Command \noexpand#1invalid in math mode}\fi}
```

`\no@alphabet@error` The macro `\no@alphabet@error` is called whenever the user requests a math *alphabet* that is not available in the current *version*. In math mode an error message is produced otherwise the command keeps silent. The argument is the name of the control sequence that identifies the math *alphabet*. The `\relax` at the beginning is necessary to prevent T_EX from scanning too far in certain situations.

```
5 \gdef\no@alphabet@error#1{\relax \ifmmode
6   \@latex@error{Math\space alphabet\space identifier\space
7     \noexpand#1is\space undefined\space in\space math\space
8     version\space ‘\math@version’}%
9   {Your\space requested\space math\space alphabet\space
10    is\space undefined\space in\space the\space current\space
11    math\space version.^^JCheck\space the\space spelling\space
12    or\space use\space the\space \noexpand\SetMathAlphabet\space
13    command.}
14   \fi}
```

`\new@mathgroup` We also give a new name to `\newfam` and `\fam` to avoid verbal confusion (see the introduction).²

```
\mathgroup
15 %\def\new@mathgroup{\alloc@8\mathgroup\chardef\sixt@@n}
16 \let\mathgroup\fam
17 %\let\newfam\new@mathgroup
18 \@onlypreamble\new@mathgroup
```

²For the same reason it seems advisable to `\let\fam` and `\newfam` equal to `\relax`, but this is commented out to retain compatibility to existing style files.

24 Macros for setting up the tables

`\DeclareFontShape` The macro `\DeclareFontShape` takes 6 arguments:

```
19 \def\DeclareFontShape{\begingroup
```

First we restore the catcodes of all characters used in the syntax.

```
20 \nfss@catcodes
```

We use `\expandafter \endgroup` to restore catcode in case something goes wrong with the argument parsing (suggested by Tim Van Zandt)

`\DeclareFontShape`

```
21 \expandafter\endgroup
22 \DeclareFontShape@}
23 \def\DeclareFontShape@#1#2#3#4#5#6{%
24 \expandafter\ifx\csname #1+#2\endcsname\relax
25 \@latex@error{Font family ‘#1+#2’ unknown}\@eha
26 \else
27 \expandafter
28 \xdef\csname#1/#2/#3/#4\endcsname{\expandafter\noexpand
29 \csname #5\endcsname}%
30 \def\reserved@a{#6}%
31 \global
32 \expandafter\let\csname#5\endcsname\expandafter\endcsname
33 \ifx\reserved@a@empty
34 \@empty
35 \else
36 \reserved@a
37 \fi
38 \fi
39 }
```

`\DeclareFixedFont` Define a direct font switch that avoids all overhead.

```
40 \def\DeclareFixedFont#1#2#3#4#5#6{%
41 \begingroup
42 \math@fontsfalse
43 \every@math@size{}%
44 \fontsize{#6}\z@
45 \usefont{#2}{#3}{#4}{#5}%
46 \global\expandafter\let\expandafter#1\the\font
47 \endgroup
48 }
```

`\do@subst@correction`

```
49 \def\do@subst@correction{%
50 \xdef\subst@correction{%
51 \font@name
52 \global\expandafter\font
53 \csname \curr@fontshape/\f@size\endcsname
54 \noexpand\fontname\font
55 \relax}%
```

Calling `\subst@correction` after the current group means calling it after we have loaded the substitution font which is done inside a group.

```
56 \aftergroup\subst@correction
57 }
```

`\DeclareFontFamily`

```
58 \def\DeclareFontFamily#1#2#3{%
```

If we want fast checking for the encoding scheme we can just check for `\T@.` being defined.

```
59 % \@tempswafalse
60 % \def\reserved@b{#1}%
61 % \def\cdp@elt##1##2##3##4{\def\reserved@c{##1}%
62 %     \ifx\reserved@b\reserved@c \@tempswatrue\fi}%
63 % \cdp@list
64 % \if@tempswa
65 % \ifundefined{T@#1}%
66 %     {%
67 %         \@latex@error{Encoding scheme ‘#1’ unknown}\@eha
68 %     }%
69 % }
```

Now we have to define the macro `\<#1>+<#2>` to contain `#3`. But since most of the time `#3` will be empty we use `\let` in a tricky way rather than a simple `\def` since this will save internal memory. We store the argument `#3` in a temporary macro `\reserved@a`.

```
70     \def\reserved@a{#3}%
```

We compare `\reserved@a` with `\@empty`. If these two are the same we `\let` the ‘extra’ macro equal to `\@empty` which is not the same as doing a `\let` to `\reserved@a` — the latter would blow one extra memory location rather than reusing the one from `\@empty`.

```
71     \global
72     \expandafter\let\csname #1+#2\expandafter\endcsname
73         \ifx \reserved@a\@empty
74             \@empty
75         \else \reserved@a
76         \fi
77     }%
78 }
```

`\cdp@list` We initialize the code page list to be empty.

```
79 \let\cdp@list\@empty
80 \@onlypreamble\cdp@list
```

`\cdp@elt`

```
81 \let\cdp@elt\relax
82 \@onlypreamble\cdp@elt
```

`\DeclareFontEncoding`

```
83 \def\DeclareFontEncoding{%
```

First we start with ignoring all blanks and newlines since every surplus space in the second or third argument will come out in a weird place in the document.

```
84     \begingroup
85     \nfss@catcodes
86     \expandafter\endgroup
87     \DeclareFontEncoding@}
88 \@onlypreamble\DeclareFontEncoding
```

```

89 \def\DeclareFontEncoding#1#2#3{%
90   \expandafter
91   \ifx\csname T@#1\endcsname\relax
92     \def\cdp@elt{\noexpand\cdp@elt}%
93     \xdef\cdp@list{\cdp@list\cdp@elt{#1}%
94                   {\default@family}{\default@series}%
95                   {\default@shape}}}%

```

To support encoding dependent commands (like accents) we initialise the command `\<encoding>-cmd` to be `\@changed@cmd`. (See `ltoutenc.dtx` for details.)

```

96   \expandafter\let\csname#1-cmd\endcsname\@changed@cmd
97 \else
98   \@font@info{Redeclaring font encoding #1}%
99 \fi
100 \global\@namedef{T@#1}{#2}%
101 \global\@namedef{M@#1}{\default@M#3}%

```

Keep a record of the last encoding being declared:

```

102 \xdef\LastDeclaredEncoding{#1}%
103 }
104 \@onlypreamble\DeclareFontEncoding@

```

`\LastDeclaredEncoding` The last encoding being declared by `\DeclareFontEncoding`.

```

105 \def\LastDeclaredEncoding{}

```

`\DeclareFontSubstitution`

```

106 \def\DeclareFontSubstitution#1#2#3#4{%
107   \expandafter
108   \ifx\csname T@#1\endcsname\relax
109     \@latex@error{Encoding scheme ‘#1’ unknown}\@eha
110   \else
111     \begingroup

```

We loop through the `\cdp@list` and rebuild it anew in `\toks@` thereby replacing the defaults for the encoding in question with the new defaults. It is important to store the encoding to test against expanded in `\reserved@a` since it might just be `\LastDeclaredEncoding` that is passed as `#1`.

```

112     \edef\reserved@a{#1}%
113     \toks@{}%
114     \def\cdp@elt##1##2##3##4{%
115       \def\reserved@b{##1}%
116       \ifx\reserved@a\reserved@b

```

Here we use the new defaults but we use `##1` (i.e., the encoding name already stored previously) since we know that it is expanded.

```

117       \addto@hook\toks@{\cdp@elt{##1}{##2}{##3}{##4}}%
118     \else

```

If `\reserved@a` and `\reserved@b` differ then we simply copy from the old list to the new.

```

119       \addto@hook\toks@{\cdp@elt{##1}{##2}{##3}{##4}}%
120     \fi}%
121     \cdp@list

```



```

122     \xdef\cdp@list{\the\toks@}%
123   \endgroup
124   \global
125   \@namedef{D@#1}{%
126     \def\default@family{#2}%
127     \def\default@series{#3}%
128     \def\default@shape{#4}%
129   }%
130 \fi
131 }
132 \@onlypreamble\DeclareFontSubstitution

```

\DeclareFontEncodingDefaults

```

133 \def\DeclareFontEncodingDefaults#1#2{%
134   \ifx\relax#1\else
135     \ifx\default@T\@empty\else
136       \@font@info{Overwriting encoding scheme text defaults}%
137     \fi
138     \gdef\default@T{#1}%
139   \fi
140   \ifx\relax#2\else
141     \ifx\default@M\@empty\else
142       \@font@info{Overwriting encoding scheme math defaults}%
143     \fi
144     \gdef\default@M{#2}%
145   \fi
146 }
147 \@onlypreamble\DeclareFontEncodingDefaults

```

\default@T

\default@M

```

148 \let\default@T\@empty
149 \let\default@M\@empty

```

\DeclarePreloadSizes

```

150 \def\DeclarePreloadSizes#1#2#3#4#5{%
151   \@ifundefined{T@#1}{%
152     {\@latex@error{Encoding scheme ‘#1’ unknown}\@eha}%
153   }%

```

Don't know at the moment what this group here does!

```

154   \begingroup

```

We define a macro `\reserved@f`³ that grabs the next *size* and loads the corresponding font. This is done by delimiting `\reserved@f`'s only argument by the token `,` (comma).

```

155   \def\reserved@f##1,{%

```

The end of the list will be detected when there are no more elements, i.e. when `\reserved@f`'s argument is empty. The trick used here is explained in Appendix D of the *T_EXbook*: if the argument is empty the `\if` will select the first clause and `\let \reserved@f equal to \relax`. (We use the `>` character here since it cannot appear in font file names.)

```

156     \if>##1>%

```

³We cannot use `\@tempa` since it is needed in `\pickup@font`.

```

157         \let\reserved@f\relax
158     \else

```

Otherwise, we define `\font@name` appropriately and call `\pickup@font` to do the work. Note that the requested `\curr@fontshape` combination must have been defined, or you will get an error. The definition of `\font@name` is carried out globally to be consistent with the rest of the code in this file.

```

159         \xdef\font@name{\csname#1/#2/#3/#4/##1\endcsname}%
160         \pickup@font

```

Now we forget the name of the font just loaded. More precisely, we set the corresponding control sequence to `\relax`. This means that later on, when the font is first used, the macro `\define@newfont` is called again to execute the ‘extra’ macro for this font.

```

161         \global\expandafter\let\font@name\relax
162     \fi

```

Finally we call `\reserved@f` again to process the next *size*. If `\reserved@f` was `\let` equal to `\relax` this will end the macro.

```

163     \reserved@f}%

```

We finish with reinserting the list of sizes after the `\reserved@f` macro and appending an empty element so that the end of the list is recognized properly.

```

164     \reserved@f#5,,%
165     \endgroup
166 }%
167 }
168 \@onlypreamble\DeclarePreloadSizes

```

`\ifmath@fonts` We need a switch to decide if we have to switch math fonts. For this purpose we provide `\ifmath@fonts` that can be set to true or false by the `\S@...` macros depending on if math fonts are provided for this size or not. The default is of course to switch all fonts.

```

169 \newif\ifmath@fonts \math@fontstrue

```

`\DeclareMathSizes` `\DeclareMathSizes` takes the text size, math text size, math script size, and math scriptscript size as arguments and defines the right `\S@...` macro.

```

170 \def\DeclareMathSizes{%
171   \@ifstar{\@DeclareMathSizes\math@fontsfalse}%
172   {\@DeclareMathSizes{}}%
173 \@onlypreamble\DeclareMathSizes

```

`\@DeclareMathSizes` This modification by Michael J. Downes on `comp.text.tex` on 2002/10/17 allows the user to have settings such as

```

\DeclareMathSizes{9.5dd}{9.5dd}{7.4dd}{6.6dd}.

```

```

174 />2kernel)
175 \<latexrelease>\IncludeInRelease{2015/01/01}{\@DeclareMathSizes}%
176 \<latexrelease>           {Arbitrary units in \DeclareMathSizes}%
177 /*2kernel|latexrelease>
178 \def\@DeclareMathSizes #1#2#3#4#5{%
179   \@defaultunits\dimen@ #2pt\relax\@nnil
180   \if $#3$%
181     \expandafter\let\csname S@ \strip@pt\dimen@\endcsname\math@fontsfalse
182   \else

```

```

183 \defaultunits\dimen@ii #3pt\relax\@nnil
184 \defaultunits\@tempdima #4pt\relax\@nnil
185 \defaultunits\@tempdimb #5pt\relax\@nnil
186 \toks@{#1}%
187 \expandafter\xdef\csname S@\strip@pt\dimen@\endcsname{%
188 \gdef\noexpand\tf@size{\strip@pt\dimen@ii}%
189 \gdef\noexpand\sfont@size{\strip@pt\@tempdima}%
190 \gdef\noexpand\ssfont@size{\strip@pt\@tempdimb}%
191 \the\toks@
192 }%
193 \fi
194 }%
195 \end{kernel}
196 \end{latexrelease}
197 \end{includeinrelease}
198 \end{includeinrelease}
199 \end{latexrelease}
200 \end{latexrelease}
201 \end{latexrelease}
202 \end{latexrelease}
203 \end{latexrelease}
204 \end{latexrelease}
205 \end{latexrelease}
206 \end{latexrelease}
207 \end{latexrelease}
208 \end{latexrelease}
209 \end{latexrelease}
210 \end{latexrelease}
211 \end{latexrelease}
212 \end{latexrelease}
213 \end{latexrelease}
214 \end{kernel}
215 \end{onlypreamble}

```

25 Selecting a new font

25.1 Macros for the user

`\fontencoding` As we said in the introduction a font is described by four parameters. We first define macros to specify the wanted *family*, *series*, or *shape*. These are simply recorded in internal macros `\fontfamily`, `\fontseries`, and `\fontshape`, resp. We use `\edef`'s so that the arguments can also be macros.

```

216 \DeclareRobustCommand\fontencoding[1]{%
217 \expandafter\ifx\csname T@#1\endcsname\relax
218 \latexerror{Encoding scheme ‘#1’ unknown}\@eha
219 \else
220 \edef\fontencoding{#1}%
221 \ifx\fontfamily\fontencoding

```

If the new encoding is the same as the old encoding we have nothing to do. However, in case we had a sequence of several encoding changes without a `\selectfont` in-between we can save processing by making sure that `\fontupdate` is `\relax`.

```

222         \let\enc@update\relax
223     \else

```

If current and new encoding differ we define the macro `\enc@update` to contain all updates necessary at `\selectfont` time.

```

224         \let\enc@update\@@enc@update
225     \fi
226 \fi
227 }

```

`\@@enc@update`

```

228 \def\@@enc@update{%

```

When `\@@enc@update` is executed `\f@encoding` holds the encoding name for the new encoding and `\cf@encoding` the name of the last active encoding.

We start by setting the init command for encoding dependent macros to `\@changed@cmd`.

```

229     \expandafter
230     \let
231     \csname\cf@encoding -cmd\endcsname
232     \@changed@cmd

```

Then we turn the one for the new encoding to `\@current@cmd` (see `ltoutenc.dtx` for further explanations).

```

233     \expandafter
234     \let
235     \csname\f@encoding-cmd\endcsname
236     \@current@cmd

```

We execute the default settings `\default@T`, followed by the one for the new encoding.

```

237     \default@T
238     \csname T@\f@encoding\endcsname

```

Finally we change the default substitution values, disable `\enc@update` and make `\f@encoding` officially the current encoding.

```

239     \csname D@\f@encoding\endcsname
240     \let\enc@update\relax
241     \let\cf@encoding\f@encoding
242 }

```

`\enc@update` The default action in `\selectfont` is to do nothing.

```

243 \let\enc@update\relax

```

`\fontfamily`

```

\fontfamily 244 \DeclareRobustCommand\fontfamily[1]{\edef\f@family{#1}}

```

`\fontseries`

```

\fontseries 245 \DeclareRobustCommand\fontseries[1]{\edef\f@series{#1}}

```

`\f@series`

```

\fontseries 246 \DeclareRobustCommand\fontshape [1]{\edef\f@shape{#1}}

```

`\fontshape`

Some handy abbreviation if you want to get some particular font in the current size. If also the size should change one has to issue a `\fontsize` command first.

```

247 \def\usefont#1#2#3#4{\fontencoding{#1}\fontfamily{#2}%
248     \fontseries{#3}\fontshape{#4}\selectfont
249     \ignorespaces}

```

`\linespread` The command `\linespread` changes the current `\baselinestretch` by calling `\set@fontsize`. The values for `\f@size` and `\f@baselineskip` will be left unchanged.

```

250 \DeclareRobustCommand\linespread[1]
251   {\set@fontsize{#1}\f@size\f@baselineskip}

```

`\fontsize` We also define a macro that allows to specify a size. In this case, however, we also need the value of `\baselineskip`. As the first argument to `\set@fontsize` we pass the current value of `\baselinestretch`. This will either match the internal value (in which case nothing changes, or it will be an updated value due to a user change of that macro using `\renewcommand`. If we would pass the internal `\f@linespread` such a change would be effectively overwritten by a size change.

```

252 \DeclareRobustCommand\fontsize[2]
253   {\set@fontsize\baselinestretch{#1}{#2}}

```

`\f@linespread` This macro holds the current internal value for `\baselinestretch`.

```

254 \let\f@family\@empty
255 \let\f@series\@empty
256 \let\f@shape\@empty
257 \let\f@size\@empty
258 \let\f@baselineskip\@empty
259 \let\f@linespread\@empty

```

`\cf@encoding`

```

260 \let\f@encoding\@empty
261 \let\cf@encoding\@empty

```

`\@defaultunits` The function `\@defaultunits` when wrapped around a `dimen` or `skip` assignment supplies default units. Usage:

```

\@defaultunits\dimen@=#1pt\relax\@nnil

```

Note: the `\relax` is *important*. Other units can be substituted for the ‘pt’ if desired.

We use `\remove@to@nnil` as an auxiliary macros for `\@defaultunits`. It just has to gobble the supplied default unit ‘pt’ or whatever, if it wasn’t used in the assignment.

```

262 \def\@defaultunits{\afterassignment\remove@to@nnil}

```

`\strip@pt` This macro strips the characters `pt` produced by using `\the` on a `dimen` register.

`\rem@pt`

```

263 \begingroup
264   \catcode‘P=12
265   \catcode‘T=12
266   \lowercase{
267     \def\x{\def\rem@pt##1.##2PT{##1\ifnum##2>\z@.##2\fi}}
268   \expandafter\endgroup\x
269 \def\strip@pt{\expandafter\rem@pt\the}

```

`\mathversion` `\mathversion` takes the math *version* name as argument, defines `\math@version` appropriately and switches to the font selected forcing a call to `\glb@settings` if the *version* is known to the system.

```

270 \DeclareRobustCommand\mathversion[1]
271   {\nomath\mathversion

```

```

272 \expandafter\ifx\csname mv@#1\endcsname\relax
273 \latexerror{Math version '#1' is not defined}\@eha\else
274 \edef\math@version{#1}%

```

We need to force a math font setup both now and at the point where we return to the previous math version. Forcing a math font setup can simply be done by setting `\glb@currsiz` to an invalid value since this will trigger the setup when the formula starts.

```

275 \gdef\glb@currsiz{}%

```

When the scope of the current `\mathversion` ends we need to restore the old setup. However this time we need to force it directly at least if we are inside math, otherwise we could wait. Another way to enhance this code here is to do the setting only if the version really has changed after all. This might be interesting in case of `amstext` and `boldsymbol`.

```

276 \aftergroup\glb@settings
277 \fi}

```

If \TeX would support a hook just before the end of a formula (opposite of `\everymath` so to speak) the implementation of the algorithm would be much simpler because in that case we would set up the correct math fonts at this point without having to worry about incorrect settings due to nesting. The same would be true if in \LaTeX the use of `$` (as the primitive \TeX command) would be impossible and instead only a higher-level interface would be available. Note that this does not mean that a `$` couldn't be the short-hand for starting and stopping that higher-level interface, it only means that the direct \TeX function must be hidden.

Anyway, since we don't have this and won't have it in \LaTeX 2_ϵ we need to implement it in a somewhat slower way.

We test for the current math font setup on entry of a formula, i.e., on the hooks `\everymath` and `\everydisplay`. But since these hooks may contain user data we provide ourselves with an internal version of these hooks which stays frozen.

```

\frozen@everymath New internal names for \everymath and \everydisplay.
\frozen@everydisplay 278 \let\frozen@everymath\everymath
279 \let\frozen@everydisplay\everydisplay

```

```

\everymath Now we provide now user hooks that will be called in the frozen internals.
\everydisplay 280 \newtoks\everymath
281 \newtoks\everydisplay

```

```

\frozen@everymath Now we define the behaviour of the frozen hooks: first check the math setup then
call the user hook.
282 \frozen@everymath = {\check@mathfonts
283 \the\everymath}

\frozen@everydisplay Ditto for the display hook.
284 \frozen@everydisplay = {\check@mathfonts
285 \the\everydisplay}

```

```

\curr@math@size This holds locally the current math size.
286 \let\curr@math@size\@empty

```

25.2 Macros for loading fonts

<code>\pickup@font</code>	<p>The macro <code>\pickup@font</code> which is used in <code>\selectfont</code> is very simple: if the font name is undefined (i.e. not known yet) it calls <code>\define@newfont</code> to load it.</p> <pre> 287 \def\pickup@font{% 288 \expandafter \ifx \font@name \relax 289 \define@newfont 290 \fi} </pre>
<code>\split@name</code>	<p><code>\pickup@font</code> assumes that <code>\font@name</code> is set but it is sometimes called when <code>\f@family</code>, <code>\f@series</code>, <code>\f@shape</code>, or <code>\f@size</code> may have the wrong settings (see, e.g., the definition of <code>\getanddefine@fonts</code>). Therefore we need a macro to extract font <i>family</i>, <i>series</i>, <i>shape</i>, and <i>size</i> from the font name. To this end we define <code>\split@name</code> which takes the font name as a list of characters of <code>\catcode 12</code> (without the backslash at the beginning) delimited by the special control sequence <code>\@nil</code>. This is not very complicated: we first ensure that <code>/</code> has the right <code>\catcode</code></p> <pre> 291 {\catcode'\/=12 </pre> <p>and define <code>\split@name</code> so that it will define our private <code>\f@encoding</code>, <code>\f@family</code>, <code>\f@series</code>, <code>\f@shape</code>, and <code>\f@size</code> macros.</p> <pre> 292 \gdef\split@name#1/#2/#3/#4/#5\@nil{\def\f@encoding{#1}% 293 \def\f@family{#2}% 294 \def\f@series{#3}% 295 \def\f@shape{#4}% 296 \def\f@size{#5}} </pre>
<code>\curr@fontshape</code>	<p>Abbreviation which may get removed again for speed.</p> <pre> 297 \def\curr@fontshape{\f@encoding/\f@family/\f@series/\f@shape} </pre>
<code>\define@newfont</code>	<p>Now we can tackle the problem of defining a new font.</p> <pre> 298 \def\define@newfont{% </pre> <p>We have already mentioned that the token list that <code>\split@name</code> will get as argument must not start with a backslash. To reach this goal we will set the <code>\escapechar</code> to <code>-1</code> so that the <code>\string</code> primitive will not generate an escape character. To keep this change local we open a group. We use <code>\begingroup</code> for this purpose since <code>\define@newfont</code> might be called in math mode, and an empty <code>\bgroup... \egroup</code> would add an empty Ord atom to the math list and thus affect the spacing.</p> <p>Also locally redefine <code>\typeout</code> so that ‘No file ...fd’ Warnings become Font Info message just sent to the log file.</p> <pre> 299 \begingroup 300 \let\typeout\@font@info 301 \escapechar\m@ne </pre> <p>Then we extract <i>encoding scheme</i>, <i>family</i>, <i>series</i>, <i>shape</i>, and <i>size</i> from the font name. Note the four <code>\expandafter</code>’s so that <code>\font@name</code> is expanded first, then <code>\string</code>, and finally <code>\split@name</code>.</p> <pre> 302 \expandafter\expandafter\expandafter 303 \split@name\expandafter\string\font@name\@nil </pre>

If the `\curr@fontshape` combination is not available, (i.e. undefined) we call the macro `\wrong@fontshape` to take care of this case. Otherwise `\extract@font` will load the external font for us.

```

304 %   \expandafter\ifx
305 %       \csname\curr@fontshape\endcsname \relax
306 %   \try@load@fontshape % try always
307 %   \fi
308 \expandafter\ifx
309     \csname\curr@fontshape\endcsname \relax
310 \wrong@fontshape\else

```

To allow substitution we call the `\curr@fontshape` macro which usually will expand to `\relax` but may hold code for substitution (see `\subst@fontshape` definition).

```

311 %       \csname\curr@fontshape\endcsname
312 \extract@font\fi

```

We are nearly finished and must only restore the `\escapechar` by closing the group.

```

313 \endgroup}

314 \def\try@load@fontshape{%
315     \expandafter
316     \ifx\csname \f@encoding+\f@family\endcsname\relax
317     \@font@info{Try loading font information for
318                 \f@encoding+\f@family}%

```

We predefine this combination to be `\@empty` which means that next time we don't try again unnecessary in case we don't find a `.fd` file. If the file contains a `\DeclareFontFamily` command than this setting will be overwritten.

```

319     \global\expandafter\let
320     \csname\f@encoding+\f@family\endcsname\@empty

```

Set the catcodes used in the syntax, but do it only once (this will be restored at the end of the font loading group).

```

321     \nfss@catcodes
322     \let\nfss@catcodes\relax

```

For increased portability make the external filename monospace, but look for the (old style) mixed case filename if the first attempt fails.

On any monospace system this means that the file is looked for twice which takes up time and string space, but at least for this release Check for both names to give people time to re-install their private `fd` files with lowercase names.

```

323     \edef\reserved@a{%
324         \lowercase{%
325             \noexpand\InputIfFileExists{\f@encoding\f@family.fd}}}%
326     \reserved@a\relax
327     {\@input@{\f@encoding\f@family.fd}}%
328 \fi}

```

`\nfss@catcodes` This macro should contain the standard `\catcode` assignments to all characters which are used in the commands found in an `.fd` file and which might have special `\catcodes` in the middle of a document. If necessary, this list can be extended in a package file using a suitable number of `\expandafter`, i.e.,

```

\expandafter\def\expandafter\nfss@catcodes
\expandafter{\nfss@catcodes <additional settings>}

```


Note, that this macro might get executed several times since it is also called by `\DeclareFontShape`, thus it probably should not be misused as a general purpose hook.

```
329 \def\nfss@catcodes{%
```

We start by making @ a letter and ignoring all blanks and newlines.

```
330     \makeatletter
331     \catcode'\ 9%
332     \catcode'\^^I9%
333     \catcode'\^^M9%
```

Then we set up \, {, }, # and % in case an .fd file is loaded during a verbatim environment.

```
334     \catcode'\\\z@
335     \catcode'\{ \@ne
336     \catcode'\}\tw@
337     \catcode'\#6%
338     \catcode'\^7%
339     \catcode'\%14%
```

The we make sure that the important syntax parts have the right `\catcode`.

```
340     \@makeother\<%
341     \@makeother\>%
342     \@makeother\*%
343     \@makeother\.%
344     \@makeother\-%
345     \@makeother\/%
346     \@makeother\[%
347     \@makeother\]%
348     \@makeother\'%
349     \@makeother\'%
350     \@makeother\"%
351 }
```

`\DeclareErrorFont` Declare the last resort shape! We assume that in this fontshape there is a 10pt font but it doesn't really matter. We only loose one macro name if the assumption is false. But at least the font should be there!

```
352 \def\DeclareErrorFont#1#2#3#4#5{%
353     \xdef\error@fontshape{%
354         \noexpand\expandafter\noexpand\split@name\noexpand\string
355         \expandafter\noexpand\csname#1/#2/#3/#4/#5\endcsname
356         \noexpand\@nil}%
```

Initialize all those internal variables which may or may not have values in the first seconds of NFSS' bootstrapping process. Later on such values will be updated when an encoding is selected, etc.

We definitely don't want to set `\f@encoding`; we can set all the others since if they are left "blank" any selection would grap "error default values" as well. However, this probably should go also.

```
357 %     \gdef\f@encoding{#1}%
358     \gdef\default@family{#2}%
359     \gdef\default@series{#3}%
360     \gdef\default@shape{#4}%
361     \global\let\f@family\default@family
```

```

362     \global\let\f@series\default@series
363     \global\let\f@shape\default@shape
364     \gdef\f@size{#5}%
365     \gdef\f@baselineskip{#5pt}%
366 }
367 \onlypreamble\DeclareErrorFont

```

`\wrong@fontshape` Before we come to the macro `\extract@font` we have to take care of unknown `\curr@fontshape` combinations. The general strategy is to issue a warning and to try a default *shape*, then a default *series*, and finally a default *family*. If this last one also fails T_EX will go into an infinite loop. But if the defaults are set incorrectly one deserves nothing else!

```

368 \ifx\curr@fontshape\undefined
369 \ifx\fontshape\undefined
370 \ifx\fontseries\undefined
371 \ifx\fontfamily\undefined
372 \def\wrong@fontshape{%
373     \csname D@f@encoding\endcsname % install defaults if in math
374     \edef\reserved@a{\csname\curr@fontshape\endcsname}%
375     \ifx\last@fontshape\reserved@a
376     \errmessage{Corrupted NFSS tables}%
377     \error@fontshape
378     \else

```

Then we warn the user about the mess and set the shape to its default.

```

379     \let\f@shape\default@shape
380     \ifx\fontseries\undefined
381     \let\f@series\default@series
382     \ifx\fontfamily\undefined
383     \let\f@family\default@family
384     \ifx\fontshape\undefined
385     \let\f@shape\default@shape
386     \ifx\fontseries\undefined
387     \let\f@series\default@series
388     \ifx\fontfamily\undefined
389     \let\f@family\default@family

```

If this is still undefined, try the default *family*. Otherwise give up. We never try to change the encoding scheme!

```

382     \expandafter\ifx\csname\curr@fontshape\endcsname\relax
383     \let\f@shape\default@shape
384     \ifx\fontseries\undefined
385     \let\f@series\default@series
386     \ifx\fontfamily\undefined
387     \let\f@family\default@family
388     \ifx\fontshape\undefined
389     \let\f@shape\default@shape

```

If we change the font family and we are in the preamble then the corresponding `.fd` file may not been loaded yet. Therefore we try this now. Otherwise equating the requested font shape with the finally selected fontshape below will fail and can result in “NFSS tables corrupted”. After begin document that will not happen as all `.fd` files involved in substitution are loaded at `\begin{document}`.

```

385     \begingroup
386     \try@load@fontshape
387     \endgroup
388     \fi \fi
389     \fi

```

At this point a valid `\curr@fontshape` combination must have been found. We inform the user about this fact.

The `\expandafter\string` here stops T_EX adding the space that it usually puts after command names in messages. The similar construction with `\@undefined` just produces ‘undefined’, but saves a few tokens.

`\@wrong@font@char` is locally redefined in `\UseTextSymbol` from its normal (empty) definition, to report the symbol generating the font switch.

```
390 \font@warning{Font shape '\expandafter\string\reserved@a'
391 \expandafter@gobble\string\undefined\MessageBreak
392 using '\curr@fontshape' instead@\wrong@font@char}%
393 \global\let\last@fontshape\reserved@a
```

We change `\@defaultsubs` to produce a warning at the end of the document.

The macro `\@defaultsubs` is initially `\relax` but gets changed here if some default font substitution happens. It is then executed in `\enddocument`.

```
394 \gdef\@defaultsubs{%
395 \font@warning{Some font shapes were not available, defaults
396 substituted.\@gobbletwo}}%
```

If we substitute a `\curr@fontshape` combination by the default one we don't want the warning to be printed out whenever this (unknown) combination is used. Therefore we globally `\let` the macro corresponding to the wanted combination equal to its substitution. This requires the use of four `\expandafter`'s since `\csname... \endcsname` has to be expanded before `\reserved@a` (i.e. the requested combination), and this must happen before the `\let` is executed.

```
397 \global\expandafter\expandafter\expandafter\let
398 \expandafter\reserved@a
399 \csname\curr@fontshape\endcsname
```

Now we can redefine `\font@name` accordingly. This *must* be done globally since it might occur in the group opened by `\define@newfont`. If we would this definition were local the closing `\endgroup` there would restore the old meaning of `\font@name` and then switch to the wrong font at the end of `\selectfont` although the correct font was loaded.

```
400 \xdef\font@name{%
401 \csname\curr@fontshape/\f@size\endcsname}%
```

The last thing this macro does is to call `\pickup@font` again to load the font if it is not defined yet. At this point this code will loop endlessly if the defaults are not well defined.

```
402 \pickup@font}
403 </2ekernel | latexrelease>
404 <latexrelease>\EndIncludeInRelease
405 <latexrelease>\IncludeInRelease{0000/00/00}{\wrong@fontshape}%
406 <latexrelease> {Font substitution in preamble}%
407 <latexrelease>\def\wrong@fontshape{%
408 <latexrelease> \csname D@\f@encoding\endcsname
409 <latexrelease> \edef\reserved@a{\csname\curr@fontshape\endcsname}%
410 <latexrelease> \ifx\last@fontshape\reserved@a
411 <latexrelease> \errmessage{Corrupted NFSS tables}%
412 <latexrelease> \error@fontshape
413 <latexrelease> \else
414 <latexrelease> \let\f@shape\default@shape
415 <latexrelease> \expandafter\ifx\csname\curr@fontshape\endcsname\relax
416 <latexrelease> \let\f@series\default@series
417 <latexrelease> \expandafter
418 <latexrelease> \ifx\csname\curr@fontshape\endcsname\relax
419 <latexrelease> \let\f@family\default@family
420 <latexrelease> \fi \fi
```

```

421 \latexrelease \fi
422 \latexrelease \font@warning{Font shape
423 \latexrelease '\expandafter\string\reserved@a'
424 \latexrelease \expandafter\@gobble\string\@undefined
425 \latexrelease \MessageBreak
426 \latexrelease using '\curr@fontshape' instead\@wrong@font@char}%
427 \latexrelease \global\let\last@fontshape\reserved@a
428 \latexrelease \gdef\@defaultsubs{%
429 \latexrelease \font@warning{Some font shapes were not available,
430 \latexrelease defaults substituted.\@gobbletwo}}%
431 \latexrelease \global\expandafter\expandafter\expandafter\let
432 \latexrelease \expandafter\reserved@a
433 \latexrelease \csname\curr@fontshape\endcsname
434 \latexrelease \xdef\font@name{%
435 \latexrelease \csname\curr@fontshape/\f@size\endcsname}%
436 \latexrelease \pickup@font}
437 \latexrelease \EndIncludeInRelease
438 \*2kernel)

```

\@wrong@font@char Normally empty but redefined in \UseTextSymbol so that the Font shape undefined message can refer to the symbol causing the problem.

```
439 \let\@wrong@font@char\empty
```

\@@defaultsubs See above.

```
\@defaultsubs 440 \let\@defaultsubs\relax
```

\strip@prefix In \extract@font we will need a way to recover the replacement text of a macro. This is done by the primitive \meaning together with the macro \strip@prefix (for the details see appendix D of the *TeXbook*, p. 382).

```
441 \def\strip@prefix#1>{\}
```

26 Assigning math fonts to *versions*

\install@mathalphabet This is just another name for \gdef but we can redefine it if necessary later on.

```
442 \let\install@mathalphabet\gdef
```

\math@fonts

```
443 \let\math@fonts\empty
```

\select@group \select@group has four arguments: the new *math alphabet identifier* (a control sequence), the *math group number*, the extra macro for math mode and the \curr@fontshape definition macro name. We first check if we are in math mode.

```
444 %\def\select@group#1#2#3{\relax\ifmmode
```

We do these things locally using \begin@group instead of \bgroup to avoid the appearance of an empty Ord atom on the math list.

```
445 % \begin@group
```

We set the math fonts for the *family* in question by calling \getanddefine@fonts in the correct environment.

```
446 % \escapechar\m@ne
```

```
447 % \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
```

We globally select the math fonts...

```
448 % \globaldefs\@ne \math@fonts
```

... and close the group to restore `\globaldefs` and `\escapechar`.

```
449 % \endgroup
```

As long as no *size* or *version* change occurs the $\langle\textit{math alphabet identifier}\rangle$ should simply switch to the installed *math group* instead of calling `\select@group` unnecessarily. So we globally redefine the first argument (the new $\langle\textit{math alphabet identifier}\rangle$) to expand into a `\mathgroup` switch and then select this *alphabet*. Note that this redefinition will be overwritten by the next call to a *version* macro.

The original code for the end of `\select@group` was

```
\gdef#1{#3\mathgroup #2}#1\fi}
```

i.e. first redefining the $\langle\textit{math alphabet identifier}\rangle$ and then calling the new definition to switch to the wanted $\langle\textit{math group}\rangle$. Now we define the $\langle\textit{math alphabet identifier}\rangle$ as a call to the `\use@mathgroup` command.

```
450 % \xdef#1{\noexpand\use@mathgroup\noexpand#2%
```

```
451 % \number\csname c@mv@\math@version\endcsname}}%
```

But this is not sufficient, as we learned the hard way. The problem here is that the loading of the fonts that comprise the alphabet identifier `#1`, as well as the necessary math font assignments is deferred until it is used. This is OK so far, but if the fonts are switched within the current formula (which may happen if a sub-formula is a box that contains a math version switch) the font assignments for `#1` are not restored unless `#1` is used again. This is disastrous since TeX sees the wrong fonts at the end of the math formula, when it converts the math list into a horizontal list.

This is taken into account as follows: When a math alphabet identifier is used for the first time in a certain version it modifies the corresponding macro `\mv@<version>` so that it calls `\getanddefine@fonts` directly in future as well. We use the macro `\extract@alph@from@version` to do this. It takes the math alphabet identifier `#1` and the math version macro as arguments.

```
452 % \expandafter\extract@alph@from@version
```

```
453 % \csname mv@\math@version\expandafter\endcsname
```

```
454 % \expandafter{\number\csname c@mv@\math@version\endcsname}}%
```

```
455 % #1%
```

```
456 % \stepcounter{mv@\math@version}}%
```

Finally, it is not possible to simply call the new definition since we have an argument (the third argument of `\use@mathgroup` or more exactly the argument of `\math@egroup` if the `margid` option is in force) which would swallow our closing `\fi`. So we use the `\expandafter` technique to remove the `\fi` before the `\use@mathgroup` is expanded.

```
457 %\expandafter #1\fi}
```

`\extract@alph@from@version`

We proceed to the definition of the macro `\extract@alph@from@version`. As stated above, it takes a math alphabet identifier and a math version macro (e.g. `\mv@normal`) as its arguments.

```
458 \def\extract@alph@from@version#1#2#3{%
```

To extract and replace the definition of math alphabet identifier `#3` in macro `#1` we have to recall how this definition looks like: Somewhere in the replacement

text of #1 there is the sequence

```
\install@mathalphabet<math alphabet identifier> #3{%
  <Definitions for >#3}
```

Hence, the first thing we do is to extract the tokens preceding this definitions, the definition itself, and the tokens following it. To this end we define one auxiliary macro `\reserved@a`.

```
459      \def\reserved@a##1\install@mathalphabet#3##2##3\@nil{%
```

When `\reserved@a` is expanded, it will have the tokens preceding the definition in question in its first argument (`##1`), the following tokens in its third argument (`##3`), and the replacement text for the math alphabet identifier `#3` in its second argument. (`##2`). This is then recorded for later use in a temporary macro `\reserved@b`.

```
460      \def\reserved@b{##2}%
```

Additionally, we define a macro `\reserved@c` to reconstruct the definitions for the math version in question from the tokens that will remain unchanged (`##1` and `##3`) and the yet to build new definitions for the math alphabet identifier `#3`.

```
461      \def\reserved@c####1{\gdef#1{##1####1##3}}%
```

Then we execute our auxiliary macro.

```
462      \expandafter\reserved@a#1\@nil
```

OK, so now we have to build the new definition for `#3`. To do so, we first extract the interesting parts out of the old one. The old definition looks like:

```
\select@group<math alphabet identifier>
  <math group number><math extra part>
<curr@fontshape definition>
```

So we define a new temporary macro `\reserved@a` that extracts these parts.

```
463      \def\reserved@a\select@group#3##1##2\@nil{%
```

This macro can now directly rebuild the math version definition by calling `\reserved@c`:

```
464      \reserved@c{%
465      \getanddefine@fonts{#2}##2%
466      \install@mathalphabet#3{%
467      \relax\ifmmode \else \non@alpherr#3\fi
468      \use@mathgroup##1{#2}}}%
```

In addition it defines the alphabet the way it should be used from now on.

```
469      \gdef#3{\relax\ifmmode \else \non@alpherr#3\fi
470      \use@mathgroup##1{#2}}}%
```

Finally, we only have to call this macro `\reserved@a` on the old definitions recorded in `\reserved@b`:

```
471      \expandafter\reserved@a\reserved@b\@nil
472      }
```

`\math@bgroup` Here are the default definitions for `\math@bgroup` and `\math@egroup`. We use `\bgroup` instead of `\begingroup` to avoid ‘leaking out’ of style changes. This has the side effect of always producing mathord atoms.

```
473 \let\math@bgroup\bgroup
474 \def\math@egroup#1{#1\egroup}
```



```

505 \long\def\showhyphens#1{%
506   \setbox0\vbox{%
507     \usefont{TU}{lmr}{m}{n}%
508     \hsize 1sp %
509     \hbadness\@M
510     \hfuzz\maxdimen
511     \tracingonline\z@
512     \everypar={}%
513     \leftskip\z@skip
514     \rightskip\z@skip
515     \parfillskip\z@skip
516     \hyphenpenalty=-\@M
517     \pretolerance\m@ne
518     \interlinepenalty\z@
519     \clubpenalty\z@
520     \widowpenalty\z@
521     \brokenpenalty1127 %
522     \setbox\z@\hbox{%
523       \noindent
524       \hskip\z@skip
525       #1%
526       \par

```

Note here we stop the loop if made no progress, non-removable items may mean that we can not process the whole list (which would be testable as \lastnodetype=-1).

```

527   \loop
528   \@tempswafalse
529   \ifnum\lastnodetype=11\unskip\@tempswatrue\fi
530   \ifnum\lastnodetype=12\unkern\@tempswatrue\fi
531   \ifnum\lastnodetype=13 %
532     \count@\lastpenalty
533     \unpenalty\@tempswatrue
534   \fi
535   \ifnum\lastnodetype=\@ne
536     \setbox\tw@\lastbox\@tempswatrue
537     \setbox0\hbox{\unhbox\tw@\unskip\unskip\unpenalty
538                   \ifnum\count@=1127 \else\ \fi
539                   \unhbox0}%
540     \count@\z@
541   \fi
542   \if@tempswa
543     \repeat
544     \hbadness\z@
545     \hsize\maxdimen
546     \showboxdepth\z@
547     \tolerance\m@ne
548     \hyphenpenalty\z@
549     \noindent\unhbox\z@
550 }}
551 \fi
552 </2ekernel | latexrelease>
553 <latexrelease>\EndIncludeInRelease
554 <latexrelease>\IncludeInRelease{0000/00/00}{\showhyphens}%

```



```

555 \latexrelease\XeTeX support for \showhyphens}%
556 \latexrelease\gdef\showhyphens#1{%
557 \latexrelease\setbox0\vbox{%
558 \latexrelease\color@begingroup
559 \latexrelease\everypar{%
560 \latexrelease\parfillskip\z@skip\hsize\maxdimen
561 \latexrelease\normalfont
562 \latexrelease\pretolerance\m@ne\tolerance\m@ne
563 \latexrelease\hbadness\z@\showboxdepth\z@\ #1%
564 \latexrelease\color@endgroup}}
565 \latexrelease\EndIncludeInRelease
566 \*2ekernel)

\addto@hook We need a macro to add tokens to a hook.
567 \long\def\addto@hook#1#2{#1\expandafter{\the#1#2}}

\@vpt
568 \def\@vpt{5}

\@vipt
569 \def\@vipt{6}

\@viipt
570 \def\@viipt{7}

\@viiipt
571 \def\@viiipt{8}

\@ixpt
572 \def\@ixpt{9}

\@xpt
573 \def\@xpt{10}

\@xipt
574 \def\@xipt{10.95}

\@xiipt
575 \def\@xiipt{12}

\@xivpt
576 \def\@xivpt{14.4}

\@xviipt
577 \def\@xviipt{17.28}

\@xxpt
578 \def\@xxpt{20.74}

\@xxvpt
579 \def\@xxvpt{24.88}
580 \*2ekernel)

```

File p

ltfsstrc.dtx

27 Introduction

This package contains the code for tracing font loading and font changes. It basically overlays some of the low-level functions of NFSS with additional code used for tracing.

The package accepts the following options:

errorshow Write all information about font changes etc. only to the transcript file unless an error happens. This means that information about font substitution will not be shown on the terminal.

warningshow Show all NFSS warnings on the terminal. This setting corresponds to the default behaviour of NFSS if the `tracefnt` package is *not* loaded!

infoshow Show all NFSS warning and all NFSS info messages (that are normally only written to the transcript file) also on the terminal. This is the default if the `tracefnt` package is loaded.

debugshow In addition to `infoshow` show also changing of math fonts as far as possible (this option can produce a large amount of output).

loading Show the name of external fonts when they are loaded. This option shows only “newly” loaded fonts not those already preloaded in the format or the class file before the `tracefnt` package became active.

pausing Turn all font warnings into errors so that L^AT_EX will stop.

28 A driver for this document

The next bit of code contains the documentation driver file for T_EX, i.e., the file that will produce the documentation you are currently reading. It will be extracted from this file by the DOCSTRIP program.

When this file is processed directly by L^AT_EX this will produce the documentation as well.

```
1 (*driver)
2 \documentclass{ltxdoc}
3
4
5 %\OnlyDescription % comment out for implementation details
6
7 \begin{document}
8   \DocInput{ltfsstrc.dtx}
9 \end{document}
10 /driver
```

29 The Implementation

Warning: Read the macro documentation with a grain of salt. It is still basically the documentation from the first NFSS release and therefore in some cases probably not completely accurate.

If we are making a package file it is a good idea to test whether we are running under 2e. This code is actually placed at the very beginning of this file for easier maintenance, thus commented out here.

```
11 (*package)
12 %\NeedsTeXFormat{LaTeX2e}
13 %\ProvidesPackage{tracefnt}[??/??/?? v?.??]
14 %
15 %\Standard LaTeX package (font tracing)]
16 \end{package}
```

The `debug` module makes use of commands contained in a special package file named `trace.sty`.⁴

```
16 \ifdebug \input trace.sty
```

30 Handling Options

`\tracingfonts` Here is the definition of the integer register for the font trace. As a default in a package file we use 1 to give error messages if fonts are substituted. If this code is used for debugging or tracing reasons in the format file (i.e. in `fam.dtx`) we use 0 as the default. But if no font trace is used we build a definition that will produce a warning message.

```
17 (*2ekernel)
18 \def\tracingfonts{%
19   \@font@warning{Command \noexpand\tracingfonts
20     not provided.\MessageBreak
21     Use the ‘tracefnt’ package.\MessageBreak Command found:}%
22   \count@}
23 \end{2ekernel}
```

The `\count@` in the line above will remove the number after `\tracingfonts`. Note that this definition will be overwritten by the next line if one of these modules are included.

```
24 (*package, trace, debug)
25 \newcount\tracingfonts
26 \tracingfonts=0
27 \end{package, trace, debug}
```

The option `errorshow` turns off all warnings so that only real errors are shown. `warningshow` corresponds to the NFSS default (when `tracefnt` is not loaded). `info` is the default for this package here; and `debugshow`, `loading`, and `pausing` extend the amount of information even further.

```
28 (*package)
29 \DeclareOption{errorshow}{%
30   \def\@font@info#1{%
31     \GenericInfo{(Font)}\@spaces\@spaces\@spaces\space\space}%
32   }
33 \end{package}
```

⁴This package is not in distribution at the moment (and probably doesn't any longer work). Think of this part of the code as being historical artefacts.

```

32             {LaTeX Font Info: \space\space\space#1}}%
33   \def\@font@warning#1{%
34     \GenericInfo{(Font)\@spaces\@spaces\@spaces\space\space}%
35     {LaTeX Font Warning: #1}}%
36   }
37 \DeclareOption{warningshow}{%
38   \def\@font@info#1{%
39     \GenericInfo{(Font)\@spaces\@spaces\@spaces\space\space}%
40     {LaTeX Font Info: \space\space\space#1}}%
41   \def\@font@warning#1{%
42     \GenericWarning{(Font)\@spaces\@spaces\@spaces\space\space}%
43     {LaTeX Font Warning: #1}}%
44   }
45 \DeclareOption{infoshow}{%
46   \def\@font@info#1{%
47     \GenericWarning{(Font)\@spaces\@spaces\@spaces\space\space}%
48     {LaTeX Font Info: \space\space\space#1}}%
49   \def\@font@warning#1{%
50     \GenericWarning{(Font)\@spaces\@spaces\@spaces\space\space}%
51     {LaTeX Font Warning: #1}}%
52   }
53 \DeclareOption{loading}{%
54   \tracingfonts\tw@
55   }
56 \DeclareOption{debugshow}{%
57   \ExecuteOptions{infoshow}%
58   \tracingfonts\thr@@
59   }
60 \DeclareOption{pausing}{%
61   \def\@font@warning#1{%
62     \GenericError
63     {(Font)\@spaces\@spaces\@spaces\space\space}%
64     {LaTeX Font Warning: #1}%
65     {See the LaTeX Companion for details.}%
66     {I'll stop for every LaTeX Font Warning because
67     you requested\MessageBreak the 'pausing' option
68     to the tracefnt package.}}%
69   }

```

We make `infoshow` the default, which in turn defines `\font@warning` and `\font@info`.

```

70 \ExecuteOptions{infoshow}
71 \ProcessOptions
72 \end{package}

```

We also need a default definition inside the kernel:

```

73 \ifx\kernel
74   \def\@font@info#1{%
75     \GenericInfo{(Font)\@spaces\@spaces\@spaces\space\space}%
76     {LaTeX Font Info: \space\space\space#1}}%
77   \def\@font@warning#1{%
78     \GenericWarning{(Font)\@spaces\@spaces\@spaces\space\space}%

```

```

79                                     {LaTeX Font Warning: #1}}%
80 </2ekernel>

```

31 Macros common to fam.tex and tracefnt.sty

In the first versions of `tracefnt.dtx` some macros of `fam.dtx`⁵ were redefined to included the extra tracing information. Now these macros are all defined in this file (i.e. removed from `fam.dtx`) and different production versions can be obtained simply by specifying a different set of modules to include when generating `lftss.dtx`.

31.1 General font loading

`\extract@font` This macro organizes the font loading. It first calls `\get@external@font` which will return in `\external@font` the name of the external font file (the .tfm) as it was determined by the NFSS tables.

```

81 <*2ekernel | package>
82 \def\extract@font{%
83   \get@external@font

```

Then the external font is loaded and assigned to the font identifier stored inside `\font@name` (for this reason we need `\expandafter`).

```

84   \global\expandafter\font\font@name\external@font\relax

```

When tracing we typeout the internal and external font name.

```

85 <*trace>
86   \ifnum \tracingfonts >\@ne
87     \@font@info{External font '\external@font'
88               loaded as\MessageBreak \font@name}\fi
89 </trace>

```

Finally we call the corresponding “loading action” macros to finish things. First the font is locally selected to allow the use of `\font` inside the loading action macros.

```

90   \font@name \relax

```

The next two lines execute the “loading actions” for the family and then for the individual font shape.

```

91   \csname \f@encoding+\f@family\endcsname
92   \csname\curr@fontshape\endcsname
93   \relax
94   }
95 </2ekernel | package>

```

The `\relax` at the end needs to be explained. This is inserted to prevent `TEX` from scanning too far when it is executing the replacement text of the loading code macros.

`\get@external@font` This function tries to find an external font name. It will place the name into the macro `\external@font`. If no font is found it will return the one that was defined via `\DeclareErrorFont`.

```

96 <*2ekernel>
97 \def\get@external@font{%

```

⁵This file is currently not distributed in documented form. Its code is part of `lftss.dtx`.

We don't know the external font name at the beginning.

```

98   \let\external@font\@empty
99   \edef\font@info{\expandafter\expandafter\expandafter\string
100     \csname \curr@fontshape \endcsname}%
101   \try@size@range

```

If this failed, we'll try to substitute another size of the same font. This is done by the `\try@size@substitution` macro. It “knows about” `\do@extract@font`, `\font@name`, `\f@size`, and so on.

```

102   \ifx\external@font\@empty
103     \try@size@substitution
104     \ifx\external@font\@empty
105       \@latex@error{Font \expandafter \string\font@name\space
106         not found}\@eha
107       \error@fontshape
108       \get@external@font
109     \fi\fi
110 }
111 /2ekernel)

```

`\selectfont` The macro `\selectfont` is called whenever a font change must take place.

```

112 (*2ekernel | package)
113 \DeclareRobustCommand\selectfont
114   {%

```

When `debug` is specified we actually want something like ‘`undebg`’. The font selection is now stable so that using `\tracingall` on some other macros will show us a lot of unwanted information about font loading. Therefore we disable tracing during font loading as long as `\tracingfonts` is less than 4.

```

115 (+debug) \pushtracing
116 (+debug) \ifnum\tracingfonts<4 \tracingoff
117 (+debug) \else \tracingon\p@selectfont \fi

```

If `\baselinestretch` was redefined by the user it will not longer match its internal counterpart `\f@linespread`. If so we call `\set@fontsize` to prepare `\size@update`.

```

118   \ifx\f@linespread\baselinestretch \else
119     \set@fontsize\baselinestretch\f@size\f@baselineskip \fi

```

Then we generate the internal name of the font by concatenating *family*, *series*, *shape*, and current *size*, with slashes as delimiters between them. This is much more readable than standard L^AT_EX's `\twfbf`, etc. We define `\font@name` globally, as always. The reason for this is explained later on.

```

120   \xdef\font@name{%
121     \csname\curr@fontshape/\f@size\endcsname}%

```

We call the macro `\pickup@font` which will load the font if necessary.

```

122   \pickup@font

```

Then we select the font.

```

123   \font@name

```

If `\tracingfonts` is greater than 2 we also show the font switch. We do this before `\glb@settings` is called since this macro might redefine `\font@name`.

```

124 (*trace)

```

```

125     \ifnum \tracingfonts>\tw@
126         \font@info{Switching to \font@name}\fi
127 </trace>

```

Finally we call `\size@update`. This macro is normally empty but will contain actions (like setting the `\baselineskip`) that have to be carried out when the font size, the base `\baselineskip` or the `\baselinestretch` have changed.

```

128     \size@update

```

A similar function is called to handle anything related to encoding updates. This one is changed from `\relax` by `\fontencoding`.

```

129     \enc@update

```

Just before ending this macro we have to pop the tracing stack if it was pushed before.

```

130 <+debug> \poptracing
131     }

```

`\set@fontsize` The macro `\set@fontsize` does the actual work. First it assigns new values to `\f@size`, `\f@baselineskip` and `\f@linespread`.

```

132 \def\set@fontsize#1#2#3{%
133     \@defaultunits\@tempdimb#2pt\relax\@nnil
134     \edef\f@size{\strip@pt\@tempdimb}%
135     \@defaultunits\@tempskipa#3pt\relax\@nnil
136     \edef\f@baselineskip{\the\@tempskipa}%
137     \edef\f@linespread{#1}%

```

For backward compatibility and for later testing within `\selectfont` the internal value of `\f@linespread` is passed back to `\baselinestretch`.

```

138     \let\baselinestretch\f@linespread

```

Additional processing will happen within `\selectfont`. For this reason the macro `\size@update` (which will be called in `\selectfont`) will be defined to be:

```

139     \def\size@update{%

```

First calculate the new `\baselineskip` and also store it in `normalbaselineskip`

```

140         \baselineskip\f@baselineskip\relax
141         \baselineskip\f@linespread\baselineskip
142         \normalbaselineskip\baselineskip

```

then to set up a new `\strutbox`

```

143         \setbox\strutbox\hbox{%
144             \vrule\@height.7\baselineskip
145             \@depth.3\baselineskip
146             \@width\z@}%

```

We end with a bit of tracing information.

```

147 <*trace>
148     \ifnum \tracingfonts>\tw@
149         \ifx\f@linespread\@empty
150             \let\reserved@a\@empty
151         \else
152             \def\reserved@a{\f@linespread x}%
153         \fi
154         \font@info{Changing size to \f@size/\reserved@a
155             \f@baselineskip}%
156         \aftergroup\type@restoreinfo \fi
157 </trace>

```

When all this is processed `\size@update` redefines itself to `\relax` so that in later calls of `\selectfont` no extra code will be executed.

```
158      \let\size@update\relax}%
159  }
```

Instead of defining this macro internally we might speed things up by placing the code into a separate macro and use `\let`!

`\size@update` Normally this macro does nothing; it will be redefined by `\set@fontsize` to initiate an update.

```
160 \let\size@update\relax
```

`\type@restoreinfo` This macro produces some info when a font size and/or baseline change will get restored.

```
161 (*trace)
162   \def\type@restoreinfo{%
163     \ifx\f@linespread\@empty
164       \let\reserved@a\@empty
165     \else
166       \def\reserved@a{\f@linespread x}%
167     \fi
168     \@font@info{Restoring size to
169                \f@size/\reserved@a\f@baselineskip}}
170 (/trace)
```

`\glb@settings` The macro `\glb@settings` globally selects all math fonts for the current size if necessary.

```
171 \def\glb@settings{%
```

When `\glb@settings` gains control a size change was requested and all previous font assignments need to be replaced. Therefore the old values of the fonts are no longer needed. For every *math group* the new assignments are appended to `\math@fonts`. But this happens only if the `math@fonts` switch is set to true. However, we always set up the correct math sizes for script and scriptscript fonts since they may be needed even if we don't set up the whole math machinery.

Here we set the math size, script size and scriptscript size. If the `S@...` macro is not defined we have to first calculate the three sizes.

```
172   \expandafter\ifx\csname S@\f@size\endcsname\relax
173     \calculate@math@sizes
174   \fi
```

The effect of this is that `\calculate@math@sizes` may or may not define the `S@...` macro. In the first case the next time the same size is requested this macro is used, otherwise `\calculate@math@sizes` is called again. This also sets the `math@fonts` switch. If it is true we must switch the math fonts.

```
175   \csname S@\f@size\endcsname
176   \ifmath@fonts
177 (*trace)
178   \ifnum \tracingfonts>\tw@
179     \@font@info{Setting up math fonts for
180                \f@size/\f@baselineskip}\fi
181 (/trace)
```


Inside a group we execute the macro for the current math *version*. This sets `\math@fonts` to a list of `\textfont...` assignments. `\getanddefine@fonts` (which may be called at this point) needs the `\escapechar` parameter to be set to `-1`.

```
182      \begingroup
183      \escapechar\m@ne
184      \csname mv@\math@version \endcsname
```

Then we set `\globaldefs` to 1 so that all following changes are done globally. The math font assignments recorded in `\math@fonts` are executed and `\glb@currsz` is set equal to `\f@size`. This signals that the fonts for math in this size are set up.

```
185      \globaldefs\@ne
186      \math@fonts
187      \let \glb@currsz \f@size
188      \endgroup
```

Finally we execute any code that is supposed to happen whenever the math font setup changes. This register will be executed in local mode which means that everything that is supposed to have any effect should be done globally inside. We can't execute it within `\globaldefs\@ne` as we don't know what ends up inside this register, e.g., it might contain calculations which use some local registers to calculate the final (global) value.

```
189      \the\every@math@size
```

Otherwise we announce that the math fonts are not set up for this size.

```
190 (*trace)
191      \else
192          \ifnum \tracingfonts>\tw@
193              \@font@info{No math setup for
194                          \f@size/\f@baselineskip}\fi
195      \fi
196      \fi
197 }
198 \endkernel | package)
```

`\baselinestretch` In `\selectfont` we used `\baselinestretch` as a factor when assigning a value to `\baselineskip`. We use 1 as a default (i.e. no stretch).

```
199 (*2ekernel)
200 \def\baselinestretch{1}
```

`\every@math@size` We must still define the hook `\every@math@size` we used in `\glb@settings`. We initialize it to nothing. It is important to remember that everything that goes into this hook should to global updates, local changes will have weird effects.

```
201 \newtoks\every@math@size
202 \every@math@size={}
203 \endkernel
```

31.2 Math fonts setup

31.2.1 Outline of algorithm for math font sizes

\TeX uses the the math fonts that are current when the end of a formula is reached. If we don't want to keep font setups local to every formula (which would result in

an enormous overhead, we have to be careful not to end up with the wrong setup in case formulas are nested, e.g., we need to be able to handle

```
$ a=b+c \mbox{ \small for all $b$ and $c\in Z$}$
```

Here the inner formulae `b` and `c\in Z` are typeset in `\small` but we have to return to `\normalsize` before we reach the closing `$` of the outer formula.

This is handled in the following way:

1. At any point in the document the global variable `\gbl@currsiz` contains the point size for which the math fonts currently are set up.
2. Whenever we start a formula we compare its value with the local variable `\f@size` that describes the current text font size.
3. If both are the same we assume that we can use the current math font setup without adjustment.
4. If they differ we call `\gbl@settings` which changes the math font setup and updates `\gbl@currsiz`.
 - (a) If we are recursively inside another formula (`\if@inmath`) we ensure that `\gbl@settings` is executed again in the outer formula, so that the old setup is automatically restored.
 - (b) Otherwise, we set the switch `@inmath` locally to `true` so that all nested formulae will be able to detect that they are nested in some outer formula.

The above algorithm has the following features:

- For sizes which are not containing any formula no math setup is done. Compared to the original algorithm of NFSS this results in the following savings:
 - No unnecessary loading of math fonts for sizes that are not used to typeset any math formulae (explicit or implicit ones).
 - No time overhead due to unnecessary changes of the math font setup on entrance and exit of the text font size.
- Math font setup changes for top-level formulae will survive (there is no restoration after the formula) thus any following formula in the same size will be directly typesettable. Compared to original implementation in NFSS2 the new algorithm has the overhead of one test per formula to see if the current math setup is valid (in the original algorithm the setup was always valid, thus no test was necessary).
- In nested formulae the math font setup is restored in the outer formula by a series of `\aftergroup` commands and checks. Compared to the original algorithm this involves additional checks ($2 \times \langle \text{non-math levels} \rangle$ per inner formula).

31.2.2 Code for math font size setting

`\check@mathfonts` In the `\check@mathfonts` macros we implement the steps 2 to 4 except that instead of a switch the macro `\init@restore@glb@settings` is used.

```

204 (*2ekernel|package)
205 \def\check@mathfonts{%
206   \ifx \glb@currsiz \f@size
207   (*trace)
208     \ifnum \tracingfonts>\thr@@
209       \@font@info{*** MATH: no change \f@size\space
210         curr/global (\curr@math@size/\glb@currsiz)}\fi
211   (/trace)
212   \else
213   (*trace)
214     \ifnum \tracingfonts>\thr@@
215       \@font@info{*** MATH: setting up \f@size\space
216         curr/global (\curr@math@size/\glb@currsiz)}\fi
217   (/trace)
218     \glb@settings
219     \init@restore@glb@settings
220   \fi
221   \let\curr@math@size\f@size
222   \def\init@restore@glb@settings{\aftergroup\restglb@settings}%
223 }
```

`\init@restore@glb@settings` This macros does by default nothing but get redefined inside `\check@mathfonts` to initiate fontsize restoring in nested formulas.

```

224 (-trace)\let\init@restore@glb@settings\relax
225 (*trace)
226 \def\init@restore@glb@settings{%
227   \ifnum \tracingfonts>\thr@@
228     \@font@info{*** MATH: no resetting (not in
229       nested math)}\fi
230 }
231 (/trace)
```

`\restglb@settings` This macro will be executed the first time after the current formula.

```

232 \def\restglb@settings{%
233   (*trace)
234     \ifnum \tracingfonts>\thr@@
235       \@font@info{*** MATH: restoring}\fi
236   (/trace)
237     \begingroup
238       \let\f@size\curr@math@size
239       \ifx\glb@currsiz \f@size
240   (*trace)
241     \ifnum \tracingfonts>\thr@@
242       \@font@info{*** MATH: ... already okay (\f@size)}\fi
243   (/trace)
244     \else
245   (*trace)
246     \ifnum \tracingfonts>\thr@@
247       \@font@info{*** MATH: ... to \f@size}\fi
248   (/trace)
```

```

249         \glb@settings
250     \fi
251 \endgroup
252 }

```

31.2.3 Other code for math

`\use@mathgroup` The `\use@mathgroup` macro should be used in user macros to select a math group. Depending on whether or not the `margid` option is in force it has two or three arguments. For this reason it should be called as the last macro.

First we test if we are inside math mode since we don't want to apply a useless definition.

```

253 \def\use@mathgroup#1#2{\relax\ifmmode

```

```

254 (*trace)
255   \ifnum \tracingfonts>\tw@
256     \count@#2\relax
257     \@font@info{Using \noexpand\mathgroup
258               (\the\count@) #2}\fi
259 (/trace)

```

If so we first call the '=' macro (i.e. argument three) to set up special things for the selected math group. Then we call `\mathgroup` to select the group given by argument two and finally we place `#1` (i.e. the argument of the *math alphabet identifier*) at the end. This part of the code is surrounded by two commands which behave like `\begingroup` and `\endgroup` if we want *math alphabet identifier*s but will expand into `\empty` if we want simply switches to a new math group. Since argument number 2 may be a digit instead of a control sequence we add a `\relax`. Otherwise something like `\mit{1}` would switch to math group 11 (and back) instead of printing an oldstyle 1.

```

260     \math@bgroup
261     \expandafter\ifx\csname M@f@encoding\endcsname#1\else
262       #1\fi
263     \mathgroup#2\relax

```

Before we reinsert the swallowed token (arg. three) into the input stream, in the case that the *math alphabet identifier* isn't called in math mode, we remove the `\fi` with the `\expandafter` trick. This is necessary if the token is actually an macro with arguments. In such a case the `\fi` will be misinterpreted as the first argument which would be disastrous.

```

264     \expandafter\math@egroup\fi}%

```

The surrounding macros equal `\begingroup` and `\endgroup`. But using internal names makes it possible to overwrite their meaning in certain cases. This is for example used in \TeX macros for placing accents.

`\math@egroup` If the `margid` option is in force (which can be tested by looking at the definition of `\math@bgroup` we change the `\math@egroup` command a bit to display the current *math group number* after it closes the scope of *math alphabet* with `\endgroup`.

```

265 (*trace)
266   \ifx\math@bgroup\bgroup
267     \def\math@egroup#1{#1\egroup

```

```

268     \ifnum \tracingfonts>\tw@
269     \@font@info{Restoring \noexpand\mathgroup
270       (\ifnum\mathgroup=\m@ne default\else \the\mathgroup \fi)%
271       }\fi}
272   \fi
273 \trace)

```

`\getanddefine@fonts` `\getanddefine@fonts` has two arguments: the *math group number* and the *family/series/shape* name as a control sequence.

```

274 \def\getanddefine@fonts#1#2{%
First we turn of tracing when \tracingfonts is less than 4.
275 (+debug) \pushtracing
276 (+debug) \ifnum\tracingfonts<4 \tracingoff
277 (+debug) \else \tracingon\getanddefine@fonts \fi

278 (*trace)
279 \ifnum \tracingfonts>\tw@
280 \count@#1\relax
281 \@font@info{\noexpand\mathgroup (\the\count@) #1 :=\MessageBreak
282   \string#2 \tf@size/\sf@size/\ssf@size}\fi
283 \trace)

```

We append the current `\tf@size` to `#2` to obtain the font name.⁶ Again, `font@name` is defined globally, for the reasons explained in the description of `\wrong@fontshape`.

```

284 \xdef\font@name{\csname \string#2/\tf@size\endcsname}%

```

Then we call `\pickup@font` to load it if necessary. We remember the internal name as `\textfont@name`.

```

285 \pickup@font \let\textfont@name\font@name

```

Same game for `\scriptfont` and `\scriptscriptfont`:

```

286 \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
287 \pickup@font \let\scriptfont@name\font@name
288 \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
289 \pickup@font

```

Then we append the new `\textfont...` assignments to the `\math@fonts`.

```

290 \edef\math@fonts{\math@fonts
291   \textfont#1\textfont@name
292   \scriptfont#1\scriptfont@name
293   \scriptscriptfont#1\font@name}%

```

Just before ending this macro we have to pop the tracing stack if it was pushed before.

```

294 (+debug) \poptracing
295   }
296 \endkernel | package)

```

⁶One might ask why this expansion does not generate a macro name that starts with an additional `\` character. The solution is that `\escapechar` is set to `-1` before `\getanddefine@fonts` is called.

32 Scaled font extraction

`\ifnot@nil` We begin with a simple auxiliary macro. It checks whether its argument is the token `\@nil`. If so, it expands to `\@gobble` which discards the following argument, otherwise it expands to `\@firstofone` which reproduces its argument.

```
297 (*2kernel)
298 \def\ifnot@nil#1{\def\reserved@a{#1}%
299 \ifx\reserved@a\@nnil \expandafter\@gobble
300 \else \expandafter\@firstofone\fi}
```

`\remove@to@nnil` Three other auxiliary macros will be needed in the following: `\remove@to@nnil` gobbles up everything up to, and including, the next `\@nnil` token, and `\remove@angles` and `\remove@star` do the same for the character `>` and `*`, respectively, instead of `\@nnil`.

```
301 \def\remove@to@nnil#1\@nnil{}
302 \def\remove@angles#1>{\set@simple@size@args}
303 \def\remove@star#1*{#1}
```

`\extract@sizefn` This macro takes a size specification and parses it into size function and the optional and mandatory arguments.

```
304 \def\extract@sizefn#1*#2\@nnil{%
305 \if>#2>\set@size@func@args#1\@nnil
306 \let\sizefn@info\@empty
307 \else\expandafter\set@size@func@args\remove@star#2\@nnil
308 \def\sizefn@info{#1}\fi
309 }
```

`\try@simple@size` This function tries to extract the given size (specified by `\f@size`) for the requested font shape. The font information must already be present in `\font@info`. The central macro that does the real work is `\extract@fontinfo`. We will first give a simple example how this macro works, and describe it in full generality later.

Assume that the requested parameters are: *encoding scheme* ‘OT1’, *family* ‘cm’, *series* ‘sansserif’, *shape* ‘normal’, and *size* ‘12’. The corresponding font definitions have already been extracted from the macro `\OT1/cm/sansserif/normal` and stored in `font@info`. (Otherwise `\extract@fontinfo` doesn’t get called.) This information consists of a token list made of characters of category code 12 of the form

```
<10*>cmss10<12*>cmss12<17*>cmss17
```

For reasonable packages one usually needs more sizes but this is sufficient to get the flavour. We will define a macro `\extract@fontinfo` to find the external font name (‘cmss12’) for us:

```
\def\extract@fontinfo#1<12*#2>#3<#4\@nnil{%
\set@simple@size@args#3<#4\@nnil
\execute@size@function{#2}}
```

so that when it gets called via

```
\extract@fontinfo<10*>cmss10<12*>cmss12<17*>cmss17\@nnil
```

#1 will contain all characters before <12*>, #2 will be empty, #3 will be exactly cmss12, and #3 will be 17>cmss17. The expansion is therefore

```
\set@simple@size@args cmss12<17*>cmss17\@nnil
\execute@size@function{}
```

This means: the default (empty) size function will be executed, with its optional argument argument set to empty and its mandatory argument set to cmss12 by \set@simple@size@args. As we discussed earlier, the effect of the default size function is to load the given external font (cmss12) at the specified size (12)—which is exactly what was intended.

But this is only part of the whole story. It may be that the size requested does not occur in the token list \font@info. And the simple definition of \extract@fontinfo we gave above does not allow to specify give more than one size specification in front of the external font name.

Let's address these two problems separately. The first one is solved with the following trick: We define \extract@fontinfo as follows:

```
\def\extract@fontinfo#1<12*#2>#3<#4\@nnil{%
  \ifnot@nil{#3}%
    {\set@simple@size@args#3<#4\@nnil
      \execute@size@function{#2}%
    }}%
```

How does this work? We call \extract@fontinfo via

```
\expandafter\extract@fontinfo\font@info<12*>\@nil<\@nnil
```

i.e. by appending <12*>\@nil<\@nnil. If the size ('12' in this case) appears in \font@info everything works as explained above, the only difference being that argument #4 of \extract@fontinfo additionally gets the tokens <12*>\@nil<\@nnil. However, if the size is not found everything up to the final <12*> is in argument #1, #3 gets \@nil, and #2 and #4 are empty. The macro \ifnot@nil will discard the calls to \set@simple@size@args and execute@size@function, and hence \font@info will continue to be equal to \@empty. This means that no simple size specification matching the requested size could be found.

The second problem (more than one simple size specification for one external font name) will be addressed in \set@simple@size@args below.

The macros are hidden inside other control sequences so that we have to build \extract@fontinfo in several steps.

So here's the actual definition of \extract@font in \try@simple@size.

```
310 % % this could be replaced by \try@size@range making the subst slower!
```

```
311 \def\try@simple@size{%
```

\reserved@a is made an abbreviation for the head of the definition of the macro \extract@fontinfo.

```
312   \def\reserved@a{\def\extract@fontinfo###1}%
```

Now we can define \extract@fontinfo. Here we handle a small but convenient variation: in case of the default (empty) size function it is allowed to omit the * character.

```
313   \expandafter\reserved@a\expandafter<\f@size>##2<##3\@nnil{%
```

```
314     \ifnot@nil{##2}%
```

```

315         {\set@simple@size@args##2<##3\@nnil
316         \execute@size@function\sizefn@info
317         }}%

```

Now we call `\extract@fontinfo`. Note the `<\@nil` tokens at the end.

```

318     \expandafter\expandafter
319     \expandafter\extract@fontinfo\expandafter\font@info
320     \expandafter<\f@size>\@nil<\@nnil
321 }

```

`\set@simple@size@args` As promised above, the macro `\set@simple@size@args` will handle the case of several size specifications in a row. If another size specification follows, the very first token of its argument list is the character `<`. By starting the definition as follows,

```

322 \def\set@simple@size@args#1<{%

```

parameter `#1` is empty in this case, and contains the size function's arguments otherwise. We distinguish these two cases (Note that the character `<` cannot appear in `#1`) by calling `\remove@angles` for empty `#1` and `\extract@sizefn` otherwise. In the latter case we have to take care of the remaining character tokens and discard them. This is done by `\remove@to@nnil`. Note also the use of Kabelschacht's method.

```

323         \if<#1<%
324         \expandafter\remove@angles
325         \else
326         \extract@sizefn#1*\@nil
327         \expandafter\remove@to@nnil
328         \fi}

```

Now, we are through with the case of a simple size, except for calling the size function. This will be handled later, as it is the same mechanism for all types of size specification. We will now proceed to macros for extraction of size range specification.

`\extract@rangefontinfo` `\extract@rangefontinfo` goes through a font shape definition in the input until it recognizes the tokens `<\@nil->`. It looks for font ranges with font size functions. It's operation is rather simple: it discards everything up to the next size specification and passes this on to `\is@range` for inspection. The specification (parameter `#2` is inserted again, in case it is needed later.

```

329 \def\extract@rangefontinfo#1<#2>{%
330     \is@range#2->\@nil#2>}

```

`\is@range` `\is@range` is again a sort of dispatcher macro: if the size specification it is looking at is not a range specification it discards it and calls `\extract@rangefontinfo` to continue the search. Otherwise it calls `\check@range` to check the requested size against the specified range.

From the way `\is@range` is called inside `\extract@rangefontinfo` we see that `#2` is the character `>` if the size specification found is a simple one (as it does not contain a `-` character. This is checked easily enough and `\extract@rangefontinfo` called again. Note that the extra tokens inserted after the `\@nil` in the call to `\is@range` appear at the beginning of the first argument to `\extract@rangefontinfo` and are hence ignored.


```

331 \def\is@range#1-#2\@nil{%
332   \if>#2\expandafter\check@single\else
333     \expandafter\check@range\fi}

```

\check@range \check@range takes lower bound as parameter #1, upper bound as #2, size function as #3 and the size function's arguments as #4. If #3 is the special token \@nil \font@info is exhausted and we can stop searching.

```

334 \def\check@range#1-#2>#3<#4\@nnil{%
335   \ifnot@nil{#3}{%

```

If #3 wasn't \@nil we have a range. We start by assuming that we have to recurse. Note that we have to reinsert an < as it was already removed by scanning.

```

336     \def\reserved@f{\extract@rangefontinfo<#4\@nnil}%

```

We have to make sure that both boundaries are present, if not we have to set them. Here we check the upper bound. If \upper@bound is zero after the assignment we set it to \maxdimen (upper open range). We need to use a *<dimen>* register for the scan since we may have a decimal number as the boundary.

```

337     \upper@bound0#2\p@
338     \ifdim\upper@bound=\z@ \upper@bound\maxdimen\fi

```

Now we check the upper boundary against \f@size. If it is larger or equal than \f@size this range is no good and we have to recurse.

```

339     \ifdim \f@size \p@<\upper@bound

```

Otherwise we have to check the lower bound. This time it is not necessary to scan the boundary value into a register because if it is empty we get zero as desired. We could even omit the 0 which would result in 1pt as default lower boundary. If \f@size is smaller than the boundary we have to recurse.

```

340         \lower@bound0#1\p@
341         \ifdim \f@size \p@<\lower@bound
342         \else

```

If both tests are passed we can try executing the size function.

```

343         \set@simple@size@args#3<#4\@nnil
344         \execute@size@function\sizefn@info

```

If the function was successful it should have left an external font name in \external@font. We use this to see if we can stop scanning. Otherwise we recurse.

```

345         \ifx\external@font\@empty
346         \else
347         \let\reserved@f\@empty
348         \fi
349     \fi
350 \fi
351 \reserved@f}}

```

\lower@bound We use two dimen registers \lower@bound and \upper@bound to store the lower
\upper@bound and upper endpoints of the range we found.

```

352 \newdimen\lower@bound
353 \newdimen\upper@bound

```

`\check@single` `\check@single` takes the size as parameter #1, size function as #2 and the size function's arguments as #3. We can assume that there is always something in the pipeline since the very last entry is a faked range (see above).

```
354 \def\check@single#1>#2<#3\@nnil{%
```

We start by assuming that we have to recurse. Note that we have to reinsert an < as it was already removed by scanning.

```
355 \def\reserved@f{\extract@rangefontinfo<#3\@nnil}%
```

Now we check the the size against `\f@size`. If it is not equal `\f@size` it is not good and we have to recurse.

```
356 \ifdim \f@size \p@=#1\p@
```

Otherwise if this test is passed we can try executing the size function.

```
357 \set@simple@size@args#2<#3\@nnil
```

```
358 \execute@size@function\sizefn@info
```

If the function was successful it should have left an external font name in `\external@font`. We use this to see if we can stop scanning. Otherwise we recurse.

```
359 \ifx\external@font\@empty
```

```
360 \else
```

```
361 \let\reserved@f\@empty
```

```
362 \fi
```

```
363 \fi
```

```
364 \reserved@f}
```

`\set@size@funct@args` This macro sets the optional and mandatory arguments for a size function. If the optional argument is not present it is set to the empty token list. The mandatory argument is delimited by the token `\@nil`.

```
365 \def\set@size@funct@args{\@ifnextchar[%
```

```
366 \set@size@funct@args@{\set@size@funct@args@[]}]}
```

```
367 \def\set@size@funct@args@[#1]#2\@nil{%
```

```
368 \def\mandatory@arg{#2}%
```

```
369 \def\optional@arg{#1}}}
```

```
370 \</2kernel>
```

`\DeclareSizeFunction` This function defines a new size function hiding the internal from the designer. The body of the size function may use `\optional@arg` and `\mandatory@arg` denoting the optional and mandatory argument that may follow the size specification `<...>`.

```
371 (*2kernel)
```

```
372 \def\DeclareSizeFunction#1#2{\@namedef{s@fct@#1}{#2}}
```

```
373 \@onlypreamble\DeclareSizeFunction
```

```
374 \</2kernel>
```

`\execute@size@function` This macro is very simple. The only point worth noting is that calling an undefined size function will do nothing (actually execute a `\relax`).

```
375 (*2kernel | package)
```

```
376 \def\execute@size@function#1{%
```

```
377 (*trace)
```

```
378 \ifundefined{s@fct@#1}%
```

```
379 {\errmessage{Undefined font size function #1}}%
```

```

380         \s@fct@}%
381         {\csname s@fct@#1\endcsname}%
382 \trace)
383 (-trace) \csname s@fct@#1\endcsname
384 }
385 \endkernel | package)

```

\try@size@range This macro tries to find a suitable range for requested size (specified by `\f@size`) in `\font@info`. All the relevant action is done in `\extract@rangefontinfo`. All that needs to be done is to stuff in the token list in `\font@info` so that `\extract@rangefontinfo` can inspect it. Note the `<-*\@nil>` token at the end to stop scanning.

```

386 (*2kernel)
387 \def\try@size@range{%
388     \expandafter\extract@rangefontinfo\font@info <-*\@nil>\@nnil
389 }

```

\try@size@substitution This is the last thing that can be tried. If the desired `\f@size` is found neither among the simple size specifications nor in one of the ranges the whole list of size specifications is searched for a nearby simple size.

```

390 \gdef\try@size@substitution{%

```

First we do some initializations. `\@tempdimb` will hold the difference between the wanted size and the best solution found so far, so we initialise it with `\maxdimen`. The macro `\best@size` will hold the best size found, nothing found is indicated by the empty value.

```

391 \@tempdimb \maxdimen
392 \let \best@size \@empty

```

Now we loop over the specification

```

393 \expandafter \try@simples \font@info <\number\@M>\@nil<\@nnil
394 }

```

\font@submax The macro `\font@submax` records the maximal deviation from the desired size encountered so far. Its value is used in a warning message at `\end{document}`. The macro `\fontsubfuzz` contains the amount that will not cause terminal warnings (warnings still go into the transcript file).

```

395 \def\font@submax{0pt}
396 \def\fontsubfuzz{.4pt}
397 \endkernel)
398 (+package)\def\fontsubfuzz{0pt}

```

\try@simples `\try@simples` goes through a font shape definition in the input until it recognizes the tokens `<*\@nil>`. It looks for simple sizes to determine the two closest sizes. It is assumed that simple sizes are in increasing order.

```

399 (*2kernel)
400 \gdef\try@simples#1<#2>{%
401     \tryif@simple#2->\tryif@simple}

```

\tryis@simple `\tryis@simple` is similar to `\is@range`. If it sees a simple size, it checks it against the value of `\f@size` and sets `\lower@font@size` or `\higher@font@size`. In the latter case, it stops the iteration. By adding `<\number\@M>` at the end of the line we always have an end point. This is a hack which probably should be corrected.

First it checks whether it is finished already, then whether the size specification in question is a simple one.

```
402 \gdef\tryif@simple#1-#2\tryif@simple{%
```

Most common case for \reserved@f first:

```
403 \let \reserved@f \try@simples
404 \if>#2%
```

If so, it compares it to the value of \f@size. This is done using a dimen register since there may be fractional numbers.

```
405 \dimen@ #1\p@
406 \ifdim \dimen@<\M\p@
```

If \dimen@ is \M\p@ we have reached the end of the fontspec (hopefully) otherwise we compare the value with \f@size and compute in \@tempdimc the absolute value of the difference between the two values.

```
407 \ifdim \f@size\p@<\dimen@
408 \@tempdimc \dimen@
409 \advance\@tempdimc -\f@size\p@
410 \else
411 \@tempdimc \f@size\p@
412 \advance\@tempdimc -\dimen@
413 \fi
```

The result is then compared with the smallest difference we have encountered, if the new value (in \@tempdimc is smaller) we have found a size which is a better approximation so we make it the \best@size and adjust \@tempdimb.

```
414 \ifdim \@tempdimc<\@tempdimb
415 \@tempdimb \@tempdimc
416 \def \best@size{#1}%
417 \fi
```

When we have reached the end of the fontspec we substitute the best size found (if any). We code this inline to save macro space; in the past this was done by a macro called \subst@size.

```
418 \else
```

\subst@size This macro substitutes the size recorded in \best@size for the unavailable size \f@size. \font@submax records the maximum difference between desired size and selected size in the whole run.

```
419 % \subst@size %% coded inline
420 % \def\subst@size{%
421 \ifx \external@font\@empty
422 \ifx \best@size\@empty
423 \else
424 \ifdim \@tempdimb>\font@submax \relax
425 \xdef \font@submax {\the\@tempdimb}%
426 \fi
427 \let \f@user@size \f@size
428 \let \f@size \best@size
429 \ifdim \@tempdimb>\fontsubfuzz\relax
430 \@font@warning{Font\space shape\space
431 'curr@fontshape'\space in\space size\space
432 <\f@user@size>\space not\space available\MessageBreak
433 size\space <\f@size>\space substituted}%
```

```

434      \fi
435      \try@simple@size
436      \do@subst@correction
437      \fi
438      \fi
439      % %}

```

This brings us back into the main part of `\tryif@simple`. Finally we get rid of any rubbish left over on the input stack.

```

440      \let \reserved@f \remove@to@nnil
441      \fi
442      \fi

```

If it's a range iterate also.

```

443      \reserved@f}

```

32.1 Sizefunctions

In the following we define some useful size functions.

`\sfct@` This is the default size function. Mandatory argument is an external font name, optional argument a scale factor. The font is scaled to `\f@size` if no optional argument is present, and to `\f@size` multiplied by the optional argument otherwise.

```

444 \DeclareSizeFunction{}\empty@sfcnt\@font@warning}
445 \DeclareSizeFunction{s}\empty@sfcnt\@font@info}
446 \def\empty@sfcnt#1{%
447     \@tempdimb \f@size\p@
448     \ifx\optional@arg\empty
449     \else
450         \@tempdimb \optional@arg\@tempdimb
451         #1{Font\space shape\space '\curr@fontshape'\space
452             will\space be\MessageBreak
453             scaled\space to\space size\space \the\@tempdimb}%
454     \fi
455     \edef\external@font{\mandatory@arg\space at\the\@tempdimb}}

```

`\sfct@gen` This size function generates the external name from the mandatory argument and
`\sfct@sgen` the requested user size, and thus can be used for external names where the size is encoded in the font name. The optional argument a scale factor. The font is scaled to `\f@size` if no optional argument is present, and to `\f@size` multiplied by the optional argument otherwise.

```

456 \DeclareSizeFunction{gen}\gen@sfcnt\@font@warning}
457 \DeclareSizeFunction{sgen}\gen@sfcnt\@font@info}
458 \def\gen@sfcnt{%
459     \edef\mandatory@arg{\mandatory@arg\f@size}%
460     \empty@sfcnt}

```

`\sfct@genb` This size function is similar to `gen`, but for fonts where the size is encoded in
`\sfct@sgenb` the font name in centipoints, as in the DC fonts version 1.2. The font is scaled to `\f@size` if no optional argument is present, and to `\f@size` multiplied by the optional argument otherwise.

```

461 \DeclareSizeFunction{genb}{\genb@sfcnt\@font@warning}
462 \DeclareSizeFunction{sgenb}{\genb@sfcnt\@font@info}

463 \def\genb@sfcnt{%
464     \edef\mandatory@arg{\mandatory@arg\expandafter\genb@x\f@size..\@}%
465     \empty@sfcnt}

\genb@x The auxiliary macros \genb@x and \genb@y are used to convert the \f@size into
\genb@y centipoints.
466 \def\genb@x#1.#2.#3\@@{\two@digits{#1}\genb@y#200\@@}
467 \def\genb@y#1#2#3\@@{#1#2}

\s@fct@sub This size function handles font substitution. The mandatory argument is a fam-
ily/series/shape combination, the optional argument (if present) is ignored. The
font encoding scheme cannot be changed. Therefore, the first thing we do is to
prepend the encoding scheme.
468 \DeclareSizeFunction{sub}{\sub@sfcnt\@font@warning}
469 \DeclareSizeFunction{ssub}{\sub@sfcnt\@font@info}

470 \def\sub@sfcnt#1{%
471     \edef\mandatory@arg{\f@encoding/\mandatory@arg}%

Next action is split the arg into its individual components and allow for a late font
shape load.
472     \begingroup
473     \expandafter\split@name\mandatory@arg/\@nil
474     \try@load@fontshape
475     \endgroup

Then we record the current \f@size since it may get clobbered.
476     \let\f@user@size\f@size

Then we check whether this new combination is defined and give an error message
if not. In this case we also switch to \error@fontshape.
477     \expandafter
478     \ifx\csname\mandatory@arg\endcsname\relax
479         \errmessage{No\space declaration\space for\space
480             shape\space \mandatory@arg}%
481         \error@fontshape
482     \else

Otherwise we warn the user about the substitution taking place.
483     #1{Font\space shape\space '\curr@fontshape'\space in\space
484         size\space <\f@size>\space not\space available\MessageBreak
485         Font\space shape\space '\mandatory@arg'\space tried\space
486         instead}%
487     \expandafter\split@name\mandatory@arg/\@nil
488     \fi

Then we restart the font specification scan by calling \get@external@font.
489     \edef\f@size{\f@user@size}%
490     \get@external@font

Finally \do@subst@correction is called to get the font name right.
491     \do@subst@correction
492 }

```

`\s@fct@subf` The `subf` size function allows substitution of another font. The mandatory argument is the external name of the font to be substituted, the optional argument a size scaling factor like in the default size function. The main difference to the default size function is the warning message.

```

493 \DeclareSizeFunction{subf}{\subf@sfcnt\@font@warning}
494 \DeclareSizeFunction{ssubf}{\subf@sfcnt\@font@info}

495 \def\subf@sfcnt#1{%
496     #1{Font\space shape\space '\curr@fontshape'\space in\space
497         size\space \f@size\space not\space available\MessageBreak
498         external\space font\space '\mandatory@arg'\space used}%
499     \empty@sfcnt#1%
500 }
```

`\s@fct@fixed` The `fixed` size function is for using a font at a different size than requested. A warning message is printed, and the external font to be used is taken from the mandatory argument. If an optional argument is present it is used as the ‘at’ size for the font. Otherwise the font is loaded at its design size.

```

501 \DeclareSizeFunction{fixed}{\fixed@sfcnt\@font@warning}
502 \DeclareSizeFunction{sfixed}{\fixed@sfcnt\@font@info}

503 \def\fixed@sfcnt#1{%
504     \ifx\optional@arg\@empty
505         \let\external@font\mandatory@arg
506     \else
507         \edef\external@font{\mandatory@arg\space at\optional@arg pt}%
508     \fi
509     #1{External\space font\space '\external@font'\space loaded\space
510         for\space size\MessageBreak
511         <\f@size>}%
512 }
513 /2ekernel)
```

File q

ltfsscmp.dtx

This file contains the implementation of commands giving compatibility with the original ‘NFSS1’ release of the Font Selection Scheme.

Warning: The macro documentation is still basically the documentation from the first NFSS release and therefore in some cases probably not completely accurate.

Version 1 of NFSS is obsolete now for about 20 years (and was “current” only for a short intermediate time) so with the 2015 release these internal interface commands are removed from the kernel and made available via `latexrelease` package so that backward compatibility remains ensured for very old documents.

```

1 (*latexrelease)
2 \IncludeInRelease{2015/01/01}{\new@fontshape}%
3                               {NFSS version1 commands}%
4 \let\new@fontshape\@undefined
5 \let\warn@rel@i\@undefined
6 \let\scan@fontshape\@undefined
7 \let\scan@@fontshape\@undefined
8 \let\subst@fontshape\@undefined
9 \let\extra@def\@undefined
10 \let\default@mextra\@undefined
11 \let\preload@sizes\@undefined
12 \let\err@rel@i\@undefined
13 \let\newmathalphabet\@undefined
14 \let\newmathalphabet@\@undefined
15 \let\newmathalphabet@@\@undefined
16 \let@if@no@font@opt\@undefined
17 \let@no@font@optfalse\@undefined
18 \let\define@mathalphabet\@undefined
19 \let\define@mathgroup\@undefined
20 \let\addtoversion\@undefined
21 \EndIncludeInRelease

```

In older releases we provide the original definitions.

```

22 \IncludeInRelease{0000/00/00}{\new@fontshape}%
23                               {NFSS version1 commands}%

```

```

\new@fontshape The interface is now \DeclareFontShape.
24 \gdef\new@fontshape#1#2#3#4{%
25     \warn@rel@i\new@fontshape\DeclareFontShape
26     \expandafter\scan@fontshape\@gobble#4<\@nil><<%
27     \DeclareFontShape U{#1}{#2}{#3}\reserved@f}%
28 \@onlypreamble\new@fontshape

```

```

\warn@rel@i The warning message used above.
29 \gdef\warn@rel@i#1#2{%
30     \@font@warning{*** NFSS release 1 command
31                     \noexpand#1found\MessageBreak
32     *** Update by using release 2 command

```



```

33      \string#2.\MessageBreak
34      *** Recovery is probably possible}%
35 }%
36 \@onlypreamble\warn@rel@i

```

\scan@fontshape This will scan the old font shape definition syntax.

```

37 \gdef\scan@fontshape{%
38   \let\reserved@f\@empty
39   \let\reserved@e\@empty %      holds last info
40   \scan@@fontshape
41 }%
42 \@onlypreamble\scan@fontshape

```

\scan@@fontshape

```

43 \gdef\scan@@fontshape#1>#2#3<{%
44   \ifx\@nil#1%
45     \edef\reserved@f{\reserved@f\reserved@e}%
46   \else
47     \def\reserved@b{#1}%      nick names
48     \def\reserved@c{#3}%
49     \in@{ at}{#3}%
50     \ifin@
51       \in@{pt}{#3}% not a proof but a good chance
52     \ifin@

```

We grap also everything after pt and discard it if people have forgotten to place a percent sign there.

```

53     \def\reserved@a##1 at##2pt##3\@nil{%
54       \def\reserved@b{##2}%
55       \def\reserved@c{##1}%
56     }%
57     \reserved@a#3\@nil
58   \fi
59 \fi
60 \ifnum 0<0#2
61   \edef\reserved@d{subf*\reserved@c}%
62   \ifcase #2\or
63     \or
64   \else
65     \errmessage{*** What's this? NFSS release 0? ***}%
66   \fi
67 \else
68   \edef\reserved@d{#2\reserved@c}%
69 \fi
70 \ifx\reserved@d\reserved@e
71   \edef\reserved@f{\reserved@f<\reserved@b>}%
72 \else
73   \edef\reserved@f{\reserved@f\reserved@e<\reserved@b>}%add old info
74   \let\reserved@e\reserved@d
75 \fi
76 \expandafter\scan@@fontshape
77 \fi
78 }%
79 \@onlypreamble\scan@@fontshape

```

`\subst@fontshape` This is now also handled by the extend syntax of `\DeclareFontShape`.

```

80 \gdef\subst@fontshape#1#2#3#4#5#6{%
81     \warn@rel@i\subst@fontshape\DeclareFontShape
82     \DeclareFontShape{U}{#1}{#2}{#3}{<->sub*#4/#5/#6}{}}%
83 \@onlypreamble\subst@fontshape

```

`\extra@def` This was replaced by `\DeclareFontFamily`.

```

84 \gdef\extra@def#1#2#3{%
85     \warn@rel@i\extra@def\DeclareFontFamily
86     \DeclareFontFamily{U}{#1}{}%
87 }%
88 \@onlypreamble\extra@def

```

`\default@mextra` The new name is `\DeclareFontEncodingDefaults` but in this case we don't feel comfortable with this either.

```

89 \gdef\default@mextra{%
90     \warn@rel@i\default@mextra\DeclareFontEncodingDefaults

```

We pick up the argument to `\default@mextra` implicitly as the second argument of `\DeclareFontEncodingDefaults`.

```

91     \DeclareFontEncodingDefaults\relax
92 }%
93 \@onlypreamble\default@mextra

```

`\preload@sizes` The new interface is `\DeclarePreloadSizes`.

```

94 \gdef\preload@sizes{%
95     \warn@rel@i\preload@sizes\DeclarePreloadSizes
96     \DeclarePreloadSizes U%
97 }%
98 \@onlypreamble\preload@sizes

```

`\err@rel@i` This macro is used in cases where emulation with NFSS2 features is not really possible.

```

99 \gdef\err@rel@i#1#2{%
100     \@latex@error{*** NFSS release 1 command \noexpand#1found%
101         ^^J*** Recovery not possible. Use \string#2}%
102     {The new release of NFSS doesn't support the
103         \noexpand#1command^^Jany longer.
104         Please upgrade your file to the syntax of NFSS
105         release 2^^Jusing the \noexpand#2command.}%

```

Let's die.

```

106     \batchmode\input.\relax
107 }%
108 \@onlypreamble\err@rel@i

```

`\newmathalphabet` `\newmathalphabet` is the old form.

`\newmathalphabet@`

`\newmathalphabet@@`

```

109 \gdef\newmathalphabet{%
110     \if@no@font@opt
111         \@latex@error{*** NFSS release 1 command
112             \noexpand\newmathalphabet found%
113             ^^J \space*** Automatic recovery not possible.%
114             ^^J \space*** TYPE H for Help%
115             }%

```

```

116         {Please look at the file usrguide.tex for hints on
117         how to resolve this problem.}%
118     \else
119         \warn@rel@i\newmathalphabet\DeclareMathAlphabet
120     \fi
121     \@ifstar\newmathalphabet@@@
122         \newmathalphabet@@}%
123 \gdef\newmathalphabet@@#1{\DeclareMathAlphabet#1{U}{-}{-}}%
124 \gdef\newmathalphabet@@@#1#2#3#4{%
125     \DeclareMathAlphabet{#1}{U}{#2}{#3}{#4}}%
126 \@onlypreamble\newmathalphabet
127 \@onlypreamble\newmathalphabet@@
128 \@onlypreamble\newmathalphabet@@@

\if@no@font@opt
\@no@font@optfalse 129 \global\let\if@no@font@opt\iftrue
130 \gdef\@no@font@optfalse{\let\if@no@font@opt\iffalse}%

\define@mathalphabet This is a case where dying is best.
131 \gdef\define@mathalphabet{%
132     \err@rel@i\define@mathalphabet\DeclareMathAlphabet
133 }%
134 \@onlypreamble\define@mathalphabet

\define@mathgroup And here is another one
135 \gdef\define@mathgroup{%
136     \err@rel@i\define@mathgroup\DeclareSymbolFont
137 }%
138 \@onlypreamble\define@mathgroup

\addtoversion \addtoversion is the old form.
139 \def\addtoversion#1#2{%
140     \warn@rel@i\addtoversion\SetMathAlphabet
141     \SetMathAlphabet#2{#1}{U}}%
142 \@onlypreamble\addtoversion

    Finishing off this huge \IncludeInRelease argument:
143 \EndIncludeInRelease
144 </latexrelease>

```

File r

ltfssdcl.dtx

This file contains the main implementation of the font selection scheme commands. See other parts of the L^AT_EX distribution, or *The L^AT_EX Companion* for higher level documentation of these commands.

Warning: The macro documentation is still basically the documentation from the first NFSS release and therefore in some cases probably not completely accurate.

33 Interface Commands

`\in@` `\@in` is a utility macro with two arguments. It determines whether its first argument occurs in its second and sets the switch `\ifin@` accordingly. The first argument may not contain braces nor # (more precisely, tokens of category code 1, 2, or 6).

```
1 (*2ekernel)
2 \def\in@#1#2%
3 {%
4   \begingroup
5     \def\in@@##1#1{%
6       \toks@\expandafter{\in@@#2{}}#1}%
7     \edef\in@@{\the\toks@}%
8     \expandafter\endgroup
9     \ifx\in@@\@empty
10      \in@false
11    \else
12      \in@true
13    \fi
14  }
15 \newif\ifin@
```

Before the `\begin{document}` command several *math versions* and *math alphabet identifiers* may be declared. In principle, there should be exactly one family/series/shape combination be declared for each version/alphabet pair. But we want to allow for defaults as well for automagical filling of holes.

While building the tables for math alphabet identifiers and math versions we keep several lists:

- the list of all math versions, `\version@list`, each entry prefixed by the control sequence `\version@elt`, i.e. this list has the following form

$$\begin{array}{l} \backslash\text{version@elt}\langle\text{version}_1\rangle\backslash\text{version@elt}\langle\text{version}_2\rangle\ldots \\ \hspace{10em} \backslash\text{version@elt}\langle\text{version}_n\rangle \end{array}$$

- the list of all math alphabet identifiers. Here every entry has the form:

$$\begin{array}{l} \backslash\text{group@elt}\langle\text{math group number}\rangle \\ \{\{\langle\text{default family}\rangle\}\{\langle\text{default series}\rangle\}\{\langle\text{default shape}\rangle\}\}. \end{array}$$

- Each defined math alphabet identifier holds a list containing information about the *versions* for which it is defined. This list has a more complicated structure: it looks as follows:

```

\set@alpha<the alphabet identifier itself>
\reserved@c<math version><font info>
...
\@nil

```

where ** is either `\reserved@e` (if the combination is not defined yet) or

```
{\family}{\series}{\shape}}
```

`\version@list` We initialize the version list to be empty.

```

16 \let\version@list=\@empty
17 \@onlypreamble\version@list

```

`\version@elt`

```

18 \let\version@elt\relax
19 \@onlypreamble\version@elt

```

`\new@mathversion` The macro `\new@mathversion` is called with the version control sequence as its argument.

```
20 %\def\new@mathversion#1{%
```

The first thing this macro does is to check if the version identifier is already present in `\version@list`. We enclose `\version@list` in braces since it might be empty (if no *version* is defined yet). But this means that we need a suitable number of `\expandafter` primitives.

```

21 % \expandafter\in@\expandafter#1\expandafter{\version@list}%
22 % \ifin@

```

If so it prints an error message. The `\next` macro is used to get rid of the four characters `\mv@` that would otherwise appear at the begin of the version name in the error message.

```

23 % \latex@error{Math version
24 % \expandafter\@gobblefour\string#1'
25 % already defined}\@eha

```

Otherwise we have a new version, and we can proceed with entering it into the tables. We add it to `\version@list`. This is very easy: we define `\version@elt` (which is the delimiter in `\version@list`) to protect itself and the following token from being expanded and simply redefine `\version@list`.

```

26 % \else
27 % \global\expandafter\newcount\c@\expandafter
28 % \gobble\string#1\endcsname
29 % \global\c@\expandafter
30 % \gobble\string#1\endcsname\@ne
31 % \def\version@elt{\noexpand\version@elt\noexpand}%
32 % \edef\version@list{\version@list\version@elt#1}%

```

Then we prepare to enter the new version into all math alphabet identifier lists. Remember that these lists use `\reserved@c` as delimiter, and that there appears the control sequence `\reserved@e` that must not be expanded. Therefore we take suitable precautions.

```
33 %      \def\reserved@c{\noexpand\reserved@c\noexpand}%
34 %      \let\reserved@e\relax
```

We will now go through the `\alpha@list` to process every $\langle\textit{math alphabet identifier}\rangle$ in turn. Since this list has `\group@elt` as a delimiter we define this control sequence. It has three arguments as every entry consists of three items (as explained above).

```
35 %      \def\group@elt##1##2##3{%
```

The first of these arguments is the $\langle\textit{math alphabet identifier}\rangle$. We redefine it by appending the information about the new version at the end of the list contained in it. However, there is one subtlety: the definitions for `\reserved@c` and `\reserved@e` made above prevent the main part of the list from being expanded. But we still have to take care of the header and the trailer. To do this we remove the trailer by means of the macro `\remove@nil` which also protect the header from being expanded. Its definition is given below. Now we can prepare to add the new version.

```
36 %          \edef##1{\expandafter\remove@nil##1%
37 %              \reserved@c
38 %              #1%
39 %              \reserved@e
40 %              \noexpand\@nil}}%
```

Finally we call `\alpha@list` which will now execute the macro `\group@elt` once for every defined $\langle\textit{math alphabet identifier}\rangle$. And that's all for now.

```
41 %      \alpha@list
42 %  \fi}
```

`\alpha@list` As we explained above every entry in `\alpha@list` has the form

```
\alpha@elt
\alphabet identifier\internal group number\default font assignments}...
```

We initialize it to `\@empty`.

```
43 \let\alpha@list\@empty
44 \@onlypreamble\alpha@list
```

`\alpha@elt`

```
45 \let\alpha@elt\relax
46 \@onlypreamble\alpha@elt
```

`\newgroup` Start the group (fam) allocation at 0. (Doesn't belong here.)

```
47 \count18=-1
```

`\stepcounter`

`\select@group` We surround `\select@group` with braces so that functions using it can be used directly after `_` or `^`. However, if we use oldstyle syntax where the math alphabet doesn't have arguments (ie if `\math@bgroup` is not `\bgroup`) we need to get rid of the extra group.

```

48 </2ekernel>
49 <latexrelease>\IncludeInRelease{2015/01/01}
50 <latexrelease>          {\select@group}{\select@group}%
51 <*2ekernel | latexrelease>
52 \def\select@group#1#2#3#4{%
53   \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
54   {%
55     \ifmmode
56       \ifnum\csname c@mv@\math@version\endcsname<\e@mathgroup@top
57         \begingroup
58         \escapechar\m@ne
59         \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
60         \globaldefs\@ne \math@fonts
61       \endgroup
62       \init@restore@version
63       \xdef#1{\noexpand\use@mathgroup\noexpand#2%
64         {\number\csname c@mv@\math@version\endcsname}}%
65       \global\advance\csname c@mv@\math@version\endcsname\@ne
66     \else
67       \let#1\relax
68       \@latex@error{Too many math alphabets used in
69         version \math@version}%
70       \@eha
71     \fi
72   \else \expandafter\non@alpherr\fi
73   #1{#4}%
74 }%
75 }
76 </2ekernel | latexrelease>
77 <latexrelease>\EndIncludeInRelease
78 <latexrelease>\IncludeInRelease{0000/00/00}
79 <latexrelease>          {\select@group}{\select@group}%
80 <latexrelease>\def\select@group#1#2#3#4{%
81 <latexrelease> \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
82 <latexrelease> {%
83 <latexrelease> \ifmmode
84 <latexrelease>   \ifnum\csname c@mv@\math@version\endcsname<\sixt@n
85 <latexrelease>     \begingroup
86 <latexrelease>     \escapechar\m@ne
87 <latexrelease>     \getanddefine@fonts
88 <latexrelease>       {\csname c@mv@\math@version\endcsname}#3%
89 <latexrelease>     \globaldefs\@ne \math@fonts
90 <latexrelease>   \endgroup
91 <latexrelease>   \init@restore@version
92 <latexrelease>   \xdef#1{\noexpand\use@mathgroup\noexpand#2%
93 <latexrelease>     {\number\csname c@mv@\math@version\endcsname}}%
94 <latexrelease>   \global\advance\csname c@mv@\math@version\endcsname\@ne
95 <latexrelease>   \else
96 <latexrelease>     \let#1\relax
97 <latexrelease>     \@latex@error{Too many math alphabets used in
98 <latexrelease>       version \math@version}%
99 <latexrelease>     \@eha
100 <latexrelease>   \fi
101 <latexrelease> \else \expandafter\non@alpherr\fi

```

```

102 <latexrelease> #1{#4}%
103 <latexrelease> }%
104 <latexrelease>}
105 <latexrelease>\EndIncludeInRelease
106 <*2ekernel>

107 \@onlypreamble\restore@mathversion

\init@restore@version
108 \def\init@restore@version{%
109     \global\let\init@restore@version\relax
110     \xdef\restore@mathversion
111         {\expandafter\noexpand\csname mv@\math@version\endcsname
112         \global\csname c@mv@\math@version\endcsname
113         \number\csname c@mv@\math@version\endcsname\relax}%
114     \aftergroup\dorestore@version
115 }
116 \@onlypreamble\init@restore@version

\non@alpherr
117 \gdef\non@alpherr#1{\@latex@error{%
The command here will have a space at the end of its name, so we make sure not
to insert an extra one.
118     \string#1allowed only in math mode}\@ehd}

\dorestore@version
119 \def\dorestore@version
120 {\ifmmode
121     \aftergroup\dorestore@version
122 \else
123     \gdef\init@restore@version{%
124         \global\let\init@restore@version\relax
125         \xdef\restore@mathversion
126             {\expandafter\noexpand\csname mv@\math@version\endcsname
127             \global\csname c@mv@\math@version\endcsname
128             \number\csname c@mv@\math@version\endcsname\relax}%
129         \aftergroup\dorestore@version
130     }%
131     \begingroup
132         \let\getanddefine@fonts\@gobbletwo
133         \restore@mathversion
134     \endgroup
135     \fi}%
136 \@onlypreamble\dorestore@version

\document@select@group We surround \select@group with braces so that functions using it can be used
directly after _ or ^.
137 </2ekernel>
138 <latexrelease>\IncludeInRelease{2015/01/01}
139 <latexrelease> {\document@select@group}{\document@select@group}%
140 <*2ekernel | latexrelease>
141 \def\document@select@group#1#2#3#4{%
142     \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi

```



```

143 {%
144 \ifmmode
145 \ifnum\csname c@mv@\math@version\endcsname<\e@mathgroup@top
146 \begingroup
147 \escapechar\m@ne
148 \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
149 \globaldefs\@ne \math@fonts
150 \endgroup
151 \expandafter\extract@alph@from@version
152 \csname mv@\math@version\expandafter\endcsname
153 \expandafter{\number\csname
154 c@mv@\math@version\endcsname}%
155 #1%
156 \global\advance\csname c@mv@\math@version\endcsname\@ne
157 \else
158 \let#1\relax
159 \@latex@error{Too many math alphabets used
160 in version \math@version}%
161 \@eha
162 \fi
163 \else \expandafter\non@alpherr\fi
164 #1{#4}%
165 }%
166 }
167 </2ekernel | latexrelease>
168 <latexrelease>\EndIncludeInRelease
169 <latexrelease>\IncludeInRelease{0000/00/00}
170 <latexrelease> {\document@select@group}{\document@select@group}%
171 <latexrelease>\def\document@select@group#1#2#3#4{%
172 <latexrelease> \ifx\math@bgroup\bgroup\else\relax\expandafter\@firstofone\fi
173 <latexrelease> {%
174 <latexrelease> \ifmmode
175 <latexrelease> \ifnum\csname c@mv@\math@version\endcsname<\sist@n
176 <latexrelease> \begingroup
177 <latexrelease> \escapechar\m@ne
178 <latexrelease> \getanddefine@fonts
179 <latexrelease> {\csname c@mv@\math@version\endcsname}#3%
180 <latexrelease> \globaldefs\@ne \math@fonts
181 <latexrelease> \endgroup
182 <latexrelease> \expandafter\extract@alph@from@version
183 <latexrelease> \csname mv@\math@version\expandafter\endcsname
184 <latexrelease> \expandafter{\number\csname
185 <latexrelease> c@mv@\math@version\endcsname}%
186 <latexrelease> #1%
187 <latexrelease> \global\advance\csname c@mv@\math@version\endcsname\@ne
188 <latexrelease> \else
189 <latexrelease> \let#1\relax
190 <latexrelease> \@latex@error{Too many math alphabets used
191 <latexrelease> in version \math@version}%
192 <latexrelease> \@eha
193 <latexrelease> \fi
194 <latexrelease> \else \expandafter\non@alpherr\fi
195 <latexrelease> #1{#4}%
196 <latexrelease> }%

```

```

197 \latexrelease}
198 \latexrelease\EndIncludeInRelease
199 \*2ekernel)

```

`\process@table`

```

200 \def\process@table{%
201   \def\cdp@elt##1##2##3##4{%
202     \@font@info{Checking defaults for
203       ##1/##2/##3/##4}%
204     \expandafter
205     \ifx\csname##1/##2/##3/##4\endcsname\relax

```

Grouping is important for two reasons, first `\cdp@elt` will get redefined if `\Declare...` functions are executed within the external `.fd` file and secondly `\try@load@fontshape` changes a lot of catcodes without surrounding itself with a group.

```

206     \begingroup
207     \def\f@encoding{##1}\def\f@family{##2}%
208     \try@load@fontshape
209     \endgroup
210     \fi
211     \expandafter
212     \ifx\csname##1/##2/##3/##4\endcsname\relax
213       \@latex@error{This NFSS system isn't set up properly}%
214       {For encoding scheme ##1 the defaults
215         ##2/##3/##4 do not form a valid font shape}%
216     \else
217       \@font@info{... okay}%
218     \fi}%
219   \cdp@list

```

Now we make sure that `\error@fontshape` is okay.

```

220   \begingroup
221   \escapechar\m@ne
222   \error@fontshape
223   \expandafter\ifx\csname \curr@fontshape\endcsname\relax
224     \begingroup
225     \try@load@fontshape
226     \endgroup
227   \fi
228   \expandafter\ifx\csname \curr@fontshape\endcsname\relax
229     \@latex@error{This NFSS system isn't set up properly}%
230     {The system maintainer forgot to specify a suitable
231       substitution
232       font shape using the \noexpand\DeclareErrorFont
233       command}%
234   \fi
235   \endgroup

```

Set `\select@group` to its meaning used within the document body.

```

236   \let\select@group\document@select@group

```

Install the default font attributes they are currently pointing to error font shape. Don't use `\reset@font` since that would trigger `\selectfont`.

```

237   \fontencoding{\encodingdefault}%

```

```

238 \fontfamily{\familydefault}%
239 \fontseries{\seriesdefault}%
240 \fontshape{\shapedefault}%
kill all macros not longer needed. we need to add many more!!!!!!
241 \everyjob{}%
242 }
243 \@onlypreamble\process@table
244 %\@onlypreamble\set@mathradical

```

`\DeclareMathVersion`

```

245 \def\DeclareMathVersion#1{%
246 \expandafter\new@mathversion\csname mv@#1\endcsname}
247 \@onlypreamble\DeclareMathVersion

```

`\new@mathversion`

```

248 \def\new@mathversion#1{%
249 \expandafter\in@\expandafter#1\expandafter{\version@list}%
250 \ifin@
251 \font@info{Redeclaring math version
252 \expandafter\@gobblefour\string#1'}%
253 \else
254 \expandafter\newcount\csname c@\expandafter
255 \expandafter\@gobble\string#1\endcsname
256 \def\version@elt{\noexpand\version@elt\noexpand}%
257 \edef\version@list{\version@list\version@elt#1}%
258 \fi

```

`\toks@` is used to gather all tokens for the math version. `\count@` will be used to count the math groups we add to this version.

```

259 \toks@{}%
260 \count@\z@

```

Now we loop over `\group@list` to add all math groups defined so far to the version and at the same time to count them.

```

261 \def\group@elt##1##2{%
262 \advance\count@\@ne
263 \addto@hook\toks@{\getanddefine@fonts##1##2}%
264 }%
265 \group@list

```

We set the counter for this math version to the number of math groups found in `\group@list`.

```

266 \global\csname c@\expandafter\@gobble\string#1\endcsname\count@

```

Now we loop over `\alpha@list` to add all math alphabets known so far. We have to distinguish the case that an alphabet by default should produce an error in new versions.

```

267 \def\alpha@elt##1##2##3{%
268 \ifx##2\no@alphabet@error
269 \toks@\expandafter{\the\toks@\install@mathalphabet##1%
270 {\no@alphabet@error##1}}%
271 \else
272 \toks@\expandafter{\the\toks@\install@mathalphabet##1%
273 {\select@group##1##2##3}}%

```

```

274     \fi
275   }%
276   \alpha@list

```

Finally we define the math version to expand to the contents of \toks@.

```

277   \xdef#1{\the\toks@}%
278 }
279 \@onlypreamble\new@mathversion

```

\DeclareSymbolFont

```

280 \def\DeclareSymbolFont#1#2#3#4#5{%
281   \@tempswafalse
282   \edef\reserved@b{#2}%
283   \def\cdp@elt##1##2##3##4{\def\reserved@c{##1}%
284     \ifx\reserved@b\reserved@c \@tempswatrue\fi}%
285   \cdp@list
286   \if@tempswa
287     \ifundefined{sym#1}{%
288       \ifnum\count18<15 %
289         \expandafter\new@mathgroup\csname sym#1\endcsname
290         \expandafter\new@symbolfont\csname sym#1\endcsname
291           {#2}{#3}{#4}{#5}%
292       \else
293         \@latex@error{Too many symbol fonts declared}\@eha
294       \fi
295     }%
296     {%
297       \@font@info{Redeclaring symbol font ‘#1’}%

```

Update the group list.

```

298   \def\group@elt##1##2{%
299     \noexpand\group@elt\noexpand##1%
300     \expandafter\ifx\csname sym#1\endcsname##1%
301       \expandafter\noexpand\csname#2/#3/#4/#5\endcsname
302     \else
303       \noexpand##2%
304     \fi}%
305   \xdef\group@list{\group@list}%

```

Update the version list.

```

306   \def\version@elt##1{%
307     \expandafter
308     \SetSymbolFont@expandafter##1\csname#2/#3/#4/#5\endcsname
309     \endcsname \csname sym#1\endcsname
310   }%
311   \version@list
312 }%
313 \else
314   \@latex@error{Encoding scheme ‘#2’ unknown}\@eha
315 \fi
316 }
317 \@onlypreamble\DeclareSymbolFont

```

\group@list

```

318 \let\group@list\empty
319 \@onlypreamble\group@list

\group@elt
320 \let\group@elt\relax
321 \@onlypreamble\group@elt

\new@symbolfont
322 \def\new@symbolfont#1#2#3#4#5{%
323   \toks@\expandafter{\group@list}%
324   \edef\group@list{\the\toks@\noexpand\group@elt\noexpand#1%
325     \expandafter\noexpand\csname#2/#3/#4/#5\endcsname}%
326   \def\version@elt##1{\toks@\expandafter{##1}%
327     \edef##1{\the\toks@\noexpand\getanddefine@fonts
328       #1\expandafter\noexpand\csname#2/#3/#4/#5\endcsname}%
329     \global\advance\csname c@\expandafter
330       \@gobble\string##1\endcsname\@ne
331   }%
332   \version@list
333 }
334 \@onlypreamble\new@symbolfont

\SetSymbolFont
335 \def\SetSymbolFont#1#2#3#4#5#6{%
336   \@tempswafalse
337   \edef\reserved@b{#3}%
338   \def\cdp@elt##1##2##3##4{\def\reserved@c{##1}%
339     \ifx\reserved@b\reserved@c \@tempswatrue\fi}%
340   \cdp@list
341   \if@tempswa
342     \expandafter\SetSymbolFont@
343     \csname mv@#2\expandafter\endcsname\csname#3/#4/#5/#6\expandafter
344       \endcsname \csname sym#1\endcsname
345   \else
346     \@latex@error{Encoding scheme ‘#3’ unknown}\@eha
347   \fi
348 }
349 \@onlypreamble\SetSymbolFont

\SetSymbolFont@
350 \def\SetSymbolFont@#1#2#3{%
351   \expandafter\in@\expandafter#1\expandafter{\version@list}%
352   \ifin@
353     \expandafter\in@\expandafter#3\expandafter{\group@list}%
354     \ifin@
355       \begingroup
356       \expandafter\get@cdp\string#2\@nil\reserved@a
357       \toks@{}%
358       \def\install@mathalphabet##1##2{%
359         \addto@hook\toks@{\install@mathalphabet##1{##2}}%
360       }%
361       \def\getanddefine@fonts##1##2{%
362         \ifnum##1=#3%
363           \addto@hook\toks@{\getanddefine@fonts#3#2}%

```

```

364         \expandafter\get@cdp\string##2\@nil\reserved@b
365         \ifx\reserved@a\reserved@b\else
366             \@font@info{Encoding '\reserved@b' has changed
367                 to '\reserved@a' for symbol font\MessageBreak
368                 '\expandafter\@gobblefour\string#3' in the
369                 math version '\expandafter
370                 \@gobblefour\string#1'}}%
371         \fi
372         \@font@info{%
373             Overwriting symbol font
374             '\expandafter\@gobblefour\string#3' in
375             version '\expandafter
376             \@gobblefour\string#1'\MessageBreak
377             \@spaces \expandafter\@gobble\string##2 -->
378                 \expandafter\@gobble\string#2}%
379         \else
380             \addto@hook\toks@{\getanddefine@fonts##1##2}%
381             \fi}%
382         #1%
383         \xdef#1{\the\toks@}%
384     \endgroup
385 \else
386     \@latex@error{Symbol font '\expandafter\@gobblefour\string#3'
387         not defined}\@eha
388 \fi
389 \else
390     \@latex@error{Math version '\expandafter\@gobblefour\string#1'
391         is not
392         defined}{You probably misspelled the name of the math
393         version.^^JOr you have to specify an additional package.}%
394 \fi
395 }
396 \@onlypreamble\SetSymbolFont@

```

\get@cdp

```

397 \def\get@cdp#1#2/#3\@nil#4{\def#4{#2}}
398 \@onlypreamble\get@cdp

```

\DeclareMathAlphabet

```

399 \def\DeclareMathAlphabet#1#2#3#4#5{%
400     \@tempswafalse
401     \edef\reserved@b{#2}%
402     \def\cdp@elt##1##2##3##4{\def\reserved@c{##1}%
403         \ifx\reserved@b\reserved@c \@tempswatrue\fi}%
404     \cdp@list
405     \if@tempswa
406         \expandafter\ifx
407             \csname\expandafter\@gobble\string#1\endcsname
408             \relax
409             \new@mathalphabet#1{#2}{#3}{#4}{#5}%
410         \else
411             Check if it is already a math alphabet.
412             \edef\reserved@a{\noexpand\in@\string\select@group}%

```

```

412      {\expandafter\meaning\csname \expandafter
413        \@gobble\string#1\space\endcsname}}%
414    \reserved@a
415    \ifin@
416      \@font@info{Redeclaring math alphabet \string#1}%
417      \def\version@elt##1{%
418        \expandafter\SetMathAlphabet@\expandafter
419          ##1\csname#2/#3/#4/#5\expandafter\endcsname
420
421        \csname M@#2\expandafter\endcsname
422        \csname \expandafter\@gobble\string#1\space\endcsname#1}%
423      \version@list
424    \else

```

Check if it is a math alphabet defined via `\DeclareSymbolFontAlphabet`.

```

424      \edef\reserved@a{\noexpand\in@{\string\use@mathgroup}%
425        {\expandafter\meaning\csname \expandafter
426          \@gobble\string#1\space\endcsname}}%
427      \reserved@a
428      \ifin@

```

In that case overwriting is simple since there is nothing inserted in the math version macros.

```

429      \@font@info{Redeclaring math alphabet \string#1}%
430      \new@mathalphabet#1{#2}{#3}{#4}{#5}%

```

Otherwise panic.

```

431      \else
432        \@latex@error{Command ‘\string#1’ already defined}\@eha
433      \fi
434    \fi
435  \fi
436  \else
437    \@latex@error{Encoding scheme ‘#2’ unknown}\@eha
438  \fi
439  }
440 \@onlypreamble\DeclareMathAlphabet

```

`\new@mathalphabet`

```

441 \def\new@mathalphabet#1#2#3#4#5{%
442   \toks@{\expandafter{\alpha@list}%
443   \edef#1{\expandafter\noexpand\csname \expandafter
444     \@gobble\string#1\space\endcsname
445     \if/#5/%
446       \noexpand\no@alphabet@error
447       \noexpand\no@alphabet@error
448     \else
449       \expandafter\noexpand\csname M@#2\endcsname
450       \expandafter\noexpand\csname#2/#3/#4/#5\endcsname
451     \fi
452   }%
453   \toks2\expandafter{#1}%
454   \edef\alpha@list{\the\toks@\noexpand\alpha@elt\the\toks2}%
455   \def\version@elt##1{\toks@\expandafter{##1}%
456     \edef##1{\the\toks@\install@mathalphabet

```

```

457 \expandafter\noexpand
458 \csname \expandafter\@gobble
459 \string#1\space\endcsname
460 {\if/#5/%
461 \noexpand\no@alphabet@error
462 \noexpand#1%
463 \else
464 \noexpand\select@group\the\toks2
465 \fi}}%
466 }%
467 \version@list
468 \expandafter\edef\csname \expandafter\@gobble
469 \string#1\space\endcsname{\if/#5/%
470 \noexpand\no@alphabet@error
471 \noexpand#1%
472 \else
473 \noexpand\select@group\the\toks2
474 \fi}%
475 \edef#1{\noexpand\protect
476 \expandafter\noexpand\csname \expandafter
477 \@gobble\string#1\space\endcsname}%
478 }
479 \@onlypreamble\new@mathalphabet

```

\SetMathAlphabet

```

480 \def\SetMathAlphabet#1#2#3#4#5#6{%
481 \tempswafalse
482 \edef\reserved@b{#3}%
483 \def\cdp@elt##1##2##3##4{\def\reserved@c{##1}%
484 \ifx\reserved@b\reserved@c \tempswatrue\fi}%
485 \cdp@list
486 \if@tempswa
487 \expandafter\SetMathAlphabet@
488 \csname mv@#2\expandafter\endcsname\csname#3/#4/#5/#6\expandafter
489 \endcsname \csname M@#3\expandafter\endcsname
490 \csname \expandafter\@gobble\string#1\space\endcsname#1%
491 \else
492 \@latex@error{Encoding scheme ‘#3’ unknown}\@eha
493 \fi
494 }
495 \@onlypreamble\SetMathAlphabet

```

\SetMathAlphabet@

```

496 \def\SetMathAlphabet@#1#2#3#4#5{%
497 \expandafter\in@\expandafter#1\expandafter{\version@list}%
498 \ifin@
499 \expandafter\in@\expandafter#4\expandafter{\alpha@list}%
500 \ifin@
501 \begingroup
502 \toks@{}%
503 \def\getanddefine@fonts##1##2{%
504 \addto@hook\toks@{\getanddefine@fonts##1##2}%
505 }%
506 \def\reserved@c##1##2##3##4{% % for message below

```



```

507         \expandafter\@gobble\string##4}%
508 \def\install@mathalphabet##1##2{%
509     \ifx##1#4%
510         \addto@hook\toks@
511         {\install@mathalphabet#4{\select@group#4#3#2}}}%
512     \@font@info{Overwriting math alphabet
513     '\string#5' in version '\expandafter
514     \@gobblefour\string#1'\MessageBreak
515     \@spaces \reserved@c##2 -->
516         \expandafter\@gobble\string#2}%
517     \else
518         \addto@hook\toks@{\install@mathalphabet##1{##2}}}%
519     \fi
520 }%
521 #1%
522 \xdef#1{\the\toks@}%
523 \endgroup
524 \else

```

If the math alphabet was defined via `\DeclareSymbolFontAlphabet` we have remove its external definition and add it as a normal math alphabet to every version before trying to change it in one version.

```

525     \edef\reserved@a{%
526         \noexpand\in@{\string\use@mathgroup}{\meaning#4}}%
527     \reserved@a
528     \ifin@
529         \def\reserved@b##1\use@mathgroup##2##3{%
530             \def\reserved@b{##3}\def\reserved@c{##2}}%
531         \expandafter\reserved@b#4%
532     \begingroup
533         \def\install@mathalphabet##1##2{%
534             \addto@hook\toks@{\install@mathalphabet##1{##2}}}%
535         }%
536         \def\getanddefine@fonts##1##2{%
537             \addto@hook\toks@{\getanddefine@fonts##1##2}%
538             \ifnum##1=\reserved@b
539                 \expandafter
540                 \addto@hook\expandafter\toks@
541                 \expandafter{\expandafter\install@mathalphabet
542                 \expandafter#4\expandafter
543                     {\expandafter\select@group\expandafter
544                     #4\reserved@c##2}}}%
545             \fi
546         }%
547         \def\version@elt##1{%
548             \toks@{}%
549             ##1%
550             \xdef##1{\the\toks@}%
551         }%
552         \version@list
553     \endgroup

```

Put it into the `\alpha@list` with default ‘error’

```

554     \expandafter\gdef\expandafter\alpha@list\expandafter
555     {\alpha@list

```

```

556         \alpha@elt #4\no@alphabet@error \no@alphabet@error}%
557         \gdef#4{\no@alphabet@error #5}% fake things :-)

```

Then call the internal setting routine again:

```

558         \SetMathAlphabet@{#1}{#2}{#3}#4#5%
559     \else
560         \@latex@error{Command '\string#5' not defined as a
561             math alphabet}%
562         {Use \noexpand\DeclareMathAlphabet to define it.}%
563     \fi
564 \fi
565 \else
566     \@latex@error{Math version '\expandafter\@gobblefour\string#1'
567         is not
568         defined}{You probably misspelled the name of the math
569         version.^^JOr you have to specify an additional package.}%
570 \fi
571 }
572 \@onlypreamble\SetMathAlphabet@

```

`\DeclareMathAlphabet` could do with more checks like allowing single number in #4 lowercase in #4 etc

```

573 \def\DeclareMathAccent#1#2#3#4{%
574     \expandafter\in@\csname sym#3\expandafter\endcsname
575     \expandafter{\group@list}%
576     \ifin@
577         \begin@group
578         \count\z@=#4\relax
579         \count\tw@\count\z@
580         \divide\count\z@\sist@@n
581         \count@\count\z@
582         \multiply\count@\sist@@n
583         \advance\count\tw@-\count@
584         \if\relax\noexpand#1% is command?
585             \edef\reserved@a{\noexpand\in@
586                 {\expandafter\@gobble\string\mathaccent}{\meaning#1}}%
587             \reserved@a
588         \ifin@
589             \expandafter\set@mathaccent
590             \csname sym#3\endcsname#1#2%
591             {\hexnumber@\count\z@}\hexnumber@\count\tw@}%
592             \@font@info{Redeclaring math accent \string#1}%
593         \else
594             \expandafter\ifx
595             \csname\expandafter\@gobble\string#1\endcsname
596             \relax
597                 \expandafter\set@mathaccent
598                 \csname sym#3\endcsname#1#2%
599                 {\hexnumber@\count\z@}\hexnumber@\count\tw@}%
600             \else
601                 \@latex@error{Command '\string#1' already defined}\@eha
602             \fi
603         \fi
604     \else
605         \@latex@error{Not a command name: '\noexpand#1'}\@eha

```

```

606     \fi
607   \endgroup
608 \else
609   \@latex@error{Symbol font ‘#3’ is not defined}\@eha
610 \fi
611 }
612 \@onlypreamble\DeclareMathAccent

\set@mathaccent

613 \def\set@mathaccent#1#2#3#4{%
614   \xdef#2{\mathaccent"\mathchar@type#3\hexnumber@#1#4\relax}}
615 \@onlypreamble\set@mathaccent

\DeclareMathSymbol

616 \def\DeclareMathSymbol#1#2#3#4{%
617   \expandafter\in@\csname sym#3\expandafter\endcsname
618     \expandafter{\group@list}%
619   \ifin@
620     \begingroup
621       \count\z@=#4\relax
622       \count\tw@\count\z@
623       \divide\count\z@\sixt@@n
624       \count@\count\z@
625       \multiply\count@\sixt@@n
626       \advance\count\tw@-\count@
627       \if\relax\noexpand#1% is command?
628         \edef\reserved@a
629           {\noexpand\in@{\expandafter\@gobble\string\mathchar}%
630            {\meaning#1}}%
631       \reserved@a
632     \ifin@
633       \expandafter\set@mathsymbol
634         \csname sym#3\endcsname#1#2%
635         {\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
636       \@font@info{Redeclaring math symbol \string#1}%
637     \else
638       \expandafter\ifx
639         \csname\expandafter\@gobble\string#1\endcsname
640         \relax
641         \expandafter\set@mathsymbol
642           \csname sym#3\endcsname#1#2%
643           {\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
644       \else
645         \@latex@error{Command ‘\string#1’ already defined}\@eha
646       \fi
647     \fi
648   \else
649     \expandafter\set@mathchar
650       \csname sym#3\endcsname#1#2
651       {\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
652     \fi
653   \endgroup
654 \else
655   \@latex@error{Symbol font ‘#3’ is not defined}\@eha

```

```

656 \fi
657 }
658 \@onlypreamble\DeclareMathSymbol

\set@mathchar
659 \def\set@mathchar#1#2#3#4{%
660 \global\mathcode'#2="\mathchar@type#3\hexnumber@#1#4\relax}
661 \@onlypreamble\set@mathchar

\set@mathsymbol
662 \def\set@mathsymbol#1#2#3#4{%
663 \global\mathchardef#2="\mathchar@type#3\hexnumber@#1#4\relax}
664 \@onlypreamble\set@mathsymbol

665 %\def\mathsymbol#1#2#3{%
666 % \@tempcnta=#3\relax
667 % \@tempcntb\@tempcnta
668 % \divide\@tempcnta\sixt@@n
669 % \count@\@tempcnta
670 % \multiply\count@\sixt@@n
671 % \advance\@tempcntb-\count@
672 % \mathchar"\mathchar@type#1\hexnumber@#2%
673 % \hexnumber@\@tempcnta\hexnumber@\@tempcntb\relax}
674 %
675 %\def\DeclareMathAlphabetCharacter#1#2#3{%
676 % \DeclareMathSymbol{#1}7{#2}{#3}}

\DeclareMathDelimiter
677 \def\DeclareMathDelimiter#1{%
678 \if\relax\noexpand#1%
679 \expandafter\@DeclareMathDelimiter
680 \else
681 \expandafter\@xxDeclareMathDelimiter
682 \fi
683 #1}
684 \@onlypreamble\DeclareMathDelimiter

\@xxDeclareMathDelimiter This macro checks if the second arg is a “math type” such as \mathopen. The
undocumented original code didn’t use math types when the delimiter was a sin-
gle letter. For this reason the coding is a bit strange as it tries to support the
undocumented syntax for compatibility reasons.
685 \def\@xxDeclareMathDelimiter#1#2#3#4{%
7 is the default value returned in the case that \mathchar@type is passed some-
thing unexpected, like a math symbol font name. We locally move \mathalpha
out of the way so if you use that the right branch is taken. This will still fail if an
explicit number 7 is used!
686 \begingroup
687 \let\mathalpha\mathord
688 \ifnum7=\mathchar@type{#2}%
689 \endgroup
If this branch is taken we have old syntax (5 arguments).
690 \expandafter\@firstofone
691 \else

```

If this branch is taken `\mathchar@type` is different from 7 so we assume new syntax. In this case we also use the arguments to set up the letter as a math symbol for the case where it is not used as a delimiter.

```
692 \endgroup
693 \DeclareMathSymbol#1{#2}{#3}{#4}%
```

Then we arrange that `\@xDeclareMathDelimiter` only gets #1, #3, #4 ... as it does not expect a math type as argument.

```
694 \expandafter\@firstoftwo
695 \fi
696 {\@xDeclareMathDelimiter#1}{#2}{#3}{#4}}
697 \@onlypreamble\@xxDeclareMathDelimiter
```

`\@DeclareMathDelimiter`

```
698 \def\@DeclareMathDelimiter#1#2#3#4#5#6{%
699 \expandafter\in@\csname sym#3\expandafter\endcsname
700 \expandafter{\group@list}%
701 \ifin@
702 \expandafter\in@\csname sym#5\expandafter\endcsname
703 \expandafter{\group@list}%
704 \ifin@
705 \begingroup
706 \count\z@=#4\relax
707 \count\tw@\count\z@
708 \divide\count\z@\sixt@@n
709 \count@\count\z@
710 \multiply\count@\sixt@@n
711 \advance\count\tw@-\count@
712 \edef\reserved@c{\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
713 %
714 \count\z@=#6\relax
715 \count\tw@\count\z@
716 \divide\count\z@\sixt@@n
717 \count@\count\z@
718 \multiply\count@\sixt@@n
719 \advance\count\tw@-\count@
720 \edef\reserved@d{\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
721 %
722 \edef\reserved@a{\noexpand\in@
723 {\expandafter\@gobble\string\delimiter}{\meaning#1}}%
724 \reserved@a
725 \ifin@
726 \expandafter\set@mathdelimiter
727 \csname sym#3\expandafter\endcsname
728 \csname sym#5\endcsname#1#2%
729 \reserved@c\reserved@d
730 \@font@info{Redeclaring math delimiter \string#1}%
731 \else
732 \expandafter\ifx
733 \csname\expandafter\@gobble\string#1\endcsname
734 \relax
735 \expandafter\set@mathdelimiter
736 \csname sym#3\expandafter\endcsname
737 \csname sym#5\endcsname#1#2%
```

```

738         \reserved@c\reserved@d
739     \else
740         \@latex@error{Command '\string#1' already defined}\@eha
741     \fi
742 \fi
743 \endgroup
744 \else
745     \@latex@error{Symbol font '#5' is not defined}\@eha
746 \fi
747 \else
748     \@latex@error{Symbol font '#3' is not defined}\@eha
749 \fi
750 }
751 \@onlypreamble\@DeclareMathDelimiter

\@xDeclareMathDelimiter

752 \def\@xDeclareMathDelimiter#1#2#3#4#5{%
753     \expandafter\in@\csname sym#2\expandafter\endcsname
754     \expandafter{\group@list}%
755 \ifin@
756     \expandafter\in@\csname sym#4\expandafter\endcsname
757     \expandafter{\group@list}%
758 \ifin@
759     \begingroup
760         \count\z@=#3\relax
761         \count\tw@\count\z@
762         \divide\count\z@\sixt@@n
763         \count@\count\z@
764         \multiply\count@\sixt@@n
765         \advance\count\tw@-\count@
766         \edef\reserved@c{\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
767     %
768         \count\z@=#5\relax
769         \count\tw@\count\z@
770         \divide\count\z@\sixt@@n
771         \count@\count\z@
772         \multiply\count@\sixt@@n
773         \advance\count\tw@-\count@
774         \edef\reserved@d{\hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
775         \expandafter\set@\@mathdelimiter
776             \csname sym#2\expandafter\endcsname\csname sym#4\endcsname#1%
777             \reserved@c\reserved@d
778     \endgroup
779 \else
780     \@latex@error{Symbol font '#4' is not defined}\@eha
781 \fi
782 \else
783     \@latex@error{Symbol font '#2' is not defined}\@eha
784 \fi
785 }
786 \@onlypreamble\@xDeclareMathDelimiter

```

`\set@mathdelimiter` We have to end the definition of a math delimiter like `\lfloor` with a space and not with `\relax` as we did before, because otherwise constructs involving

\abovewithdelims will prematurely end (pr/1329)

```

787 \def\set@mathdelimiter#1#2#3#4#5#6{%
788   \xdef#3{\delimiter"\mathchar@type#4\hexnumber@#1#5%
789                                     \hexnumber@#2#6 }}
790 \@onlypreamble\set@mathdelimiter

```

\set@@mathdelimiter

```

791 \def\set@@mathdelimiter#1#2#3#4#5{%
792   \global\delcode'#3="\hexnumber@#1#4\hexnumber@#2#5\relax}
793 \@onlypreamble\set@@mathdelimiter

```

\DeclareMathRadical

```

794 \def\DeclareMathRadical#1#2#3#4#5{%

```

Below is a crude fix to make this macro work if #1 is undefined or \relax. Should be improved!

```

795   \expandafter\ifx
796     \csname\expandafter\@gobble\string#1\endcsname
797     \relax
798     \let#1\radical
799   \fi
800   \edef\reserved@a{\noexpand\in@
801     {\expandafter\@gobble\string\radical}{\meaning#1}}%
802   \reserved@a
803   \ifin@
804     \expandafter\in@\csname sym#2\expandafter\endcsname
805     \expandafter{\group@list}%
806   \ifin@
807     \expandafter\in@\csname sym#4\expandafter\endcsname
808     \expandafter{\group@list}%
809   \ifin@
810     \begingroup
811       \count\z@=#3\relax
812       \count\tw@\count\z@
813       \divide\count\z@\sist@@n
814       \count@\count\z@
815       \multiply\count@\sist@@n
816       \advance\count\tw@-\count@
817       \edef\reserved@c{%
818         \hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%
819       \count\z@=#5\relax
820       \count\tw@\count\z@
821       \divide\count\z@\sist@@n
822       \count@\count\z@
823       \multiply\count@\sist@@n
824       \advance\count\tw@-\count@
825       \edef\reserved@d{%
826         \hexnumber@{\count\z@}\hexnumber@{\count\tw@}}%

```

Coded inline instead of using \set@mathradical

```

827 %       \expandafter\set@mathradical
828 %       \csname sym#2\expandafter\endcsname
829 %       \csname sym#4\endcsname#1%
830 %       \reserved@c\reserved@d

```

```

831         \xdef#1{\radical"\expandafter\hexnumber@
832             \csname sym#2\endcsname\reserved@
833             \expandafter\hexnumber@
834             \csname sym#4\endcsname\reserved@d
835             \relax}%
836     \endgroup
837 \else
838     \@latex@error{Symbol font ‘#4’ is not defined}\@eha
839 \fi
840 \else
841     \@latex@error{Symbol font ‘#2’ is not defined}\@eha
842 \fi
843 \else
844     \@latex@error{Command ‘\string#1’ already defined}\@eha
845 \fi
846 }
847 \@onlypreamble\DeclareMathRadical

```

Definition below was wrong it contained \delimiter !

```

\def\set@mathradical#1#2#3#4#5{%
    \xdef#3{\radical"\hexnumber@#1#4\hexnumber@#2#5\relax}}

```

```

\mathalpha just a dummy currently
848 \let\mathalpha\relax

```

\mathchar@type

```

849 \def\mathchar@type#1{%
850     \ifodd 2#1#1 \else % is this non-negative number?
851         \ifx#1\mathord 0\else
852             \ifx#1\mathop 1\else
853                 \ifx#1\mathbin 2\else
854                     \ifx#1\mathrel 3\else
855                         \ifx#1\mathopen 4\else
856                             \ifx#1\mathclose 5\else
857                                 \ifx#1\mathpunct 6\else
858                                     7% % anything else is variable ord
859                                 \fi
860                             \fi
861                         \fi
862                     \fi
863                 \fi
864             \fi
865         \fi
866     \fi}
867 \@onlypreamble\mathchar@type

```

\DeclareSymbolFontAlphabet

```

868 \def\DeclareSymbolFontAlphabet#1#2{%
869     \expandafter\DeclareSymbolFontAlphabet@
870     \csname \expandafter\@gobble\string#1\space\endcsname{#2}#1}
871 \@onlypreamble\DeclareSymbolFontAlphabet

```

\DeclareSymbolFontAlphabet@

```

872 \def\DeclareSymbolFontAlphabet@#1#2#3{%

```


We use the switch `\if@tempswa` to decide if we can declare this symbol font alphabet.

```
873 \if@tempswa true
```

First check if #2 is known to be a symbol font

```
874 \expandafter\in@\csname sym#2\expandafter\endcsname
875 \expandafter{\group@list}%
876 \ifin@
```

Check if #1 is defined as a math alphabet defined via `\DeclareMathAlphabet`:

```
877 \expandafter\in@\expandafter#1\expandafter{\alpha@list}%
878 \ifin@
```

If so remove it from the `\alpha@list` and from all math version macros.

```
879 \@font@info{Redefining math alphabet \string#3}%
880 \toks@{}%
881 \def\alpha@elt##1##2##3{%
882 \ifx##1#1\else\addto@hook\toks@{\alpha@elt##1##2##3}\fi}%
883 \alpha@list
884 \xdef\alpha@list{\the\toks@}%

```

Now we loop over all versions and remove the math alphabet:

```
885 \def\version@elt##1{%
886 \begingroup
887 \toks@{}%
888 \def\getanddefine@fonts####1####2{%
889 \addto@hook\toks@{\getanddefine@fonts####1####2}}%
890 \def\install@mathalphabet####1####2{%
891 \ifx####1#1\else
892 \addto@hook\toks@{\install@mathalphabet
893 ####1{####2}}\fi}%
894 ##1%
895 \xdef##1{\the\toks@}%
896 \endgroup
897 }%
898 \version@list
899 \else

```

If #3 is not defined as a math alphabet check if it is defined at all:

```
900 \expandafter\ifx
901 \csname\expandafter\@gobble\string#1\space\endcsname
902 \relax

```

If it is undefined, fine otherwise check if it is a math alphabet defined via `\DeclareSymbolFontAlphabet`:

```
903 \else
904 \edef\reserved@a{%
905 \noexpand\in@{\string\use@mathgroup}{\meaning#1}}%
906 \reserved@a
907 \ifin@
908 \@font@info{Redefining math alphabet \string#3}%
909 \else

```

Since the command #3 is defined to be something which is not a math alphabet we have to skip redefining it.

```
910 \if@tempswa false
```

```

911         \@latex@error{Command ‘\string#3’ already defined}\@eha
912     \fi
913 \fi
914 \fi
915 \else

```

Since the symbol font is not known we better skip defining this alphabet.

```

916     \@tempswafalse
917     \@latex@error{Unknown symbol font ‘#2’}\@eha
918 \fi
919 \if@tempswa

```

When we reach this point we are allowed to define #1 to be a symbol font math alphabet. This means that we have to set it to

```
\use@mathgroup <math-settings> \sym<name>
```

The *<math-settings>* are the one for the encoding that is used in the font shape where *\sym<name>* is pointing to. This means that we have to get it from the information stored in *\group@list*. Thus we loop through that list after defining *\group@elt* in a suitable way.

```

920     \def\group@elt##1##2{%
921         \expandafter\ifx\csname sym#2\endcsname##1%
922         \expandafter\reserved@a\string##2\@nil
923     \fi}%
924     \def\reserved@a##1##2/##3\@nil{%
925         \def\reserved@a{##2}}%
926     \group@list
927     \toks@{\relax\ifmmode \else \non@alpherr#1\fi}%
928     \edef#1{\the\toks@
929         \noexpand\use@mathgroup
930         \expandafter\noexpand\csname M@\reserved@a\endcsname
931         \csname sym#2\endcsname}%
932     \def#3{\protect#1}%
933 \fi
934 }
935 \@onlypreamble\DeclareSymbolFontAlphabet@
936 </2ekernel>

```

File s

ltfssini.dtx

This file contains the top level L^AT_EX interface to the font selection scheme commands. See other parts of the L^AT_EX distribution, or *The L^AT_EX Companion* for higher level documentation of these commands.

34 NFSS Initialisation

Finally, there are six commands that are to be used in L^AT_EX and that we will therefore protect against expansion at the wrong point: `\fontfamily`, `\fontseries`, `\fontshape`, `\fontsize`, `\selectfont`, and `\mathversion`.

```
1 \<*2kernel>
```

34.1 Providing math *versions*

L^AT_EX provides two *versions*. We call them *normal* and *bold*, respectively.

```
2 \DeclareMathVersion{normal}
3 \DeclareMathVersion{bold}
```

Now we define the standard font change commands. We don't allow the use of `\rmfamily` etc. in math mode.

First the changes to another *family*:

```
4 \DeclareRobustCommand\rmfamily
5     {\not@math@alphabet\rmfamily\mathrm
6      \fontfamily\rmdefault\selectfont}
7 \DeclareRobustCommand\sffamily
8     {\not@math@alphabet\sffamily\mathsf
9      \fontfamily\sfdefault\selectfont}
10 \DeclareRobustCommand\ttfamily
11     {\not@math@alphabet\ttfamily\mathtt
12      \fontfamily\ttdefault\selectfont}
```

Then the commands changing the *series*:

```
13 \DeclareRobustCommand\bfseries
14     {\not@math@alphabet\bfseries\mathbf
15      \fontseries\bfdefault\selectfont}
16 \DeclareRobustCommand\mdseries
17     {\not@math@alphabet\mdseries\relax
18      \fontseries\mddefault\selectfont}
19 \DeclareRobustCommand\upshape
20     {\not@math@alphabet\upshape\relax
21      \fontshape\updefault\selectfont}
```

Then the commands changing the *shape*:

```
22 \DeclareRobustCommand\slshape
23     {\not@math@alphabet\slshape\relax
24      \fontshape\sldefault\selectfont}
25 \DeclareRobustCommand\scshape
26     {\not@math@alphabet\scshape\relax
27      \fontshape\scdefault\selectfont}
```

```

28 \DeclareRobustCommand\itshape
29     {\not@math@alphabet\itshape\mathit}
30     \fontshape\itdefault\selectfont}

```

`\em` We also have to define the *emphasize* font change command (i.e. `\em`). This command will look is the current font is sloped (i.e. has a positive `\fontdimen1`) and will then select either `\upshape` or `\itshape`.

```

31 </2ekernel>
32 <latexrelease>\IncludeInRelease{2015/01/01}{\eminnershape}{\eminnershape}%
33 <*2ekernel | latexrelease>
34 \DeclareRobustCommand\em
35     {\@nomath\em \ifdim \fontdimen\@ne\font >\z@
36         \eminnershape \else \itshape \fi}%
37 \def\eminnershape{\upshape}%
38 </2ekernel | latexrelease>
39 <latexrelease>\EndIncludeInRelease
40 <latexrelease>\IncludeInRelease{0000/00/00}{\eminnershape}{\eminnershape}%
41 <latexrelease>\DeclareRobustCommand\em
42 <latexrelease>     {\@nomath\em \ifdim \fontdimen\@ne\font >\z@
43 <latexrelease>         \upshape \else \itshape \fi}%
44 <latexrelease>\let\eminnershape\undefined
45 <latexrelease>\EndIncludeInRelease
46 <*2ekernel>

```

`\not@math@alphabet` This function generates an error message when it is called in math mode. The same function should be defined in `newlfont.sty`.

```

47 \def\not@math@alphabet#1#2{%
48   \relax
49   \ifmmode
50     \@latex@error{Command \noexpand#1invalid in math mode}%
51     {%
52       Please
53       \ifx#2\relax
54         define a new math alphabet^^J%
55         if you want to use a special font in math mode%
56       \else

```

We have to a `\noexpand` below to prevent expansion of `#2`. In case of `#1` we can omit this (due to the current definition of robust commands since they do come out right there :-).

```

57         use the math alphabet \noexpand#2instead of
58         the #1command%
59     \fi
60     .
61 }%
62 \fi}

```

Finally we provide two abbreviations to switch to the L^AT_EX *versions*.

```

63 \def\boldmath{\@nomath\boldmath
64             \mathversion{bold}}
65 \def\unboldmath{\@nomath\unboldmath
66             \mathversion{normal}}

```

Here we switch to the default math version by defining the internal macro `\math@version`. We dare not to call `\mathversion` at this place because this would call `\glb@settings`.

```
67 \def\math@version{normal}
```

34.2 Miscellaneous

`\newfont` We start by defining a few macros that are part of standard L^AT_EX's user interface.
`\symbol` The use of these functions is not encouraged, but they will allow to process older documents without changes to the source.

```
68 \def\newfont#1#2{\@ifdefinable#1{\font#1=#2\relax}}
69 \def\symbolsymbol#1{\char #1\relax}
```

`\@setfontsize` This abbreviation is used by L^AT_EX's user level size changing commands, such as
`\@setsize` `\large`.

```
70 \def\@setfontsize#1#2#3{\@nomath#1%
```

For the benefit of people relying on keeping the name of the current font command saved in `\@currsiz` we define it. To ensure that `\@setfontsize` keeps being robust we omit this assignment during times where `\protect` differs from `\@typeset@protect`.

```
71 \ifx\protect\@typeset@protect
72 \let\@currsiz#1%
73 \fi
74 \fontsize{#2}{#3}\selectfont}
```

For compatibility we also define `\@setsize` the 209 command

```
75 \*compat
76 \def\@setsize#1#2#3#4{\@setfontsize#1{#4}{#2}}
77 \compat
```

`\oldstylenums` This macro implements old style numerals but only works if we assume that the standard math fonts are used. Thus it needs changing in case other math encodings are used.

```
78 \def\oldstylenums#1{%
79 \begingroup
```

Provide spacing using the interword space of the current font.

```
80 \spaceskip\fontdimen\tw@\font
```

Then switch to the math italic font. We don't change the current value of `\f@series` which means that you can use bold numerals if `\bfseries` is in force. As family we use `\rmdefault` which means that this only works if there exist an OML encoded version of that font or rather a corresponding `.fd` file (which is the case for standard L^AT_EX fonts even though they only contain substitutions).

```
81 \usefont{OML}{\rmdefault}{\f@series}{it}%
82 \mathgroup\symbols #1%
83 \endgroup
84 }
```

`\hexnumber@` To set up L^AT_EX's special math character definitions we first provide a macro to generate hexadecimal numbers. It is a rather simple `\ifcase`.

```
85 \def\hexnumber@#1{\ifcase\number#1
```

```

86 0\or 1\or 2\or 3\or 4\or 5\or 6\or 7\or 8\or
87 9\or A\or B\or C\or D\or E\or F\fi}

```

`\nfss@text` In its simplest form `\nfss@text` is an `\mbox`. This will produce unbreakable text outside math and inside math you will get text with the same fonts as outside. The only drawback is that such item won't change sizes in subscripts. But this behavior can be easily changed. With the `amstex` style option one will get a sub style called `amstext` which will redefine the `\nfss@text` macro to produce correct text in all sizes.

We have to use `\def` instead of the shorter `\let` since `\mbox` is undefined when we reach this point.

```
88 \def\nfss@text#1{{\mbox{#1}}}
```

`\copyright` The definition of `\copyright` was changed so that it works in other type styles, and to make it robust. We leave the family untouched so that the copyright notice will come out differently if a different font family is in use. This command is commented out, since it is now defined in `ltoutenc.dtx`.

```

89 %\DeclareRobustCommand\copyright
90 %    {{\oalign{\hfil
91 %        \raise.07ex\hbox{\mdseries\upshape c}\hfil\crcr
92 %        \mathhexbox20D}}}

```

`\normalfont` The macro `\reset@font` is used in \LaTeX to switch to a standard font, in order to initialize the current font in situations where typesetting is done in a new visual context (e.g. in a footnote). We define it here to allow the test for the new \LaTeX version above but nevertheless are able to run all kind of mixtures.

`\reset@font`

`\p@reset@font`

The user interface name for `\reset@font` is `\normalfont`:

```

93 \DeclareRobustCommand\normalfont
94     {\usefont\encodingdefault
95         \familydefault
96         \seriesdefault
97         \shapedefault
98         \relax}
99 \let\reset@font\normalfont

```

We left out the special \LaTeX fonts which are not automatically included in the base version of the font selection since these fonts contain only a few characters which are also included in the AMS fonts so anybody who is using these fonts doesn't need them. But for compatibility reasons we will define these symbols.

```

100 \def\not@base#1{\@latex@error
101   {Command \noexpand#1not provided in base LaTeX2e}%
102   {Load the latexsym or the amsfonts package to
103   define this symbol}}
104 \def\mho{\not@base\mho}
105 \def\Join{\not@base\Join}
106 \def\Box{\not@base\Box}
107 \def\Diamond{\not@base\Diamond}
108 \def\leadsto{\not@base\leadsto}
109 \def\squsubset{\not@base\squsubset}
110 \def\sqsupset{\not@base\sqsupset}
111 \def\lhd{\not@base\lhd}

```

```

112 \def\unlhd{\not@base\unlhd}
113 \def\rhd{\not@base\rhd}
114 \def\unrhd{\not@base\unrhd}

```

We now initialize all variables set by `\DeclareErrorFont`. These values are not really important since they will be overwritten later on by the definition in `fontdef.ltx`.

However, if `fontdef.cfg` is corrupted then at least a hopefully suitable error font is present.

```

115 \DeclareErrorFont{OT1}{cmr}{m}{n}{10}  %% don't modify this setting
116                                         %% overwrite it in fontdef.cfg
117                                         %% if necessary

```

We now load the customizable parts of NFSS.

```

118 \InputIfFileExists{fonttext.cfg}
119     {\typeout{=====^^J%
120             ^^J%
121             Local config file fonttext.cfg used^^J%
122             ^^J%
123             =====}%
124     \def\@addtofilelist##1{\xdef\@filelist{\@filelist,##1}}%
125     }
126     {\input{fonttext.ltx}}
127 \let\@addtofilelist\@gobble

```

Ditto for math although I don't think that we will get a lot of customisation :-)

```

128 \InputIfFileExists{fontmath.cfg}
129     {\typeout{=====^^J%
130             ^^J%
131             Local config file fontmath.cfg used^^J%
132             ^^J%
133             =====}%
134     \def\@addtofilelist##1{\xdef\@filelist{\@filelist,##1}}%
135     }
136     {\input{fontmath.ltx}}
137 \let\@addtofilelist\@gobble

```

Then we preload several fonts. This file might be customized *without* changing the behavior of the format (i.e. necessary font definitions will be loaded at runtime if they are not preloaded). This is done in the file `preload.ltx`.

```

138 \InputIfFileExists{preload.cfg}
139     {\typeout{=====^^J%
140             ^^J%
141             Local config file preload.cfg used^^J%
142             ^^J%
143             =====}%
144     \def\@addtofilelist##1{\xdef\@filelist{\@filelist,##1}}%
145     }
146     {\input{preload.ltx}}
147 \let\@addtofilelist\@gobble

```

```

\@acci We also save the values of some accents in \@acci, \@accii and \@acciii so they
\@accii can be restored by a minipage inside a tabbing environment.
\@acciii 148 \let\@acci\ ' \let\@accii\ ' \let\@acciii\=

```

\cal Here were the two old *\langle alphabet identifiers \rangle*.
\mit 149 \langle 2ekernel \rangle

File t

fontdef.dtx

35 Introduction

This file is used to generate the files `fonttext.ltx` (text font declarations) and `fontmath.ltx` (math font declarations), which are used during the format generation. It contains the declaration of the standard text encodings used at the site as well as a minimal subset of font shape groups that NFSS will look at to ensure that the specified encodings are valid.

The math part contains the setup for math encodings as well as the default math symbol declarations that belong to the encoding.

It is possible to change this setup (by using other fonts, or defaults) without losing the ability to process documents written at other sites. Portability in this sense means that a document will compile without errors. It does not mean, however, that identical output will be produced. For this it is necessary that the distributed setup is used at both installations.

36 Customization

You are not allowed to change this source file! If you want to change the default encodings and/or the font shape groups preloaded you should create a copy of `fonttext.ltx` under the name `fonttext.cfg` and change this copy. If \LaTeX 2 ϵ finds a file of this name it will use it, otherwise it uses the standard file which is `fontdef.ltx`.

If you don't plan to use Computer Modern much or at all, it might (!) be a good idea to make your own `fonttext.cfg`. Look at the comments below (docstrip module 'text') to see what should go into such a file.

To change the math font setup use a copy of `fontmath.ltx` under the name `fontmath.cfg` and change this copy. However, dealing with this interface is even more a job for an expert than changing the text font setup — in short, we don't encourage either.

Warning: please note that we don't support customised \LaTeX versions. Thus, before sending in a bug report please try your test file with a \LaTeX format which is not customised and send in the log from that version (unless the problem goes away).

Please note: the following standard encodings have to be defined in all local variants of `font....cfg` to guarantee that all \LaTeX installations behave in the same way.

T1	Cork \TeX text encoding
OT1	old \TeX text encoding
U	unknown encoding
OML	old \TeX math letters encoding
OMS	old \TeX math symbols encoding
OMX	old \TeX math extension symbols encoding
TU	Unicode

Notice that some of these encodings are ‘old’ in the sense that we hope that they will be superseded soon by encoding standards defined by the T_EX user community. Therefore this set of default encodings may change in the future.

The first candidate is OT1 which will soon be replaced by T1, the official T_EX text encoding.

Warning: If you add additional encodings to this file there is no guarantee any longer that files processable at your installation will also be processable at other installations. Thus, if you make use of such an encoding in your document, e.g. if you intend to typeset in Cyrillic (OT2 encoding), you need to specify this encoding in the preamble of your document prior to sending it to another installation. Once the encoding is specified in that place in your document, the document is processable at all L^AT_EX installations (provided they have suitable fonts installed).

For this reason we suggest that you define a short package file that sets up an additional encoding used at your site (rather than putting the encoding into this file) since this package can easily be shipped with your document.

37 The docstrip modules

The following modules are used to direct `docstrip` in generating external files:

<code>driver</code>	produce a documentation driver file
<code>text</code>	produce the file <code>fonttext.ltx</code>
<code>math</code>	produce the file <code>fontmath.ltx</code>
<code>cfgtext</code>	produce a dummy <code>fonttext.cfg</code> file
<code>cfgmath</code>	produce a dummy <code>fontmath.cfg</code> file

A typical `docstrip` command file would then have entries like:

```
\generateFile{fonttext.ltx}{t}{\from{fontdef.dtx}{text}}
```

38 A driver for this document

The next bit of code contains the documentation driver file for T_EX, i.e. the file that will produce the documentation you are currently reading. It will be extracted from this file by the DOCSTRIP program.

```
1 (*driver)
2 \documentclass{ltxdoc}
3 \GetFileInfo{fontdef.dtx}
4 \begin{document}
5   \DocInput{fontdef.dtx}
6 \end{document}
7 \end{driver}
```

39 The fonttext.ltx file

The identification is done earlier on with a `\ProvidesFile` declaration.

```
8 (*text)
9 \typeout{=== Don't modify this file, use a .cfg file instead ===^^J}
```

39.1 Encodings

This file declares the standard encodings for text and math fonts. All others should be declared in packages or in the documents directly.

For every text encoding there are normally a number of encoding specific commands, e.g. accents, special characters, etc. (The definition for such a command might have to change when the encoding is changed, because the character is in a different position, or not available at all, or the accent is produced in a different way.) This is handled by a general mechanism which is described in `ltoutenc.dtx`.

By convention, text encoding specific declarations, including the declaration `\DeclareFontEncoding`, are kept in separate file of the form `<enc>enc.def`, e.g. `ot1enc.def`. This allows other applications to make use of the declarations as well.

Similar to the default encoding, the loading of the encoding files for the two major text encodings shouldn't be changed. In particular, the `inputenc` package depends on this.

```
10 \input {omlenc.def}
11 \input {tlenc.def}
12 \input {ot1enc.def}      % <- should come after T1 for speed
13 \input {omsenc.def}

14 \ifx\Umathchar\@undefined
```

We then set set the default text font encoding. This will hopefully change some day to T1. This setting should *not* be changed to produce a portable format.

```
15 \fontencoding{OT1}
16 \else
```

Unicode.

```
17 \input {tuenc.def}
18 \fontencoding{TU}
19 \DeclareFontSubstitution{TU}{lmr}{m}{n}
20 \begingroup
21 \nfss@catcodes
22 \input {tulmr.fd}
23 \input {tulmss.fd}
24 \input {tulmtt.fd}
25 \endgroup

26 \DeclareFontSubstitution{TU}{lmr}{m}{n}
```

End of Unicode branch.

```
27 \fi
```

If different encodings for text fonts are in use one could put the common setup into `\DeclareFontEncodingDefaults`. There is now a better mechanism so using this interface is discouraged!

```
28 \DeclareFontEncodingDefaults{}{}
```

Then we define the default substitution for every encoding. This release of $\text{\LaTeX 2}_{\epsilon}$ assumes that the ec fonts are available. It is possible to change this to point to some other font family (e.g., Times with the appropriate encoding if it is available) without making documents non-portable. However, in such a case documents will produce different page breaks at other sites. The substitution defaults can all be changed without losing portability as long as there are font shape definitions for the selected substitutions.

```
29 \DeclareFontSubstitution{T1}{cmr}{m}{n}
30 \DeclareFontSubstitution{OT1}{cmr}{m}{n}
```

For every encoding declaration, $\text{\LaTeX 2}_{\epsilon}$ will try to verify that the given substitution information makes sense, i.e. that it is impossible to go into an endless loop if font substitution happens. This is done at the moment the `\begin{document}` is encountered. $\text{\LaTeX 2}_{\epsilon}$ will then check that for every encoding the substitution defaults form a valid font shape group, which means that it will check if there is a `\DeclareFontShape` declaration for this combination. We will therefore load the corresponding .fd files now. If we don't do this they would be loaded at verification time (i.e. at `\begin{document}`) which would delay processing unnecessarily.

Warning: Please note that this means that you have to regenerate the format whenever you change any of these .fd files since $\text{\LaTeX 2}_{\epsilon}$ will not read .fd files if it already knows about the encoding/family combination.

The `\nfss@catcodes` ensures that white space is ignored in any definitions made in the fd files.

```
31 \begingroup
32 \nfss@catcodes
33 \input {t1cmr.fd}
34 \input {ot1cmr.fd}
35 \endgroup
```

We also load some other font definition files which are normally needed in a document. This is only done for processing speed and you can comment the next two lines out to save some memory. If necessary these files are then loaded when your document is processed. (Loading .fd files is a less drastic step compared to preloading fonts because the number of fonts is limited 255 at (nearly) every \TeX installation, while the amount of main memory is not a limiting factor at most installations.)

```
36 \begingroup
37 \nfss@catcodes
38 \input {ot1cmss.fd}
39 \input {ot1cmtt.fd}
40 \endgroup
```

Even with all the precautions it is still possible that NFSS will run into problems, for example, when a .fd file contains corrupted data. To guard against such cases NFSS has a very low-level fallback font that is installed with the following line.

```
41 \DeclareErrorFont{OT1}{cmr}{m}{n}{10}
```

This means, “if everything else fails use Computer Modern Roman normal shape at 10pt in the old text encoding”. You can change the font used but the encoding should be the same as the one specified with `\fontencoding` above.

39.2 Defaults

To allow the use of `\rmfamily`, `\sffamily`, etc. in documents even if non-standard families are used we provide nine macros which hold the name of the corresponding families, series, and so on. This makes it easy to use other font families (like Times Roman, etc.). One simply has to redefine these defaults.

All these hooks have to be defined in this file but you can change their meaning (except for `\encodingdefault`) without making documents non-portable.

```
\encodingdefault The following three definitions set up the meaning for \rmfamily, \sffamily, and
\rmdefault      \ttfamily.
\sfdefault      42 \text
\tddefault      43 \text | latexrelease
                44 \ifx\Umathchar\@undefined
                45 \newcommand\encodingdefault{OT1}
                46 \newcommand\rmdefault{cmr}
                47 \newcommand\sfdefault{cmss}
                48 \newcommand\tddefault{cmtt}
                49 \else
                50 \newcommand\encodingdefault{TU}
                51 \newcommand\rmdefault{lrm}\fontfamily{\rmdefault}
                52 \newcommand\sfdefault{lmss}
                53 \newcommand\tddefault{lmtt}
                54 \fi
                55 \latexrelease\IncludeInRelease{2017/01/01}%
                56 \latexrelease\encodingdefault{TU encoding default}%
                57 \latexrelease\ifx\Umathchar\@undefined
                58 \latexrelease\renewcommand\encodingdefault{OT1}
                59 \latexrelease\renewcommand\rmdefault{cmr}
                60 \latexrelease\renewcommand\sfdefault{cmss}
                61 \latexrelease\renewcommand\tddefault{cmtt}
                62 \latexrelease\else
                63 \latexrelease\renewcommand\encodingdefault{TU}
                64 \latexrelease\renewcommand\rmdefault{lrm}
                65 \latexrelease\renewcommand\sfdefault{lmss}
                66 \latexrelease\renewcommand\tddefault{lmtt}
                67 \latexrelease\fi
                68 \latexrelease\EndIncludeInRelease
                69 \latexrelease\IncludeInRelease{0000/00/00}%
                70 \latexrelease\encodingdefault{TU encoding default}%
                71 \latexrelease\renewcommand\encodingdefault{OT1}
                72 \latexrelease\renewcommand\rmdefault{cmr}
                73 \latexrelease\renewcommand\sfdefault{cmss}
                74 \latexrelease\renewcommand\tddefault{cmtt}
                75 \text | latexrelease
                76 \text

\bfdefault      Series changing commands are influenced by the following hooks.
\mddefault      77 \newcommand\bfdefault{bx}
                78 \newcommand\mddefault{m}

\itdefault      Shape changing commands use the following hooks.
\sldefault      79 \newcommand\itdefault{it}
\scdefault      80 \newcommand\sldefault{sl}
\updefault
```

```

81 \newcommand\scdefault{sc}
82 \newcommand\updefault{n}

\familydefault Finally we have the hooks that describe the behaviour of the \normalfont com-
\seriesdefault mand. To stay portable, the definition of \encodingdefault should not be
\shapedefault changed and should match the setting above for \fontencoding. All other values
can be set according to your taste.

83 \newcommand\familydefault{\rmdefault}
84 \newcommand\seriesdefault{\mddefault}
85 \newcommand\shapedefault{\updefault}

This finishes the low-level setup in fonttext.ltx.
86 \</text>

```

40 The fontmath.ltx file

The identification is done earlier on with a `\ProvidesFile` declaration.

```

87 (*math)
88 \typeout{=== Don't modify this file, use a .cfg file instead ===^J}

```

40.1 The font encodings used

```

89 \DeclareFontEncoding{OML}{-}{-}
90 \DeclareFontEncoding{OMS}{-}{-}
91 \DeclareFontEncoding{OMX}{-}{-}

```

Finally a declaration for U encoding which serves for all fonts that do not fit standard encodings. For math this sets up `\noaccents@` providing for AMS- \LaTeX . This macro is used therein to handle accented characters if they are not supported by the font. In other words, if fonts with U encoding are used in math, all accents (like from `\breve`) are obtained from some other font that has them.

```

92 \DeclareFontEncoding{U}{-}{\noaccents@}

```

The encodings for math are next:

```

93 \DeclareFontSubstitution{OML}{cmm}{m}{it}
94 \DeclareFontSubstitution{OMS}{cmsy}{m}{n}
95 \DeclareFontSubstitution{OMX}{cmex}{m}{n}
96 \DeclareFontSubstitution{U}{cmr}{m}{n}

97 \begingroup
98 \nfss@catcodes
99 \input {omlcmm.fd}
100 \input {omscmsy.fd}
101 \input {omxcmex.fd}
102 \input {ucmr.fd}
103 \endgroup

```

40.1.1 Symbolfont and Alphabet declarations

We now define the basic symbol fonts used by \LaTeX . These four symbol fonts must be defined by this file.

It is possible to make the symbol fonts point to other external fonts without losing the ability to process documents written at other sites, as long as one defines the same symbol font names with the same encodings, e.g. `operators` with OT1

etc. If other encodings are used documents become non-portable. Such a change should therefore be done in a package file.

```

104 \DeclareSymbolFont{operators}    {OT1}{cmr}{m}{n}
105 \DeclareSymbolFont{letters}      {OML}{cmm}{m}{it}
106 \DeclareSymbolFont{symbols}      {OMS}{cmsy}{m}{n}
107 \DeclareSymbolFont{largesymbols}{OMX}{cmex}{m}{n}

108 \SetSymbolFont{operators}{bold}{OT1}{cmr}{bx}{n}
109 \SetSymbolFont{letters}{bold}{OML}{cmm}{b}{it}
110 \SetSymbolFont{symbols}{bold}{OMS}{cmsy}{b}{n}

```

Below are the seven math alphabets which are defined by NFSS. Again they must be defined by this file. However, as before you can change the fonts used without losing portability, but you should be careful when changing the encoding since that may make documents come out wrong.

```

111 \DeclareSymbolFontAlphabet{\mathrm}    {operators}
112 \DeclareSymbolFontAlphabet{\mathnormal}{letters}
113 \DeclareSymbolFontAlphabet{\mathcal}    {symbols}
114 \DeclareMathAlphabet          {\mathbf} {OT1}{cmr}{bx}{n}
115 \DeclareMathAlphabet          {\mathsf} {OT1}{cmss}{m}{n}
116 \DeclareMathAlphabet          {\mathit} {OT1}{cmr}{m}{it}
117 \DeclareMathAlphabet          {\mathtt} {OT1}{cmtt}{m}{n}

```

Given the currently available fonts we cannot bold-en `\mathbf` and `\mathtt` but in principle one could use ‘ultra bold’ or something. The alphabets defined via `\DeclareSymbolFontAlphabet` will change automatically in a new math version if the corresponding symbol font changes.

```

118 \SetMathAlphabet\mathsf{bold}{OT1}{cmss}{bx}{n}
119 \SetMathAlphabet\mathit{bold}{OT1}{cmr}{bx}{it}

```

40.2 Math font sizes

The declarations below declare the text, script and scriptscript size to be used for each text font size.

All occurrences of sizes longer than a single character are replaced with the macro name that holds them, saving a number of tokens (but losing a bit of speed, so this may not stay this way).

```

120 \DeclareMathSizes{5}{5}{5}{5}
121 \DeclareMathSizes{6}{6}{5}{5}
122 \DeclareMathSizes{7}{7}{5}{5}
123 \DeclareMathSizes{8}{8}{6}{5}
124 \DeclareMathSizes{9}{9}{6}{5}
125 \DeclareMathSizes{\@xpt}{\@xpt}{7}{5}
126 \DeclareMathSizes{\@xipt}{\@xipt}{8}{6}
127 \DeclareMathSizes{\@xiipt}{\@xiipt}{8}{6}
128 \DeclareMathSizes{\@xivpt}{\@xivpt}{\@xpt}{7}
129 \DeclareMathSizes{\@xvipt}{\@xvipt}{\@xiipt}{\@xpt}
130 \DeclareMathSizes{\@xxpt}{\@xxpt}{\@xivpt}{\@xiipt}
131 \DeclareMathSizes{\@xxvpt}{\@xxvpt}{\@xxpt}{\@xvipt}

```

40.3 The math symbol assignments

We start by setting up math codes for most of the characters typed in directly from the keyboard. Most of them are normally already setup up in the same way

by $\text{\texttt{Init\TeX}}$. However, we repeat them here to have a complete setup which can be exchanged with another if desired.

40.3.1 The letters

```

132 \DeclareMathSymbol{a}{\mathalpha}{letters}{'a}
133 \DeclareMathSymbol{b}{\mathalpha}{letters}{'b}
134 \DeclareMathSymbol{c}{\mathalpha}{letters}{'c}
135 \DeclareMathSymbol{d}{\mathalpha}{letters}{'d}
136 \DeclareMathSymbol{e}{\mathalpha}{letters}{'e}
137 \DeclareMathSymbol{f}{\mathalpha}{letters}{'f}
138 \DeclareMathSymbol{g}{\mathalpha}{letters}{'g}
139 \DeclareMathSymbol{h}{\mathalpha}{letters}{'h}
140 \DeclareMathSymbol{i}{\mathalpha}{letters}{'i}
141 \DeclareMathSymbol{j}{\mathalpha}{letters}{'j}
142 \DeclareMathSymbol{k}{\mathalpha}{letters}{'k}
143 \DeclareMathSymbol{l}{\mathalpha}{letters}{'l}
144 \DeclareMathSymbol{m}{\mathalpha}{letters}{'m}
145 \DeclareMathSymbol{n}{\mathalpha}{letters}{'n}
146 \DeclareMathSymbol{o}{\mathalpha}{letters}{'o}
147 \DeclareMathSymbol{p}{\mathalpha}{letters}{'p}
148 \DeclareMathSymbol{q}{\mathalpha}{letters}{'q}
149 \DeclareMathSymbol{r}{\mathalpha}{letters}{'r}
150 \DeclareMathSymbol{s}{\mathalpha}{letters}{'s}
151 \DeclareMathSymbol{t}{\mathalpha}{letters}{'t}
152 \DeclareMathSymbol{u}{\mathalpha}{letters}{'u}
153 \DeclareMathSymbol{v}{\mathalpha}{letters}{'v}
154 \DeclareMathSymbol{w}{\mathalpha}{letters}{'w}
155 \DeclareMathSymbol{x}{\mathalpha}{letters}{'x}
156 \DeclareMathSymbol{y}{\mathalpha}{letters}{'y}
157 \DeclareMathSymbol{z}{\mathalpha}{letters}{'z}

158 \DeclareMathSymbol{A}{\mathalpha}{letters}{'A}
159 \DeclareMathSymbol{B}{\mathalpha}{letters}{'B}
160 \DeclareMathSymbol{C}{\mathalpha}{letters}{'C}
161 \DeclareMathSymbol{D}{\mathalpha}{letters}{'D}
162 \DeclareMathSymbol{E}{\mathalpha}{letters}{'E}
163 \DeclareMathSymbol{F}{\mathalpha}{letters}{'F}
164 \DeclareMathSymbol{G}{\mathalpha}{letters}{'G}
165 \DeclareMathSymbol{H}{\mathalpha}{letters}{'H}
166 \DeclareMathSymbol{I}{\mathalpha}{letters}{'I}
167 \DeclareMathSymbol{J}{\mathalpha}{letters}{'J}
168 \DeclareMathSymbol{K}{\mathalpha}{letters}{'K}
169 \DeclareMathSymbol{L}{\mathalpha}{letters}{'L}
170 \DeclareMathSymbol{M}{\mathalpha}{letters}{'M}
171 \DeclareMathSymbol{N}{\mathalpha}{letters}{'N}
172 \DeclareMathSymbol{O}{\mathalpha}{letters}{'O}
173 \DeclareMathSymbol{P}{\mathalpha}{letters}{'P}
174 \DeclareMathSymbol{Q}{\mathalpha}{letters}{'Q}
175 \DeclareMathSymbol{R}{\mathalpha}{letters}{'R}
176 \DeclareMathSymbol{S}{\mathalpha}{letters}{'S}
177 \DeclareMathSymbol{T}{\mathalpha}{letters}{'T}
178 \DeclareMathSymbol{U}{\mathalpha}{letters}{'U}
179 \DeclareMathSymbol{V}{\mathalpha}{letters}{'V}
180 \DeclareMathSymbol{W}{\mathalpha}{letters}{'W}

```



```

181 \DeclareMathSymbol{X}{\mathalpha}{letters}{'X}
182 \DeclareMathSymbol{Y}{\mathalpha}{letters}{'Y}
183 \DeclareMathSymbol{Z}{\mathalpha}{letters}{'Z}

```

40.3.2 The digits

```

184 \DeclareMathSymbol{0}{\mathalpha}{operators}{'0}
185 \DeclareMathSymbol{1}{\mathalpha}{operators}{'1}
186 \DeclareMathSymbol{2}{\mathalpha}{operators}{'2}
187 \DeclareMathSymbol{3}{\mathalpha}{operators}{'3}
188 \DeclareMathSymbol{4}{\mathalpha}{operators}{'4}
189 \DeclareMathSymbol{5}{\mathalpha}{operators}{'5}
190 \DeclareMathSymbol{6}{\mathalpha}{operators}{'6}
191 \DeclareMathSymbol{7}{\mathalpha}{operators}{'7}
192 \DeclareMathSymbol{8}{\mathalpha}{operators}{'8}
193 \DeclareMathSymbol{9}{\mathalpha}{operators}{'9}

```

40.3.3 Punctuation, brace, etc. keys

```

194 \DeclareMathSymbol{!}{\mathclose}{operators}{"21}
195 \DeclareMathSymbol{*}{\mathbin}{symbols}{"03} % \ast
196 \DeclareMathSymbol{+}{\mathbin}{operators}{"2B}
197 \DeclareMathSymbol{,}{\mathpunct}{letters}{"3B}
198 \DeclareMathSymbol{-}{\mathbin}{symbols}{"00}
199 \DeclareMathSymbol{.}{\mathord}{letters}{"3A}
200 \DeclareMathSymbol{:}{\mathrel}{operators}{"3A}
201 \DeclareMathSymbol{;}{\mathpunct}{operators}{"3B}
202 \DeclareMathSymbol{=}{\mathrel}{operators}{"3D}
203 \DeclareMathSymbol{?}{\mathclose}{operators}{"3F}

```

The following symbols are defined as delimiters below which automatically defines them as math symbols.

```

204 %\DeclareMathSymbol{(){\mathopen}{operators}{"28}
205 %\DeclareMathSymbol{)}{\mathclose}{operators}{"29}
206 %\DeclareMathSymbol{/{ }\mathord}{letters}{"3D}
207 %\DeclareMathSymbol{[ ]{\mathopen}{operators}{"5B}
208 %\DeclareMathSymbol{[ ]{\mathclose}{operators}{"5D}
209 %\DeclareMathSymbol{| |{\mathord}{symbols}{"6A}
210 %\DeclareMathSymbol{< >{\mathrel}{letters}{"3C}
211 %\DeclareMathSymbol{>}{\mathrel}{letters}{"3E}

```

Should all of the following being activated by default? Probably not.

```

212 %\DeclareMathSymbol{'\ }{\mathopen}{symbols}{"66}
213 %\DeclareMathSymbol{'\ }{\mathclose}{symbols}{"67}
214 %\DeclareMathSymbol{'\ }{\mathord}{symbols}{"6E} % \backslash
215 \mathcode'\ =8000 % \space
216 \mathcode'\ ' =8000 % ^\prime
217 \mathcode'\_ =8000 % \_

```

40.3.4 Delimitercodes for characters

[to be completed]

Finally, `\InitEX` sets all `\delcode` values to -1, except `\delcode' = 0`

```

218 \DeclareMathDelimiter{(){\mathopen}{operators}{"28}{largesymbols}{"00}
219 \DeclareMathDelimiter{)}{\mathclose}{operators}{"29}{largesymbols}{"01}
220 \DeclareMathDelimiter{[ ]{\mathopen}{operators}{"5B}{largesymbols}{"02}
221 \DeclareMathDelimiter{[ ]{\mathclose}{operators}{"5D}{largesymbols}{"03}

```

The next two are considered to be relations when not used in the context of a delimiter! And worse, they do even represent different glyphs when being used as delimiter and not as delimiter. This is a user level syntax inherited from plain $\text{T}_\text{E}\text{X}$. Therefore we explicitly redefine the math symbol definitions for these symbols afterwards.

```
222 \DeclareMathDelimiter{<}{\mathopen}{symbols}{"68}{largesymbols}{"0A}
223 \DeclareMathDelimiter{>}{\mathclose}{symbols}{"69}{largesymbols}{"0B}
224 \DeclareMathSymbol{<}{\mathrel}{letters}{"3C}
225 \DeclareMathSymbol{>}{\mathrel}{letters}{"3E}
```

And here is another case where the non-delimiter version produces a glyph different from the delimiter version.

```
226 \DeclareMathDelimiter{/}{\mathord}{operators}{"2F}{largesymbols}{"0E}
227 \DeclareMathSymbol{/}{\mathord}{letters}{"3D}

228 \DeclareMathDelimiter{|}{\mathord}{symbols}{"6A}{largesymbols}{"0C}
229 \expandafter\DeclareMathDelimiter\@backslashchar
230 \mathord{symbols}{"6E}{largesymbols}{"0F}
```

N.B. { and } should NOT get delcodes; otherwise parameter grouping fails!

40.4 Symbols accessed via control sequences

40.4.1 Greek letters

```
231 \DeclareMathSymbol{\alpha}{\mathord}{letters}{"0B}
232 \DeclareMathSymbol{\beta}{\mathord}{letters}{"0C}
233 \DeclareMathSymbol{\gamma}{\mathord}{letters}{"0D}
234 \DeclareMathSymbol{\delta}{\mathord}{letters}{"0E}
235 \DeclareMathSymbol{\epsilon}{\mathord}{letters}{"0F}
236 \DeclareMathSymbol{\zeta}{\mathord}{letters}{"10}
237 \DeclareMathSymbol{\eta}{\mathord}{letters}{"11}
238 \DeclareMathSymbol{\theta}{\mathord}{letters}{"12}
239 \DeclareMathSymbol{\iota}{\mathord}{letters}{"13}
240 \DeclareMathSymbol{\kappa}{\mathord}{letters}{"14}
241 \DeclareMathSymbol{\lambda}{\mathord}{letters}{"15}
242 \DeclareMathSymbol{\mu}{\mathord}{letters}{"16}
243 \DeclareMathSymbol{\nu}{\mathord}{letters}{"17}
244 \DeclareMathSymbol{\xi}{\mathord}{letters}{"18}
245 \DeclareMathSymbol{\pi}{\mathord}{letters}{"19}
246 \DeclareMathSymbol{\rho}{\mathord}{letters}{"1A}
247 \DeclareMathSymbol{\sigma}{\mathord}{letters}{"1B}
248 \DeclareMathSymbol{\tau}{\mathord}{letters}{"1C}
249 \DeclareMathSymbol{\upsilon}{\mathord}{letters}{"1D}
250 \DeclareMathSymbol{\phi}{\mathord}{letters}{"1E}
251 \DeclareMathSymbol{\chi}{\mathord}{letters}{"1F}
252 \DeclareMathSymbol{\psi}{\mathord}{letters}{"20}
253 \DeclareMathSymbol{\omega}{\mathord}{letters}{"21}
254 \DeclareMathSymbol{\varepsilon}{\mathord}{letters}{"22}
255 \DeclareMathSymbol{\vartheta}{\mathord}{letters}{"23}
256 \DeclareMathSymbol{\varpi}{\mathord}{letters}{"24}
257 \DeclareMathSymbol{\varrho}{\mathord}{letters}{"25}
258 \DeclareMathSymbol{\varsigma}{\mathord}{letters}{"26}
259 \DeclareMathSymbol{\varphi}{\mathord}{letters}{"27}
260 \DeclareMathSymbol{\Gamma}{\mathalpha}{operators}{"00}
```

```

261 \DeclareMathSymbol{\Delta}{\mathalpha}{operators}{"01}
262 \DeclareMathSymbol{\Theta}{\mathalpha}{operators}{"02}
263 \DeclareMathSymbol{\Lambda}{\mathalpha}{operators}{"03}
264 \DeclareMathSymbol{\Xi}{\mathalpha}{operators}{"04}
265 \DeclareMathSymbol{\Pi}{\mathalpha}{operators}{"05}
266 \DeclareMathSymbol{\Sigma}{\mathalpha}{operators}{"06}
267 \DeclareMathSymbol{\Upsilon}{\mathalpha}{operators}{"07}
268 \DeclareMathSymbol{\Phi}{\mathalpha}{operators}{"08}
269 \DeclareMathSymbol{\Psi}{\mathalpha}{operators}{"09}
270 \DeclareMathSymbol{\Omega}{\mathalpha}{operators}{"0A}

```

40.4.2 Ordinary symbols

```

271 \DeclareMathSymbol{\aleph}{\mathord}{symbols}{"40}
272 \def\hbar{{\mathchar'26\mkern-9mu h}}
273 \DeclareMathSymbol{\imath}{\mathord}{letters}{"7B}
274 \DeclareMathSymbol{\jmath}{\mathord}{letters}{"7C}
275 \DeclareMathSymbol{\ell}{\mathord}{letters}{"60}
276 \DeclareMathSymbol{\wp}{\mathord}{letters}{"7D}
277 \DeclareMathSymbol{\Re}{\mathord}{symbols}{"3C}
278 \DeclareMathSymbol{\Im}{\mathord}{symbols}{"3D}
279 \DeclareMathSymbol{\partial}{\mathord}{letters}{"40}
280 \DeclareMathSymbol{\infty}{\mathord}{symbols}{"31}
281 \DeclareMathSymbol{\prime}{\mathord}{symbols}{"30}
282 \DeclareMathSymbol{\emptyset}{\mathord}{symbols}{"3B}
283 \DeclareMathSymbol{\nabla}{\mathord}{symbols}{"72}
284 \def\surd{{\mathchar"1270}}
285 \DeclareMathSymbol{\top}{\mathord}{symbols}{"3E}
286 \DeclareMathSymbol{\bot}{\mathord}{symbols}{"3F}
287 \def\angle{{\vbox{\ialign{$\m@th\scriptstyle##$\crrc
288     \not\mathrel{\mkern14mu}\crrc
289     \noalign{\nointerlineskip}
290     \mkern2.5mu\leaders\hrule \@height.34pt\hfill\mkern2.5mu\crrc}}}}
291 \DeclareMathSymbol{\triangle}{\mathord}{symbols}{"34}
292 \DeclareMathSymbol{\forall}{\mathord}{symbols}{"38}
293 \DeclareMathSymbol{\exists}{\mathord}{symbols}{"39}
294 \DeclareMathSymbol{\neg}{\mathord}{symbols}{"3A}
295 \let\not=\neg
296 \DeclareMathSymbol{\flat}{\mathord}{letters}{"5B}
297 \DeclareMathSymbol{\natural}{\mathord}{letters}{"5C}
298 \DeclareMathSymbol{\sharp}{\mathord}{letters}{"5D}
299 \DeclareMathSymbol{\clubsuit}{\mathord}{symbols}{"7C}
300 \DeclareMathSymbol{\diamondsuit}{\mathord}{symbols}{"7D}
301 \DeclareMathSymbol{\heartsuit}{\mathord}{symbols}{"7E}
302 \DeclareMathSymbol{\spadesuit}{\mathord}{symbols}{"7F}

```

40.4.3 Large Operators

```

303 \DeclareMathSymbol{\coprod}{\mathop}{largesymbols}{"60}
304 \DeclareMathSymbol{\bigvee}{\mathop}{largesymbols}{"57}
305 \DeclareMathSymbol{\bigwedge}{\mathop}{largesymbols}{"56}
306 \DeclareMathSymbol{\biguplus}{\mathop}{largesymbols}{"55}
307 \DeclareMathSymbol{\bigcap}{\mathop}{largesymbols}{"54}
308 \DeclareMathSymbol{\bigcup}{\mathop}{largesymbols}{"53}
309 \DeclareMathSymbol{\intop}{\mathop}{largesymbols}{"52}
310 \def\int{\intop\nolimits}

```

```

311 \DeclareMathSymbol{\prod}{\mathop}{largesymbols}{51}
312 \DeclareMathSymbol{\sum}{\mathop}{largesymbols}{50}
313 \DeclareMathSymbol{\bigotimes}{\mathop}{largesymbols}{4E}
314 \DeclareMathSymbol{\bigoplus}{\mathop}{largesymbols}{4C}
315 \DeclareMathSymbol{\bigodot}{\mathop}{largesymbols}{4A}
316 \DeclareMathSymbol{\oint}{\mathop}{largesymbols}{48}
317 \def\oint{\ointop\nolimits}
318 \DeclareMathSymbol{\bigsqcup}{\mathop}{largesymbols}{46}
319 \DeclareMathSymbol{\smallint}{\mathop}{symbols}{73}

```

40.4.4 Binary symbols

```

320 \DeclareMathSymbol{\triangleleft}{\mathbin}{letters}{2F}
321 \DeclareMathSymbol{\triangleright}{\mathbin}{letters}{2E}
322 \DeclareMathSymbol{\bigtriangleup}{\mathbin}{symbols}{34}
323 \DeclareMathSymbol{\bigtriangledown}{\mathbin}{symbols}{35}
324 \let \varbigtriangledown \bigtriangledown
325 \let \varbigtriangleup \bigtriangleup

```

These last two synonyms are needed because the `stamryrd` package redefines them as Operators.

```

326 \DeclareMathSymbol{\wedge}{\mathbin}{symbols}{5E}
327 \let\land=\wedge
328 \DeclareMathSymbol{\vee}{\mathbin}{symbols}{5F}
329 \let\lor=\vee
330 \DeclareMathSymbol{\cap}{\mathbin}{symbols}{5C}
331 \DeclareMathSymbol{\cup}{\mathbin}{symbols}{5B}
332 \DeclareMathSymbol{\ddagger}{\mathbin}{symbols}{7A}
333 \DeclareMathSymbol{\dagger}{\mathbin}{symbols}{79}
334 \DeclareMathSymbol{\sqcap}{\mathbin}{symbols}{75}
335 \DeclareMathSymbol{\sqcup}{\mathbin}{symbols}{74}
336 \DeclareMathSymbol{\uplus}{\mathbin}{symbols}{5D}
337 \DeclareMathSymbol{\amalg}{\mathbin}{symbols}{71}
338 \DeclareMathSymbol{\diamond}{\mathbin}{symbols}{05}
339 \DeclareMathSymbol{\bullet}{\mathbin}{symbols}{0F}
340 \DeclareMathSymbol{\wr}{\mathbin}{symbols}{6F}
341 \DeclareMathSymbol{\div}{\mathbin}{symbols}{04}
342 \DeclareMathSymbol{\odot}{\mathbin}{symbols}{0C}
343 \DeclareMathSymbol{\oslash}{\mathbin}{symbols}{0B}
344 \DeclareMathSymbol{\otimes}{\mathbin}{symbols}{0A}
345 \DeclareMathSymbol{\ominus}{\mathbin}{symbols}{09}
346 \DeclareMathSymbol{\oplus}{\mathbin}{symbols}{08}
347 \DeclareMathSymbol{\mp}{\mathbin}{symbols}{07}
348 \DeclareMathSymbol{\pm}{\mathbin}{symbols}{06}
349 \DeclareMathSymbol{\circ}{\mathbin}{symbols}{0E}
350 \DeclareMathSymbol{\bigcirc}{\mathbin}{symbols}{0D}
351 \DeclareMathSymbol{\setminus}{\mathbin}{symbols}{6E}
352 \DeclareMathSymbol{\cdot}{\mathbin}{symbols}{01}
353 \DeclareMathSymbol{\ast}{\mathbin}{symbols}{03}
354 \DeclareMathSymbol{\times}{\mathbin}{symbols}{02}
355 \DeclareMathSymbol{\star}{\mathbin}{letters}{3F}

```

40.4.5 Relations

```

356 \DeclareMathSymbol{\propto}{\mathrel}{symbols}{2F}
357 \DeclareMathSymbol{\sqsubseteq}{\mathrel}{symbols}{76}

```

```

358 \DeclareMathSymbol{\sqsupseteq}{\mathrel}{symbols}{"77}
359 \DeclareMathSymbol{\parallel}{\mathrel}{symbols}{"6B}
360 \DeclareMathSymbol{\mid}{\mathrel}{symbols}{"6A}
361 \DeclareMathSymbol{\dashv}{\mathrel}{symbols}{"61}
362 \DeclareMathSymbol{\vdash}{\mathrel}{symbols}{"60}
363 \DeclareMathSymbol{\nearrow}{\mathrel}{symbols}{"25}
364 \DeclareMathSymbol{\searrow}{\mathrel}{symbols}{"26}
365 \DeclareMathSymbol{\nwarrow}{\mathrel}{symbols}{"2D}
366 \DeclareMathSymbol{\swarrow}{\mathrel}{symbols}{"2E}
367 \DeclareMathSymbol{\Leftrightarrow}{\mathrel}{symbols}{"2C}
368 \DeclareMathSymbol{\Leftarrow}{\mathrel}{symbols}{"28}
369 \DeclareMathSymbol{\Rightarrow}{\mathrel}{symbols}{"29}
370 \def\neg{\not=} \let\neq\neg
371 \DeclareMathSymbol{\leq}{\mathrel}{symbols}{"14}
372 \let\leq\leq
373 \DeclareMathSymbol{\geq}{\mathrel}{symbols}{"15}
374 \let\geq\geq
375 \DeclareMathSymbol{\succ}{\mathrel}{symbols}{"1F}
376 \DeclareMathSymbol{\prec}{\mathrel}{symbols}{"1E}
377 \DeclareMathSymbol{\approx}{\mathrel}{symbols}{"19}
378 \DeclareMathSymbol{\succeq}{\mathrel}{symbols}{"17}
379 \DeclareMathSymbol{\preceq}{\mathrel}{symbols}{"16}
380 \DeclareMathSymbol{\supset}{\mathrel}{symbols}{"1B}
381 \DeclareMathSymbol{\subset}{\mathrel}{symbols}{"1A}
382 \DeclareMathSymbol{\supseteq}{\mathrel}{symbols}{"13}
383 \DeclareMathSymbol{\subseteq}{\mathrel}{symbols}{"12}
384 \DeclareMathSymbol{\in}{\mathrel}{symbols}{"32}
385 \DeclareMathSymbol{\ni}{\mathrel}{symbols}{"33}
386 \let\owns=\ni
387 \DeclareMathSymbol{\gg}{\mathrel}{symbols}{"1D}
388 \DeclareMathSymbol{\ll}{\mathrel}{symbols}{"1C}
389 \DeclareMathSymbol{\not}{\mathrel}{symbols}{"36}
390 \DeclareMathSymbol{\leftrightharpoonup}{\mathrel}{symbols}{"24}
391 \DeclareMathSymbol{\leftarrow}{\mathrel}{symbols}{"20}
392 \let\gets=\leftarrow
393 \DeclareMathSymbol{\rightarrow}{\mathrel}{symbols}{"21}
394 \let\to=\rightarrow
395 \DeclareMathSymbol{\mapstochar}{\mathrel}{symbols}{"37}
396 \def\mapsto{\mapstochar\rightarrow}
397 \DeclareMathSymbol{\sim}{\mathrel}{symbols}{"18}
398 \DeclareMathSymbol{\simeq}{\mathrel}{symbols}{"27}
399 \DeclareMathSymbol{\perp}{\mathrel}{symbols}{"3F}
400 \DeclareMathSymbol{\equiv}{\mathrel}{symbols}{"11}
401 \DeclareMathSymbol{\asymp}{\mathrel}{symbols}{"10}
402 \DeclareMathSymbol{\smile}{\mathrel}{letters}{"5E}
403 \DeclareMathSymbol{\frown}{\mathrel}{letters}{"5F}
404 \DeclareMathSymbol{\leftharpoonup}{\mathrel}{letters}{"28}
405 \DeclareMathSymbol{\leftharpoondown}{\mathrel}{letters}{"29}
406 \DeclareMathSymbol{\rightharpoonup}{\mathrel}{letters}{"2A}
407 \DeclareMathSymbol{\rightharpoondown}{\mathrel}{letters}{"2B}

```

Here cometh much profligate robustification of math constructs. Warning: some of these commands may become non-robust if an AMS package is loaded.

Further potential problems: some math font packages may make unfortunate

assumptions about some of these definitions that are not true of the robust versions we need.

```

408 \DeclareRobustCommand
409   \cong{\mathrel{\mathpalette@vereq\sim}} % congruence sign
410 \def\@vereq#1#2{\lower.5\p@\vbox{\lineskiplimit\maxdimen\lineskip-.5\p@
411   \ialign{\$ \m@th#1\hfil##\hfil\$ \crrc#2\crrc=\crrc}}
412 \DeclareRobustCommand
413   \notin{\mathrel{\m@th\mathpalette@cncel\in}}
414 \def\cncel#1#2{\m@th\oalign{\$ \hfil#1\mkern1mu/\hfil\$ \crrc#1#2$}}
415 \DeclareRobustCommand
416   \rightleftharpoons{\mathrel{\mathpalette\rlh@{}}}
417 \def\rlh@#1{\vcenter{\m@th\hbox{\oalign{\raise2pt
418   \hbox{#1\rightarpoonup$}\crrc
419   $#1\leftarpoondown$}}}}
420 \DeclareRobustCommand
421   \doteq{\buildrel\textstyle.\over=}

```

40.4.6 Arrows

```

422 \DeclareRobustCommand
423   \joinrel{\mathrel{\mkern-3mu}}
424 \DeclareRobustCommand
425   \relbar{\mathrel{\smash-}} % \smash, because -
426                               % has the same height as +

```

In contrast to `plain.tex` `\Relbar` got braces around the equal sign to guard against it being “math active” expanding to `\futurelet....`. This might be the case when packages are implementing shorthands for math, e.g. `=>` meaning `\Rightarrow` etc. It would actually be better not to use `=` in such definitions but instead define something like `\mathequalsign` and use this. However we can’t do this now as it would break other math layouts where characters are in different places (since those wouldn’t know about the need for a new command name).

```

427 \DeclareRobustCommand
428   \Relbar{\mathrel{=}}
429 \DeclareMathSymbol{\lhook}{\mathrel}{letters}{"2C}
430 \def\hookrightarrow{\lhook\joinrel\rightarrow}
431 \DeclareMathSymbol{\rhook}{\mathrel}{letters}{"2D}
432 \def\hookleftarrow{\leftarrow\joinrel\rhook}
433 \DeclareRobustCommand
434   \bowtie{\mathrel{\triangleright\joinrel\mathrel{\triangleleft}}}
435 \DeclareRobustCommand
436   \models{\mathrel{|\}\joinrel\Relbar}
437 \DeclareRobustCommand
438   \Longrightarrow{\Relbar\joinrel\rightarrow}

```

LaTeX Change: `\longrightarrow` and `\longleftarrow` redefined to make then robust.

```

439 \DeclareRobustCommand\longrightarrow
440   {\relbar\joinrel\rightarrow}
441 \DeclareRobustCommand\longleftarrow
442   {\leftarrow\joinrel\relbar}
443 \DeclareRobustCommand
444   \Longleftarrow{\Leftarrow\joinrel\Relbar}
445 \DeclareRobustCommand
446   \longmapsto{\mapstochar\longrightarrow}

```

```

447 \DeclareRobustCommand
448   \longlefttrightarrow{\leftarrow\joinrel\rightarrow}
449 \DeclareRobustCommand
450   \Longlefttrightarrow{\Leftarrow\joinrel\Rightarrow}
451 \DeclareRobustCommand
452   \iff{\;\Longlefttrightarrow\;}

```

40.4.7 Punctuation symbols

```

453 \DeclareMathSymbol{\ldotp}{\mathpunct}{letters}{"3A}
454 \DeclareMathSymbol{\cdotp}{\mathpunct}{symbols}{"01}
455 \DeclareMathSymbol{\colon}{\mathpunct}{operators}{"3A}

```

This is commented out, since `\ldots` is now defined in `ltoutenc.dtx`.

```

456 %\def\ldots{\mathinner{\ldotp\ldotp\ldotp}}
457 %\DeclareRobustCommand\ldots
458 %      {\relax\ifmmode\ldots\else\mbox{$\m@th\ldots$,}$\fi}
459 \DeclareRobustCommand
460   \cdots{\mathinner{\cdotp\cdotp\cdotp}}
461 \DeclareRobustCommand
462   \vdots{\vbox{\baselineskip4p@ \lineskiplimit\z@
463     \kern6p@\hbox{.}\hbox{.}\hbox{.}}}
464 \DeclareRobustCommand
465   \ddots{\mathinner{\mkern1mu\raise7p@
466     \vbox{\kern7p@\hbox{.}}\mkern2mu
467     \raise4p@\hbox{.}\mkern2mu\raise\p@\hbox{.}\mkern1mu}}

```

40.4.8 Math accents

```

468 \DeclareMathAccent{\acute}{\mathalpha}{operators}{"13}
469 \DeclareMathAccent{\grave}{\mathalpha}{operators}{"12}
470 \DeclareMathAccent{\ddot}{\mathalpha}{operators}{"7F}
471 \DeclareMathAccent{\tilde}{\mathalpha}{operators}{"7E}
472 \DeclareMathAccent{\bar}{\mathalpha}{operators}{"16}
473 \DeclareMathAccent{\breve}{\mathalpha}{operators}{"15}
474 \DeclareMathAccent{\check}{\mathalpha}{operators}{"14}
475 \DeclareMathAccent{\hat}{\mathalpha}{operators}{"5E}
476 \DeclareMathAccent{\vec}{\mathord}{letters}{"7E}
477 \DeclareMathAccent{\dot}{\mathalpha}{operators}{"5F}
478 \DeclareMathAccent{\widetilde}{\mathord}{largesymbols}{"65}
479 \DeclareMathAccent{\widehat}{\mathord}{largesymbols}{"62}

```

For some reason plain \TeX never bothered to provide a ring accent in math (although it is available in the fonts), but since we got a request for it here we go:

```

480 \DeclareMathAccent{\mathring}{\mathalpha}{operators}{"17}

```

40.4.9 Radicals

```

481 \DeclareMathRadical{\sqrtsign}{symbols}{"70}{largesymbols}{"70}

```

40.4.10 Over and under something, etc

```

482 \def\overrightarrow#1{\vbox{\m@th\ialign{##\cr
483   \rightarrowfill\cr\cr\noalign{\kern-\p@\nointerlineskip}
484   $\hfil\displaystyle{#1}\hfil$\cr\cr}}}
485 \def\overleftarrow#1{\vbox{\m@th\ialign{##\cr
486   \leftarrowfill\cr\cr\noalign{\kern-\p@\nointerlineskip}%

```

```

487     $\hfil\displaystyle{#1}\hfil$\crrc}}
488 \def\overbrace#1{\mathop{\vbox{\m@th\ialign{##\crrc\noalign{\kern3\p@}%
489     \downbracefill\crrc\noalign{\kern3\p@\nointerlineskip}%
490     $\hfil\displaystyle{#1}\hfil$\crrc}}}\limits}
491 \def\underbrace#1{\mathop{\vtop{\m@th\ialign{##\crrc
492     $\hfil\displaystyle{#1}\hfil$\crrc
493     \noalign{\kern3\p@\nointerlineskip}%
494     \upbracefill\crrc\noalign{\kern3\p@}}}\limits}

```

(quite a waste of tokens, IMHO — Frank)

```

495 \def\skew#1#2#3{\muskip\z@#1mu\divide\muskip\z@ \tw@ \mkern\muskip\z@
496     #2{\mkern-\muskip\z@#3}\mkern\muskip\z@}\mkern-\muskip\z@}{}}
497 \def\rightarrowfill{$\m@th\smash-\mkern-7mu%
498     \cleaders\hbox{$\mkern-2mu\smash-\mkern-2mu$}\hfill
499     \mkern-7mu\mathord\rightarrow$}
500 \def\leftarrowfill{$\m@th\mathord\leftarrow\mkern-7mu%
501     \cleaders\hbox{$\mkern-2mu\smash-\mkern-2mu$}\hfill
502     \mkern-7mu\smash-$}
503 \DeclareMathSymbol{\braceld}{\mathord}{largesymbols}{7A}
504 \DeclareMathSymbol{\bracerd}{\mathord}{largesymbols}{7B}
505 \DeclareMathSymbol{\bracelu}{\mathord}{largesymbols}{7C}
506 \DeclareMathSymbol{\braceru}{\mathord}{largesymbols}{7D}
507 \def\downbracefill{$\m@th \setbox\z@\hbox{$\braceld$}%
508     \braceld\leaders\vrule \@height\ht\z@ \@depth\z@\hfill\braceru
509     \bracelu\leaders\vrule \@height\ht\z@ \@depth\z@\hfill\bracerd$}
510 \def\upbracefill{$\m@th \setbox\z@\hbox{$\braceld$}%
511     \bracelu\leaders\vrule \@height\ht\z@ \@depth\z@\hfill\bracerd
512     \braceld\leaders\vrule \@height\ht\z@ \@depth\z@\hfill\braceru$}

```

40.4.11 Delimiters

```

513 \DeclareMathDelimiter{\lmoustache} % top from (, bottom from )
514     {\mathopen}{largesymbols}{7A}{largesymbols}{40}
515 \DeclareMathDelimiter{\rmoustache} % top from ), bottom from (
516     {\mathclose}{largesymbols}{7B}{largesymbols}{41}
517 \DeclareMathDelimiter{\arrowvert} % arrow without arrowheads
518     {\mathord}{symbols}{6A}{largesymbols}{3C}
519 \DeclareMathDelimiter{\Arrowvert} % double arrow without arrowheads
520     {\mathord}{symbols}{6B}{largesymbols}{3D}
521 \DeclareMathDelimiter{\Vert}
522     {\mathord}{symbols}{6B}{largesymbols}{0D}
523 \let\lvert=\Vert
524 \DeclareMathDelimiter{\vert}
525     {\mathord}{symbols}{6A}{largesymbols}{0C}
526 \DeclareMathDelimiter{\uparrow}
527     {\mathrel}{symbols}{22}{largesymbols}{78}
528 \DeclareMathDelimiter{\downarrow}
529     {\mathrel}{symbols}{23}{largesymbols}{79}
530 \DeclareMathDelimiter{\updownarrow}
531     {\mathrel}{symbols}{6C}{largesymbols}{3F}
532 \DeclareMathDelimiter{\Uparrow}
533     {\mathrel}{symbols}{2A}{largesymbols}{7E}
534 \DeclareMathDelimiter{\Downarrow}
535     {\mathrel}{symbols}{2B}{largesymbols}{7F}
536 \DeclareMathDelimiter{\Updownarrow}

```



```

537 {\mathrel}{symbols}{"6D}{largesymbols}{"77}
538 \DeclareMathDelimiter{\backslash} % for double coset G\backslash H
539 {\mathord}{symbols}{"6E}{largesymbols}{"0F}
540 \DeclareMathDelimiter{\rangle}
541 {\mathclose}{symbols}{"69}{largesymbols}{"0B}
542 \DeclareMathDelimiter{\langle}
543 {\mathopen}{symbols}{"68}{largesymbols}{"0A}
544 \DeclareMathDelimiter{\rbrace}
545 {\mathclose}{symbols}{"67}{largesymbols}{"09}
546 \DeclareMathDelimiter{\lbrace}
547 {\mathopen}{symbols}{"66}{largesymbols}{"08}
548 \DeclareMathDelimiter{\rceil}
549 {\mathclose}{symbols}{"65}{largesymbols}{"07}
550 \DeclareMathDelimiter{\lceil}
551 {\mathopen}{symbols}{"64}{largesymbols}{"06}
552 \DeclareMathDelimiter{\rfloor}
553 {\mathclose}{symbols}{"63}{largesymbols}{"05}
554 \DeclareMathDelimiter{\lfloor}
555 {\mathopen}{symbols}{"62}{largesymbols}{"04}

\lgroup There are three plain TeX delimiters which are not fully supported by NFSS,
\rgroup since they partly point into a bold cmr font. Allocating a full symbol font, just
\bracevert to have three delimiters seems a bit too much given the limited space available.
For this reason only the extensible sizes are supported. If this is not desired one
can use, without losing portability, define \mathbf and \mathtt as font symbol
alphabet (setting up cmr/bx/n and cmtt/m/n as symbol fonts first) and modify
the delimiter declarations to point with their small variant to those symbol fonts.
(This is done in oldlfont.dtx so look there for examples.)

556 \DeclareMathDelimiter{\lgroup} % extensible ( with sharper tips
557 {\mathopen}{largesymbols}{"3A}{largesymbols}{"3A}
558 \DeclareMathDelimiter{\rgroup} % extensible ) with sharper tips
559 {\mathclose}{largesymbols}{"3B}{largesymbols}{"3B}
560 \DeclareMathDelimiter{\bracevert} % the vertical bar that extends braces
561 {\mathord}{largesymbols}{"3E}{largesymbols}{"3E}

```

40.5 Math versions of text commands

The `\mathunderscore` here is really a text definition, so it has been put back into `ltoutenc.dtx` (by Chris, 30/04/97) and should be removed from here.

These symbols are the math versions of text commands such as `\P`, `\$`, etc.

```

\mathparagraph These math symbols are not in plain TeX.
\mathsection 562 \DeclareMathSymbol{\mathparagraph}{\mathord}{symbols}{"7B}
\mathdollar 563 \DeclareMathSymbol{\mathsection}{\mathord}{symbols}{"78}
\mathsterling 564 \DeclareMathSymbol{\mathdollar}{\mathord}{operators}{"24}
\mathunderscore 565 \def\mathsterling{\mathit{\mathchar"7024}}
566 \def\mathunderscore{\kern.06em\vbox{\hrule\@width.3em}}

\mathellipsis This is plain TeX's \ldots.
567 \def\mathellipsis{\mathinner{\ldotp\ldotp\ldotp}}%

```

40.6 Other special functions and parameters

40.6.1 Biggggg

```
568 \def\big#1{\hbox{$\left#1\ vbox to8.5\p@\right.\n@space$}}
569 \def\Big#1{\hbox{$\left#1\ vbox to11.5\p@\right.\n@space$}}
570 \def\bigg#1{\hbox{$\left#1\ vbox to14.5\p@\right.\n@space$}}
571 \def\Bigg#1{\hbox{$\left#1\ vbox to17.5\p@\right.\n@space$}}
572 \def\n@space{\null\delimiterspace\z@ \m@th}
```

40.6.2 The log-like functions

`\operator@font` The `\operator@font` determines the symbol font used for log-like functions.

```
573 \def\operator@font{\mathgroup\symoperators}
```

40.6.3 Parameters

```
574 \thinmuskip=3mu
575 \medmuskip=4mu plus 2mu minus 4mu
576 \thickmuskip=5mu plus 5mu
```

This finishes the low-level setup in `fontmath.ltx`.

```
577 </math>
```

41 Default cfg files

We provide default `cfg` files here to ensure that on installations that search large file trees we do not pick up some strange customisation files from somewhere.

```
578 (*cfgtext | cfgmath | cfgprel)
579 %%
580 %%
581 %%
582 %% Load the standard setup:
583 %%
584 <+cfgtext>\input{fonttext.ltx}
585 <+cfgmath>\input{fontmath.ltx}
586 <+cfgprel>\input{preload.ltx}
587 %%
588 %% Small changes could go here; see documentation in cfgguide.tex for
589 %% allowed modifications.
590 %%
591 %% In particular it is not allowed to misuse this configuration file
592 %% to modify internal LaTeX commands!
593 %%
594 %% If you use this file as the basis for configuration please change
595 %% the \ProvidesFile lines to clearly identify your modification, e.g.,
596 %%
597 <+cfgtext>%% \ProvidesFile{fonttext.cfg}[2001/06/01
598 <+cfgmath>%% \ProvidesFile{fonttext.cfg}[2001/06/01
599 <+cfgprel>%% \ProvidesFile{preload.cfg}[2001/06/01
600 %% Customised local font setup]
601 %%
602 %%
603 </cfgtext | cfgmath | cfgprel>
```

File u

preload.dtx

42 Overview

This file contains an number of possible settings for preloading fonts during installation of NFSS2 (which is used by $\text{\LaTeX 2}_{\epsilon}$). It will be used to generate the following files:

preload.min	minimal subset of fonts necessary to run NFSS2
preload.ori	preload of CM fonts similar to the old <code>lfonts.tex</code>
preload.ltx	The standard selection of preloads
cmpreloa.xpt	preload of CM fonts for 10pt document size
cmpreloa.xip	preload of CM fonts for 11pt document size
cmpreloa.xii	preload of CM fonts for 12pt document size
dcpreloa.xpt	preload of DC fonts for 10pt size
dcpreloa.xip	preload of DC fonts for 11pt size
dcpreloa.xii	preload of DC fonts for 12pt size

These files are for installations that make use of Computer Modern fonts either old encoding (OT1) or Cork encoding (T1). The Computer Modern fonts with Cork encoding are known as DC-fonts.

Most important is `preload.ltx` which is used during format generation. You are *not* allowed to change this file.

43 Customization

You can customize the preloaded fonts in your $\text{\LaTeX 2}_{\epsilon}$ system by installing a file with the name `preload.cfg`. If this file exists it will be used in place of the system file `preload.ltx`. You can, for example, copy one of the files mentioned above (that can be generated from this source) to `preload.cfg`.

Or you can define completely other preloads. In that case start from `preload.min` since that contains the fonts that have to be preloaded by **all** $\text{\LaTeX 2}_{\epsilon}$ systems.

Avoid using `preload.ori`, it will load so many fonts that on most installations it is nearly impossible to load other font families afterwards. This file is only generated to show what fonts have been preloaded by \LaTeX 2.09 .

If you normally use other fonts than Computer Modern `preload.min` might be best.

Warning: If you preload fonts with encodings other than the normally supported encodings you have to declare that encoding in a `fontdef.cfg` configuration file (see the documentation in the file `fontdef.dtx`). Adding an extra encoding to the format might produce non-portable documents, thus this should be avoided if possible.

44 Module switches for the DOCSTRIP program

The DOCSTRIP will generate the above file from this source using the following module directives:

driver	produce a documentation driver file
preload	produce a preload... file
cm	for OT1 encoded Computer Modern
dc	for T1 encoded Computer Modern
min	produce minimal subset
xpt	produce 10pt preloads
xipt	produce 11pt preloads
xipt	produce 12pt preloads
ori	produce preloads similar to old <code>lfonts.tex</code>
tex	produce <code>preload.ltx</code>

A typical DOCSTRIP command file would then have entries like:

```
\generateFile{preload.min}{t}{\from{preload.dtx}{preload,min}}
```

for generating preload files.

45 A driver for this document

The next bit of code contains the documentation driver file for \TeX , i.e., the file that will produce the documentation you are currently reading. It will be extracted from this file by the DOCSTRIP program.

```
1 (*driver)
2 \documentclass{ltxdoc}
3 %\OnlyDescription % comment out for implementation details
4 \begin{document}
5   \DocInput{preload.dtx}
6 \end{document}
7 \end{driver}
```

46 The code

We begin by loading the math extension font (`cmex10`) and the \LaTeX line and circle fonts. It is necessary to do this explicitly since these are used by `lplain.tex` and `latex.tex`. Since the internal font name contains / characters and digits we construct the name via `\csname`. These are the only fonts (!) that must be loaded in this file.

All `\DeclarePreloadSizes` can be removed or others can be added, they only influence the processing speed.

```
8 \expandafter\font\csname OMX/cmex/m/n/10\endcsname=cmex10\relax
9 \font\tenln =line10 \font\tenlnw =linew10\relax
10 \font\tenclrc=lcircle10 \font\tenclrcw=lcirclew10\relax
```

The above fonts should not be touched but anything below this point here in the preload suggestions can be modified without any problems.

```
11 (-tex)%*****
```

```

12 <-tex>% Start any modification below this point **
13 <-tex>%*****
14 <-tex>
15 %%
16 %% Computer Modern Roman:
17 %%-----
18 <*ori>
19 \DeclarePreloadSizes{OT1}{cmr}{m}{n}
20      {5,6,7,8,9,10,10.95,12,14.4,17.28,20.74,24.88}
21 \DeclarePreloadSizes{OT1}{cmr}{bx}{n}{9,10,10.95,12,14.4,17.28}
22 \DeclarePreloadSizes{OT1}{cmr}{m}{sl}{10,10.95,12}
23 \DeclarePreloadSizes{OT1}{cmr}{m}{it}{7,8,9,10,10.95,12}
24 </ori>
25 <+xpt & cm> \DeclarePreloadSizes{OT1}{cmr}{m}{n}{5,7,10}
26 <+xpt & dc> \DeclarePreloadSizes{T1}{cmr}{m}{n}{5,7,10}
27 <+xipt & cm> \DeclarePreloadSizes{OT1}{cmr}{m}{n}{6,8,10.95}
28 <+xipt & dc> \DeclarePreloadSizes{T1}{cmr}{m}{n}{6,8,10.95}
29 <+xiipt & cm> \DeclarePreloadSizes{OT1}{cmr}{m}{n}{6,8,12}
30 <+xiipt & dc> \DeclarePreloadSizes{T1}{cmr}{m}{n}{6,8,12}
31 %%
32 %% Computer Modern Sans:
33 %%-----
34 <+ori> \DeclarePreloadSizes{OT1}{cmss}{m}{n}{10,10.95,12}
35 %%
36 %% Computer Modern Typewriter:
37 %%-----
38 <+ori> \DeclarePreloadSizes{OT1}{cmtt}{m}{n}{9,10,10.95,12}
39 %%
40 %% Computer Modern Math:
41 %%-----
42 <*ori>
43 \DeclarePreloadSizes{OML}{cmm}{m}{it}
44      {5,6,7,8,9,10,10.95,12,14.4,17.28,20.74}
45 \DeclarePreloadSizes{OMS}{cmsy}{m}{n}
46      {5,6,7,8,9,10,10.95,12,14.4,17.28,20.74}
47 </ori>

```

The math fonts are the same for both DC and CM fonts. So far there isn't an agreed on standard.

```

48 <*xpt>
49 \DeclarePreloadSizes{OML}{cmm}{m}{it}{5,7,10}
50 \DeclarePreloadSizes{OMS}{cmsy}{m}{n}{5,7,10}
51 </xpt>
52 <*xipt>
53 \DeclarePreloadSizes{OML}{cmm}{m}{it}{6,8,10.95}
54 \DeclarePreloadSizes{OMS}{cmsy}{m}{n}{6,8,10.95}
55 </xipt>
56 <*xiipt>
57 \DeclarePreloadSizes{OML}{cmm}{m}{it}{6,8,12}
58 \DeclarePreloadSizes{OMS}{cmsy}{m}{n}{6,8,12}
59 </xiipt>
60 %%
61 %% LaTeX symbol fonts:
62 %%-----

```

```
63 <*ori>
64 \DeclarePreloadSizes{U}{lasy}{m}{n}
65      {5,6,7,8,9,10,10.95,12,14.4,17.28,20.74}
66 </ori>
67 </preload>
```

File v

ltfntcmd.dtx

Abstract

The commands defined in this file `ltfntcmd` are part of the kernel code for \LaTeX 2 ϵ /NFSS2.

It is also meant to serve as documentation for package writers since it demonstrates how to define high-level font changing commands using a small number of creator functions.

47 Introduction

Font changes such as `\bfseries`, `\sffamily`, etc. are declarations; this means that their scope is delimited by the grouping structure, either by the next `\end` of some environment or by explicitly using a group, e.g., writing something like `{\bfseries...}` in the source. If you make the mistake of writing `\bfseries{...}` (thinking of `\bfseries` as a command with one argument) then the result is rather striking.

Font declarations are an artifact of the \TeX system and for several reasons it is better to avoid them on the user level whenever possible. In \LaTeX 3 they will probably all be replaced by environments and by font commands taking one argument.

This file defines a creator function for such declarative font switches. This function creates commands which can be used in both math and text.

This file also defines a number of high-level commands (all starting with `\text..`) that have one argument and typeset this argument in the requested way. Thus these commands are for typesetting short pieces of text in a specific family, series or shape. These are all produced as examples of the use of a creator function which is itself also defined in this file.

Table 1 shows all these high-level commands in action. A further advantage of using these commands is that they automatically take care of any necessary italic correction on either side of their argument.

Thus, when using such commands, one does not have to worry about forgetting the italic correction when changing fonts. Only in very few situations is this additional space wrong but, for example, most typographers recommend omitting the italic correction if a small punctuation character, like a comma, directly follows the font change. Since the amount of correction required is partly a matter of taste, you can define in what situations the italic correction should be suppressed. This is done by putting the characters that should cancel a preceding italic correction in the list `\nocorrlist`.⁷ The default definition for this list is produced by the following.

```
\newcommand \nocorrlist {,.}
```

⁷Any package that changes the `\catcode` of a character inside `\nocorrlist` must then explicitly reset the list. Otherwise the changed character will no longer be recognized by the suppression algorithm.

<i>Command</i>	<i>Corresponds to</i>	<i>Action</i>
<code>\textrm{..}</code>	<code>\rmfamily</code>	Typeset argument in roman family
<code>\textsf{..}</code>	<code>\sffamily</code>	Typeset argument in sans serif family
<code>\texttt{..}</code>	<code>\ttfamily</code>	Typeset argument in typewriter family
<code>\textmd{..}</code>	<code>\mdseries</code>	Typeset argument in medium series
<code>\textbf{..}</code>	<code>\bfseries</code>	Typeset argument in bold series
<code>\textup{..}</code>	<code>\upshape</code>	Typeset argument in normal shape
<code>\textit{..}</code>	<code>\itshape</code>	Typeset argument in <i>italic</i> shape
<code>\textsl{..}</code>	<code>\slshape</code>	Typeset argument in <i>slanted</i> shape
<code>\textsc{..}</code>	<code>\scshape</code>	Typeset argument in SMALL CAPS shape
<code>\emph{..}</code>	<code>\em</code>	Typeset argument <i>emphasized</i>

Table 1: Font-change commands with arguments

The font change commands provided here all start with `\text..` to emphasize that they are for use in normal text and to be easily memorable. They automatically take care of any necessary italic correction on either side of the argument.

It is best to declare the most often used characters first, because this will make the processing slightly faster. For example,

```
\emph{When using the \NFSS{ } high-level commands,
the \emph{proper} use of italic corrections is
automatically taken care of}. Only
\emph{sometimes} one has to help \LaTeX{ } by
adding a \verb=\nocorr= command.
```

which results in:

When using the NFSS high-level commands, the proper use of italic corrections is automatically taken care of. Only sometimes one has to help L^AT_EX by adding a \nocorr command.

In contrast, the use of the declaration forms is often more appropriate when you define your own commands or environments.

```
\newenvironment{bfitemize}{\begin{itemize}\normalfont\bfseries}
{\end{itemize}}
\begin{bfitemize}
\item This environment produces boldface items.
\item It is defined in terms of \LaTeX's
\texttt{itemize} environment and NFSS
declarations.
\end{bfitemize}
```

This gives:

- This environment produces boldface items.

- It is defined in terms of L^AT_EX's `itemize` environment and NFSS declarations.

In addition to global customization of when to insert the italic correction, it is of course sometimes necessary to explicitly insert one with `\/`.

It is also possible to suppress the italic correction in individual instances. For this, the command `\nocorr` is provided.

The `\nocorr` must appear as the first or last token inside the braces of the argument of the `\text...` commands, at that end of the text where you wish to suppress the italic correction.

It is worth pointing out here that inserting a `\/` in places where it can have no function (i.e. anywhere except immediately after a slanted letter) is not an error—it will just be silently ignored. Unfortunately this is not true if the redefinition of `\/` in `amstex.sty` is used as this version can cause space to be removed immediately before the `\/`.

48 The implementation

`\DeclareTextFontCommand` This is the creator function for `\text..` commands. It gives a warning if `\foo` or `\fragfoo` is already defined.

In math mode it simply puts the font declaration and text into a box (possibly an automatically sized one).

Otherwise it first scans the text to see where `\nocorr` occurs within it. This sets the `\check@ic` commands to do what is necessary concerning the italic correction at both ends.

The algorithm for deciding whether to put in an italic correction is not very subtle: one is added whenever the newly current font is not itself positively sloped, unless the next token is a character in the ‘nocorr’ list. At the end of the text this is done after closing the group so as to check the ‘outer font’. Note that this will often result in adding an italic correction token after a character in an unsloped font; we believe (in early 2003) that this is perhaps inefficient but not dangerous.

It also now checks for empty contents of the text command and optimises this case. Some care is also taken to check that doing dangerous things in vertical mode is avoided.

The italic correction token is added to the horizontal list before (in the list) an immediately preceding non-zero glob of glue (skip) and any non-zero penalty preceding that since, in the typical case, this puts it immediately after the last character in the preceding word.

Note that it is necessary to put in the `\aftergroup\maybe@ic` at the end of the group so that it comes after any other `aftergroup` tokens and immediately before the following tokens. It is also necessary to remove the `\fi` from the token list before the group ends; this is done by adding an `\expandafter` just before the closing brace.

```

1 (*2kernel)
2 \def \DeclareTextFontCommand #1#2{%
3   \DeclareRobustCommand#1[1]{%
4     \ifmmode
5       \nfss@text{#2##1}%
6     \else
7       \hmode@bgroup

```

```

8      \text@command{##1}%
9      #2\check@icl ##1\check@icr
10     \expandafter
11     \egroup
12     \fi
13         }%
14 }

\textrm Now we define the \text{family} commands in terms of the above; \texttt does
\textsf not look very nice!
\texttt 15 \DeclareTextFontCommand{\textrm}{\rmfamily}
\textnormal 16 \DeclareTextFontCommand{\textsf}{\sffamily}
17 \DeclareTextFontCommand{\texttt}{\ttfamily}
18 \DeclareTextFontCommand{\textnormal}{\normalfont}

\textbf For the series attribute:
\textmd 19 \DeclareTextFontCommand{\textbf}{\bfseries}
20 \DeclareTextFontCommand{\textmd}{\mdseries}

\textit And for the shapes:
\textsl 21 \DeclareTextFontCommand{\textit}{\itshape}
\textsc 22 \DeclareTextFontCommand{\textsl}{\slshape}
\textup 23 \DeclareTextFontCommand{\textsc}{\scshape}
24 \DeclareTextFontCommand{\textup}{\upshape}

\emph Finally we have the \em font change declaration of LATEX. The corresponding
definition with argument is
25 \DeclareTextFontCommand{\emph}{\em}

\nocorr This is just a label, so it does nothing; it should also be unexpandable.
26 \let \nocorr \relax

\check@icl We define these defaults in case some error causes them to be expanded at the
\check@icr wrong time.
27 \let \check@icl \@empty
28 \let \check@icr \@empty

\text@command This checks for a \nocorr as the first token in its argument and also for one in
\check@nocorr@ any other position not protected within braces (the latter is treated as if it were
at the end of the argument).
Is this the correct action in the ‘empty’ case? It is efficient but typographically
it is, strictly, incorrect!
29 \def \text@command #1{%
30   \def \reserved@a {#1}%
31   \ifx \reserved@a \@empty
32     \let \check@icl \@empty
33     \let \check@icr \@empty
34   \else
\space is a reserved word in LATEX or actually already in plain TEX. If somebody
really redefines it so many things will break that I don’t see any reason to make
this routine here slower than necessary.
35 %   \def \reserved@b { }%

```

```

36 %    \ifx \reserved@a \reserved@b
37    \ifx \reserved@a \space
38        \let \check@icl \@empty
39        \let \check@icr \@empty
40    \else
41        \check@nocorr@ #1\nocorr\@nil
42    \fi
43 \fi
44 }
45 \def \check@nocorr@ #1#2\nocorr#3\@nil {%

```

The two checks are initialised here to their values in the normal case.

```

46    \let \check@icl \maybe@ic
47    \def \check@icr {\ifvmode \else \aftergroup \maybe@ic \fi}%
48    \def \reserved@a {\nocorr}%
49    \def \reserved@b {#1}%
50    \def \reserved@c {#3}%
51    \ifx \reserved@a \reserved@b
52        \ifx \reserved@c \@empty

```

In this case there is a `\nocorr` at the start but not at the end, so `\check@icl` should be empty.

```

53        \let \check@icl \@empty
54    \else

```

Otherwise there is a `\nocorr` both at the start and elsewhere, so no italic corrections should be added.

```

55        \let \check@icl \@empty
56        \let \check@icr \@empty
57    \fi
58    \else
59        \ifx \reserved@c \@empty

```

In this case there is no `\nocorr` anywhere, so we need to check for an italic correction at both the beginning and the end. This has been set up as the default so no code is needed here.

```

60    \else

```

In this case there is no `\nocorr` at the start but there is one elsewhere, so no `\aftergroup` is needed.

```

61        \let \check@icr \@empty
62    \fi
63 \fi
64 }

```

`\ifmaybe@ic` Switch used solely within `\maybe@ic` not interfering with other switches.

```

65 \newif\ifmaybe@ic

```

`\maybe@ic` These macros implement the italic correction.

```

\maybe@ic@
66 \def \maybe@ic {\futurelet\@let@token\maybe@ic@}
67 \def \maybe@ic@ {%

```

We first check to see if the current font is positively sloped. (But do not forget the message Rainer sent about an upright font with non-zero slope! Or is this an urban myth?) It has been suggested that this should test against a small positive value, but what?

```

68 \ifdim \fontdimen\@ne\font>\z@
69 \else
70 \maybe@ictrue

```

It would be possible, but probably not worthwhile, to continue the forward scan beyond any closing braces.

```

71 \expandafter\@tfor\expandafter\reserved@a\expandafter:\expandafter=%
72 \nocorrlist

```

We have to hide the `\@let@token` in the macro `\t@st@ic` rather than testing it directly in the loop since it might be `\let` to a `\fi` or `\else`, which would result in chaos.

```

73 \do \t@st@ic

```

Frank thinks that the next bit it is inefficient if done after the second change. Chris thinks that most all of this is inefficient for the commonest cases: but that is the price of a cleverer algorithm. It is certainly needed to deal with the use of `\nolinebreak`.

```

74 \ifmaybe@ic \sw@slant \fi
75 \fi
76 }

```

`\t@st@ic` The next token in the input stream is stored in `\@let@token` via a `\let`, the current token from `\nocorrlist` is stored via `\def` in `\reserved@a`. To compare them we have to fiddle around a bit.

If the only things to check were characters then this could be done via an `\if` thus their catcodes would not matter; but this will not work whilst `\futurelet` is used above.

```

77 \def \t@st@ic {%
78 \expandafter\let\expandafter\reserved@b\expandafter=\reserved@a\relax
79 \ifx\reserved@b\@let@token

```

If they are the same we record the fact and jump out of the loop.

```

80 \maybe@icfalse
81 \@break@tfor
82 \fi
83 }

```

`\sw@slant` The definition of the mysterious `\sw@slant` command is as follows.
`\fix@penalty` 84 \def \sw@slant {%

It is surely correct to put in an italic correction when there is no skip. If the last thing on the list is actually a zero skip (including things whose dimension part is zero, such as `\hfill`), or anything other than a character, then the italic correction will have no effect.

In order to work correctly with unbreakable spaces from `~` (and other common forms of line-breaking control) we also move back across a penalty before the glue.

```

85 \ifdim \lastskip=\z@
86 \fix@penalty
87 \else
88 \skip@ \lastskip
89 \unskip
90 \fix@penalty
91 \hskip \skip@

```

```

92 \fi
93 }

```

The above code means: “If there is a non-zero space just before the current position (`\ifdim...`) save the amount of that space (`\skip@\lastskip`), remove it (`\unskip`), then do a similar thing if there is a penalty just before the skip, and finally put the space back in.”

Since zero glue cannot be distinguished in this context from no glue, we dare not put in an `\hskip` in this case as this may produce an unwanted breakpoint. This is not satisfactory.

The penalty before the glue is handled similarly, with the same caveats concerning the zero case. Is this the first recorded use of `\unpenalty` in standard L^AT_EX code?

```

94 \def \fix@penalty {%
95   \ifnum \lastpenalty=\z@
96     \@@italiccorr
97   \else
98     \count@ \lastpenalty
99     \unpenalty
100    \@@italiccorr
101    \penalty \count@
102 \fi
103 }

```

`\nocorrlist` This holds the list of characters that should prevent italic correction. They should be ordered by decreasing frequency of use. If any such character is made active later on one needs to redefine the list so that the active character becomes part of it.

```

104 \def \nocorrlist {,.}

```

`\nfss@text` This command will by default behave like a L^AT_EX `\mbox` but may be redefined by packages such as `amstext.sty` to be a bit cleverer.

```

105 \ifx \nfss@text\undefined
106   \def \nfss@text {\leavevmode\hbox}
107 \fi

```

`\DeclareOldFontCommand` This is the function used to create declarative font-changing commands that can also be used to change alphabets in math-mode.

Usage: `\DeclareOldFontCommand \fn{<font-change decls>} <math-alphabet>`

Here `\fn` is the font-declaration command being defined, `<font-change decls>` is the declaration it will expand to in text-mode, and `<math-alphabet>` is the (single) math alphabet specifier which is to be used in math-mode.

It does not care whether the command being defined already exists but it does give a warning if it redefines anything.

Here are some typical examples of its use in conjunction with more basic NFSS2 font commands.

```

\DeclareOldFontCommand{\rm}{\normalfont\rmfamily}{\mathrm}
\DeclareOldFontCommand{\sf}{\normalfont\sffamily}{\mathsf}
\DeclareOldFontCommand{\tt}{\normalfont\ttfamily}{\mathtt}

```

```

108 \def \DeclareOldFontCommand #1#2#3{%
109   \DeclareRobustCommand #1{\@fontswitch {#2}{#3}}%
110 }

```

`\@fontswitch` These two commands actually do the necessary tests and declarative font- or
`\@@math@egroup` alphabet-changing.

```

\@@math@egroup
111 \def \@fontswitch #1#2{%
112   \ifmmode
113     \let \math@bgroup \relax
114     \def \math@egroup {\let \math@bgroup \@@math@bgroup
115                        \let \math@egroup \@@math@egroup}%

```

We need to have a `\relax` in the following line in case the `#2` is something like `\mathsf` grabbing the next token as an argument. For this reason the code also uses explicit arguments again (see pr/1275).

```

116     #2\relax
117   \else
118     #1%
119   \fi
120 }
121 \let \@@math@bgroup \math@bgroup
122 \let \@@math@egroup \math@egroup

```

These commands are available only in the preamble.

```

123 \@onlypreamble \DeclareTextFontCommand
124 \@onlypreamble \DeclareOldFontCommand

```

49 Initialization

`\normalsize` This is defined to produce an error.

```

125 \def\normalsize{%
126   \@latex@error {The font size command \protect\normalsize\space
127                 is not defined:\MessageBreak
128                 there is probably something wrong with
129                 the class file}\@eha
130 }
131 </2ekernel>

```

File w

ltpageno.dtx

50 Page Numbering

Page numbers are produced by a page counter, used just like any other counter. The only difference is that `\c@page` contains the number of the next page to be output (the one currently being produced), rather than one minus it. Thus, it is normally initialized to 1 rather than 0. `\c@page` is defined to be `\count0`, rather than a count assigned by `\newcount`.

`\pagenumbering` The user sets the pagenumber style with the `\pagenumbering{<foo>}` command, which sets the page counter to 1 and defines `\thepage` to be `\foo`. For example, `\pagenumbering{roman}` causes pages to be numbered i, ii, etc.

```
1 <*2kernel>
2 \message{page nos.,}

3 \countdef\c@page=0 \c@page=1
4 \def\c1@page{}
5 \def\pagenumbering#1{%
6   \global\c@page \@ne \gdef\thepage{\csname @#1\endcsname
7     \c@page}}
8 </2kernel>
```

File x

ltxref.dtx

51 Cross Referencing

The user writes `\label{foo}` to define the following cross-references:

`\ref{foo}`: value of most recently incremented referencable counter. in the current environment. (Chapter, section, theorem and enumeration counters counters are referencable, footnote counters are not.)

`\pageref{foo}`: page number at which `\label{foo}` command appeared. where foo can be any string of characters not containing ‘\’, ‘{’ or ‘}’.

Note: The scope of the `\label` command is delimited by environments, so `\begin{theorem} \label{foo} ... \end{theorem} \label{bar}` defines `\ref{foo}` to be the theorem number and `\ref{bar}` to be the current section number.

Note: `\label` does the right thing in terms of spacing – i.e., leaving a space on both sides of it is equivalent to leaving a space on either side.

51.1 Cross Referencing

```
1 (*2kernel)
2 \message{x-ref,}
```

This is implemented as follows. A referencable counter CNT is incremented by the command `\refstepcounter{CNT}`, which sets `\@currentlabel == {CNT}{eval(\p@cnt\theCNT)}`. The command `\label{FOO}` then writes the following on file `\@auxout`:

```
\newlabel{FOO}{{eval(\@currentlabel)}{eval(\thepage)}}
```

```
\ref{FOO} ==
BEGIN
  if \r@foo undefined
  then  @refundefined := G T
        ??
        Warning: 'reference foo on page ... undefined'
  else  \@car \eval(\r@FOO)\@nil
  fi
END
```

```
\pageref{foo} =
BEGIN
  if \r@foo undefined
  then  @refundefined := G T
        ??
        Warning: 'reference foo on page ... undefined'
  else  \@cdr \eval(\r@FOO)\@nil
  fi
END
```


`\G@refundefinedtrue` This does not save on name-space (since `\G@refundefinedfalse` was never needed) but it does make the implementation of such one-way switches more consistent. The extra macro to make the change is used since this change appears several times.

Note despite its name, `\G@refundefinedtrue` does *not* correspond to an `\if` command, and there is no matching `...false`. It would be more natural to call the command `\G@refundefined` (as inspection of the change log will reveal) but unfortunately such a change would break any package that had defined a `\ref`-like command that mimicked the definition of `\ref`, calling `\G@refundefinedtrue`. Inspection of the T_EX archives revealed several such packages, and so this command has been named `...true` so that the definition of `\ref` need not be changed, and the packages will work without change.

```

3 % \newif\ifG@refundefined
4 % \def\G@refundefinedtrue{\global\let\ifG@refundefined\iftrue}
5 % \def\G@refundefinedfalse{\global\let\ifG@refundefined\iffalse}
6 \def\G@refundefinedtrue{%
7   \gdef\@refundefined{%
8     \@latex@warning@no@line{There were undefined references}}
9 \let\@refundefined\relax

```

`\ref` Referencing a `\label`. RmS 91/10/25: added a few extra `\reset@font`, as suggested by Bernd Raichle

`\pageref`

`\setref` RmS 92/08/14: made `\ref` and `\pageref` robust
RmS 93/09/08: Added setting of `refundefined` switch.

```

10 \def\@setref#1#2#3{%
11   \ifx#1\relax
12     \protect\G@refundefinedtrue
13     \nfss@text{\reset@font\bfseries ??}%
14     \@latex@warning{Reference ‘#3’ on page \thepage \space
15       undefined}%
16   \else
17     \expandafter#2#1\relax
18   \fi}
19 \def\ref#1{\expandafter\@setref\csname r@#1\endcsname\@firstoftwo{#1}}
20 \def\pageref#1{\expandafter\@setref\csname r@#1\endcsname
21   \@secondoftwo{#1}}

```

`\newlabel` This command will be written to the `.aux` file to pass label information from one run to another.

`\@newl@bel` The internal form of `\newlabel` and `\bibcite`. Note that this macro does its work inside a group. That way the local assignments it needs to do don't clutter the save stack. This prevents large documents with many labels to run out of save stack.

```

22 \def\@newl@bel#1#2#3{%
23   \@ifundefined{#1#2}%
24     \relax
25     {\gdef \@multiplelabels {%
26       \@latex@warning@no@line{There were multiply-defined labels}}%
27       \@latex@warning@no@line{Label ‘#2’ multiply defined}}%
28   \global\@namedef{#1#2}{#3}}

```

```

29 \def\newlabel{\@newl@bel r}
30 \@onlypreamble\@newl@bel

\if@multiplelabels This is redefined to produce a warning if at least one label is defined more than
\@multiplelabels once. It is executed by the \enddocument command.
31 \let \@multiplelabels \relax

\label The commands \label and \refstepcounter have been changed to allow
\refstepcounter \protect'ed commands to work properly. For example,

\def\thechapter{\protect\foo{\arabic{chapter}.\roman{section}}}}

will cause a \label{bar} command to define \ref{bar} to expand to something
like \foo{4.d}. Change made 20 Jul 88.

32 \def\label#1{\@bsphack
33   \protected@write\@auxout{}%
34     {\string\newlabel{#1}{\@currentlabel}\thepage}}%
35   \@esphack}

36 \def\refstepcounter#1{\stepcounter{#1}%
37   \protected@edef\@currentlabel
38     {\csname p@#1\endcsname\csname the#1\endcsname}%
39 }

\@currentlabel For \label commands that come before any environment

40 \def\@currentlabel{}

41 </2kernel>

```

51.2 An extension of counter referencing

At the moment a reference to a counter `foo` will generate the equivalent of `\p@foo\thefoo` although not quite in this form. For some applications it would be nice if one could have `\thefoo` being an argument to `\p@foo` to be able to put material before and after the number generated by `\thefoo`. This can be easily achieved with a small change to one of the kernel commands as follows:

```

\def\refstepcounter#1{\stepcounter{#1}%
  \protected@edef\@currentlabel
    {\csname p@#1\expandafter\endcsname\csname the#1\endcsname}%
}

```

The trick is to ensure that `\csname the#1\endcsname` is turned into a single token before `\p@...` is expanded further. This way, if the `\p@...` command is a macro with one argument it will receive `\the...`. With the kernel code (i.e., without the `\expandafter`) it will instead pick up `\csname` which would be disastrous.

Using `\expandafter` instead of braces delimiting the argument is better because, assuming that the `\p@...` command is not defined as a macro with one argument, the braces will stay and prohibit kerning that might otherwise happen between the glyphs generated by `\the...` and surrounding glyphs.

We have refrained from making this change in the kernel code although for existing documents it would be 100% backward compatible. The reason being

that any class or package making use of this functionality would then horribly fail with older L^AT_EX installations.

Instead we suggest that people who are interested in using this functionality in a document class or package add the redefinition to the class file. To ensure that this redefinition is properly applied they might want to test for the original definition first, e.g.

```
\CheckCommand*\refstepcounter[1]{\stepcounter{#1}%  
  \protected@edef\@currentlabel  
    {\csname p@#1\endcsname\csname the#1\endcsname}%  
}  
\renewcommand*\refstepcounter[1]{\stepcounter{#1}%  
  \protected@edef\@currentlabel  
    {\csname p@#1\expandafter\endcsname\csname the#1\endcsname}%  
}
```

File y

ltmiscen.dtx

52 Miscellaneous Environments

This section implements the basic environment mechanism, and also a few specific environments including `document`, The math environments and related commands, the ‘flushing’ environments, (`center`, `flushleft`, `flushright`), and `verbatim`.

```
1 (*2ekernel)
2 \message{environments,}
```

52.1 Environments

`\begin{foo}` and `\end{foo}` are used to delimit environment `foo`.

`\begin{foo}` starts a group and calls `\foo` if it is defined, otherwise it does nothing.

`\end{foo}` checks to see that it matches the corresponding `\begin` and if so, it calls `\endfoo` and does an `\endgroup`. Otherwise, `\end{foo}` does nothing.

If `\end{foo}` needs to ignore blanks after it, then `\endfoo` should globally set the `@ignore` switch true with `\@ignoretrue` (this will automatically be global).

NOTE: `@@end` is defined to be the `\end` command of T_EX82.

`\enddocument` is the user’s command for ending the manuscript file.

`\stop` is a panic button — to end T_EX in the middle.

```
\enddocument ==
BEGIN
  \@checkend{document}    %% checks for unmatched \begin
  \clearpage
  \begingroup
    if @filesw = true
    then close file @mainaux
    if G@refundefined = true
    then LaTeX Warning: 'There are undefined references.' fi
    if @multiplelabels = true
    then LaTeX Warning:
      'One or more label(s) multiply defined.'
    else
      \@setckpt {ARG1}{ARG2} == null
      \newlabel{LABEL}{VAL} ==
      BEGIN
        \reserved@a == VAL
        if def(\reserved@a) = def(\r@LABEL)
        else @tempwa := true          fi
      END
      \bibcite{LABEL}{VAL} == null
      BEGIN
        \reserved@a == VAL
        if def(\reserved@a) = def(\g@LABEL)
        else @tempwa := true          fi
    fi
  fi
END
```

```

                                END
                                @tempswa := false
                                make @ a letter
                                \input \jobname.AUX
                                if @tempswa = true
                                    then LaTeX Warning: 'Label may have changed.
                                                Rerun to get cross-references right.'
                                fi
                                fi
                                fi
                                \endgroup
                                finish up
                                END

                                \@writefile{EXT}{ENTRY} ==
                                if tf@EXT undefined
                                    else \write\tf@EXT{ENTRY}
                                fi

\@currentvir The name of the current environment.  Initialized to document to so that
\end{document} works correctly.
3 \def\@currentvir{document}

\if@ignore
\@ignoretrue 4 \def\@ignorefalse{\global\let\if@ignore\iffalse}
\@ignorefalse 5 \def\@ignoretrue {\global\let\if@ignore\iftrue}
6 \@ignorefalse

\ignorespacesafterend
7 \let\ignorespacesafterend\@ignoretrue

\enddocument
8 \def\enddocument{%
The \end{document} hook is executed first.  If necessary it can contain a
\clearpage to output dangling floats first.  In this position it can also contain
something like \end{foo} so that the whole document effectively starts and ends
with some special environment.  However, this must be used with care, eg if two
applications would use this without knowledge of each other the order of the en-
vironments will be wrong after all. \AtEndDocument is redefined at this point so
that and such commands that get into the hook do not chase their tail...
9 \let\AtEndDocument\@firstofone
10 \enddocumenthook
11 \@checkend{document}%
12 \clearpage
13 \begingroup
14 \if@filesw
15 \immediate\closeout\@mainaux
16 \let\@setckpt\@gobbletwo
17 \let\@newl@bel\@testdef
The previous line is equiv to setting
\def\newlabel{\@testdef r}%
\def\bibcite{\@testdef b}%

```

We use `\@input` to load the `.aux` file, so that it doesn't show up in the list of files produced by `\listfiles`.

```

18      \@tempswafalse
19      \makeatletter \@input\jobname.aux
20      \fi

21      \@dofilelist

```

First we check for font size substitution bigger than `\fontsubfuzz`. The `\relax` is necessary because this is a macro not a register.

```

22      \ifdim \font@submax >\fontsubfuzz\relax

```

In case you wonder about the `\@gobbletwo` inside the message below, this is a horrible hack to remove the tokens `\on@line`. that are added by `\@font@warning` at the end.

```

23      \@font@warning{Size substitutions with differences\MessageBreak
24                      up to \font@submax\space have occurred.\@gobbletwo}%
25      \fi

```

The macro `\@defaultsubs` is initially `\relax` but gets redefined to produce a warning if there have been some default font substitutions.

```

26      \@defaultsubs

```

The macro `\@refundefined` is initially `\relax` but gets redefined to produce a warning if there are undefined refs.

```

27      \@refundefined

```

If a label is defined more than once, `\@tempswa` will always be true and thus produce a “Label(s) may ...” warning. But since a rerun will not solve that problem (unless one uses a package like `varioref` that generates labels on the fly), we suppress this message.

```

28      \if@filesw
29          \ifx \@multiplelabels \relax
30              \if@tempswa
31                  \@latex@warning@no@line{Label(s) may have changed.
32                      Rerun to get cross-references right}%
33              \fi
34          \else
35              \@multiplelabels
36          \fi
37      \fi
38      \endgroup
39      \deadcycles\z@\@end}

```

`\@testdef`

```

40 \def\@testdef #1#2#3{%
41     \def\reserved@a{#3}\expandafter \ifx \csname #1@#2\endcsname
42     \reserved@a \else \@tempwatrue \fi}

```

`\@writefile`

```

43 \long\def\@writefile#1#2{%
44     \ifundefined{tf@#1}\relax
45     {\@temptokena{#2}%
46         \immediate\write\csname tf@#1\endcsname{\the\@temptokena}%
47     }%
48 }

```

```

\stop
49 \def\stop{\clearpage\deadcycles\z@\let\par\@par\@end}

50 \everypar{\@nodocument} %% To get an error if text appears before the
51 \nullfont                %% \begin{document}

\begin, \end, and \@checkend changed so \end{document} will catch
an unmatched \begin. Changed 24 May 89 as suggested by
Frank Mittelbach and Rainer Sch\"opf.

\begin{NAME} ==
BEGIN
  IF \NAME undefined THEN \reserved@a == BEGIN report error
END
                                ELSE \reserved@a ==
                                (\@currenvir :=L NAME) \NAME
  FI
  @ignore :=G F                %% Added 30 Nov 88
  \begingroup
  \@endpe := F
  \@currenvir :=L NAME
  \NAME
END

\end{NAME} ==
BEGIN
  \endNAME
  \@checkend{NAME}
  \endgroup
  IF @endpe = T                %% @endpe set True by \@endparenv
    THEN \@doendpe            %% \@doendpe redefines \par and
\everypar                    %% to suppress paragraph indentation in
                                %% immediately following text
  FI
  IF @ignore = T
    THEN @ignore :=G F
    \ignorespaces
  FI
END

\@checkend{NAME} ==
BEGIN
  IF \@currenvir = NAME
    ELSE \@badend{NAME}
  FI
END

```

```

\begin
52 \def\begin#1{%
53   \ifundefined{#1}%
54     {\def\reserved@a{\@latex@error{Environment #1 undefined}\@eha}}%
55     {\def\reserved@a{\def\@currentvir{#1}%
56       \edef\@currentvline{\on@line}%
57       \csname #1\endcsname}}%
58   \@ignorefalse
59   \begingroup\@endpfalse\reserved@a}

\end
60 \def\end#1{%
61   \csname end#1\endcsname\@checkend{#1}%
62   \expandafter\endgroup\if@endpe\@doendpe\fi
63   \if@ignore\@ignorefalse\ignorespaces\fi}

\@checkend
64 \def\@checkend#1{\def\reserved@a{#1}\ifx
65   \reserved@a\@currentvir \else\@badend{#1}\fi}

\@currentvline We do need a default value for \@currentvline on top-level since the document
environment cancels the brace group. This means that a mismatch with \begin
{document} will not produce a line number. Thus the outer default must be
\@empty or we will end up with two spaces.
66 \let\@currentvline\@empty

```

52.2 Center, Flushright, Flushleft

```

67 \message{center,}

\center, \flushright and \flushleft set
\rightskip = 0pt or \@flushglue (as appropriate)
\leftskip  = 0pt or \@flushglue (as appropriate)
\parindent = 0pt
\parfillskip = 0pt. (except \flushleft)
\\          == \par \vskip -\parskip
\\[LENGTH] == \\ \vskip LENGTH
\\*         == \par \penalty 10000 \vskip -\parskip
\\*[LEN]    == \\* \vskip LENGTH

```

They invoke the `trivlist` environment to handle vertical spacing before and after them.

`\centering`, `\raggedright` and `\raggedleft` are the declaration analogs of the above.

`\raggedright` has a more universal effect, however. It sets `\@rightskip := flushglue`. Every environment, like the list environments, that set `\rightskip` to its 'normal' value set it to `\@rightskip`


```

\@centercr
68 \def\@centercr{\ifhmode \unskip\else \@nolnerr\fi
69     \par\@ifstar{\nobreak\@xcentercr}\@xcentercr}

\@xcentercr
70 \def\@xcentercr{\addvspace{-\parskip}\@ifnextchar
71     [\@icentercr\ignorespaces}

\@icentercr
72 \def\@icentercr[#1]{\vskip #1\ignorespaces}

center We use \relax to prevent \item scanning too far.
73 \def\center{\trivlist \centering\item\relax}
74 \def\endcenter{\endtrivlist}

\centering
75 \def\centering{%
76     \let\\\@centercr
77     \rightskip\@flushglue\leftskip\@flushglue
78     \parindent\z@\parfillskip\z@skip}

\@rightskip
79 \newskip\@rightskip \@rightskip \z@skip

flushleft We use \relax to prevent \item scanning too far.
80 \def\flushleft{\trivlist \raggedright\item\relax}
81 \def\endflushleft{\endtrivlist}

\raggedright
82 \def\raggedright{%
83     \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
84     \leftskip\z@skip
85     \parindent\z@}

flushright We use \relax to prevent \item scanning too far.
86 \def\flushright{\trivlist \raggedleft\item\relax}
87 \def\endflushright{\endtrivlist}

\raggedleft
88 \def\raggedleft{%
89     \let\\\@centercr
90     \rightskip\z@skip\leftskip\@flushglue
91     \parindent\z@\parfillskip\z@skip}

92 \message{verbatim,}

```

52.3 Verbatim

The verbatim environment uses the fixed-width `\ttfamily` font, turns blanks into spaces, starts a new line for each carriage return (or sequence of consecutive carriage returns), and interprets *every* character literally. I.e., all special characters `\`, `{`, `$`, etc. are `\catcode'd` to 'other'.

The command `\verb` produces in-line verbatim text, where the argument is delimited by any pair of characters. E.g., `\verb #...#` takes '...' as its argument, and sets it verbatim in `\ttfamily` font.

The *-variants of these commands are the same, except that spaces print as the T_EXbook's space character instead of as blank spaces.

`\@vobeyspaces`

```
93 {\catcode'\ =\active%
94 \gdef\@vobeyspaces{\catcode'\ \active\let \@xobeysp}}
```

`\@xobeysp`

`\@xverbatim`

```
\@sxverbatim 95 \begingroup \catcode '|=0 \catcode '['= 1
96 \catcode']=2 \catcode '\{=12 \catcode '\}=12
97 \catcode'\|=12 \gdef\@xverbatim#1\end{verbatim} [#1\end[verbatim]]
98 \gdef\@sxverbatim#1\end{verbatim*} [#1\end[verbatim*]]
99 \endgroup
```

`\@verbatim` Real start of verbatim environment We use `\relax` to prevent `\item` scanning too far.

```
100 \def\@verbatim{\trivlist \item\relax
101 \if@minipage\else\vskip\parskip\fi
102 \leftskip\@totalleftmargin\rightskip\z@skip
103 \parindent\z@\parfillskip\@flushglue\parskip\z@skip
```

Added `\@@par` to clear possible `\parshape` definition from a surrounding list (the verbatim guru says).

```
104 \@@par
105 \@tempwafalse
106 \def\par{%
107 \if@tempswa
```

A `\leavevmode` added: needed if, for example, a blank verbatim line is the first thing in a list item (wow!).

```
108 \leavevmode \null \@@par\penalty\interlinepenalty
109 \else
110 \@tempswatrue
111 \ifhmode\@@par\penalty\interlinepenalty\fi
112 \fi}%
```

To allow customization we hide the font used in a separate macro.

```
113 \let\do\@makeother \dospecials
114 \obeylines \verbatim@font \@noligs
115 \hyphenchar\font\m@ne
```

To avoid a breakpoint after the labels box, we remove the penalty put there by the list macros: another use of `\unpenalty`!

```
116 \everypar \expandafter{\the\everypar \unpenalty}%
117 }
```

```

\verbatim (RmS 93/09/19) Protected against 'missing item' error message triggered by
\endverbatim empty verbatim environment.
118 \def\verbatim{\@verbatim \frenchspacing\@vobeyspaces \@xverbatim}
119 \def\endverbatim{\if@newlist \leavevmode\fi\endtrivlist}

\verbatim@font Macro to select the font used for verbatim typesetting. It also does other work if
necessary for the font used.
120 \def\verbatim@font{\normalfont\ttfamily}

verbatim*
121 \@namedef{verbatim*}{\@verbatim\@sxverbatim}
122 \expandafter\let\csname endverbatim*\endcsname =\endverbatim

\@makeother
123 \def\@makeother#1{\catcode'#12\relax}

\verb@balance@group
124 \let\verb@balance@group\@empty

\verb@egroup
125 \def\verb@egroup{\global\let\verb@balance@group\@empty\egroup}

\verb@eol@error
126 \begingroup
127 \obeylines%
128 \gdef\verb@eol@error{\obeylines%
129 \def~M{\verb@egroup\@latex@error{%
130 \noexpand\verb ended by end of line}\@ehc}}%
131 \endgroup

\verb Typesetting a small piece verbatim.
132 \def\verb{\relax\ifmmode\hbox\else\leavevmode\null\fi
133 \bgroup
134 \verb@eol@error \let\do\@makeother \dospecials
135 \verbatim@font\@noligs
136 \@ifstar\@sverb\@verb}

\@sverb Definitions of \@sverb and \@verb changed so \verb+ foo+ does not lose lead-
ing blanks when it comes at the beginning of a line. Change made 24 May 89.
Suggested by Frank Mittelbach and Rainer Schöpf.
137 \def\@sverb#1{%
138 \catcode'#1\active
139 \lccode'\~'#1%
140 \gdef\verb@balance@group{\verb@egroup
141 \@latex@error{\noexpand\verb illegal in command argument}\@ehc}%
142 \aftergroup\verb@balance@group
143 \lowercase{\let~\verb@egroup}}%

\@verb
144 \def\@verb{\@vobeyspaces \frenchspacing \@sverb}

\verbatim@nolig@list
145 \def\verbatim@nolig@list{\do\~\do\<\do\>\do\,\do\''\do\~}

```

```

\do@noligs
146 \def\do@noligs#1{%
147   \catcode'#1\active
148   \begingroup
149     \lccode'\~'#1\relax
150     \lowercase{\endgroup\def~{\leavevmode\kern\z@\char'#1}}}}

\@noligs To stay compatible with packages that use \@noligs we keep it.
151 \def\@noligs{\let\do\do@noligs \verbatim@nolig@list}

152 \</2ekernel>

```

File z

ltmath.dtx

53 Math setup

This file contains a lot of the original plain T_EX code, as well as the L^AT_EX environments for math. It still needs sorting out.

```
1 (*2kernel)
2 \message{math definitions,}
```

53.1 Math commands based on plain T_EX

53.1.1 The log-like functions

```
\log The standard operators:
3 \def\log{\mathop{\operator@font log}\nolimits}
4 \def\lg{\mathop{\operator@font lg}\nolimits}
5 \def\ln{\mathop{\operator@font ln}\nolimits}
6 \def\lim{\mathop{\operator@font lim}\nolimits}
7 \def\limsup{\mathop{\operator@font lim}\nolimits,\sup}
8 \def\liminf{\mathop{\operator@font lim}\nolimits,\inf}
9 \def\sin{\mathop{\operator@font sin}\nolimits}
10 \def\arcsin{\mathop{\operator@font arcsin}\nolimits}
11 \def\sinh{\mathop{\operator@font sinh}\nolimits}
12 \def\cos{\mathop{\operator@font cos}\nolimits}
13 \def\arccos{\mathop{\operator@font arccos}\nolimits}
14 \def\cosh{\mathop{\operator@font cosh}\nolimits}
15 \def\tan{\mathop{\operator@font tan}\nolimits}
16 \def\arctan{\mathop{\operator@font arctan}\nolimits}
17 \def\tanh{\mathop{\operator@font tanh}\nolimits}
18 \def\cot{\mathop{\operator@font cot}\nolimits}
19 \def\coth{\mathop{\operator@font coth}\nolimits}
20 \def\sec{\mathop{\operator@font sec}\nolimits}
21 \def\csc{\mathop{\operator@font csc}\nolimits}
22 \def\max{\mathop{\operator@font max}\nolimits}
23 \def\min{\mathop{\operator@font min}\nolimits}
24 \def\sup{\mathop{\operator@font sup}\nolimits}
25 \def\inf{\mathop{\operator@font inf}\nolimits}
26 \def\arg{\mathop{\operator@font arg}\nolimits}
27 \def\ker{\mathop{\operator@font ker}\nolimits}
28 \def\dim{\mathop{\operator@font dim}\nolimits}
29 \def\hom{\mathop{\operator@font hom}\nolimits}
30 \def\det{\mathop{\operator@font det}\nolimits}
31 \def\exp{\mathop{\operator@font exp}\nolimits}
32 \def\Pr{\mathop{\operator@font Pr}\nolimits}
33 \def\gcd{\mathop{\operator@font gcd}\nolimits}
34 \def\deg{\mathop{\operator@font deg}\nolimits}

\bmod And some operators have to be done by hand:
35 \def\bmod{%
36 \nonscript\mskip-\medmuskip\mkern5mu%
```

```

37 \mathbin{\operator@font mod}\penalty900\mkern5mu%
38 \nonscript\mskip-\medmuskip}

```

`\pmod`

```

39 \def\pmod#1{%
40 \allowbreak\mkern18mu({\operator@font mod}\,\,\,#1)}

```

53.1.2 Biggggg

`\big` Variants on `\big` and friends for use with delimiters:

```

41 \def\bigl{\mathopen\big}
42 \def\bigm{\mathrel\big}
43 \def\biggr{\mathclose\big}
44 \def\Bigl{\mathopen\Big}
45 \def\Bigm{\mathrel\Big}
46 \def\Bigr{\mathclose\Big}
47 \def\biggl{\mathopen\bigg}
48 \def\biggm{\mathrel\bigg}
49 \def\biggr{\mathclose\bigg}
50 \def\Biggl{\mathopen\Bigg}
51 \def\Biggm{\mathrel\Bigg}
52 \def\Biggr{\mathclose\Bigg}

```

53.1.3 The UNSORTED Rest

The other math commands are lifted from plain T_EX.

`\jot`

```

53 \newdimen\jot
54 \jot=3pt

```

`\interdisplaylinepenalty`

```

55 \newcount\interdisplaylinepenalty
56 \interdisplaylinepenalty=100

```

`\choose`

```

57 \def\choose{\atopwithdelims()}

```

`\brack`

```

58 \def\brack{\atopwithdelims[]}

```

`\brace`

```

59 \def\brace{\atopwithdelims\{\}}

```

`\mathpalette`

```

60 \def\mathpalette#1#2{%
61 \mathchoice
62 {#1\displaystyle{#2}}%
63 {#1\textstyle{#2}}%
64 {#1\scriptstyle{#2}}%
65 {#1\scriptscriptstyle{#2}}

```

```

\root
\rootbox 66 \newbox\rootbox
\root 67 \def\root#1\of{%
68 \setbox\rootbox\hbox{\$ \m@th\scriptscriptstyle{#1}}}%
69 \mathpalette\root@t}

70 \def\root#1#2{%
71 \setbox\z@ \hbox{\$ \m@th#1\sqrt{#2}}}%
72 \dimen@ \ht\z@ \advance\dimen@ -\dp\z@
73 \mkern5mu\raise.6\dimen@\copy\rootbox
74 \mkern-10mu\box\z@}

\phantom
\hphantom 75 \newif\ifv@
\vphantom 76 \newif\ifh@

77 \def\vphantom{\v@true\h@false\ph@nt}
78 \def\hphantom{\v@false\h@true\ph@nt}
79 \def\phantom{\v@true\h@true\ph@nt}

80 \def\ph@nt{%
81 \ifmmode
82 \expandafter\mathpalette\expandafter\mathph@nt
83 \else
84 \expandafter\makeph@nt
85 \fi}

86 \def\makeph@nt#1{%
87 \setbox\z@ \hbox{\color@begingroup#1\color@endgroup}\finph@nt}

88 \def\mathph@nt#1#2{%
89 \setbox\z@ \hbox{\$ \m@th#1{#2}}\finph@nt}

90 \def\finph@nt{%
91 \setbox\zw@ \null
92 \ifv@ \ht\zw@ \ht\z@ \dp\zw@ \dp\z@ \fi
93 \ifh@ \wd\zw@ \wd\z@ \fi \box\zw@}

\mathstrut
94 \def\mathstrut{\vphantom{}}

\smash
95 \def\smash{%
96 \relax % \relax, in case this comes first in \halign
97 \ifmmode
98 \expandafter\mathpalette\expandafter\mathsm@sh
99 \else
100 \expandafter\makesm@sh
101 \fi}

102 \def\makesm@sh#1{%
103 \setbox\z@ \hbox{\color@begingroup#1\color@endgroup}\finsm@sh}
104 \def\mathsm@sh#1#2{%
105 \setbox\z@ \hbox{\$ \m@th#1{#2}}\finsm@sh}
106 \def\finsm@sh{\ht\z@ \dp\z@ \box\z@}

```

```

\buildrel
107 \def\buildrel#1\over#2{\mathrel{\mathop{\kern\z@#2}\limits^{#1}}}

\cases
108 \def\cases#1{\left\{\,\,\vcenter{\normalbaselines\m@th
109 \ialign{\hfil$&\quad{##}\hfil\crr#1\crr}\right.}

\matrix
110 \def\matrix#1{\null\,\vcenter{\normalbaselines\m@th
111 \ialign{\hfil$##$\hfil&\quad\hfil$##$\hfil\crr
112 \mathstrut\crr\noalign{\kern-\baselineskip}
113 #1\crr\mathstrut\crr\noalign{\kern-\baselineskip}}\,}

\pmatrix
114 \def\pmatrix#1{\left(\matrix{#1}\right)}

\bordermatrix
115 \def\bordermatrix#1{\begingroup \m@th
116 \@tempdima 8.75\p@
117 \setbox\z@\vbox{%
118 \def\cr{\crr\noalign{\kern2\p@\global\let\cr\endline}}%
119 \ialign{##$\hfil\kern2\p@\kern-\@tempdima&\thinspace\hfil$##$\hfil
120 &\quad\hfil$##$\hfil\crr
121 \omit\strut\hfil\crr\noalign{\kern-\baselineskip}%
122 #1\crr\omit\strut\cr}}%
123 \setbox\tw@\vbox{\unvcopy\z@\global\setbox\@ne\lastbox}%
124 \setbox\tw@\hbox{\unhbox\@ne\unskip\global\setbox\@ne\lastbox}%
125 \setbox\tw@\hbox{$\kern\wd\@ne\kern-\@tempdima\left(\kern-\wd\@ne
126 \global\setbox\@ne\vbox{\box\@ne\kern2\p@}%
127 \vcenter{\kern-\ht\@ne\unvbox\z@\kern-\baselineskip}\,,\right)$}%
128 \null;\vbox{\kern\ht\@ne\box\tw@}\endgroup}

\openup
129 \def\openup{\afterassignment\@penup\dimen@}
130 \def\@penup{\advance\lineskip\dimen@
131 \advance\baselineskip\dimen@
132 \advance\lineskiplimit\dimen@}

\displaylines
133 \newif\ifdt@p
134 \def\display{\global\dt@ptrue\openup\jot\m@th
135 \everycr{\noalign{\ifdt@p \global\dt@pfalse \ifdim\prevdepth>-1000\p@
136 \vskip-\lineskiplimit \vskip\normallineskiplimit \fi
137 \else \penalty\interdisplaylinepenalty \fi}}
138 \def\@lign{\tabskip\z@skip\everycr{}} % restore inside \display
139 \def\displaylines#1{\display \tabskip\z@skip
140 \halign{\hb@xt@\displaywidth{$\@lign\hfil\displaystyle##\hfil$}\crr
141 #1\crr}}

\sp
\sb
142 \let\sp=^
143 \let\sb=_

```



```

\>
\; 144 %\def\,{\mskip\thinmuskip}      % already defined in ltspase
\! 145 \def\>{\mskip\medmuskip}
    146 \def\;{\mskip\thickmuskip}
    147 \def\!{\mskip-\thinmuskip}

\*
    148 \def\*{\discretionary{\thinspace\the\textfont2\char2}{\{}}{\}}

\: Nickname for the medium space since \> is not available inside tabbing.
    149 \let\:=\>

\active@math@prime This is the definition of the active math prime.
    150 \def\active@math@prime{^{\bgroup\prim@s}

\prime@s
    151 {\catcode'\='=\active \global\let'\active@math@prime}

    152 \def\prim@s{%
    153   \prime\futurelet\@let@token\pr@m@s}

    154 \def\pr@m@s{%
    155   \ifx'\@let@token
    156     \expandafter\pr@@@s
    157   \else
    158     \ifx^{\@let@token
    159       \expandafter\expandafter\expandafter\pr@@@t
    160     \else
    161       \egroup
    162     \fi
    163   \fi}

    164 \def\pr@@@s#1{\prim@s}
    165 \def\pr@@@t#1#2{#2\egroup}

    166 {\catcode'\_=\active \gdef\_{} } % _ in math is
    167                                     % either subscript or \_

```

53.2 Math Environments

\(Produces \dots with checks that \ (isn't used in math mode, and that \) is only used in math mode begun with \ (.

```

168 </2ekernel>
169 <[latexrelease]\IncludeInRelease{2015/01/01}{\{()\{Make \(\ robust}\}%
170 <[*2ekernel | latexrelease]
171 \DeclareRobustCommand\(\{%
172   \relax\ifmmode\@badmath\else$\fi}%
173 \DeclareRobustCommand\)\{%
174   \relax\ifmmode\ifinner$\else\@badmath\fi\else \@badmath\fi}%
175 </2ekernel | latexrelease>
176 <[latexrelease]\EndIncludeInRelease
177 <[latexrelease]\IncludeInRelease{0000/00/00}{\{()\{Make \(\ robust}\}%
178 <[latexrelease]\def\(\{%

```

```

179 <latexrelease> \relax\ifmmode\@badmath\else$\fi}%
180 <latexrelease>\expandafter\let\csname\string( \endcsname\@undefined
181 <latexrelease>\def\){%
182 <latexrelease> \relax\ifmmode\ifinner$\else\@badmath\fi\else \@badmath\fi}%
183 <latexrelease>\expandafter\let\csname\string) \endcsname\@undefined
184 <latexrelease>\EndIncludeInRelease
185 <*2ekernel>

\l Produces $$...$$ with checks that \l isn't used in math mode, and that \l is
\l only used in display math mode (though there is no real test that this display
math started with \l and not with $$).

186 </2ekernel>
187 <latexrelease>\IncludeInRelease{2015/01/01}{\l}{Make \l robust}%
188 <*2ekernel | latexrelease>
189 \DeclareRobustCommand\l{%
190     \relax\ifmmode
191         \@badmath
192     \else
193         \ifvmode
194             \nointerlineskip
195             \makebox[.6\linewidth]{}%
196         \fi
197         $$$%$$ BRACE MATCH HACK
198     \fi
199 }%

200 \DeclareRobustCommand\l{%
201     \relax\ifmmode
202         \ifinner
203             \@badmath
204         \else
205             $$$%$$ BRACE MATCH HACK
206         \fi
207     \else
208         \@badmath
209     \fi
210     \ignorespaces
211 }%

212 </2ekernel | latexrelease>
213 <latexrelease>\EndIncludeInRelease
214 <latexrelease>\IncludeInRelease{0000/00/00}{\l}{Make \l robust}%
215 <latexrelease>\def\l{%
216 <latexrelease> \relax\ifmmode
217 <latexrelease> \@badmath
218 <latexrelease> \else
219 <latexrelease> \ifvmode
220 <latexrelease> \nointerlineskip
221 <latexrelease> \makebox[.6\linewidth]{}%
222 <latexrelease> \fi
223 <latexrelease> $$$%$$ BRACE MATCH HACK
224 <latexrelease> \fi
225 <latexrelease>}%
226 <latexrelease>\expandafter\let\csname\string[ \endcsname\@undefined
227 <latexrelease>\def\l{%

```

```

228 \latexrelease\relax\ifmmode
229 \latexrelease\ifinner
230 \latexrelease\@badmath
231 \latexrelease\else
232 \latexrelease$$$%$$ BRACE MATCH HACK
233 \latexrelease\fi
234 \latexrelease\else
235 \latexrelease\@badmath
236 \latexrelease\fi
237 \latexrelease\ignorespaces
238 \latexrelease}%
239 \latexrelease\expandafter\let\csname\string\endcsname\@undefined
240 \latexrelease\EndIncludeInRelease
241 (*2ekernel)

math Disguises for \(...\) and \[...\].
displaymath 242 \let\math=\(
243 \let\endmath=\)

244 \def\displaymath{\[}
245 \def\enddisplaymath{\]\@ignoretrue}

equation \c@equation Numbered equations, using the counter \c@equation. Note: The document style
must define \theequation etc., and do the appropriate \@addtoreset. It should
also redefine \@eqnnum if another format for the equation number is desired other
than the standard (...), or to move the equation numbers to the flushleft. (See
comment on the \def of \@eqnnum.)
246 \@definecounter{equation}
247 \def\equation{$$\refstepcounter{equation}}
248 \def\endequation{\eqno \hbox{\@eqnnum}$$\@ignoretrue}

\@eqnnum Produces the equation number for equation and eqnarray environments. The
following definition is for flushright numbers; for flushleft numbers, see leqno.clo.
The equation number is set in black roman type even if an eqnarray environment
appears in an italic environment.
249 \def\@eqnnum{\normalfont \normalcolor (\theequation)}

\stackrel A disguise for plain TEX's buildrel.
250 \def\stackrel#1#2{\mathrel{\mathop{#2}\limits^{#1}}}

\frac A disguise for plain TEX's \over.
251 \def\frac#1#2{\begingroup#1\endgroup\over#2}

\sqrt Add an optional argument to plain's \sqrt to give the nth root of an expression
\@sqrt  $\sqrt[n]{e}$ .
252 \DeclareRobustCommand\sqrt{\@ifnextchar[\@sqrt\sqrtsign}
253 \def\@sqrt[#1]{\root #1\of}

eqnarray Here's the eqnarray environment: Default is for left-hand side of equations to be
\@eqcnt flushright. To make them flushleft, \let\@eqnrel = \hfil.
\@eqpen 254 \newcount\@eqcnt
\if@eqnsw
\@eqnrel

```

```

255 \newcount\@eqpen
256 \newif\if@eqnsw\@eqnswtrue
257 \newskip\@centering
258 \@centering = 0pt plus 1000pt

```

To get a proper \@currentlabel we have to redefine it for the whole display. Note that we can't use \refstepcounter as this results in \@currentlabel getting restored at the wrong and thus always writing the first label to the .aux file.

```

259 \def\eqnarray{%
260   \stepcounter{equation}%
261   \def\@currentlabel{\p@equation\theequation}%
262   \global\@eqnswtrue
263   \m@th
264   \global\@eqcnt\z@
265   \tabskip\@centering
266   \let\\\@eqncr
267   $$\everycr{}\halign to\displaywidth\bgroup
268     \hskip\@centering$\displaystyle\tabskip\z@skip{##}$\@eqnse
269     &\global\@eqcnt\@ne\hskip \tw@\arraycolsep \hfil${##}$\hfil
270     &\global\@eqcnt\tw@ \hskip \tw@\arraycolsep
271     $\displaystyle{##}$\hfil\tabskip\@centering
272     &\global\@eqcnt\thr@@ \hb@xt@\z@\bgroup\hss##\egroup
273     \tabskip\z@skip
274   \cr
275 }

276 \def\endeqnarray{%
277   \@eqncr
278   \egroup
279   \global\advance\c@equation\m@ne
280   $$\@ignoretrue
281 }

282 \let\@eqnse1=\relax

```

\nonumber Switches off equation numbering.

```

283 \def\nonumber{\global\@eqnswfalse}

```

\@eqncr

\@xeqncr

\@yeqncr

```

284 \def\@eqncr{%
285   {\ifnum0='}\fi
286   \@ifstar{%
287     \global\@eqpen\@M\@yeqncr
288   }{%
289     \global\@eqpen\interdisplaylinepenalty \@yeqncr
290   }%
291 }

292 \def\@yeqncr{\@testopt\@xeqncr\z@skip}

293 \def\@xeqncr[#1]{%
294   \ifnum0='{'\fi}%
295   \@eqncr
296   \noalign{\penalty\@eqpen\vskip\jot\vskip #1\relax}%
297 }

```

```

\@@eqnocr
298 \def\@@eqnocr{\let\reserved@a\relax
299 \ifcase\@eqcnt \def\reserved@a{& &}\or \def\reserved@a{& &}%
300 \or \def\reserved@a{&}\else
301 \let\reserved@a\@empty
302 \@latex@error{Too many columns in eqnarray environment}\@ehc\fi
303 \reserved@a \if@eqnsw\@eqnnum\stepcounter{equation}\fi
304 \global\@eqnswtrue\global\@eqcnt\z@\cr}

```

eqnarray* Here's the eqnarray* environment:

```

\@seqnocr 305 \let\@seqnocr=\@eqnocr
306 \@namedef{eqnarray*}{\def\@eqnocr{\nonumber\@seqnocr}\eqnarray}
307 \@namedef{endeqnarray*}{\nonumber\endeqnarray}

```

\lefteqn **\lefteqn{FORMULA}** typesets FORMULA in display math style flushleft in a box of width zero.

```

308 \def\lefteqn#1{\rlap{$\displaystyle #1$}}

```

\ensuremath In math mode, **\ensuremath{text}** is equivalent to text; in LR or paragraph mode, it is equivalent to **\$text\$**. **\relax** is not needed in front of the **\ifmmode** as **\protect** will be **\let** to **\relax**. This version (due to Donald Arseneau) avoids duplicating its argument in the 'then' and 'else' part of the **\ifmath** which is necessary in nested 'tabular' like environments. See amslatex/2104.

```

309 \DeclareRobustCommand{\ensuremath}{%
310 \ifmmode
311 \expandafter\@firstofone
312 \else
313 \expandafter\@ensuredmath
314 \fi}

```

\@ensuredmath The **\relax** stops **\ensuremath{}** starting display math.

```

315 \long\def\@ensuredmath#1{$\relax#1$}

316 </2ekernel>

```

53.3 External options to the standard document classes

53.3.1 Left equation numbering

\@eqnnum To put the equation number on the left side of an equation we have to use a little trick. The number is shifted **\displaywidth** to the left inside a box of (approximately) zero width. This fails when the equation is too wide, the equation number than may overprint the equation itself.

```

317 (*leqno)
318 \renewcommand\@eqnnum{\hb@xt@.01\p@{}%
319 \rlap{\normalfont\normalcolor
320 \hskip -\displaywidth(\theequation)}}
321 </leqno>

```

53.3.2 Flush left equations

To get the displayed math environments to print the contents flush left (with an indentation) we have to redefine all of L^AT_EX 2_ε's displayed math environments.

```
\mathindent The amount of indentation of the equations is stored in a register.
322 \*fleqn
323 \newdimen\mathindent

The setting of \mathindent has to be deferred until the class file has been pro-
cessed, because \leftmargini is still 0pt wide at the moment fleqn.clo is read
in.
324 \AtEndOfClass{\mathindent\leftmargini}

\l Begin display math;
325 \IncludeInRelease{2015/01/01}{\l}{Make \l robust}%
326 \DeclareRobustCommand\l{\relax
327     \ifmmode\@badmath
328     \else
329         \begin{trivlist}%
330             \@beginparpenalty\predisplaypenalty
331             \@endparpenalty\postdisplaypenalty
332             \item[]\leavevmode
333             \hb@xt@\linewidth\bgroup $\m@th\displaystyle %$
334             \hskip\mathindent\bgroup
335         \fi}
336 \EndIncludeInRelease

337 \IncludeInRelease{0000/00/00}{\l}{Make \l robust}%
338 \renewcommand\l{\relax
339     \ifmmode\@badmath
340     \else
341         \begin{trivlist}%
342             \@beginparpenalty\predisplaypenalty
343             \@endparpenalty\postdisplaypenalty
344             \item[]\leavevmode
345             \hb@xt@\linewidth\bgroup $\m@th\displaystyle %$
346             \hskip\mathindent\bgroup
347         \fi}
348 \EndIncludeInRelease

\l end display math;
349 \IncludeInRelease{2015/01/01}{\l}{Make \l robust}%
350 \DeclareRobustCommand\l{\relax
351     \ifmmode
352         \egroup $\hfil% $
353     \egroup
354     \end{trivlist}%
355     \else \@badmath
356     \fi}
357 \EndIncludeInRelease

358 \IncludeInRelease{0000/00/00}{\l}{Make \l robust}%
359 \renewcommand\l{\relax
360     \ifmmode
```

```

361             \egroup $\hfil% $
362         \egroup
363         \end{trivlist}%
364     \else \@badmath
365     \fi}
366 \EndIncludeInRelease

```

equation The equation environment

```

367 \renewenvironment{equation}%
368     {\@beginparpenalty\predisplaypenalty
369     \@endparpenalty\postdisplaypenalty
370     \refstepcounter{equation}%
371     \trivlist \item[]\leavevmode
372     \hb@xt@\linewidth\bgroup $\m@th% $
373     \displaystyle
374     \hskip\mathindent}%
375     {$\hfil % $
376     \displaywidth\linewidth\hbox{\@eqnnum}%
377     \egroup
378     \endtrivlist}

```

eqnarray The eqnarray environment

```

379 \renewenvironment{eqnarray}{%
380     \stepcounter{equation}%
381     \def\@currentlabel{\p@equation\theequation}%
382     \global\@eqnswtrue\m@th
383     \global\@eqcnt\z@
384     \tabskip\mathindent
385     \let\@=\@eqncr
386     \setlength\abovedisplayskip{\topsep}%
387     \ifvmode
388     \addtolength\abovedisplayskip{\partopsep}%
389     \fi

```

When the documentclass uses a non-zero `\parskip` setting the `\topsep` might have a negative value to compensate for that. Therefore we add `\parskip` to `\abovedisplayskip`.

```

390     \addtolength\abovedisplayskip{\parskip}%
391     \setlength\belowdisplayskip{\abovedisplayskip}%
392     \setlength\belowdisplayshortskip{\abovedisplayskip}%
393     \setlength\abovedisplayshortskip{\abovedisplayskip}%
394     $$\everycr{}\halign to\linewidth% $$
395     \bgroup
396     \hskip\@centering
397     $\displaystyle\tabskip\z@skip{##}$\@eqnsele%
398     \global\@eqcnt\@ne \hskip \tw@\arraycolsep \hfil${##}$\hfil%
399     \global\@eqcnt\tw@ \hskip \tw@\arraycolsep
400     $\displaystyle{##}$\hfil \tabskip\@centering%
401     \global\@eqcnt\thr@@
402     \hb@xt@\z@\bgroup\hss##\egroup\tabskip\z@skip\cr}%
403     {\@eqncr
404     \egroup
405     \global\advance\c@equation\m@ne$$$ $$
406     \@ignoretrue

```

407 }
408 \fleqn

File A

ltlists.dtx

54 List, and related environments

The generic commands for creating an indented environment – `enumerate`, `itemize`, `quote`, etc – are:

```
\list{<LABEL>}{<COMMANDS>} ... \endlist
```

which can be invoked by the user as the list environment. The LABEL argument specifies item labeling. COMMANDS contains commands for changing the horizontal and vertical spacing parameters.

Each item of the environment is begun by the command `\item[ITEMLABEL]` which produces an item labeled by ITEMLABEL. If the argument is missing, then the LABEL argument of the `\list` command is used as the item label.

The label is formed by putting `\makelabel{<ITEMLABEL>}` in an hbox whose width is either its natural width or else `\labelwidth`, whichever is larger. The `\list` command defines `\makelabel` to have the default definition:

```
\makelabel{<ARG>} == BEGIN \hfil ARG END
```

which, for a label of width less than `\labelwidth`, puts the label flushright, `\labelsep` to the left of the item's text. However, `\makelabel` can be `\let` to another command by the `\list`'s COMMANDS argument.

A `\usecounter{<foo>}` command in the second argument causes the counter *foo* to be initialized to zero, and stepped by every `\item` command without an argument. (`\label` commands within the list refer to this counter.)

When you leave a list environment, returning either to an enclosing list or normal text mode, LaTeX begins a new paragraph if and only if you leave a blank line after the `\end` command. This is accomplished by the `\@endparenv` command.

Blank lines are ignored every other reasonable place–i.e.:

- Between the `\begin{list}` and the first `\item`,
- Between the `\item` and the text of that item.
- Between the end of the last item and the `\end{list}`.

For an environment like quotation, in which items are not labeled, the entire environment is a single item. It is defined by letting `\quotation == \list{}{...}\item\relax`. (Note the `\relax`, there in case the first character in the environment is a '['.) The spacing parameters provide a great deal of flexibility in designing the format, including the ability to let the indentation of the first paragraph be different from that of the subsequent ones.

The trivlist environment is equivalent to a list environment whose second argument sets the following parameter values:

`\leftmargin = 0`: causes no indentation of left margin

`\labelwidth = 0`: see below for precise effect this has.

`\itemindent = 0`: with a null label, makes first paragraph have no indentation. Succeeding paragraphs have `\parindent` indentation. To give first paragraph same indentation, set `\itemindent = \parindent` before the `\item[]`.

Every `\item` in a trivlist environment must have an argument—in many cases, this will be the null argument (`\item[]`). The trivlist environment is mainly used for paragraphing environments, like `verbatim`, in which there is no margin change. It provides the same vertical spacing as the list environment, and works reasonably well when it occurs immediately after an `\item` command in an enclosing list.

54.1 List and Trivlist

The following variables are used inside a list environment:

`\totalleftmargin` The distance that the prevailing left margin is indented from the outermost left margin,

`\linewidth` The width of the current line. Must be initialized to `\hsize`.

`\listdepth` A count for holding current list nesting depth.

`\makelabel` A macro with a single argument, used to generate the label from the argument (given or implied) of the `\item` command. Initialized to `\mklab` by the `\list` command. This command must produce some stretch—i.e., an `\hfil`.

`\inlabel` A switch that is false except between the time an `\item` is encountered and the time that `TeX` actually enters horizontal mode. Should be tested by commands that can be messed up by the list environment's use of `\everypar`.

`\box\@labels` When `\inlabel = true`, it holds the labels to be put out by `\everypar`.

`\noparitem` A switch set by `\list` when `\inlabel = true`. Handles the case of a `\list` being the first thing in an item.

`\noparlist` A switch set true for a list that begins an item. No `\topsep` space is added before or after `\item`'s such a list.

`\newlist` Set true by `\list`, set false by the first text (by `\everypar`).

`\noitemarg` Set true when executing an `\item` with no explicit argument. Used to save space. To save time, make two separate `\@item` commands.

`\nmbrlist` Set true by `\usecounter` command, causes list to be numbered.

`\listctr` `\def`'ed by `\usecounter` to name of counter.

`\noskipsec` A switch set true by a sectioning command when it is creating an in-text heading with `\everypar`.

Throughout a list environment, `\hsize` is the width of the current line, measured from the outermost left margin to the outermost right margin. Environments like `tabbing` should use `\linewidth` instead of `\hsize`.

Here are the parameters of a list that can be set by commands in the `\list`'s COMMANDS argument. These parameters are all TeX skips or dimensions (defined by `\newskip` or `\newdimen`), so the usual TeX or L^AT_EX commands can be used to set them. The commands will be executed in vmode if and only if the `\list` was preceded by a `\par` (or something like an `\end{list}`), so the spacing parameters can be set according to whether the list is inside a paragraph or is its own paragraph.

54.2 Vertical Spacing (skips)

`\topsep`: Space between first item and preceding paragraph.

`\partopsep`: Extra space added to `\topsep` when environment starts a new paragraph (is called in vmode).

`\itemsep`: Space between successive items.

`\parsep`: Space between paragraphs within an item – the `\parskip` for this environment.

54.3 Penalties

`\@beginparpenalty`: put at the beginning of a list

`\@endparpenalty`: put at end of list

`\@itempenalty`: put between items.

54.4 Horizontal Spacing (dimens)

`\leftmargin`: space between left margin of enclosing environment (or of page if top level list) and left margin of this list. Must be nonnegative.

`\rightmargin`: analogous.

`\listparindent`: extra indentation at beginning of every paragraph of a list except the one started by the `\item` command. May be negative! Usually, labeled lists have `\listparindent` equal to zero.

`\itemindent`: extra indentation added right BEFORE an item label.

`\labelwidth`: nominal width of box that contains the label. If the natural width of the label \leq `\labelwidth`, then the label is flushed right inside a box of width `\labelwidth` (with an `\hfil`). Otherwise, a box of the natural width is employed, which causes an indentation of the text on that line.

`\labelsep`: space between end of label box and text of first item.

54.5 Default Values

Defaults for the list environment are set as follows. First, `\rightmargin`, `\listparindent` and `\itemindent` are set to 0pt. Then, one of the commands `\@listi`, `\@listii`, ... , `\@listvi` is called, depending upon the current level of the list. The `\@list` ... commands should be defined by the document style. A convention that the document style should follow is to set `\leftmargin` to `\leftmargini`, ..., `\leftmarginvi` for the appropriate level. Items that aren't changed may be left alone, but everything that could possibly be changed must be reset.

```
\list{LABEL}{COMMANDS} ==
BEGIN
  if \@listdepth > 5
    then LaTeX error: 'Too deeply nested'
    else \@listdepth :=G \@listdepth + 1
  fi
  \rightmargin      := 0pt
  \listparindent    := 0pt
  \itemindent       := 0pt
  \eval{@list \romannumeral\the\@listdepth} %% Set default values:
  \@itemlabel       :=L LABEL
  \makelabel        == \mklab
  @nmbrlist         :=L false
  COMMANDS

  \@trivlist          % commands common to \list and
\trivlist

  \parskip           :=L \parsep
  \parindent         :=L \listparindent
  \linewidth         :=L \linewidth - \rightmargin - \leftmargin
  \@totalleftmargin :=L \@totalleftmargin + \leftmargin
  \parshape 1 \@totalleftmargin \linewidth
  \ignorespaces      % gobble space up to \item
END

\endlist == BEGIN \@listdepth :=G \@listdepth -1
              \endtrivlist
              END

\@trivlist ==
BEGIN
  if @newlist = T then \@noitemerr fi
                      %% This command removed for some forgotten
reason.
  \@topsepadd :=L \topsep
  if @noskipsec then leave vertical mode fi %% Added 11 Jun 85
  if vertical mode
    then \@topsepadd :=L \@topsepadd + \partopsep
    else \unskip \par          % remove glue from end of last line
```

```

    fi
    if @inlabel = true
        then @noparitem :=L true
            @noparlist :=L true
        else @noparlist :=L false
            \@topsep :=L \@topsepadd
    fi
    \@topsep :=L \@topsep + \parskip %% Change 4 Sep 85
    \leftskip :=L 0pt % Restore paragraphing
parameters
    \rightskip :=L \@rightskip
    \parfillskip :=L 0pt + 1fil

NOTE: \@setpar called on every \list in case \par has been
temporarily munged before the \list command.
    \@setpar{if @newlist = false then {\@@par} fi}
    \@newlist :=G T
    \@outerparskip :=L \parskip
END

\trivlist ==
BEGIN
    \parsep := \parskip
    @nmbrlist := F
    \@trivlist
    \labelwidth := 0
    \leftmargin := 0
    \itemindent := \parindent
    \@itemlabel :=L "empty" %% added 93/12/13
    \makelabel{LABEL} == LABEL
END

\endtrivlist ==
BEGIN
    if @inlabel = T then \indent fi
    if horizontal mode then \unskip \par fi
    if @noparlist = true
        else if \lastskip > 0
            then \@tempskipa := \lastskip
                \vskip - \lastskip
                \vskip \@tempskipa - \@outerparskip + \parskip
            fi
        \@endparenv
    fi
END

\@endparenv ==
BEGIN
    \addpenalty{@endparpenalty}
    \addvspace{\@topsepadd}

```

```

\endgroup    %% ends the \begin command's \begingroup
\par == BEGIN
            \@restorepar
            \everypar{}
            \par
            END
\everypar == BEGIN remove \lastbox \everypar{} END
\begin group %% to match the \end commands \endgroup
END

\item == BEGIN if math mode then WARNING fi
            if next char = [
            then \@item
            else @noitemarg := true
                \@item[@itemlabel]
            END

\@item[LAB] ==
BEGIN
  if @noperitem = true
  then @noperitem := false
      % NOTE: then clause hardly every taken,
      % so made a macro \@donoperitem
      \box\@labels :=G \hbox{\hskip -\leftmargin
                          \box\@labels
                          \hskip \leftmargin }
  if @minipage = false then
      \@tempskipa := \lastskip
      \vskip -\lastskip
      \vskip \@tempskipa + \@outerparskip - \parskip
  fi
  else if @inlabel = true
      then \indent \par % previous item empty.
  fi
  if hmode then 2 \unskip's
      % To remove any space at end of prev.
      % paragraph that could cause a blank line.
      \par
  fi
  if @newlist = T
      then if @nobreak = T % Kludge if list follows \section
          then \addvspace{\@outerparskip - \parskip}
          else \addpenalty{\@beginparpenalty}
              \addvspace{\@topsep}
              \addvspace{-\parskip} %% added 4 Sep 85
          fi
      else \addpenalty{\@itempenalty}
          \addvspace{\itemsep}
      fi
  @inlabel :=G true

```

```

fi

\everypar{ @minipage :=G F
            @newlist :=G F
            if @inlabel = true
            then @inlabel :=G false
                \hskip -\parindent
                \box\@labels
                \penalty 0
                %% 3 Oct 85 - allow line break here
                \box\@labels :=G null
            fi
        \everypar{} }
@nobreak :=G false
if @noitemarg = true
then @noitemarg := false
    if @nmbrlist
    then \refstepcounter{\@listctr}
fi
fi
\@tempboxa :=L \hbox{\makelabel{LAB}}
\box\@labels :=G \@labels \hskip \itemindent
\hskip - (\labelwidth + \labelsep)
if \wd \@tempboxa > \labelwidth
then \box\@tempboxa
else \hbox to \labelwidth
{\unhbox\@tempboxa}
fi
\hskip\labelsep
\ignorespaces %gobble space up to text
END

\makelabel{LABEL} == ERROR %% default to catch lonely \item

\usecounter{CTR} == BEGIN @nmbrlist :=L true
                        \@listctr == CTR
                        \setcounter{CTR}{0}
                        END

DEFINE \dimen's and \count

\topskip
\partopsep 1 (*2ekernel)
\itemsep 2 \newskip\topsep
\parsep 3 \newskip\partopsep
\@topsep 4 \newskip\itemsep
\@topsepadd 5 \newskip\parsep
\outerparskip 6 \newskip\@topsep
7 \newskip\@topsepadd
8 \newskip\@outerparskip

```

```

\leftmargin
\rightmargin      9 \newdimen\leftmargin
\listparindent    10 \newdimen\rightmargin
\itemindent       11 \newdimen\listparindent
\labelwidth       12 \newdimen\itemindent
\labelsep         13 \newdimen\labelwidth
\@totalleftmargin 14 \newdimen\labelsep
                  15 \newdimen\linewidth
                  16 \newdimen\@totalleftmargin \@totalleftmargin=\z@

\leftmargini
\leftmarginii     17 \newdimen\leftmargini
\leftmarginiii    18 \newdimen\leftmarginii
\leftmarginiv     19 \newdimen\leftmarginiii
\leftmarginv      20 \newdimen\leftmarginiv
\leftmarginvi     21 \newdimen\leftmarginv
                  22 \newdimen\leftmarginvi

\@listdepth
\@itempenalty     23 \newcount\@listdepth \@listdepth=0
\@beginparpenalty 24 \newcount\@itempenalty
\@endparpenalty   25 \newcount\@beginparpenalty
                  26 \newcount\@endparpenalty

\@labels
                  27 \newbox\@labels

\if@inlabel
\@inlabelfalse    28 \newif\if@inlabel \@inlabelfalse
\@inlabeltrue
\if@newlist
\@newlistfalse    29 \newif\if@newlist \@newlistfalse
\@newlisttrue
\if@noparitem
\@noparitemfalse  30 \newif\if@noparitem \@noparitemfalse
\@noparitemtrue
\if@noparlist
\@noparlistfalse  31 \newif\if@noparlist \@noparlistfalse
\@noparlisttrue
\if@noitemarg
\@noitemargfalse  32 \newif\if@noitemarg \@noitemargfalse
\@noitemargtrue
\if@newlist
\@newlistfalse    33 \newif\if@nmbrlist \@nmbrlistfalse
\@newlisttrue
\list
                  34 \def\list#1#2{%
                  35   \ifnum \@listdepth >5\relax
                  36     \@toodeep
                  37   \else
                  38     \global\advance\@listdepth\@ne
                  39   \fi
                  40   \rightmargin\z@

```



```

41 \listparindent\z@
42 \itemindent\z@
43 \csname @list\romannumeral\the\@listdepth\endcsname
44 \def\@itemlabel{#1}%
45 \let\makelabel\@mklab
46 \@nmbrlistfalse
47 #2\relax
48 \@trivlist
49 \parskip\parsep
50 \parindent\listparindent
51 \advance\linewidth -\rightmargin
52 \advance\linewidth -\leftmargin
53 \advance\@totalleftmargin \leftmargin
54 \parshape \@ne \@totalleftmargin \linewidth
55 \ignorespaces}

```

\par@deathcycles

```

56 \newcount\par@deathcycles

```

\@trivlist Because \par is sometimes made a no-op it is possible for a missing \item to produce a loop that does not fill memory and so never gets trapped by T_EX. We thus need to trap this here by setting \par to count the number of times a paragraph ii is called with no progress being made started.

```

57 \def\@trivlist{%
58   \if@noskipsec \leavevmode \fi
59   \@topsepadd \topsep
60   \ifvmode
61     \advance\@topsepadd \partopsep
62   \else
63     \unskip \par
64   \fi
65   \if@inlabel
66     \@nparitemtrue
67     \@nparlisttrue
68   \else
69     \if@newlist \@noitemerr \fi
70     \@nparlistfalse
71     \@topsep \@topsepadd
72   \fi
73   \advance\@topsep \parskip
74   \leftskip \z@skip
75   \rightskip \@rightskip
76   \parfillskip \@flushglue
77   \par@deathcycles \z@
78   \@setpar{\if@newlist
79             \advance\par@deathcycles \@ne
80             \ifnum \par@deathcycles >\@m
81               \@noitemerr
82               {\@par}%
83             \fi
84             \else
85               {\@par}%
86             \fi}%
87   \global \@newlisttrue

```

```
88 \@outerparskip \parskip}
```

```
\trivlist
```

```
89 \def\trivlist{%
90   \parsep\parskip
91   \@nmbrlistfalse
92   \@trivlist
93   \labelwidth\z@
94   \leftmargin\z@
95   \itemindent\z@
```

We initialise \@itemlabel so that a `trivlist` with an `\item` not having an optional argument doesn't produce an error message.

```
96   \let\@itemlabel\@empty
97   \def\makelabel##1{##1}}
```

```
\endlist
```

```
98 \def\endlist{%
99   \global\advance\@listdepth\m@ne
100  \endtrivlist}
```

The definition of `\trivlist` used to be in `ltspace.dtx` so that other commands could be 'let to it'. They now use `\def`.

```
\endtrivlist
```

```
101 \def\endtrivlist{%
102   \if@inlabel
103     \leavevmode
104     \global \@inlabelfalse
105   \fi
106   \if@newlist
107     \noitemerr
108     \global \@newlistfalse
109   \fi
110   \ifhmode\unskip \par
```

We also check if we are in math mode and issue an error message if so (hoping that \@currenvir resolves suitably). Otherwise the usual "perhaps a missing item" error will get triggered later which is confusing.

```
111   \else
112     \inmatherr{\end{\@currenvir}}}%
113   \fi
114   \if@nolist \else
115     \ifdim\lastskip >\z@
116       \tempkipa\lastskip \vskip -\lastskip
117       \advance\tempkipa\parskip \advance\tempkipa -\@outerparskip
118       \vskip\tempkipa
119     \fi
120     \@endparenv
121   \fi
122 }
```

```
\@endparenv To suppress the paragraph indentation in text immediately following a paragraph-
\@doendpe    making environment, \everypar is changed to remove the space, and \par is
```

redefined to restore `\everypar`. Instead of redefining `\par` and `\everypar`, `\@endparenv` was changed to set the `@endpe` switch, letting `\end` redefine `\par` and `\everypar`.

This allows paragraph-making environments to work right when called by other environments. (Changed 27 Oct 86)

```
123 \def\@endparenv{%
124   \addpenalty\@endparpenalty\addvspace\@topsepadd\@endpetrue}

125 <latexrelease>\IncludeInRelease{2015/01/01}{\@doendpe}{clubpenalty fix}%
126 \def\@doendpe{\@endpetrue
127   \def\par{\@restorepar
```

If a section heading changes `\clubpenalty` to keep lines after it together then this modification is restored via the `\everypar` mechanism at the start of the next paragraph. As we destroy the contents of this token here we explicitly set `\clubpenalty` back to its default.

```
128   \clubpenalty\@clubpenalty
129   \everypar{\par\@endpefalse}\everypar
```

Use `\setbox0=\lastbox` instead of `\hskip -\parindent` so that a `\noindent` becomes a no-op when used before a line immediately following a list environment(23 Oct 86).

```
130   {\setbox\z@\lastbox}%
131   \everypar{\@endpefalse}}
132 <latexrelease>\EndIncludeInRelease

133 <latexrelease>\IncludeInRelease{0000/00/00}{\@doendpe}{clubpenalty fix}%
134 <latexrelease>\def\@doendpe{\@endpetrue
135 <latexrelease>   \def\par{\@restorepar\everypar{\par\@endpefalse}\everypar
136 <latexrelease>     {\setbox\z@\lastbox}\everypar{\@endpefalse}}
137 <latexrelease>\EndIncludeInRelease
```

```
\if@endpe
\@endpefalse 138 \newif\if@endpe
\@endpeltrue 139 \@endpefalse
```

```
\@mklab
140 \def\@mklab#1{\hfil #1}
```

```
\item
141 \def\item{%
142   \@inmatherr\item
143   \@ifnextchar [\@item{\@noitemargtrue \@item[\@itemlabel]}}
```

```
\@donoparitem
144 \def\@donoparitem{%
145   \@noparitemfalse
146   \global\setbox\@labels\hbox{\hskip -\leftmargin
147     \unhbox\@labels
148     \hskip \leftmargin}%
149   \if@minipage\else
150     \@tempskipa\lastskip
151     \vskip -\lastskip
```

```

152     \advance\@tempskipa\@outerparskip
153     \advance\@tempskipa -\parskip
154     \vskip\@tempskipa
155     \fi}

```

`\@item`

```

156 \def\@item[#1]{%
157   \if@noperitem
158     \@donoperitem
159   \else
160     \if@inlabel
161       \indent \par
162     \fi
163     \ifhmode
164       \unskip\unskip \par
165     \fi
166     \if@newlist
167       \if@nobreak
168         \@nbitem
169       \else
170         \addpenalty\@beginparpenalty
171         \addvspace\@topsep
172         \addvspace{-\parskip}%
173       \fi
174     \else
175       \addpenalty\@itempenalty
176       \addvspace\itemsep
177     \fi
178     \global\@inlabeltrue
179   \fi
180   \everypar{%
181     \@minipagefalse
182     \global\@newlistfalse

```

This `\if@inlabel` check is needed in case an item starts of inside a group so that `\everypar` does not become empty outside that group. `nobreakfalse`, etc etc.

```

183     \if@inlabel
184       \global\@inlabelfalse

```

The paragraph indent is now removed by using `\setbox...` since this makes `\noindent` a no-op here, as it should be. Thus the following comment is redundant but is left here for the sake of future historians: this next command was changed from an `hskip` to a `kern` to avoid a break point after the `parindent` box: the skip could cause a line-break if a very long label occurs in `raggedright` setting.

If `\noindent` was used after `\item` want to cancel the `\itemindent` skip. This case can be detected as the indentation box will be void.

```

185     {\setbox\z@\lastbox
186     \ifvoid\z@
187       \kern-\itemindent
188     \fi}%
189     \box\@labels
190     \penalty\z@
191   \fi

```

This code is intended to prevent a page break after the first line of an item that comes immediately after a section title. It may be sensible to always forbid a page break after one line of an item? As with all such settings of `\clubpenalty` it is local so will have no effect if the item starts in a group.

Only resetting `\@nbreak` when it is true is now essential since now it is sometimes set locally.

```

192   \if@nbreak
193     \@nbreakfalse
194     \clubpenalty \@M
195   \else
196     \clubpenalty \@clubpenalty
197     \everypar{}%
198   \fi}%

199   \if@noitemarg
200     \@noitemargfalse
201   \if@nmbrrlist

202     \refstepcounter\@listctr
203   \fi
204 \fi

```

We use `\sbox` to support colour commands.

```

205   \sbox\@tempboxa{\makelabel{#1}}%
206   \global\setbox\@labels\hbox{%
207     \unhbox\@labels
208     \hskip \itemindent
209     \hskip -\labelwidth
210     \hskip -\labelsep
211     \ifdim \wd\@tempboxa >\labelwidth
212       \box\@tempboxa

213   \else
214     \hbox to\labelwidth {\unhbox\@tempboxa}%
215   \fi
216   \hskip \labelsep}%
217 \ignorespaces}

```

`\makelabel`

```

218 \def\makelabel#1{%
219   \@latex@error{Lonely \string\item--perhaps a missing
220     list environment}\@ehc}

```

`\@nbitem`

```

221 \def\@nbitem{%
222   \@tempskipa\@outerparskip
223   \advance\@tempskipa -\parskip
224   \addvspace\@tempskipa}

```

`\usecounter`

```

225 \def\usecounter#1{\@nmbrrlisttrue\def\@listctr{#1}\setcounter{#1}\z@}

```

54.6 Itemize and Enumerate

Enumeration is done with four counters: `enumi`, `enumii`, `enumiii` and `enumiv`, where `enumN` controls the numbering of the Nth level enumeration. The label is generated by the commands `\labelenumi` ... `\labelenumiv`, which should be defined by the document style. Note that `\p@enumN\theenumN` defines the output of a `\ref` command. A typical definition might be:

```
\def\theenumii{\alph{enumii}}
\def\p@enumii{\theenumi}
\def\labelenumii{(\theenumii)}
```

which will print the labels as ‘(a)’, ‘(b)’, ... and print a `\ref` as ‘3a’.

The item numbers are moved to the right of the label box, so they are always a distance of `\labelsep` from the item.

`\@enumdepth` holds the current enumeration nesting depth.

Itemization is controlled by four commands: `\labelitemi`, `\labelitemii`, `\labelitemiii`, and `\labelitemiv`. To cause the second-level list to be bulleted, you just define `\labelitemii` to be `•`. `\@itemspacing` and `\@itemdepth` are the analogs of `\@enumspacing` and `\@enumdepth`.

```
\enumerate ==
BEGIN
  if \@enumdepth > 3
    then errormessage: “Too deeply nested”.
  else \@enumdepth :=L \@enumdepth + 1
    \@enumctr :=L eval(enum@\romannumeral\the\@enumdepth)
    \list{\label{\@enumctr}}
      {\usecounter{\@enumctr}
       \makelabel{LABEL} == \hss \llap{LABEL}}
    fi
  END

\endenumerate == \endlist
```

```
\@enumdepth
226 \newcount\@enumdepth \@enumdepth = 0

\c@enumi
\c@enumii 227 \@definecounter{enumi}
\c@enumii 228 \@definecounter{enumii}
\c@enumiv 229 \@definecounter{enumiii}
230 \@definecounter{enumiv}

enumerate
231 \def\enumerate{%
232   \ifnum \@enumdepth >\thr@@\toodeep\else
233     \advance\@enumdepth\@ne
234     \edef\@enumctr{enum\romannumeral\the\@enumdepth}%

235     \expandafter
236     \list
237     \csname label\@enumctr\endcsname
```

```

238         {\usecounter\@enumctr\def\makelabel##1{\hss\llap{##1}}}%
239     \fi}

240 \let\endenumerate =\endlist

\itemize ==
BEGIN
    if \@itemdepth > 3
    then errormessage: 'Too deeply nested'.
    else \@itemdepth :=L \@itemdepth + 1
        \@itemitem ==
eval(labelitem\romannumeral\the\@itemdepth)
        \list{\@nameuse{\@itemitem}}
            {\makelabel{LABEL} == \hss \llap{LABEL}}
    fi
END

\enditemize == \endlist

\@itemdepth
241 \newcount\@itemdepth \@itemdepth = 0

itemize
242 \def\itemize{%
243     \ifnum \@itemdepth >\thr@@\toodeep\else
244         \advance\@itemdepth\@ne
245         \edef\@itemitem{labelitem\romannumeral\the\@itemdepth}%

246         \expandafter
247         \list
248         \csname\@itemitem\endcsname
249         {\def\makelabel##1{\hss\llap{##1}}}%
250     \fi}

251 \let\enditemize =\endlist
252 /2ekernel)

```

File B

ltboxes.dtx

55 L^AT_EX Box commands

<code>\makebox</code>	<code>\makebox[⟨wid⟩][⟨pos⟩]{⟨obj⟩}</code> Puts <code>⟨obj⟩</code> in an <code>\hbox</code> of width <code>⟨wid⟩</code> , positioned by <code>⟨pos⟩</code> . The possible <code>⟨pos⟩</code> are: <code>s</code> stretched, <code>l</code> flushleft, <code>r</code> flushright, <code>c</code> (default) centred. If <code>⟨wid⟩</code> is missing, then <code>⟨pos⟩</code> is also missing and <code>⟨obj⟩</code> is put in an <code>\hbox</code> of its natural width. <code>\makebox(⟨x⟩,⟨y⟩)[⟨pos⟩]{⟨obj⟩}</code> Puts <code>⟨obj⟩</code> in an <code>\hbox</code> of width <code>x*\unitlength</code> and height <code>y*\unitlength</code> . <code>⟨pos⟩</code> arguments are <code>s</code> , <code>l</code> , <code>r</code> or <code>c</code> (default) for stretched, flushleft, flushright or centred, and <code>t</code> or <code>b</code> for top, bottom – or combinations like <code>tr</code> or <code>rb</code> . Default for horizontal and vertical are centered. Note that in this picture mode version of <code>\makebox</code> a <code>[b]</code> aligns on the <i>bottom</i> of the text as documented. If you want to align on the <i>baseline</i> use <code>\makebox(,) [b]{\raisebox{0pt}{\height}[0pt]{xyz}}</code> or <code>\makebox(,) [b]{\smash{xyz}}</code>
<code>\mbox</code>	<code>\mbox{⟨obj⟩}</code> The same as <code>\makebox{⟨obj⟩}</code> , but is more efficient as no checking for optional arguments is done.
<code>\newsavebox</code>	<code>\newsavebox{⟨cmd⟩}</code> : If <code>⟨cmd⟩</code> is undefined, then defines it to be a T _E X box register.
<code>\savebox</code>	<code>\savebox{⟨cmd⟩} ...</code> : <code>⟨cmd⟩</code> is defined to be a T _E X box register, and the ‘...’ are any <code>\makebox</code> arguments. It is like <code>\makebox</code> , except it doesn’t produce text but saves the value in <code>\box ⟨cmd⟩</code> .
<code>\sbox</code>	<code>\sbox{⟨cmd⟩}{⟨obj⟩}</code> is an efficient abbreviation for <code>\savebox{⟨cmd⟩}{⟨obj⟩}</code> .
<code>\lrbox</code>	<code>\begin{lrbox}{⟨cmd⟩}⟨text⟩\end{lrbox}</code> is equivalent to <code>\sbox{⟨cmd⟩}{⟨text⟩}</code> except that any white space at the beginning and end of <code>⟨text⟩</code> is ignored.
<code>\framebox</code>	<code>\framebox ...</code> : like <code>\makebox</code> , except it puts a ‘frame’ around the box. The frame is made of lines of thickness <code>\fboxrule</code> , separated by space <code>\fboxsep</code> from the text – except for <code>\framebox(X,Y) ...</code> , where the thickness of the lines is as for the picture environment, and there is no separation added.
<code>\fbox</code>	<code>\fbox{⟨obj⟩}</code> is an abbreviation for <code>\framebox{⟨obj⟩}</code> .
<code>\parbox</code>	<code>\parbox[⟨pos⟩][⟨height⟩][⟨inner-pos⟩]{⟨width⟩}{⟨text⟩}</code> : Makes a box with <code>\hsize ⟨width⟩</code> , positioned by <code>⟨pos⟩</code> as follows: <code>c</code> : <code>\vcenter</code> (placed in <code>\$...\$</code> if not in math mode) <code>b</code> : <code>\vbox</code> <code>t</code> : <code>\vtop</code> default value is <code>c</code> . Sets <code>\hsize := ⟨width⟩</code> and calls <code>\@parboxrestore</code> , which does the following: Restores the original definitions of:


```

\par
\\
\--
\'
\'
\=
Resets the following parameters:
\parindent      = 0pt
\parskip        = 0pt
\linewidth      = \hsize
\@totalleftmargin = 0pt
\leftskip       = 0pt
\rightskip      = 0pt
\@rightskip     = 0pt
\parfillskip    = 0pt plus 1fil
\lineskip       = \normallineskip
\baselineskip   = \normalbaselineskip
Calls \sloppy
Note: \arrayparboxrestore same as \parboxrestore but it doesn't re-
store \\.
minipage minipage : Similar to \parbox, except it also makes this look like a page by
setting
\textwidth == \columnwidth == box width
changes footnotes by redefining:
\@mpfn == mpfootnote
\thempfn == \thempfootnote
\@footnotetext == \@mpfootnotetext
resets the following list environment parameters:
\@listdepth == \@mplistdepth
where \@mplistdepth is initialized to zero,
and executes \@minipagerestore to allow the document style to reset any
other parameters it desires. It sets @minipage true, and resets \everypar to set it
false. This switch keeps \addvspace from putting space at the top of a minipage.
Change added 24 May 89: \minipage sets @minipage globally; \endminipage
resets it false.
\rule \rule[\langle raised \rangle]{\langle width \rangle}{\langle height \rangle} : Makes a \langle width \rangle * \langle height \rangle rule, raised
\langle raised \rangle.
\underline \underline{\langle text \rangle} : Makes an underlined hbox with \langle text \rangle in it.
\raisebox \raisebox{\langle distance \rangle}[\langle height \rangle][\langle depth \rangle]{\langle box \rangle} :
Raises \langle box \rangle up by \langle distance \rangle length (down if \langle distance \rangle negative). Makes TEX
think that the new box extends \langle height \rangle above the line and \langle depth \rangle below, for a
total vertical length of \langle height \rangle + \langle depth \rangle. Default values of \langle height \rangle & \langle depth \rangle =
actual height and depth of box in new position.
1 \langle *2kernel \rangle
2 \message{boxes,}

\makebox \makebox User level command just looks for optional [ or (.
3 \langle /2kernel \rangle
4 \langle latexrelease \rangle \IncludeInRelease{2015/01/01}%
5 \langle latexrelease \rangle {\makebox}{Make \makebox robust}%

```

```

6 <*2ekernel | latexrelease>
7 \DeclareRobustCommand\makebox{%
8   \leavevmode
9   \@ifnextchar(%)
10    \makepicbox
11    {\@ifnextchar[\@makebox\mbox}}}%
12 </2ekernel | latexrelease>
13 <latexrelease>\EndIncludeInRelease
14 <latexrelease>\IncludeInRelease{0000/00/00}%
15 <latexrelease>          {\makebox}{Make \makebox robust}%
16 <latexrelease>\def\makebox{%
17 <latexrelease>  \leavevmode
18 <latexrelease>  \@ifnextchar(%)
19 <latexrelease>    \makepicbox
20 <latexrelease>    {\@ifnextchar[\@makebox\mbox}}}%
21 <latexrelease>\expandafter\let\csname makebox \endcsname\undefined
22 <latexrelease>\EndIncludeInRelease
23 <*2ekernel>

```

`\mbox` The basic horizontal box command for L^AT_EX.

```
24 \long\def\mbox#1{\leavevmode\hbox{#1}}
```

`\@makebox` Look for a possible second optional argument (defaults to c).

```
25 \def\@makebox[#1]{%
26   \@ifnextchar [{\@imakebox[#1]}{\@imakebox[#1][c]}}
```

`\@begin@tempboxa` Helper macro for supporting `\height`, `\width` etc. Grab #1 into `\@tempboxa` and measure it.

```

27 \long\def\@begin@tempboxa#1#2{%
28   \begingroup
29   \setbox\@tempboxa#1{\color@begingroup#2\color@endgroup}%
30   \def\width{\wd\@tempboxa}%
31   \def\height{\ht\@tempboxa}%
32   \def\depth{\dp\@tempboxa}%
33   \let\totalheight\@ovri
34   \totalheight\height
35   \advance\totalheight\depth}

```

`\@end@tempboxa` End the group started by `\@begin@tempboxa`, so that the scope of `\height` only includes the ‘length’ argument to the user-command.

```
36 \let\@end@tempboxa\endgroup
```

`\bm@c` Set up spacing.

```

\bm@l 37 \def\bm@c{\hss\unhbox\@tempboxa\hss}
\bm@r 38 \def\bm@l{\unhbox\@tempboxa\hss}\let\bm@t\bm@l
\bm@s 39 \def\bm@r{\hss\unhbox\@tempboxa}\let\bm@b\bm@r
\bm@t 40 \def\bm@s{\unhbox\@tempboxa}

```

`\bm@b`
`\@imakebox` Internal form of `\makebox`.

```

41 \long\def\@imakebox[#1][#2]#3{%
42   \@begin@tempboxa\hbox{#3}%
43   \setlength\@tempdima{#1}%      support calc
44   \hb@xt@\@tempdima{\csname bm@#2\endcsname}%
45   \@end@tempboxa}

```

`\@makepicbox` Picture mode form of `\makebox`.
46 `\def\@makepicbox(#1,#2){%`
47 `\@ifnextchar[{ \@imakepicbox(#1,#2)}{\@imakepicbox(#1,#2) []}]}`

`\@imakepicbox` picture mode version
48 `\long\def\@imakepicbox(#1,#2)[#3]#4{%`
49 `\vbox to#2\unitlength`
50 `{\let\mb@b\vss \let\mb@l\hss\let\mb@r\hss`
51 `\let\mb@t\vss`
52 `\@tfor\reserved@a :=#3\do{%`
53 `\if s\reserved@a`
54 `\let\mb@l\relax\let\mb@r\relax`
55 `\else`
56 `\expandafter\let\csname mb@\reserved@a\endcsname\relax`
57 `\fi}%`
58 `\mb@t`
59 `\hb@xt@ #1\unitlength{\mb@l #4\mb@r}%`
60 `\mb@b`

This kern ensures that a `b` option aligns on the bottom of the text rather than the baseline. this is the documented behaviour in the `LATEX`Book. The kern is removed in compatibility mode.

61 `\kern\z@}}`

`\set@color` This macro is initially a no-op, but the colour package will redefine it to insert a `\special`.

62 `\let\set@color\relax`

`\color@begingroup` These macros are initially a no-op, but the colour package will redefine them to be `\begingroup`, `\endgroup`, `\begingroup\set@color`,
`\color@endgroup` `\hbox\bgroup\color@begingroup`, `\color@endgroup\egroup`. and *(set to main document colour)* respectively.

`\color@hbox` 63 `\let\color@begingroup\relax`
`\color@vbox` 64 `\let\color@endgroup\relax`
`\color@endbox` 65 `\let\color@setgroup\relax`
66 `\let\normalcolor\relax`
67 `\let\color@hbox\relax`
68 `\let\color@vbox\relax`
69 `\let\color@endbox\relax`

`\newsavebox` Allocate a new ‘savebox’.

70 `\def\newsavebox#1{\@ifdefinable{#1}{\newbox#1}}`

`\savebox` Save #1 in a box register.

71 `\</2ekernel>`
72 `\<latexrelease>\IncludeInRelease{2015/01/01}%`
73 `\<latexrelease> \{\savebox\}{Make \savebox robust}%`
74 `\<*2ekernel | latexrelease>`
75 `\DeclareRobustCommand\savebox[1]{%`
76 `\@ifnextchar(%)`
77 `{\@savepicbox#1}{\@ifnextchar[{\@savebox#1}{\sbox#1}}}%`
78 `\</2ekernel | latexrelease>`
79 `\<latexrelease>\EndIncludeInRelease`

```

80 \latexrelease\IncludeInRelease{0000/00/00}%
81 \latexrelease\def\savebox#1{\makebox[0pt]{\box#1}}%
82 \latexrelease\def\savebox#1{\makebox[0pt]{\box#1}}%
83 \latexrelease\def\savebox#1{\makebox[0pt]{\box#1}}%
84 \latexrelease\def\savepicbox#1{\ifnextchar[\@savebox#1]{\savebox#1}}%
85 \latexrelease\expandafter\let\csname savebox \endcsname\undefined
86 \latexrelease\EndIncludeInRelease
87 \*2ekernel

\savebox Save #1 in a box register.
88 \long\def\savebox#1#2{\setbox#1\hbox{%
89 \color@setgroup#2\color@endgroup}}

\@savebox Look for second optional argument.
90 \def\@savebox#1[#2]{%
91 \ifnextchar [\@isavebox#1[#2]]{\@isavebox#1[#2][c]}}

\@isavebox
92 \long\def\@isavebox#1[#2][#3]#4{%
93 \savebox#1{\@makebox[#2][#3]{#4}}}

\@savepicbox Picture mode version of \savebox.
94 \def\@savepicbox#1(#2,#3){%
95 \ifnextchar [%]
96 {\@isavepicbox#1(#2,#3)}{\@isavepicbox#1(#2,#3)[]}}

\@isavepicbox Picture mode version of \savebox.
97 \long\def\@isavepicbox#1(#2,#3)[#4]#5{%
98 \savebox#1{\@makepicbox(#2,#3)[#4]{#5}}}

\lrbox lrbox: the new environment form of \savebox. Use \aftergroup tricks to enable a
local assignment to be made to the box, in a way that it still has an effect outside
the lrbox environment.
99 \def\lrbox#1{%
100 \edef\reserved@a{%
101 \endgroup
102 \setbox#1\hbox{%
103 \begingroup\aftergroup}%
104 \def\noexpand\@currentenv{\@currentenv}%
105 \def\noexpand\@currentline{\on@line}}%
106 \reserved@a
107 \endpfalse
108 \color@setgroup
109 \ignorespaces}

\endlrbox End the lrbox environment.
110 \def\endlrbox{\unskip\color@endgroup}

\usebox unchanged
111 \def\usebox#1{\leavevmode\copy #1\relax}

```

`\frame` The following definition of `\frame` was written by Pavel Curtis (Extra space removed 14 Jan 88) RmS 92/08/24: Replaced occurrence of `\@halfwidth` by `\@wholewidth`

```

112 \long\def\frame#1{%
113   \leavevmode
114   \hbox{%
115     \hskip-\@wholewidth
116     \vbox{%
117       \vskip-\@wholewidth
118       \hrule \@height\@wholewidth
119       \hbox{%
120         \vrule\@width\@wholewidth
121         #1%
122         \vrule\@width\@wholewidth}%
123       \hrule \@height\@wholewidth
124       \vskip-\@wholewidth}%
125     \hskip-\@wholewidth}}
```

`\fboxrule` user level parameters,

`\fboxsep` 126 `\newdimen\fboxrule`
127 `\newdimen\fboxsep`

`\fbox` Abbreviated framed box command.

```

128 \long\def\fbox#1{%
129   \leavevmode
130   \setbox\@tempboxa\hbox{%
131     \color@begingroup
132     \kern\fboxsep{#1}\kern\fboxsep
133     \color@endgroup}%
134   \@frameb@x\relax}
```

`\framebox` Framed version of `\makebox`.

```

135 \if2ekernel
136 \if@latexrelease\IncludeInRelease{2015/01/01}%
137 \if@latexrelease{\framebox}{\Make \framebox robust}%
138 \if*2ekernel\if@latexrelease
139 \DeclareRobustCommand\framebox{%
140   \@ifnextchar(%)
141   \@framepicbox{\@ifnextchar[\@framebox\fbox}}%
142 \if2ekernel\if@latexrelease
143 \if@latexrelease\EndIncludeInRelease
144 \if@latexrelease\IncludeInRelease{0000/00/00}%
145 \if@latexrelease{\framebox}{\Make \framebox robust}%
146 \if@latexrelease\def\framebox{%
147 \if@latexrelease \if@ifnextchar(%)
148 \if@latexrelease \@framepicbox{\@ifnextchar[\@framebox\fbox}}%
149 \if@latexrelease\expandafter\let\csname framebox \endcsname\@undefined
150 \if@latexrelease\EndIncludeInRelease
151 \if*2ekernel
```

`\@framebox` Deal with optional arguments.

```

152 \def\@framebox[#1]{%
153   \@ifnextchar[%]
```

```

154     {\@iframebox[#1]}%
155     {\@iframebox[#1][c]}}

\@iframebox The handling the optional arguments. In order to set the whole box, including
the frame to the specified dimension, we first determine that dimension from the
natural size of the text, #3. calculated width.
156 \long\def\@iframebox[#1][#2]#3{%
157   \leavevmode
158   \@begin@tempboxa\hbox{#3}%
159   \setlength\@tempdima{#1}%
160   \setbox\@tempboxa\hbext@\@tempdima
161     {\kern\fboxsep\csname bm@#2\endcsname\kern\fboxsep}%
162   \@frameb@x{\kern-\fboxrule}%
163   \@end@tempboxa}

\@frameb@x Common part of \framebox and \fbox. #1 is a negative kern in the \framebox
case so that the vertical rules do not add to the width of the box.
164 \def\@frameb@x#1{%
165   \@tempdima\fboxrule
166   \advance\@tempdima\fboxsep
167   \advance\@tempdima\dp\@tempboxa
168   \hbox{%
169     \lower\@tempdima\hbox{%
170       \vbox{%
171         \hrule\@height\fboxrule
172         \hbox{%
173           \vrule\@width\fboxrule
174           #1%
175           \vbox{%
176             \vskip\fboxsep
177             \box\@tempboxa
178             \vskip\fboxsep}%
179           #1%
180           \vrule\@width\fboxrule}%
181         \hrule\@height\fboxrule}%
182           }%
183     }%
184 }

\@framepicbox Picture mode version.
185 \def\@framepicbox(#1,#2){%
186   \@ifnextchar[{\@framepicbox(#1,#2)}{\@framepicbox(#1,#2) []}}

\@iframepicbox Picture mode version.
187 \long\def\@iframepicbox(#1,#2)[#3]#4{%
188   \frame{\@makepicbox(#1,#2)[#3]{#4}}}}

\parbox The main vertical-box command for LATEX.
189 </2ekernel>
190 <latexrelease>\IncludeInRelease{2015/01/01}%
191 <latexrelease>          {\parbox}{\Make \parbox robust}%
192 <*2ekernel | latexrelease>
193 \DeclareRobustCommand\parbox{%

```

```

194 \@ifnextchar[%]
195 \@iparbox
196 {\@iiiparbox c\relax[s]}}%
197 /2ekernel| latexrelease)
198 (latexrelease)\EndIncludeInRelease
199 (latexrelease)\IncludeInRelease{0000/00/00}%
200 (latexrelease) {\parbox}{Make \parbox robust}%
201 (latexrelease)\def\parbox{%
202 (latexrelease) \@ifnextchar[%]
203 (latexrelease) \@iparbox
204 (latexrelease) {\@iiiparbox c\relax[s]}}%
205 (latexrelease)\expandafter\let\csname parbox \endcsname\@undefined
206 (latexrelease)\EndIncludeInRelease
207 (*2ekernel)

```

`\@iparbox` Optional argument handling.

```

208 \def\@iparbox[#1]{%
209 \@ifnextchar[%]
210 {\@iiiparbox{#1}}%
211 {\@iiiparbox{#1}\relax[s]}}

```

`\@iiiparbox` Optional argument handling.

```

212 \def\@iiiparbox#1[#2]{%
213 \@ifnextchar[%]
214 {\@iiiparbox{#1}{#2}}%
215 {\@iiiparbox{#1}{#2}[#1]}}

```

`\@iiiparbox` The internal version of `\parbox`.

```

\@parboxto
216 \let\@parboxto\@empty
217 \long\def\@iiiparbox#1#2[#3]#4#5{%
218 \leavevmode
219 \@pboxswfalse
220 \setlength\@tempdima{#4}%
221 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
222 \ifx\relax#2\else
223 \setlength\@tempdimb{#2}%
224 \edef\@parboxto{to\the\@tempdimb}%
225 \fi
226 \if#1b\vbox
227 \else\if #1t\vtop
228 \else\ifmode\vcenter
229 \else\@pboxswtrue $\vcenter
230 \fi\fi\fi
231 \@parboxto{\let\hss\vss\let\unhbox\unvbox
232 \csname bm#3\endcsname}%
233 \if@pboxsw \m@th$\fi
234 \@end@tempboxa}

```

`\@arrayparboxrestore` Restore various paragraph parameters.

The rationale for allowing two normally global flags to be set locally here was stated originally by Donald Arsenau and extended by Chris Rowley. It is because these flags are only set globally to true by section commands, and these should

never appear within boxes or, indeed, in any group; and they are only ever set globally to false when they are definitely true.

If anyone is unhappy with this argument then both flags should be treated as in `\set@nobreak`; otherwise this command will be redundant.

```
235 \def\@arrayparboxrestore{%
236   \let\if@nobreak\iffalse
237   \let\if@noskipsec\iffalse
238   \let\par\@par
239   \let\-\@dischyph
```

Redefined accents to allow changes in font encoding

```
240 \let'\@acci\let'\@accii\let\=\@acciii
241 \parindent\z@ \parskip\z@skip
242 \everypar{}%
243 \linewidth\hsize
244 \@totalleftmargin\z@
245 \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip
246 \parfillskip\@flushglue \lineskip\normallineskip
247 \baselineskip\normalbaselineskip
248 \sloppy}
```

`\parboxrestore` Restore various paragraph parameters, and also `\.`

```
249 \def\@parboxrestore{\@arrayparboxrestore\let\\\@normalcr}
```

`\if@minipage` Switch that is true at the start of a minipage.

```
250 \def\@minipagefalse{\global\let\if@minipage\iffalse}
251 \def\@minipagetrue {\global\let\if@minipage\iftrue}
252 \@minipagefalse
```

`\minipage` Essentially an environment form of `\parbox`.

```
253 \def\minipage{%
254   \@ifnextchar[%]
255     \@iminipage
256     {\@iiiminipage c\relax[s]}}
```

`\@iminipage` Optional argument handling.

```
257 \def\@iminipage[#1]{%
258   \@ifnextchar[%]
259     {\@iiiminipage{#1}}%
260     {\@iiiiminipage{#1}\relax[s]}}
```

`\@iiiminipage` Optional argument handling.

```
261 \def\@iiiminipage#1[#2]{%
262   \@ifnextchar[%]
263     {\@iiiiminipage{#1}{#2}}%
264     {\@iiiiminipage{#1}{#2}[#1]}}
```

`\@iiiiminipage` Internal form of minipage.

```
265 \def\@iiiiminipage#1#2[#3]#4{%
266   \leavevmode
267   \@pboxswfalse
268   \setlength\@tempdima{#4}%
269   \def\@mpargs{{#1}{#2}[#3]{#4}}%
```



```

270 \setbox\@tempboxa\vbox\bgroup
271 \color@begingroup
272 \hsize\@tempdima
273 \textwidth\hsize \columnwidth\hsize
274 \@parboxrestore
275 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
276 \let\@footnotetext\@mpfootnotetext
277 \let\@listdepth\@mplistdepth \@mplistdepth\z@
278 \@minipagerestore
279 \@setminipage}

\@minipagerestore Hook so that other styles can reset other commands in a minipage.
280 \let\@minipagerestore=\relax

\endminipage
281 \def\endminipage{%
282 \par
283 \unskip
284 \ifvoid\@mpfootins\else
285 \vskip\skip\@mpfootins
286 \normalcolor
287 \footnoterule
288 \unvbox\@mpfootins
289 \fi
290 \@minipagefalse %% added 24 May 89
291 \color@endgroup
292 \egroup
293 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}

\@mplistdepth Versions of \@listdepth and \footins local to minipage.
\@mpfootins 294 \newcount\@mplistdepth
295 \newinsert\@mpfootins

\@mpfootnotetext Minipage version of \@footnotetext.
Final \strut added 27 Mar 89, on suggestion by Don Hosek
296 \long\def\@mpfootnotetext#1{%
297 \global\setbox\@mpfootins\vbox{%
298 \unvbox\@mpfootins
299 \reset@font\footnotesize
300 \hsize\columnwidth
301 \@parboxrestore
302 \protected@edef\@currentlabel
303 {\csname p@mpfootnote\endcsname\@thefnmark}%
304 \color@begingroup
305 \@makefntext{%
306 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
307 \color@endgroup}}

308 \newif\if@pboxsw

\rule Draw a rule of the specified size.
309 </2ekernel>
310 <latexrelease>\IncludeInRelease{2015/01/01}%
311 <latexrelease> {\rule}{Make \rule robust}%

```

```

312 (*2ekernel | latexrelease)
313 \DeclareRobustCommand\rule{\@ifnextchar[\@rule{\@rule[\z@]}}%
314 /2ekernel | latexrelease)
315 (latexrelease)\EndIncludeInRelease
316 (latexrelease)\IncludeInRelease{0000/00/00}%
317 (latexrelease)          {\rule}{Make \rule robust}%
318 (latexrelease)\def\rule{\@ifnextchar[\@rule{\@rule[\z@]}}%
319 (latexrelease)\expandafter\let\csname rule \endcsname\undefined
320 (latexrelease)\EndIncludeInRelease
321 (*2ekernel)

\@rule Internal form of \rule.
322 \def\@rule[#1]#2#3{%
323   \leavevmode
324   \hbox{%
325     \setlength\@tempdima{#1}%
326     \setlength\@tempdimb{#2}%
327     \setlength\@tempdimc{#3}%
328     \advance\@tempdimc\@tempdima
329     \vrule\@width\@tempdimb\@height\@tempdimc\@depth-\@tempdima}}

@@underline Saved primitive \underline.
330 \let\@@underline\underline

\underline LATEX version works outside math.
331 \def\underline#1{%
332   \relax
333   \ifmode\@@underline{#1}%
334   \else $\@@underline{\hbox{#1}}\m@th$\relax\fi}

\raisebox Raise a box, and change its vertical dimensions.
335 (/2ekernel)
336 (latexrelease)\IncludeInRelease{2015/01/01}%
337 (latexrelease)          {\raisebox}{Make \raisebox robust}%
338 (*2ekernel | latexrelease)
339 \DeclareRobustCommand\raisebox[1]{%
340   \leavevmode
341   \@ifnextchar[{\@rsbox{#1}}{\@irsbox{#1}[]}}
342 (/2ekernel | latexrelease)
343 (latexrelease)\EndIncludeInRelease
344 (latexrelease)\IncludeInRelease{0000/00/00}%
345 (latexrelease)          {\raisebox}{Make \raisebox robust}%
346 (latexrelease)\def\raisebox#1{%
347 (latexrelease)  \leavevmode
348 (latexrelease)  \@ifnextchar[{\@rsbox{#1}}{\@irsbox{#1}[]}}
349 (latexrelease)\expandafter\let\csname raisebox \endcsname\undefined
350 (latexrelease)\EndIncludeInRelease
351 (*2ekernel)

\@rsbox Optional argument handling.
352 \def\@rsbox#1[#2]{%
353   \@ifnextchar[{\@iirsbox{#1}[#2]}{\@irsbox{#1}[#2]}}

\@argsbox ...

```

`\@irsbox` Internal version of `\raisebox` (less than two optional args).

```

354 \long\def\@irsbox#1[#2]#3{%
355   \@begin@tempboxa\hbox{#3}%
356   \setlength\@tempdima{#1}%
357   \ifx\#2\\\else\setlength\@tempdimb{#2}\fi
358   \setbox\@tempboxa\hbox{\raise\@tempdima\box\@tempboxa}%
359   \ifx\#2\\\else\ht\@tempboxa\@tempdimb\fi
360   \box\@tempboxa
361   \@end@tempboxa}

```

`\@iirsbox` Internal version of `\raisebox` (two optional args).

```

362 \long\def\@iirsbox#1[#2]#3#4{%
363   \@begin@tempboxa\hbox{#4}%
364   \setlength\@tempdima{#1}%
365   \setlength\@tempdimb{#2}%
366   \setlength\dimen@{#3}%
367   \setbox\@tempboxa\hbox{\raise\@tempdima\box\@tempboxa}%
368   \ht\@tempboxa\@tempdimb
369   \dp\@tempboxa\dimen@
370   \box\@tempboxa
371   \@end@tempboxa}

```

`\@finalstrut` This macro adds a special strut the *depth* of the box given as `#1`, and height and width Opt. It is used for ensuring that the last line of a paragraph has the correct depth in ‘p’ columns of tables and in footnotes. In vertical mode nothing is done, as adding the strut (as done in 2.09) would start a new paragraph. It would be possible to inspect `\prevdepth` to check the depth of the just-completed paragraph, but we do not do that here. Actually we do even less now, skip the vmode test as it broke tabular ‘p’ columns. .

The `\nobreak` was added (1995/10/31) to allow hyphenation of the final word of the paragraph.

```

372 \def\@finalstrut#1{%
373   \unskip\ifhmode\nobreak\fi\vrule\@width\z@\@height\z@\@depth\dp#1}

```

55.1 Some low-level constructs

The following commands are basically inherited from plain T_EX.

`\leftline` These macros place text on a full line either centred or left or right adjusted.

`\rightline` 374 `\def\@oline{\hb@xt@\hsize}`

`\centerline` 375 `\def\leftline#1{\@oline{#1\hss}}`

`\@oline` 376 `\def\rightline#1{\@oline{\hss#1}}`

377 `\def\centerline#1{\@oline{\hss#1\hss}}`

`\rlap` These macros place text to the left or right of the current reference point without

`\llap` taking up space.

```

378 \def\rlap#1{\hb@xt@\z@{#1\hss}}
379 \def\llap#1{\hb@xt@\z@{\hss#1}}

```

380 `/2kernel`

File C

lftab.dtx

56 Tabbing, Tabular and Array Environments

This section deals with ‘Lining It Up in Columns’. First the `tabbing` environment is defined, and then in second part, `tabular` together with its variants, `tabular*` and `array`.

Note that the `tabular` defined here is essentially the original L^AT_EX 2.09 version, not the extended version described in *The L^AT_EX Companion*. Use the `array` package to obtain the extended version.

56.1 tabbing

`\dimen{\@firsttab + i}` = distance of tab stop `i` from left margin
0 <= `i` <= 15 (?).

`\dimen\@firsttab` is initialized to `\@totalleftmargin`, so it starts at the prevailing left margin.

`\@maxtab` = number of highest defined tab register
probably = `\@firsttab + 12`

`\@nxttabmar` = tab stop number of next line’s left margin

`\@curtabmar` = tab stop number of current line’s left margin

`\@curtab` = number of the current tab. At start of line,
it equals `\@curtabmar`

`\@hightab` = largest tab number currently defined.

`\@tabpush` = depth of `\pushtab`’s

`\box\@curline` = contents of current line, excluding left margin
skip, and excluding contents of current field

`\box\@curfield` = contents of current field

`@rjfield` = switch: T iff the last field of the line should
be right-justified at the right margin.

`\tabbingsep` = distance left by the `\’` command between the
current position and the field that is
“left-shifted”.

UTILITY MACROS

`\@stopfield` : closes the current field

`\@addfield` : adds the current field to the current line.

`\@contfield` : continues the current field

`\@startfield` : begins the next field

`\@stopline` : closes the current line and outputs it

`\@startline` : starts the next line

`\@ifatmargin` : an `\if` that is true iff the current line.

has width zero

```

\@startline ==
BEGIN
  \@curtabmar :=G \@nxttabmar
  \@curtab :=G \@curtabmar
  \box\@curline :=G null
  \@startfield
  \strut
END

\@stopline ==
BEGIN
  \unskip
  \@stopfield
  if @rjfield = T
    then @rjfield :=G F
      \@tempdima := \@totalleftmargin + \linewidth
      \hb@xt@ \@tempdima{\@itemfudge
                          \hskip \dimen\@curtabmar
                          \box\@curline
                          \hfil
                          \box\@curfield}
    else \@addfield
      \hbox {\@itemfudge
            \hskip \dimen\@curtabmar
            \box\@curline}
    fi
  END

\@startfield ==
BEGIN
  \box\@curfield :=G \hbox {
  END

\@stopfield ==
BEGIN
  }
  END

\@contfield ==
BEGIN
  \box\@curfield :=G \hbox { \unhbox\@currfield %%} brace
matching
  END
\@addfield ==
BEGIN
  \box\@curline :=G \unbox\@curline * \unbox\@curfield
  END

```

```

\@ifatmargin ==
BEGIN
  if dim of box\@curline = 0pt then
  END

\tabbing ==
BEGIN
  \lineskip :=L 0pt
  \> == \@rtab
  \< == \@ltab
  \= == \@settab
  \+ == \@tabplus
  \- == \@tabminus
  \‘ == \@tabrj
  \’ == \@tablab
  \\\ == BEGIN \@stopline \@startline END
  \\[DIST] == BEGIN
    \@stopline \vskip DIST \@startline\ignorespaces
  END
  \\\* == BEGIN \@stopline \penalty 10000 \@startline END
  \\[DIST] == BEGIN \@stopline \penalty 10000 \vskip DIST
    \@startline\ignorespaces END
  \@hightab := \@nxxtabmar :=G \@firsttab
  \@tabpush :=G 0
  \dimen\@firsttab := \@totalleftmargin
  @rjfield :=G F
  \trivlist \item\relax
  if @minipage = F then \vskip \parskip fi
  \box\@tabfbox = \rlap{\indent\the\everypar}
    % note: \the\everypar sets @inlabel :=G F
  \@itemfudge == BEGIN \box\@tabfbox END
  \@startline
  \ignorespaces
  END

\@endtabbing ==
BEGIN
  \@stopline
  if \@tabpush > 0 then error message: "unmatched \poptabs" fi
  \endtrivlist
  END

\@rtab ==
BEGIN
  \@stopfield
  \@addfield
  if \@curtab < \@hightab
    then \@curtab :=G \@curtab + 1
    else error message "Undefined Tab" fi

```

```

\@tempdima := \dimen\@curtab - \dimen\@curtabmar
              - width of box \@curline
\box\@curline :=G \hbox{\unhbox\@curline + \hskip\@tempdima}
\@startfield
END

\@settab ==
BEGIN
  \@stopfield
  \@addfield
  if \@curtab < \@maxtab
    then \@curtab :=G \@curtab+1
    else error message: "Too many tabs"      fi
  if \@curtab > \@hightab
    then \@hightab :=L \@curtab      fi
  \dimen\@curtab :=L \dimen\@curtabmar + width of \box\@curline
  \@startfield
END

\@ltab ==
BEGIN
  \@ifatmargin
  then if \@curtabmar > \@firsttab
    then \@curtab :=G \@curtab - 1
        \@curtabmar :=G \@curtabmar - 1
    else error message "Too many untab"      fi
  else error message "Left tab in middle of line"
  fi
END

\@tabplus ==
BEGIN
  if \@nxttabmar < \@hightab
    then \@nxttabmar :=G \@nxttabmar+1
    else error message "Undefined tab"
  fi
END

\@tabminus ==
BEGIN
  if \@nxttabmar > \@firsttab
    then \@nxttabmar :=G \@nxttabmar-1
    else error message "Too many untab"
  fi
END

\@tabrj ==
BEGIN \@stopfield
  \@addfield
  @rjfield :=G T

```

```

        \@startfield
    END

\@tablab ==
    BEGIN \@stopfield
        \box\@curline G:= \hbox{\box\@curline %% 'G' added 17 Jun 86
                                \hskip - width of \box\@curfield
                                \hskip -\tabbingsep
                                \box\@curfield
                                \hskip \tabbingsep }

        \@startfield
    END

\pushtabs ==
    BEGIN
        \@stopfield
        \@tabpush :=G \@tabpush + 1
        \begingroup
        \@contfield
    END

\poptabs ==
    BEGIN
        \@stopfield
        if \@tabpush > 0
            then \endgroup
                \@tabpush :=G \@tabpush - 1
            else error message: "Too many \poptabs"
        fi
        \@contfield
    END

```

\a The accents \‘, \’ , and \= that have been redefined inside a tabbing environment can be called by typing \a‘, \a’ , and \a=. The macro \a is defined in ltoutenc.dtx.

The ‘2ekernel’ code ensures that a \usepackage{autotabg} is essentially ignored if a ‘full’ format is being used that has picture mode already in the format.

```

1 <2ekernel>\expandafter\let\csname ver@autotabg.sty\endcsname\fmtversion

\@firsttab
\@maxtab 2 <*2ekernel>
3 \newdimen\@gtempa
4 \chardef\@firsttab=\the\allocationnumber
5 \newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa
6 \newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa
7 \newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa\newdimen\@gtempa
8 \newdimen\@gtempa
9 \chardef\@maxtab=\the\allocationnumber
10 \dimen\@firsttab=0pt

```



```

\@nxttabmar
\@curtabmar 11 \newcount\@nxttabmar
\@curtab 12 \newcount\@curtabmar
\@hightab 13 \newcount\@curtab
\@tabpush 14 \newcount\@hightab
15 \newcount\@tabpush

\@curline
\@curfield 16 \newbox\@curline
\@tabfbox 17 \newbox\@curfield
18 \newbox\@tabfbox

\if@rjfield
19 \newif\if@rjfield

\@startline It is, in some sense, an error if the current margin tab setting is higher than
the value of \@hightab (which is a local variable). That this is allowed is a
fundamental design flaw which is not going to be corrected now.
20 \gdef\@startline{%
21     \ifnum \@nxttabmar >\@hightab
22         \@badtab
23         \global\@nxttabmar \@hightab
24     \fi
25     \global\@curtabmar \@nxttabmar
26     \global\@curtab \@curtabmar
27     \global\setbox\@curline \hbox {}%
28     \@startfield
29     \strut}

\@stopline
30 \gdef\@stopline{%
31     \unskip
32     \@stopfield
33     \if@rjfield
34         \global\@rjfieldfalse
35         \@tempdima\@totalleftmargin
36         \advance\@tempdima\linewidth
37         \hb@xt@\@tempdima{%
38             \@itemfudge\hskip\dimen\@curtabmar
39             \box\@curline
40             \hfil
41             \box\@curfield}%
42     \else
43         \@addfield
44         \hbox{\@itemfudge\hskip\dimen\@curtabmar\box\@curline}%
45     \fi}

\@startfield
46 \gdef\@startfield{%
47     \global\setbox\@curfield\hbox\bgroup\color@begingroup}

\@stopfield
48 \gdef\@stopfield{%
49     \color@endgroup\egroup}

```

```

\@contfield
50 \gdef\@contfield{%
51   \global\setbox\@curfield\hbox\bgroup\color@begingroup
52   \unhbox\@curfield}

\@addfield
53 \gdef\@addfield{\global\setbox\@curline\hbox{\unhbox
54   \@curline\unhbox\@curfield}}

\@ifatmargin
55 \gdef\@ifatmargin{\ifdim \wd\@curline =\z@}

\@tabcr
56 \gdef\@tabcr{\@stopline \@ifstar{\penalty \M \@xtabcr}\@xtabcr}

\@xtabcr
57 \gdef\@xtabcr{\@ifnextchar[\@itabcr{\@startline\ignorespaces}}

\@itabcr
58 \gdef\@itabcr[#1]{\vskip #1\@startline\ignorespaces}
59 \gdef\kill{\@stopfield\@startline\ignorespaces}

\tabbing We use \relax to prevent \item from scanning too far.
60 \gdef\tabbing{\lineskip \z@skip\let\>\@rtab\let\<\@ltab\let\=\@settab
61   \let\+\@tabplus\let\-\@tabminus\let\'\@tabrj\let\'\@tablab
62   \let\=\@tabcr
63   \@hightab\@firsttab
64   \global\@nxttabmar\@firsttab
65   \dimen\@firsttab\@totalleftmargin
66   \global\@tabpush\z@ \global\@rjfieldfalse
67   \trivlist \item\relax
68   \if@minipage\else\vskip\parskip\fi

69   \setbox\@tabfbox\hbox{%
70     \rlap{\hskip\@totalleftmargin\indent\the\everypar}}%
71   \def\@itemfudge{\box\@tabfbox}%
72   \@startline\ignorespaces}

\endtabbing
73 \gdef\endtabbing{%
74   \@stopline\ifnum\@tabpush >\z@ \@badpoptabs \fi\endtrivlist}

\@rtab Omitted \global added to \@rtab 17 Jun 86
75 \gdef\@rtab{\@stopfield\@addfield\ifnum \@curtab<\@hightab
76   \global\advance\@curtab \@one \else\@badtab\fi
77   \@tempdima\dimen\@curtab
78   \advance\@tempdima -\dimen\@curtabmar
79   \advance\@tempdima -\wd\@curline
80   \global\setbox\@curline\hbox{\unhbox\@curline\hskip\@tempdima}%
81   \@startfield\ignorespaces}

```

```

\@settab
82 \gdef\@settab{\@stopfield\@addfield
83   \ifnum \@curtab <\@maxtab
84     \ifnum\@curtab =\@hightab
85       \advance\@hightab \@ne
86     \fi
87     \global\advance\@curtab \@ne
88   \else
89     \latexerror{Tab overflow}\@ehd
90   \fi
91   \dimen\@curtab \dimen\@curtabmar
92   \advance\dimen\@curtab \wd\@curline
93   \@startfield
94   \ignorespaces}

\@ltab
95 \gdef\@ltab{\@ifatmargin\ifnum\@curtabmar >\@firsttab
96   \global\advance\@curtab \m@ne \global\advance\@curtabmar\m@ne\else
97   \@badtab\fi\else
98   \latexerror{string<\space in mid line}\@ehd\fi\ignorespaces}

\@tabplus
99 \gdef\@tabplus{%
100   \ifnum\@nxttabmar<\@hightab
101     \global\advance\@nxttabmar\@ne
102   \else
103     \@badtab
104   \fi
105   \ignorespaces}

\@tabminus
106 \gdef\@tabminus{%
107   \ifnum\@nxttabmar>\@firsttab
108     \global\advance\@nxttabmar\m@ne
109   \else
110     \@badtab
111   \fi
112   \ignorespaces}

\@tabrj
113 \gdef\@tabrj{%
114   \@stopfield\@addfield\global\@rjfieldtrue\@startfield\ignorespaces}

\@tablab \setbox\@curline made \global in \@tablab. 17 Jun 86
115 \gdef\@tablab{%
116   \@stopfield
117   \global\setbox\@curline\hbox{%
118     \box\@curline
119     \hskip-\wd\@curfield \hskip-\tabbingsep
120     \box\@curfield
121     \hskip\tabbingsep}%
122   \@startfield
123   \ignorespaces}

```

`\pushtabs`

```
124 \gdef\pushtabs{%
125   \@stopfield\@addfield\global\advance\@tabpush \@ne \begingroup
126     \@contfield}
```

`\poptabs` It is, in some sense, an error if, after the endgroup, the current tab setting is higher than the new value of `\@hightab` (which is a local variable). That this is allowed is a fundamental design flaw which is not going to be corrected now.

```
127 \gdef\poptabs{\@stopfield\@addfield
128   \ifnum \@tabpush >\z@
129     \endgroup
130     \global\advance\@tabpush \m@ne
131     \ifnum \@curtab >\@hightab
132       \global \@curtab \@hightab
133       \@badtab
134     \fi
135   \else
136     \@badpoptabs
137   \fi
138   \@contfield}
```

`\tabbingsep`

```
139 \newdimen\tabbingsep
```

56.2 array and tabular environments

ARRAY PARAMETERS:

`\arraycolsep`
: half the width separating columns in an array environment

`\tabcolsep`
: half the width separating columns in a tabular environment

`\arrayrulewidth`
: width of rules

`\doublerulesep`
: space between adjacent rules in array or tabular

`\arraystretch`
: line spacing in array and tabular environments is done by placing a strut in every row of height and depth `\arraystretch` times the height and depth of the strut produced by an ordinary `\strut` command.

PREAMBLE:

The PREAMBLE argument of an array or tabular environment can contain the following:

`l,r,c` : indicate where entry is to be placed.
`|` : for vertical rule
`@{EXP}` : inserts the text EXP in every column.
`\arraycolsep` or `\tabcolsep` spacing is suppressed.
`*{N}{PRE}` : equivalent to writing N copies of PRE in the preamble.
PRE may contain `*{N'}{EXP'}` expressions.
`p{LEN}` : makes entry in parbox of width LEN.

SPECIAL ARRAY COMMANDS:

`\multicolumn{N}{FORMAT}{ITEM}` : replaces the next N column items by ITEM, formatted according to FORMAT.
 FORMAT should contain at most one l,r or c.
 If it contains none, then ITEM is ignored.

`\vline` : draws a vertical line the height of the current row. May appear in an array element entry.
`\hline` : draws a horizontal line between rows. Must appear either before the first entry (to appear above the first row) or right after a `\\` command. If followed by another `\hline`, then adds a `\vskip` of `\doublerulesep`.

`\cline{i-j}` : draws horizontal lines between rows covering columns i through j, inclusive. Multiple commands may follow one another to provide lines covering several disjoint columns

`\extracolsep{WIDTH}` : for use inside an @ in the preamble. Causes a WIDTH space to be added between columns for the rest of the columns. This is in addition to the ordinary intercolumn space.

```
\array ==
  BEGIN
    \@acol    == \@arrayacol
    \@classz  == \@arrayclassz
    \@classiv == \@arrayclassiv
    \\        == \@arraycr
    \@halignto == NULL
    \@tabarray
  END
```

```
\endarray{NAME} == BEGIN \crrc } } END
```

```
\tabular ==
  BEGIN
    \@halignto == NULL
    \@tabular
  END
```

```
\tabular*{WIDTH} ==
  BEGIN
    \@halignto == to WIDTH
    \@tabular
  END
```

```
\@tabular ==
  BEGIN
    \leavevmode
```

```

\hbox { $
  \@acol    == \@tabacol
  \@classz  == \@tabclassz
  \@classiv == \@tabclassiv
  \\\       == \@tabularcr
  \@tabarray
END

\endtabular == BEGIN \crrc}} $} END

\@tabarray == if next char = [ then \@array else \@array[c] fi

\@array[POS]{PREAMBLE} ==
BEGIN
  define \@arstrutbox to make \@arstrut produce strut of height
    and depth \arraystretch times the height and
    depth of a normal strut.
  \@mkpream{PREAMBLE}
  \@preamble == \halign \@halignto {\tabskip=0pt\@arstrut
    eval{\@preamble}\tabskip = 0pt\cr %%}
  \@startpbox == \@@startpbox
  \@endpbox == \@@endpbox
  if POS = t then \vtop
    else if POS = b then \vbox
      else \vcenter
    fi
  fi
  {
    \par          ==L {} % changed 92/09/18
    \@sharp       == #
    \protect      == \relax
    \lineskip     :=L 0pt
    \baselineskip :=L 0pt
    \@preamble
  }
END

\@arraycr ==
BEGIN
  $              %% Prevents extra space at end of row's last entry.
  if next char = [
    then \@argarraycr
    else $ \cr    %% Needed to balance $
  fi
END

\@argarraycr[LENGTH] ==
BEGIN
  $              %% Needed to balance $ of \@arraycr
  if LENGTH > 0
    then \@tempdima := depth of \@arstrutbox + LENGTH
      \vrule height 0pt width 0pt depth \@tempdima
    fi
  fi
END

```

```

\cr
else \cr \noalign{\vskip LENGTH}
END

\@tabularcr and \@argtabularcr same as \@arraycr and
\@argarraycr
except without the extra $'s.

\extracolsep
140 \def\extracolsep#1{\tabskip #1\relax}

\array
141 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
142 \let\@classiv\@arrayclassiv
143 \let\\\@arraycr\let\@halignto\@empty\@tabarray}

\endarray
\endtabular 144 \def\endarray{\crcr\egroup\egroup}
\endtabular* 145 \def\endtabular{\crcr\egroup\egroup $\egroup}
146 \expandafter \let \csname endtabular*\endcsname = \endtabular

\tabular
147 \def\tabular{\let\@halignto\@empty\@tabular}

\tabular* Note that the change to use \setlength slightly alters the timing of the expansion
and use of the length in #1 but this is very unlikely to have any practical effect.
148 \@namedef\tabular*#1{%
149 \setlength\dimen@{#1}%
150 \edef\@halignto{to\the\dimen@}\@tabular}

\@tabular
151 \def\@tabular{\leavevmode \hbox \bgroup $\let\@acol\@tabacol
152 \let\@classz\@tabclassz
153 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\@tabarray RmS 91/11/04 added \m@th.
154 \def\@tabarray{\m@th\@ifnextchar[\@array{\@array[c]}}

RmS 1993/11/03 changed \halign to \ialign and removed superfluous
\tabskip assignment

\@array
155 \def\@array[#1]#2{%
156 \if #1t\top \else \if#1b\bottom \else \vcenter \fi\fi
157 \bgroup

```

This next bit of code sets up the strut and then builds the halign and its preamble according to the specification in the second argument.

This code has been moved inside the box. A side effect of this has been to expose what was a buglet in the previous version: since the `\@arstrut` below is expanded and contains an `\ifmmode` then it could produce an unnecessary extra box in every row, thus wasting ‘lots of’ main memory.

```

158 \setbox\@arstrutbox\hbox{%
159   \vrule \@height\arraystretch\ht\strutbox
160         \@depth\arraystretch \dp\strutbox
161         \@width\z@}%
162 \mkpream{#2}%
163 \edef\@preamble{%
164   \ialign \noexpand\@halignto
165     \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%

```

That is the end of setting up the preamble; now we reset things before executing the `\halign` built-up in `\@preamble`. The restorations could be done by introducing an extra group, thus saving tokens.

```

166 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
167 \let\@tabularnewline\@%
168   \let\par\@empty
169   \let\@sharp##%
170   \set@typeset@protect
171   \lineskip\z@skip\baselineskip\z@skip

```

If the parsing of the preamble goes wrong there may be some characters left which \TeX then tries to typeset, i.e., we would be in horizontal mode. That would produce an endless loop because the `\halign` expects vertical mode thus issues a `\par` but that is a no-op at this point. So we better test this case issue some error message and make a crude recovery by ending that horizontal mode with force. A better fix would be to ensure that we never pick up more than a single character token (not done).

```

172   \ifhmode \@preamerr\z@ \@@par\fi
173   \@preamble}

```

`\@arraycr` Array version of `\@%`.

```

174 \def\@arraycr{%
175   ${\ifnum0=}\fi\@ifstar\@xarraycr\@arraycr}

```

`\@arraycr`

```

176 \def\@xarraycr{\@ifnextchar[\@argarraycr{\ifnum0={\fi}${}\cr}}

```

`\@argarraycr`

```

177 \def\@argarraycr[#1]{%
178   \ifnum0={\fi}${}\ifdim #1>\z@ \@xargarraycr{#1}\else
179     \@yargarraycr{#1}\fi}

```

`\@tabularnewline` Tabular version of `\@%`.

```

180 \let\@tabularnewline\relax

```

`\@tabularcr`

```

181 \def\@tabularcr{%
182   {\ifnum0=}\fi\@ifstar\@xtabularcr\@xtabularcr}

```

`\@xtabularcr`

```

183 \def\@xtabularcr{\@ifnextchar[\@argtabularcr{\ifnum0={\fi}\cr}}

```

`\@argtabularcr`

```

184 \def\@argtabularcr[#1]{%

```



```

185 \ifnum0='{ \fi}%
186 \ifdim #1>\z@
187 \unskip\@xargarraycr{#1}%
188 \else
189 \@yargarraycr{#1}%
190 \fi}

\@xargarraycr
191 \def\@xargarraycr#1{\@tempdima #1\advance\@tempdima \dp \@arstrutbox
192 \vrule \@height\z@ \@depth\@tempdima \@width\z@ \cr}

\@yargarraycr
193 \def\@yargarraycr#1{\cr\noalign{\vskip #1}}

\multicolumn \multicolumn{NUMBER}{FORMAT}{ITEM} ==
BEGIN
\multispan{NUMBER}
\begingroup
\@addamp == null
\@mkpream{FORMAT}
\@sharp == ITEM
\protect == \relax
\@startpbox == \@startpbox
\@endpbox == \@endpbox
\@arstrut
\@preamble
\endgroup
END

```

The command `\def\@addamp{}` was removed from `\multicolumn` on 6 Dec 86 because it caused embedded array environments not to work. I think that it was included originally to prevent an error message if the 2nd argument to the `\multicolumn` command had two column specifiers.

8 Feb 89 — `\hbox{}` added after `\@preamble` to correct bug that occurred if `\multicolumn` preceded `\\[D]` with $D > 0$, caused by `\\[]` command doing an `\unskip`, which removed `\tabcolsep` glue inserted by `\multicolumn`.

This has been made long so that, for example, a p-column can contain multiple paragraphs; maybe the arguments of @-expressions should also be able to contain multiple paragraphs.

```

194 \long\def\multicolumn#1#2#3{\multispan{#1}\begingroup
195 \mkpream{#2}%
196 \def\@sharp{#3}\set@typeset@protect
197 \let\@startpbox\@startpbox\let\@endpbox\@endpbox
198 \@arstrut \@preamble\hbox{\endgroup\ignorespaces}

```

Codes for classes and character numbers of array, tabular and multicolumn arguments.

Character	Class	Number
c	0	0
l	0	1

r	0	2
	1	-
@	2	-
p	3	-
{@-exp}	4	-
{p-arg}	5	-

`\@testpach \foo` : expands `\foo`, which should be an array parameter token, and sets `\@chclass` and `\@chnum` to its class and number. Uses `\@lastchclass` to distinguish 4 and 5

Preamble error codes

0: 'illegal character'
 1: 'Missing @-exp'
 2: 'Missing p-arg'

```
\@addamp ==
  BEGIN if \@firstamp = true then \@firstamp := false
        else &                                fi
  END
```

```
\@mkpream TOKENLIST ==
  BEGIN
    \@firstamp      := T
    \@lastchclass   := 6
    \@preamble      == null
    \@sharp         == \relax
    \@protect       == BEGIN \noexpand\protect\noexpand END
    \@startpbox     == \relax
    \@endpbox       == \relax
    \@expast{TOKENLIST}
    for \@nextchar := expand(\reserved@a)
      do \@testpach{\@nextchar}
        case of \@chclass
          0 -> \@classz
          1 -> \@classi
          ...
          5 -> \@classv
        end case
        \@lastchclass := \@chclass
      od
    case of \@lastchclass
      0 -> \hskip \arraycolsep           % lrc
      1 ->                                % |
      2 -> \@preamerr1 % 'Missing @-exp' % @
      3 -> \@preamerr2 % 'Missing p-arg' % p
      4 ->                                % @-exp
      5 -> \hskip \arraycolsep           % p-exp
    end case
```

```

END

\@arrayclassz ==
BEGIN
  \@preamble := \@preamble *
  case of \@lastchclass
    0 -> \hskip \arraycolsep \@addamp \hskip
\arraycolsep
    1 -> \@addamp \hskip \arraycolsep
    2 -> % impossible
    3 -> % impossible
    4 -> \@addamp
    5 -> \hskip \arraycolsep \@addamp \hskip
\arraycolsep
    6 -> \@addamp \hskip \arraycolsep
  end case
  * case of \@chnum
    0 -> \hfil$\relax\@sharp$\hfil
    1 -> $\relax\@sharp$\hfil
    2 -> \hfil$\relax\@sharp$
  end case
END

\@tabclassz == similar to \@arrayclassz

\@classi ==
BEGIN
  \@preamble := \@preamble *
  case of \@lastchclass
    0 -> \hskip \arraycolsep \@arrayrule
    1 -> \hskip \doublerulesep \@arrayrule
    2 -> % impossible
    3 -> % impossible
    4 -> \@arrayrule
    5 -> \hskip \arraycolsep \@arrayrule
    6 -> \@arrayrule
  end case
END

\@classii ==
BEGIN
  \@preamble := \@preamble *
  case of \@lastchclass
    0 ->
    1 -> \hskip .5\arrayrulewidth
    2 -> % impossible
    else ->
  end case
END

```

```

\@classiii ==
BEGIN
  \@preamble := \@preamble *
    case of \@lastchclass
      0 -> \hskip \arraycolsep \@addamp \hskip
\arraycolsep
      1 -> \@addamp \hskip \arraycolsep
      2 -> % impossible
      3 -> % impossible
      4 -> \@addamp
      5 -> \hskip \arraycolsep \@addamp \hskip
\arraycolsep
      6 -> \@addamp \hskip \arraycolsep
    end case
END

\@arrayclassiv ==
BEGIN \@preamble := \@preamble * $ \@nextchar$ END

\@tabclassiv == same as \@arrayclassv except without the $ ... $

\@classv ==
BEGIN
  \@preamble :=
    \@preamble * \@startpbox{\@nextchar}\ignorespaces\@sharp
    \@endpbox
END

\@expast{S}:
Sets \reserved@a := S with all instances of *{N}{STRING}
replaced by N copies of STRING, where N > 0. An *
appearing inside braces is ignored, but *-expressions
inside STRING are expanded, so nested *-expressions are
handled properly.

\@expast{S} == BEGIN \@expast S *0x\@@ END

\@expast S1 *{N}{S2} S3 \@@ ==
BEGIN
  \reserved@a := S1
  \@tempcnta := N
  if \@tempcnta > 0
    then while \@tempcnta > 0 do \reserved@a := \reserved@a S2
      \@tempcnta := \@tempcnta - 1 od
    \reserved@b == \@expast
    else \reserved@b == \@exnoop
  fi
  \expandafter \reserved@b \reserved@a S3 \@@
END

```

```

\@exnoop
199 \def\@exnoop #1\@{ }

\@expast
200 \def\@expast#1{\@expast #1*0x\@{ }

\@xexpast
201 \def\@xexpast#1*#2#3#4\@{ %
202   \edef\reserved@a{#1}%
203   \@tempcnta#2\relax
204   \ifnum\@tempcnta>\z@
205     \@whilenum\@tempcnta>\z@\do
206       {\edef\reserved@a{\reserved@a#3}\advance\@tempcnta \m@ne}%
207     \let\reserved@b\@xexpast
208   \else
209     \let\reserved@b\@exnoop
210   \fi
211   \expandafter\reserved@b\reserved@a #4\@{ }

\if@firstamp
\@addamp 212 \newif\if@firstamp
213 \def\@addamp{%
214   \if@firstamp
215     \@firstampfalse
216   \else
217     \edef\@preamble{\@preamble &}%
218   \fi}

\@arrayacol
\@tabacol 219 \def\@arrayacol{\edef\@preamble{\@preamble \hskip \arraycolsep}}
\@ampacol 220 \def\@tabacol{\edef\@preamble{\@preamble \hskip \tabcolsep}}
\@acolampacol 221 \def\@ampacol{\@addamp \@acol}
222 \def\@acolampacol{\@acol\@addamp\@acol}

\@mkpream
223 \def\@mkpream#1{\@firstamptrue\@lastchclass6
224   \let\@preamble\@empty
225   \let\protect\@unexpandable@protect
226   \let\@sharp\relax
227   \let\@startpbox\relax\let\@endpbox\relax
228   \@expast{#1}%
229   \expandafter\@tfor \expandafter
230     \@nextchar \expandafter:\expandafter=\reserved@a\do
231     {\@testpach\@nextchar
232       \ifcase \@chclass \@classz \or \@classi \or \@classii \or \@classiii
233         \or \@classiv \or \@classv \fi\@lastchclass\@chclass}%
234   \ifcase \@lastchclass \@acol
235     \or \or \@preamerr \@ne\or \@preamerr \tw@\or \or \@acol \fi}

\@arrayclassz
236 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
237   \or \or \@addamp \or
238   \@acolampacol \or \@firstampfalse \@acol \fi}

```

```

239 \edef\@preamble{\@preamble
240 \ifcase \@chnum
241 \hfil$\relax\@sharp$\hfil \or $\relax\@sharp$\hfil
242 \or \hfil$\relax\@sharp$\fi}}

\@tabclassz RmS 91/08/14 inserted extra braces around entry for NFSS
243 \def\@tabclassz{%
244 \ifcase\@lastchclass
245 \@acolampacol
246 \or
247 \@ampacol
248 \or
249 \or
250 \or
251 \@addamp
252 \or
253 \@acolampacol
254 \or
255 \@firstampfalse\@acol
256 \fi
257 \edef\@preamble{%
258 \@preamble{%
259 \ifcase\@chnum
260 \hfil\ignorespaces\@sharp\unskip\hfil
261 \or
262 \hspace{1sp}\ignorespaces\@sharp\unskip\hfil
263 \or
264 \hfil\hspace{1sp}\ignorespaces\@sharp\unskip
265 \fi}}

\@classi
266 \def\@classi{%
267 \ifcase\@lastchclass
268 \@acol\@arrayrule
269 \or
270 \@addtopreamble{\hspace{\doublerulesep}\@arrayrule
271 \or
272 \or
273 \or
274 \@arrayrule
275 \or
276 \@acol\@arrayrule
277 \or
278 \@arrayrule
279 \fi}

\@classii
280 \def\@classii{%
281 \ifcase\@lastchclass
282 \or
283 \@addtopreamble{\hspace{.5\arrayrulewidth}}%
284 \fi}

```

```

\@classiii
285 \def\@classiii{\ifcase \@lastchclass \@acolampacol \or
286   \@addamp\@acol \or
287   \or \or \@addamp \or
288   \@acolampacol \or \@ampacol \fi}

\@tabclassiv
289 \def\@tabclassiv{\@addtopreamble\@nextchar}

\@arrayclassiv
290 \def\@arrayclassiv{\@addtopreamble{$\@nextchar$}}

\@classv
291 \def\@classv{\@addtopreamble{\@startpbox{\@nextchar}\ignorespaces
292 \@sharp\@endpbox}}

\@addtopreamble
293 \def\@addtopreamble#1{\edef\@preamble{\@preamble #1}}

\@chclass
\@lastchclass 294 \newcount\@chclass
\@chnum 295 \newcount\@lastchclass
296 \newcount\@chnum

\arraycolsep
\@tabcolsep 297 \newdimen\arraycolsep
\arrayrulewidth 298 \newdimen\@tabcolsep
\@doublerulesep 299 \newdimen\arrayrulewidth
300 \newdimen\@doublerulesep

\arraystretch
301 \def\arraystretch{1} % Default value.

\@arstrutbox
\@arstrut 302 \newbox\@arstrutbox
303 \def\@arstrut{%
304   \relax\ifmmode\copy\@arstrutbox\else\unhcopy\@arstrutbox\fi}

\@arrayrule
305 \def\@arrayrule{\@addtopreamble{\hskip -.5\arrayrulewidth
306   \vrule \@width \arrayrulewidth\hskip -.5\arrayrulewidth}}

\@testpatch
307 \def\@testpatch#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
308   \ifnum \@lastchclass=3 5 \else
309   \z@ \if #1c\@chnum \z@ \else
310     \if #1l\@chnum \@ne \else
311     \if #1r\@chnum \tw@ \else
312     \@chclass \if #1|\@ne \else
313     \if #1@\tw@ \else
314     \if #1p3 \else \z@ \@preamerr 0\fi
315   \fi \fi \fi \fi \fi \fi
316 \fi}

```

```

\hline
317 \def\hline{%
318   \noalign{\ifnum0='}\fi\hrule \@height \arrayrulewidth \futurelet
319   \reserved@a\@xhline}

\@xhline
320 \def\@xhline{\ifx\reserved@a\hline
321               \vskip\doublerulesep
Measure from the middle of the rules.
322               \vskip-\arrayrulewidth
323               \fi
324               \ifnum0='{ \fi}}

\vline
325 \def\vline{\vrule \@width \arrayrulewidth}

\cline The old LATEX 2.09 implementation of \cline used up quite a lot of memory and
\@cline two precious count registers. This new (1995/09/14) implementation does not use
any count registers. It is coded in a way that depends heavily on the definition of
\multispan so that command has been moved here from the file ltplain.dtx.
These counters are no longer declared.

\newcount\@cla
\newcount\@clb

326 \def\cline#1{\@cline#1\@nil}

327 \def\@cline#1-#2\@nil{%
328   \omit

Use the counter from \multispan.
329   \@multicnt#1%
330   \advance\@multispan\@one
331   \ifnum\@multicnt=\@one\@firstofone{&\omit}\fi
332   \@multicnt#2%
333   \advance\@multicnt-#1%
334   \advance\@multispan\@one

The original had \unskip at this point, but how could a skip get here ???
335   \leaders\hrule\@height\arrayrulewidth\hfill
336   \cr

This is back spacing is fairly horrible, but it is what happened in the old version...
An alternative would be to make \cline look ahead for a following \cline as does
\hline. This would alter the spacing in existing documents so keep the old version
in the kernel. Perhaps a package should do this differently.
337   \noalign{\vskip-\arrayrulewidth}}

\mscount The \mscount counter is no longer declared, saving a csname and a register. It is
declared in compatibility mode.

\multispan Modify \multispan slightly from its plain TEX definition to allow more efficient
\@multispan code sharing with \multicolumn. Also share a count register with \multipt.
\sp@n 338 \def\multispan{\omit\@multispan}

```



```

339 \def\@multispan#1{%
340   \@multicnt#1\relax
341   \loop\ifnum\@multicnt>\@ne \sp@n\repeat}
342 \def\sp@n{\span\omit\advance\@multicnt\m@ne}

\@startpbox Helper macros for ‘p’ columns.
\@endpbox   \@startpbox{\width} text \egroup is essentially \parbox{\width}{\text}
            \@endpbox is essentially \unskip \strut \par \egroup\hfil (Changed 14
            Jan 89) (changed again 1994/05/13)
343 \def\@startpbox#1{\vtop\bgroup \setlength\hsize{#1}\@arrayparboxrestore}
344 \def\@endpbox{\@finalstrut\@arstrutbox\par\egroup\hfil}

            14 Jan 89: Def of \@endpbox changed from
            \def\@endpbox{\par\vskip\dp\@arstrutbox\egroup\hfil}
            so vertical spacing works out right if the last line of a ‘p’ entry has a descender.

\@@startpbox
\@@endpbox 345 \let\@@startpbox=\@startpbox
346 \let\@@endpbox=\@endpbox

347 \endkernel

```

File D

ltpictur.dtx

57 Picture Mode

Picture mode commands. In addition to the commands available in L^AT_EX2.09, This section adds the new `\qbezier` command for drawing curves.

`\qbezier` `\qbezier[$\langle N \rangle$]($\langle AX,AY \rangle$)($\langle BX,BY \rangle$)($\langle CX,CY \rangle$)` plots a quadratic Bezier curve from ($\langle AX,AY \rangle$) to ($\langle CX,CY \rangle$), with ($\langle BX,BY \rangle$) as the third Bezier point, using $N + 1$ points equally spaced parametrically. If $N = 0$ (the default value), then a sufficient number of points are used to draw a connected curve—except that at most `\qbeziermax` + 1 points are drawn. A “point” is a square of side `\@wholewidth`.

`\bezier` In addition, to be compatible with the old `bezier` package, a variant of this command, `\bezier`, is defined, in which the first argument is not optional.

<code>\unitlength</code>	= value of dimension argument
<code>\@wholewidth</code>	= current line width
<code>\@halfwidth</code>	= half of current line width
<code>\@linefnt</code>	= font for drawing lines
<code>\@circlefnt</code>	= font for drawing circles

`\linethickness{DIM}` : Sets the width of horizontal and vertical lines in a picture to DIM. Does not change width of slanted lines or circles. Width of all lines reset by `\thinlines` and `\thicklines`

```
\picture(XSIZE,YSIZE)(XORG,YORG)
  BEGIN
    \@picht :=L YSIZE * \unitlength
    box \@picbox :=
      \hb@xt@ XSIZE * \unitlength
      {\hskip -XORG * \unitlength
       \lower YORG * \unitlength
       \hbox{
         \ignorespaces      %% added 13 June 89
       }
    }
  END
```

```
\endpicture ==
  BEGIN
    } \hss }
    height of \@picbox := \@picht
    depth of \@picbox := 0
    \mbox{\box\@picbox}    %% change 26 Aug 91
  END
```

```
\put(X, Y){OBJ} ==
  BEGIN
```

```

\@killglue
\raise Y * \unitlength \hb@xt@ 0pt { \hskip X * \unitlength
                                OBJ \hss
}
\ignorespaces
END

```

```

\multiput(X,Y)(DELX,DELY){N}{OBJ} ==
BEGIN
\@killglue
\@multicnt := N
\@xdim := X * \unitlength
\@ydim := Y * \unitlength
while \@multicnt > 0
do \raise \@ydim \hb@xt@ 0pt { \hskip \@xdim
                                OBJ \hss }
\@multicnt := \@multicnt - 1
\@xdim := \@xdim + DELX * \unitlength
\@ydim := \@ydim + DELY * \unitlength
od
\ignorespaces
END

```

`\shortstack[POS]{TEXT}` : Makes a `\vbox` containing TEXT stacked as a one-column array, positioned l, r or c as indicated by POS.

The ‘2ekernel’ code ensures that a `\usepackage{autopict}` is essentially ignored if a ‘full’ format is being used that has picture mode already in the format.

```
1 (2ekernel)\expandafter\let\csname ver@autopict.sty\endcsname\fmtversion
```

```

\@wholewidth
\@halfwidth 2 (*2ekernel)
3 \newdimen\@wholewidth
4 \newdimen\@halfwidth

\unitlength
5 \newdimen\unitlength \unitlength =1pt

\@picbox
\@picht 6 \newbox\@picbox
7 \newdimen\@picht

\picture #1 should be white space.

\pictur@ #1 should be a ( (eating any white space before the bracket),
8 \long\gdef\picture#1{\pictur@#1}
9 \gdef\pictur@(#1){%
10 \@ifnextchar({\@picture(#1)}{\@picture(#1)(0,0)}}

```

```

\@picture
11 \gdef\@picture(#1,#2)(#3,#4){%
12   \@picht#2\unitlength
13   \setbox\@picbox\hb@xt@#1\unitlength\bgroup
14     \hskip -#3\unitlength
15     \lower #4\unitlength\hbox\bgroup
16       \ignorespaces}

\endpicture
17 \gdef\endpicture{%
18   \egroup\hss\egroup
19   \ht\@picbox\@picht\dp\@picbox\z@
20   \mbox{\box\@picbox}}

In the definitions of \put and \multiput, \hskip was replaced by \kern just
in case arg #3 = "plus". (Bug detected by Don Knuth. changed 20 Jul 87).

21 \long\gdef\put(#1,#2)#3{%
22   \@killglue\raise#2\unitlength
23   \hb@xt@#3\z@{\kern#1\unitlength #3\hss}%
24   \ignorespaces}

\multiput #3 had better be a (.
25 \gdef\multiput(#1,#2)#3{%
26   \@xdim #1\unitlength
27   \@ydim #2\unitlength
28   \@multiput{ }

\multiput
29 \long\gdef\@multiput(#1,#2)#3#4{%
30   \@killglue\@multicnt #3\relax
31   \@whilenum \@multicnt >\z@\do
32     {\raise\@ydim\hb@xt@#4\z@{\kern\@xdim #4\hss}%
33     \advance\@multicnt\m@ne
34     \advance\@xdim#1\unitlength\advance\@ydim#2\unitlength}%
35   \ignorespaces}

\@killglue
36 \gdef\@killglue{\unskip\@whiledim \lastskip >\z@\do{\unskip}}

\thinlines
\thicklines
37 \gdef\thinlines{\let\@linefnt\tenln \let\@circlefnt\tencirc
38   \@wholewidth\fontdimen8\tenln \@halfwidth .5\@wholewidth}
39 \gdef\thicklines{\let\@linefnt\tenlnw \let\@circlefnt\tencircw
40   \@wholewidth\fontdimen8\tenlnw \@halfwidth .5\@wholewidth}

\linethickness
41 \gdef\linethickness#1{\@wholewidth #1\relax \@halfwidth .5\@wholewidth}

\ishortstack
42 \gdef\shortstack{\@ifnextchar[\@shortstack{\@shortstack[c]}}

```

```

\@ishortstack
43 \gdef\@shortstack[#1]{%
44   \leavevmode
45   \vbox\bgroup
46   \baselineskip-\p@\lineskip 3\p@
47   \let\mb@l\hss\let\mb@r\hss
48   \expandafter\let\csname mb@#1\endcsname\relax
49   \let\\\@stackcr
50   \@ishortstack}

\@ishortstack
51 \gdef\@ishortstack#1{\ialign{\mb@l {##}\unskip\mb@r\cr #1\cr}\egroup}

\@stackcr
\@ixstackcr
52 \gdef\@stackcr{\@ifstar\@ixstackcr\@ixstackcr}
53 \gdef\@ixstackcr{\@ifnextchar[\@istackcr{\cr\ignorespaces}}

\@istackcr
54 \gdef\@istackcr[#1]{\cr\noalign{\vskip #1}\ignorespaces}

\line(X,Y){LEN} ==
BEGIN
  \@xarg    := X
  \@yarg    := Y
  \@linelen := LEN * \unitlength
  if \@xarg = 0
    then \vline
    else if \@yarg = 0
      then \hline
      else \sline
    if
  if
END

\@sline ==
BEGIN
  if \@xarg < 0
    then @negarg := T
      \@xarg := -\@xarg
      \@yyarg := -\@yarg
    else @negarg := F
      \@yyarg := \@yarg
  fi
  \@tempcnta := |\@yyarg|
  if \@tempcnta > 6
    then error: 'LATEX ERROR: Illegal \line or \vector argument.'
      \@tempcnta := 0
  fi
  \box\@linechar := \hbox{\@linefnt \@getlinechar(\@xarg,\@yyarg)}
}

```

```

if \@yarg > 0 then \@upordown = \raise
    \@clnht := 0
else \@upordown = \lower
    \@clnht := height of \box\@linechar
fi
\@clnwd := width of \box\@linechar
if @negarg
then \hskip - width of \box\@linechar
    \reserved@a == \hskip - 2* width of box \@linechar
else \reserved@a == \relax
fi
%% Put out integral number of line segments
while \@clnwd < \@linelen
do \upordown \@clnht \copy\@linechar
    \reserved@a
    \@clnht := \@clnht + ht of \box\@linechar
    \@clnwd := \@clnwd + width of \box\@linechar
od

%% Put out last segment
\@clnht := \@clnht - height of \box\@linechar
\@clnwd := \@clnwd - width of \box\@linechar
\@tempdima := \@linelen - \@clnwd
\@tempdimb := \@tempdima - width of \box\@linechar
if @negarg then \hskip -\@tempdimb
else \hskip \@tempdimb
fi
\@tempdima := 1000 * \@tempdima
\@tempcnta := \@tempdima / width of \box\@linechar
\@tempdima := (\@tempcnta * ht of \box\@linechar)/1000
\@clnht := \@clnht + \@tempdima
if \@linelen < width of box\@linechar
then \hskip width of box\@linechar
else \hbox{\@upordown \@clnht \copy\@linechar}
fi
END

\@hline ==
BEGIN
if \@xarg < 0 then \hskip -\@linelen \fi
\vrule height \@halfwidth depth \@halfwidth width \@linelen
if \@xarg < 0 then \hskip -\@linelen \fi
END

\@vline == if \@yarg < 0 \@downline else \@upline fi

\@getlinechar(X,Y) ==
BEGIN
\@tempcnta := 8*X - 9

```

```

        if Y > 0
            then \@tempcnta := \@tempcnta + Y
            else \@tempcnta := \@tempcnta - Y + 64
        fi
        \char\@tempcnta
    END

\vector(X,Y){LEN} ==
BEGIN
    \@xarg := X
    \@yarg := Y
    \@linelen := LEN * \unitlength
    if \@xarg = 0
        then \@vvector
        else if \@yarg = 0
            then \@hvector
            else \@svector
        if
    if
END

\@hvector ==
BEGIN
    \@hline
    {\@linefnt if \@xarg < 0 then \@getlarrow(1,0)
                                     else \@getrarrow(1,0)
    fi}
END

\@vvector == if \@yarg < 0 \@downvector else \@upvector fi

\@svector ==
BEGIN
    \@sline
    \@tempcnta := |\@yarg|
    if \@tempcnta < 5
        then \hskip - width of \box\@linechar
            \@upordown \@clnht \hbox
            {\@linefnt
                if @negarg then \@getlarrow(\@xarg,\@yyarg)
                else \@getrarrow(\@xarg,\@yyarg)
            fi }
        else error: 'LATEX ERROR: Illegal \line or \vector argument.'
    fi
END

\@getlarrow(X,Y) ==
BEGIN
    if Y = 0
        then \@tempcnta := '33

```

```

else \@tempcnta := 16 * X - 9
    \@tempcntb := 2 * Y
    if \@tempcntb > 0
        then \@tempcnta := \@tempcnta + \@tempcntb
        else \@tempcnta := \@tempcnta - \@tempcntb + 64
    fi
fi
\char\@tempcnta
END

\@getrarrow(X,Y) ==
BEGIN
    \@tempcntb := |Y|
    case of \@tempcntb
        0 : \@tempcnta := '55
        1 : if X < 3
            then \@tempcnta := 24*X - 6
            else if X = 3
                then \@tempcnta := 49
                else \@tempcnta := 58 fi
            fi
        2 : if X < 3
            then \@tempcnta := 24*X - 3
            else \@tempcnta := 51 % X must = 3
            fi
        3 : \@tempcnta := 16*X - 2
        4 : \@tempcnta := 16*X + 7
    endcase
    if Y < 0
        then \@tempcnta := \@tempcnta + 64
    fi
    \char\@tempcnta
END

\if@negarg
55 \newif\if@negarg

\line
56 \gdef\line(#1,#2)#3{\@xarg #1\relax \@yarg #2\relax
57 \@linelen #3\unitlength
58 \ifdim\@linelen<\z@\@badlinearg\else
59 \ifnum\@xarg =\z@ \@vline
60 \else \ifnum\@yarg =\z@ \@hline \else \@sline\fi
61 \fi
62 \fi}

\@sline
63 \gdef\@sline{%
64 \ifnum\@xarg<\z@ \@negargtrue \@xarg -\@xarg \@yyarg -\@yarg
65 \else \@negargfalse \@yyarg \@yarg \fi
66 \ifnum \@yyarg >\z@ \@tempcnta\@yyarg \else \@tempcnta -\@yyarg \fi

```



```

67 \ifnum \@tempcnta>6 \@badlinearg \@tempcnta \z@ \fi
68 \ifnum \@xarg>6 \@badlinearg \@xarg \ne \fi
69 \setbox \@linechar \hbox{\@linefnt\@getlinechar(\@xarg,\@yyarg)}%

```

If we have something like `\line(5,5){30}` the `\@linechar` will not contain a char and later on we will end in an infinite loop. So we check the width of the box and put in something as an emergency fix if necessary.

```

70 \ifdim \wd \@linechar=\z@
71   \setbox \@linechar \hbox{.}%
72   \@badlinearg
73 \fi
74 \ifnum \@yarg >\z@ \let \@upordown \raise \@clnht \z@
75   \else \let \@upordown \lower \@clnht \ht \@linechar \fi
76 \@clnwd \wd \@linechar
77 \if@negarg
78   \hskip -\wd \@linechar \def \reserved@a {\hskip -2\wd \@linechar}%
79 \else
80   \let \reserved@a \relax
81 \fi
82 \@whiledim \@clnwd <\@linelen \do
83   {\@upordown \@clnht \copy \@linechar
84     \reserved@a
85     \advance \@clnht \ht \@linechar
86     \advance \@clnwd \wd \@linechar}%
87 \advance \@clnht -\ht \@linechar
88 \advance \@clnwd -\wd \@linechar
89 \@tempdima \@linelen \advance \@tempdima -\@clnwd
90 \@tempdimb \@tempdima \advance \@tempdimb -\wd \@linechar
91 \if@negarg \hskip -\@tempdimb \else \hskip \@tempdimb \fi
92 \multiply \@tempdima \@m
93 \@tempcnta \@tempdima
94 \@tempdima \wd \@linechar \divide \@tempcnta \@tempdima
95 \@tempdima \ht \@linechar \multiply \@tempdima \@tempcnta
96 \divide \@tempdima \@m
97 \advance \@clnht \@tempdima
98 \ifdim \@linelen <\wd \@linechar
99   \hskip \wd \@linechar

```

Warn if line gets so short that it can't be printed. But don't warn if it is exactly zero since that was probably deliberate (e.g., to get a vector head only).

```

100 \ifdim \@linelen = \z@
101   \else
102     \@picture@warn
103   \fi
104 \else \@upordown \@clnht \copy \@linechar \fi}

```

`\@hline`

```

105 \gdef \@hline{\ifnum \@xarg <\z@ \hskip -\@linelen \fi
106 \vrule \@height \@halfwidth \@depth \@halfwidth \@width \@linelen
107 \ifnum \@xarg <\z@ \hskip -\@linelen \fi}

```

`\getlinechar`

```

108 \gdef \@getlinechar(#1,#2){\@tempcnta#1\relax \multiply \@tempcnta 8%
109   \advance \@tempcnta -9\ifnum #2>\z@ \advance \@tempcnta #2\relax \else

```

```

110 \advance\@tempcnta -#2\relax\advance\@tempcnta 64 \fi
111 \char\@tempcnta}

\vector
112 \gdef\vector(#1,#2)#3{\@xarg #1\relax \@yarg #2\relax
113 \@tempcnta \ifnum\@xarg<\z@ -\@xarg\else\@xarg\fi
114 \ifnum\@tempcnta<5\relax
115 \@linelen #3\unitlength
116 \ifdim\@linelen<\z@\@badlinearg\else
117 \ifnum\@xarg =\z@ \@vvector
118 \else \ifnum\@yarg =\z@ \@hvector \else \@svector\fi
119 \fi
120 \fi
121 \else\@badlinearg\fi}

\@hvector
122 \gdef\@hvector{\@hline\hb@xt@\z@{\@linefnt
123 \ifnum \@xarg <\z@ \@getlarrow(1,0)\hss\else
124 \hss\@getrarrow(1,0)\fi}}

\@vvector
125 \gdef\@vvector{\ifnum \@yarg <\z@ \@downvector \else \@upvector \fi}

\@svector
126 \gdef\@svector{\@sline
127 \@tempcnta\@yarg \ifnum\@tempcnta <\z@ \@tempcnta -\@tempcnta\fi
128 \ifnum\@tempcnta <5%
129 \hskip -\wd\@linechar
130 \@upordown\@clnht \hbox{\@linefnt \if@negarg
131 \@getlarrow(\@xarg,\@yyarg)\else \@getrarrow(\@xarg,\@yyarg)\fi}%
132 \else\@badlinearg\fi}

\@getlarrow
133 \gdef\@getlarrow(#1,#2){\ifnum #2=\z@ \@tempcnta 27 % '33
134 \else
135 \@tempcnta #1\relax\multiply\@tempcnta \sixt@@n
136 \advance\@tempcnta -9 \@tempcntb #2\relax\multiply\@tempcntb \tw@
137 \ifnum \@tempcntb >\z@ \advance\@tempcnta \@tempcntb
138 \else\advance\@tempcnta -\@tempcntb\advance\@tempcnta 64
139 \fi\fi\char\@tempcnta}

\@getrarrow
140 \gdef\@getrarrow(#1,#2){\@tempcntb #2\relax
141 \ifnum\@tempcntb <\z@ \@tempcntb -\@tempcntb\relax\fi
142 \ifcase \@tempcntb\relax \@tempcnta 45 % '55
143 \or
144 \ifnum #1<\thr@@ \@tempcnta #1\relax\multiply\@tempcnta
145 24\advance\@tempcnta -6 \else \ifnum #1=\thr@@ \@tempcnta 49
146 \else\@tempcnta 58 \fi\fi\or
147 \ifnum #1<\thr@@ \@tempcnta=#1\relax\multiply\@tempcnta
148 24\advance\@tempcnta -\thr@@ \else \@tempcnta 51 \fi\or
149 \@tempcnta #1\relax\multiply\@tempcnta

```

```

150 \sixt@@n \advance\@tempcnta -\tw@ \else
151 \@tempcnta #1\relax\multiply\@tempcnta
152 \sixt@@n \advance\@tempcnta 7 \fi\ifnum #2<\z@ \advance\@tempcnta 64 \fi
153 \char\@tempcnta}

\@vline
154 \gdef\@vline{\ifnum \@yarg <\z@ \@downline \else \@upline\fi}

\@upline
155 \gdef\@upline{%
156   \hb@xt@\z@{\hskip -\@halfwidth \vrule \@width \@wholewidth
157     \@height \@linelen \@depth \z@\hss}}

\@downline
158 \gdef\@downline{%
159   \hb@xt@\z@{\hskip -\@halfwidth \vrule \@width \@wholewidth
160     \@height \z@ \@depth \@linelen \hss}}

\@upvector
161 \gdef\@upvector{\@upline\setbox\@tempboxa\hbox{\@linefnt\char 54}% '66
162   \raise \@linelen \hb@xt@\z@{\lower \ht\@tempboxa\box\@tempboxa\hss}}

\@downvector
163 \gdef\@downvector{\@downline\lower \@linelen
164   \hb@xt@\z@{\@linefnt\char 63 % '77
165     \hss}}

\dashbox{D}(X,Y) ==
  BEGIN
  leave vertical mode
  \hb@xt@ 0pt {
    \baselineskip := 0pt
    \lineskip := 0pt
    %% HORIZONTAL DASHES
    \@dashdim := X * \unitlength
    \@dashcnt := \@dashdim + 200 % to prevent roundoff error
    \@dashdim := D * \unitlength
    \@dashcnt := \@dashcnt / \@dashdim
    if \@dashcnt is odd
    then \@dashdim := 0pt
        \@dashcnt := (\@dashcnt + 1) / 2
    else \@dashdim := \@dashdim / 2
        \@dashcnt := \@dashcnt / 2 - 1
        \box\@dashbox := \hbox{\vrule height \@halfwidth
          depth \@halfwidth width \@dashdim}
        \put(0,0){\copy\@dashbox}
        \put(0,Y){\copy\@dashbox}
        \put(X,0){\hskip -\@dashdim\copy\@dashbox}
        \put(X,Y){\hskip -\@dashdim\box\@dashbox}
        \@dashdim := 3 * \@dashdim
    fi
  }

```

```

\box\@dashbox := \hbox{\vrule height \@halfwidth
                        depth \@halfwidth width D * \unitlength
                        \hskip D * \unitlength}

\@tempcnta := 0
\put(0,0){\hskip \@dashdim
          while \@tempcnta < \@dashcnt
            do \copy\@dashbox
              \@tempcnta := \@tempcnta + 1
            od
          }
\@tempcnta := 0
\put(0,Y){\hskip \@dashdim
          while \@tempcnta < \@dashcnt
            do \copy\@dashbox
              \@tempcnta := \@tempcnta + 1
            od
          }

%% vertical dashes
\@dashdim := Y * \unitlength
\@dashcnt := \@dashdim + 200 % to prevent roundoff error
\@dashdim := D * \unitlength
\@dashcnt := \@dashcnt / \@dashdim
if \@dashcnt is odd
  then \@dashdim := 0pt
       \@dashcnt := (\@dashcnt + 1) / 2
  else \@dashdim := \@dashdim / 2
       \@dashcnt := \@dashcnt / 2 - 1
       \box\@dashbox := \hbox{\hskip -\@halfwidth
                               \vrule width \@wholewidth
                               height \@dashdim }

       \put(0,0){\copy\@dashbox}
       \put(X,0){\copy\@dashbox}
       \put(0,Y){\lower\@dashdim\copy\@dashbox}
       \put(X,Y){\lower\@dashdim\copy\@dashbox}
       \@dashdim := 3 * \@dashdim
fi
\box\@dashbox := \hbox{\vrule width \@wholewidth
                        height D * \unitlength }

\@tempcnta := 0
\put(0,0){\hskip -\halfwidth
          \vbox{while \@tempcnta < \@dashcnt
                do \vskip D*\unitlength
                  \copy\@dashbox
                  \@tempcnta := \@tempcnta + 1
                od
                \vskip \@dashdim
              } }
\@tempcnta := 0
\put(X,0){\hskip -\halfwidth

```

```

        \vbox{while \@tempcnta < \@dashcnt
            do \vskip D*\unitlength
              \copy\@dashbox
              \@tempcnta := \@tempcnta + 1
            od
            \vskip \@dashdim
          }
        }
    } % END DASHES

\@makepicbox(X,Y)
END

\dashbox
166 \gdef\dashbox#1(#2,#3){\leavevmode\hb@xt@\z@{\baselineskip \z@skip
167 \lineskip \z@skip
168 \@dashdim #2\unitlength
169 \@dashcnt \@dashdim \advance\@dashcnt 200
170 \@dashdim #1\unitlength\divide\@dashcnt \@dashdim
171 \ifodd\@dashcnt\@dashdim \z@
172 \advance\@dashcnt \@one \divide\@dashcnt \tw@
173 \else \divide\@dashdim \tw@ \divide\@dashcnt \tw@
174 \advance\@dashcnt \m@ne
175 \setbox\@dashbox \hbox{\vrule \@height \@halfwidth \@depth \@halfwidth
176 \@width \@dashdim}\put(0,0){\copy\@dashbox}%
177 \put(0,#3){\copy\@dashbox}%
178 \put(#2,0){\hskip-\@dashdim\copy\@dashbox}%
179 \put(#2,#3){\hskip-\@dashdim\box\@dashbox}%
180 \multiply\@dashdim \thr@@
181 \fi
182 \setbox\@dashbox \hbox{\vrule \@height \@halfwidth \@depth \@halfwidth
183 \@width #1\unitlength\hskip #1\unitlength}\@tempcnta\z@
184 \put(0,0){\hskip\@dashdim \@whilenum \@tempcnta <\@dashcnt
185 \do{\copy\@dashbox\advance\@tempcnta \@one }}\@tempcnta\z@
186 \put(0,#3){\hskip\@dashdim \@whilenum \@tempcnta <\@dashcnt
187 \do{\copy\@dashbox\advance\@tempcnta \@one }}%
188 \@dashdim #3\unitlength
189 \@dashcnt \@dashdim \advance\@dashcnt 200
190 \@dashdim #1\unitlength\divide\@dashcnt \@dashdim
191 \ifodd\@dashcnt \@dashdim \z@
192 \advance\@dashcnt \@one \divide\@dashcnt \tw@
193 \else
194 \divide\@dashdim \tw@ \divide\@dashcnt \tw@
195 \advance\@dashcnt \m@ne
196 \setbox\@dashbox\hbox{\hskip -\@halfwidth
197 \vrule \@width \@wholewidth
198 \@height \@dashdim}\put(0,0){\copy\@dashbox}%
199 \put(#2,0){\copy\@dashbox}%
200 \put(0,#3){\lower\@dashdim\copy\@dashbox}%
201 \put(#2,#3){\lower\@dashdim\copy\@dashbox}%
202 \multiply\@dashdim \thr@@
203 \fi
204 \setbox\@dashbox\hbox{\vrule \@width \@wholewidth

```

```

205 \@height #1\unitlength}\@tempcnta\z@
206 \put(0,0){\hskip -\@halfwidth \vbox{\@whilenum \@tempcnta <\@dashcnt
207 \do{\vskip #1\unitlength\copy\@dashbox\advance\@tempcnta \@ne }%
208 \vskip\@dashdim}}\@tempcnta\z@
209 \put(#2,0){\hskip -\@halfwidth \vbox{\@whilenum \@tempcnta<\@dashcnt
210 \do{\vskip #1\unitlength\copy\@dashbox\advance\@tempcnta \@ne }%
211 \vskip\@dashdim}}}\@makepicbox(#2,#3)}

```

CIRCLES AND OVALS

USER COMMANDS:

`\circle{D}` : Produces the circle with the diameter as close as possible to $D * \text{\unitlength}$. `\put(X,Y){\circle{D}}` puts the circle with its center at (X,Y).

`\oval(X,Y)` : Makes an oval as round as possible that fits in the rectangle of width $X * \text{\unitlength}$ and height $Y * \text{\unitlength}$. The reference point is the center.

`\oval(X,Y)[POS]` : Save as `\oval(X,Y)` except it draws only the half or quadrant of the oval indicated by POS. E.G., `\oval(X,Y)[t]` draws just the top half and `\oval(X,Y)[br]` draws just the bottom right quadrant. In all cases, the reference point is the same as the unqualified `\oval(X,Y)` command.

`\@ovvert {DELTA1} {DELTA2}` : Makes a vbox containing either the left side or the right side of the oval being constructed. The baseline will coincide with the outside bottom edge of the oval; the left side of the box will coincide with the left edge of the vertical rule. The width of the box will be `\@tempdima`.

DELTA1 and DELTA2 are added to the character number in `\@tempcnta` to get the characters for the top and bottom quarter circle pieces.

`\@ovhorz` : Makes an hbox containing the straight rule for either the top or the bottom of the oval being constructed. The baseline will coincide with bottom edge of the rule; the left side of the box will coincide with the left side of the oval. The width of the box will be `\@ovxx`.

`\@getcirc {DIAM}` : Sets `\@tempcnta` to the character number of the top-right quarter circle with the largest diameter less than or equal to DIAM. Sets `\@tempboxa` to an hbox containing that character. Sets `\@tempdima` to `\wd \@tempboxa`, which is the distance from the circle's left outside edge to its right inside edge. (These characters are like those described in the

TeXbook, pp. 389-90.)

```

\@getcirc {DIAM} ==
BEGIN
  \@tempcnta      := integer coercion of (DIAM + 2pt)
                                     + 2pt added 1 Nov 88
  \@tempcnta      := \@tempcnta / integer coercion of 4pt
  if \@tempcnta > 10
    then \@tempcnta := 10 fi
  if \@tempcnta > 0
    then \@tempcnta := \@tempcnta-1
    else LaTeX Warning: Oval too small.
    fi
  \@tempcnta      := 4 * \@tempcnta
  \@tempboxa      := \hbox{\@circlefnt \char \@tempcnta}
  \@tempdima      := \wd \@tempboxa
END

\@put{X}{Y}{OBJ} ==
BEGIN
  \raise Y \hb@xt@ 0pt{\hskip X OBJ \hss}
END

\@oval(X,Y)[POS] ==
BEGIN
  \begingroup
  \boxmaxdepth := \maxdimen
  @ovt := @ovb := @ovl := @ovr := true
  for all E in POS
    do @ovE := false od
  \@ovxx      := X * \unitlength
  \@ovyy      := Y * \unitlength
  \@tempdimb := min(\@ovxx,\@ovyy)
  \@getcirc{\@tempdimb-2pt} %% "-2pt" added 7 Dec 89
  \@ovro      := \ht \@tempboxa
  \@ovri      := \dp \@tempboxa
  \@ovdx      := \@ovxx - \@tempdima
  \@ovdx      := \@ovdx/2
  \@ovdy      := \@ovyy - \@tempdima
  \@ovdy      := \@ovdy/2
  \@circlefnt
  \@tempboxa :=
    \hbox{
      if @ovr
        then \@ovvert{3}{2} \kern -\@tempdima
      fi
      if @ovl
        then \kern \@ovxx \@ovvert{0}{1} \kern
-\@tempdima
        \kern -\@ovxx

```

```

        fi
        if @ovt
            then \@ovhorz \@kern -\@ovxx
        fi
        if @ovb
            then \@raise \@ovyy \@ovhorz
        fi
    }
    \@ovdx := \@ovdx + \@ovro
    \@ovdy := \@ovdy + \@ovro
    \ht\@tempboxa := \dp\@tempboxa := 0
    \@put{-\@ovdx}{-\@ovdy}{\box\@tempboxa}
\endgroup
END

\@ovvert {DELTA1} {DELTA2} ==
BEGIN
    \vbox to \@ovyy {
        if @ovb
            then \@tempcntb := \@tempcnta + DELTA1
                \@kern -\@ovro
                \hbox { \char \@tempcntb }
                \nointerlineskip
            else \@kern \@ovri \@kern \@ovdy
        fi
        \leaders \vrule width \@wholewidth \vfil
        \nointerlineskip
        if @ovt
            then \@tempcntb := \@tempcnta + DELTA2
                \hbox { \char \@tempcntb }
            else \@kern \@ovdy \@kern \@ovro
        fi
    }
END

\@ovhorz ==
BEGIN
    \hb@xt@ \@ovxx{
        \@kern \@ovro
        if @ovr
            then
            else \@kern \@ovdx
        fi
        \leaders \hrule height \@wholewidth \hfil
        if @ovl
            then
            else \@kern \@ovdx
        fi
        \@kern \@ovri
    }

```



```

END

\circle{DIAM} ==
BEGIN
  \begingroup
  \boxmaxdepth := maxdimen
  \@tempdimb := DIAM *\unitlength
  if \@tempdimb > 15.5pt
    then \@getcirc{\@tempdimb}
      \@ovro := \ht \@tempboxa
      \@tempboxa := \hbox{
        \@circlefnt
        \@tempcnta := \@tempcnta + 2
        \char \@tempcnta
        \@tempcnta := \@tempcnta - 1
        \char \@tempcnta
        \kern -2\@tempdima
        \@tempcnta := \@tempcnta + 2
        \raise \@tempdima \hbox { \char \@tempcnta }
        \raise \@tempdima \box\@tempboxa
      }
      \ht\@tempboxa := \dp\@tempboxa := 0
      \@put{-\@ovro}{-\@ovro}{\@tempboxa}
    else
      \@circ{\@tempdimb}{96}
  fi
\endgroup
END

```

```

\circle*{DIAM} == \@dot{DIAM} ==
\@circ{DIAM*\unitlength}{112}

```

```

\@circ{DIAM}{CHAR} ==
BEGIN
  \@tempcnta := integer coercion of (DIAM + .5pt)/1pt.
  if \@tempcnta > 15 then \@tempcnta := 15 fi
  if \@tempcnta > 1 then \@tempcnta := \@tempcnta - 1 fi
  \@tempcnta := \@tempcnta + CHAR
  \@circlefnt
  \char \@tempcnta
END

```

\if@ovt If producing the Top Bottom Left or Right of an oval.

\if@ovb 212 \newif\if@ovt

\if@ovl 213 \newif\if@ovb

\if@ovr 214 \newif\if@ovl

215 \newif\if@ovr

\@ovxx

\@ovyy 216 \newdimen\@ovxx

\@ovdx

\@ovdy

\@ovro File D: ltpictur.dtx Date: 2016/03/29 Version v1.11

\@ovri

```

217 \newdimen\@ovyy
218 \newdimen\@ovdx
219 \newdimen\@ovdy
220 \newdimen\@ovro
221 \newdimen\@ovri

```

\advance\@tempdima 2pt\relax added 1 Nov 88 to fix bug in which size of drawn circle not monotonic function of argument of \circle, caused by different rounding for dimensions of large and small circles.

\@getcirc

```

222 \gdef\@getcirc#1{\@tempdima #1\relax \advance\@tempdima 2\p@
223   \@tempcnta\@tempdima
224   \@tempdima 4\p@ \divide\@tempcnta\@tempdima
225   \ifnum \@tempcnta >10\relax
226     \@picture@warn
227     \@tempcnta 10\relax
228   \fi
229   \ifnum \@tempcnta >\z@ \advance\@tempcnta\m@ne
Warn if requirements for oval or circle can't be met.
230   \else \@picture@warn \fi
231   \multiply\@tempcnta 4\relax
232   \setbox \@tempboxa \hbox{\@circlefont
233     \char \@tempcnta}\@tempdima \wd \@tempboxa}

```

\@picture@warn Generic warning for lines, vectors (used in \@sline) and oval or circle (used in \@getcirc) are not available at right size.

```

234 \def\@picture@warn{\@latex@warning{%
235   \string\oval, \string\circle, or \string\line\space
236   size unavailable}}

```

\@put

```

237 \gdef\@put#1#2#3{\raise #2\hb@xt@\z@{\hskip #1#3\hss}}

```

\oval

```

238 \gdef\oval(#1,#2){\@ifnextchar[{\@oval(#1,#2)}{\@oval(#1,#2) []}}
239 \</2kernel>
240 \<latexrelease>\IncludeInRelease{2016/03/31}%
241 \<latexrelease>           {\@ovhlinetrue}%
242 \<latexrelease>           {Avoid almost zero length leaders}%
243 \<*2kernel | latexrelease>

```

\if@ovvline Tests whether horizontal or vertical lines are needed.

```

\if@ovhline 244 \newif\if@ovvline \@ovvlinetrue
245 \newif\if@ovhline \@ovhlinetrue

```

\@oval

```

246 \gdef\@oval(#1,#2)[#3]{\begingroup\boxmaxdepth \maxdimen
247   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
248   \@ovvlinefalse \@ovhlinefalse

```

```

249 \@tfor\reserved@a :=#3\do{\csname @ov\reserved@a false\endcsname}%
250 \@ovxx #1\unitlength
251 \@ovyy #2\unitlength

252 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \@ovvlinetrue
253 \else \@ovyy \ifdim \@ovyy =\@ovxx \else \@ovhlinetrue \fi\fi

254 \advance \@tempdimb -2\p@
255 \@getcirc \@tempdimb
256 \@ovro \ht\@tempboxa \@ovri \dp\@tempboxa
257 \@ovdx\@ovxx \advance\@ovdx -\@tempdima \divide\@ovdx \tw@
258 \@ovdy\@ovyy \advance\@ovdy -\@tempdima \divide\@ovdy \tw@

259 \ifdim \@ovdx >\z@ \@ovhlinetrue \fi
260 \ifdim \@ovdy >\z@ \@ovvlinetrue \fi

261 \@circlefnt \setbox\@tempboxa
262 \hbox{\if@ovr \@ovvert32\kern -\@tempdima \fi
263 \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
264 \if@ovt \@ovhorz \kern -\@ovxx \fi
265 \if@ovb \raise \@ovyy \@ovhorz \fi}\advance\@ovdx\@ovro
266 \advance\@ovdy\@ovro \ht\@tempboxa\z@ \dp\@tempboxa\z@
267 \@put{-\@ovdx}{-\@ovdy}{\box\@tempboxa}%
268 \endgroup

\@ovvert
269 \gdef\@ovvert#1#2{\vbox to\@ovyy{%
270   \if@ovb \@tempcntb \@tempcnta \advance \@tempcntb #1\relax
271   \kern -\@ovro \hbox{\char \@tempcntb}\nointerlineskip
272   \else \kern \@ovri \kern \@ovdy \fi

273   \if@ovvline \leaders\vrule \@width \@wholewidth \fi
274   \vfil \nointerlineskip
275   \if@ovt \@tempcntb \@tempcnta \advance \@tempcntb #2\relax
276   \hbox{\char \@tempcntb}%
277   \else \kern \@ovdy \kern \@ovro \fi}}

\@ovhorz
278 \gdef\@ovhorz{\hb@xt@\@ovxx{\kern \@ovro
279   \if@ovr \else \kern \@ovdx \fi

280   \if@ovhline \leaders\hrule \@height \@wholewidth \fi
281   \hfil
282   \if@ovl \else \kern \@ovdx \fi
283   \kern \@ovri}}

284 </2kernel | latexrelease>
285 <latexrelease>\EndIncludeInRelease
286 <latexrelease>\IncludeInRelease{0000/00/00}%
287 <latexrelease>          {\@ovhlinetrue}%
288 <latexrelease>          {Avoid almost zero length leaders}%
289 <latexrelease>\let\if@ovvline\@undefined
290 <latexrelease>\let\if@ovhline\@undefined
291 <latexrelease>\gdef\@oval(#1,#2)[#3]{\begingroup\boxmaxdepth \maxdimen
292 <latexrelease> \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue

```

```

293 \latexrelease\ @tfor\reserved@a :=#3\do
294 \latexrelease\ {\csname @ov\reserved@a false\endcsname}%
295 \latexrelease\ @ovxx #1\unitlength
296 \latexrelease\ @ovyy #2\unitlength
297 \latexrelease\ @tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \@ovxx\else \@ovyy \fi
298 \latexrelease\ \advance \@tempdimb -2\p@
299 \latexrelease\ @getcirc \@tempdimb
300 \latexrelease\ @ovro \ht\@tempboxa \@ovri \dp\@tempboxa
301 \latexrelease\ @ovdx\@ovxx \advance\@ovdx -\@tempdima \divide\@ovdx \tw@
302 \latexrelease\ @ovdy\@ovyy \advance\@ovdy -\@tempdima \divide\@ovdy \tw@
303 \latexrelease\ @circlefnt \setbox\@tempboxa
304 \latexrelease\ \hbox{\if@ovr \@ovvert32\kern -\@tempdima \fi
305 \latexrelease\ \if@ovl
306 \latexrelease\ \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx
307 \latexrelease\ \fi
308 \latexrelease\ \if@ovt \@ovhorz \kern -\@ovxx \fi
309 \latexrelease\ \if@ovb \raise \@ovyy \@ovhorz \fi}\advance\@ovdx\@ovro
310 \latexrelease\ \advance\@ovdy\@ovro \ht\@tempboxa\z@ \dp\@tempboxa\z@
311 \latexrelease\ \@put{-\@ovdx}{-\@ovdy}{\box\@tempboxa}%
312 \latexrelease\ \endgroup}
313 \latexrelease\ \gdef\@ovvert#1#2{\vbox to\@ovyy{%
314 \latexrelease\ \if@ovb \@tempcntb \@tempcnta \advance \@tempcntb #1\relax
315 \latexrelease\ \kern -\@ovro \hbox{\char \@tempcntb}\nointerlineskip
316 \latexrelease\ \else \kern \@ovri \kern \@ovdy \fi
317 \latexrelease\ \leaders\vrule \@width \@wholewidth\vfil \nointerlineskip
318 \latexrelease\ \if@ovt \@tempcntb \@tempcnta \advance \@tempcntb #2\relax
319 \latexrelease\ \hbox{\char \@tempcntb}%
320 \latexrelease\ \else \kern \@ovdy \kern \@ovro \fi}}
321 \latexrelease\ \gdef\@ovhorz{\hb@xt@\@ovxx{\kern \@ovro
322 \latexrelease\ \if@ovr \else \kern \@ovdx \fi
323 \latexrelease\ \leaders\hrule \@height \@wholewidth \hfil
324 \latexrelease\ \if@ovl \else \kern \@ovdx \fi
325 \latexrelease\ \kern \@ovri}}
326 \latexrelease\ \EndIncludeInRelease
327 \*2kernel)

```

\circle

```
328 \gdef\circle{\@inmatherr\circle\@ifstar\@dot\@circle}
```

\@circle

```

329 \gdef\@circle#1{%
330 \begingroup \boxmaxdepth \maxdimen \@tempdimb #1\unitlength
331 \ifdim \@tempdimb >15.5\p@ \@getcirc\@tempdimb
332 \ovro\ht\@tempboxa
333 \setbox\@tempboxa\hbox{\@circlefnt
334 \advance\@tempcnta\tw@ \char \@tempcnta
335 \advance\@tempcnta\m@ne \char \@tempcnta \kern -2\@tempdima
336 \advance\@tempcnta\tw@
337 \raise \@tempdima \hbox{\char\@tempcnta}\raise \@tempdima
338 \box\@tempboxa}\ht\@tempboxa\z@ \dp\@tempboxa\z@
339 \@put{-\@ovro}{-\@ovro}{\box\@tempboxa}%
340 \else \@circ\@tempdimb{96}\fi\endgroup}

```

\@dot Internal form of \circle*.

```

341 \gdef\@dot#1{\@tempdimb #1\unitlength \@circ\@tempdimb{112}}

\@circ
342 \gdef\@circ#1#2{\@tempdima #1\relax \advance\@tempdima .5\p@
343   \@tempcnta\@tempdima \@tempdima \p@
344   \divide\@tempcnta\@tempdima
345   \ifnum\@tempcnta >15\relax \@tempcnta 15\relax \fi
346   \ifnum \@tempcnta >\z@ \advance\@tempcnta\m@ne\fi
347   \advance\@tempcnta #2\relax
348   \@circlefnt \char\@tempcnta}

\@xarg Counters used for manipulating the ‘slope’ arguments.
\@yarg 349 \newcount\@xarg
\@yyarg 350 \newcount\@yarg
351 \newcount\@yyarg

\@multicnt Counter used in \multiput, and also \multicolumn.
352 \newcount\@multicnt

\@xdim Length registers.
\@ydim 353 \newdimen\@xdim
354 \newdimen\@ydim

\@linechar Box for holding a line segment character, for sloping lines.
355 \newbox\@linechar

\@linelen Length of the line currently being built.
356 \newdimen\@linelen

\@clnwd Height and width of current line segment.
\@clnht 357 \newdimen\@clnwd
358 \newdimen\@clnht

\@dashdim \dashbox internal registers.
\@dashbox 359 \newdimen\@dashdim
\@dashcnt 360 \newbox\@dashbox
361 \newcount\@dashcnt

Initialization: “\thinlines”
362 \let\@linefnt\tenln
363 \let\@circlefnt\tencirc
364 \@wholewidth\fontdimen8\tenln
365 \@halfwidth .5\@wholewidth

```

57.1 Curves

The new `\qbezier` command, based on the old `\bezier` defined in `bezier.sty`.

```

\qbezier[N] == \bezier{N}

\bezier{N}(AX,AY)(BX,BY)(CX,CY) ==
BEGIN

```

```

IF N = 0
  THEN \@xdima := |BX - AX|
      \@xb := |CX - BX|
      \@xa := Max(\@xa, \@xb)
      \@ya := |BY - AY|
      \@yb := |CY - BY|
      \@ya := Max(\@ya, \@yb)
      @sc := Max(\@xa, \@ya)
      %% The coefficient .5 below is the degree of overlap of
      %% successive points, where 1 is no overlap and 0 is
      %% complete overlap. A coefficient of C multiplies
      %% the number of points plotted by 1/C.
      %%
      \@xa := .5 * \@halfwidth
      @sc := @sc / \@halfwidth
      @sc := Max(@sc, qbeziermax)
  ELSE @sc := N
  @scp := @sc+1
  \@xb := 2 * (BX - AX) * \unitlength
  \@xa := ((CX-AX)*\unitlength - \@xb)/@sc
  \@yb := 2 * (BY - AY) * \unitlength
  \@ya := ((CY-AY)*\unitlength - \@yb)/@sc
  \@pictdot := square rule of width \@wholewidth
  \count@ := 0
  WHILE \count@ < @scp
    DO \@xdim := ((\count@*\@xa + \@xb) / @sc) * \count@
      \@ydim := ((\count@*\@ya + \@yb) / @sc) * \count@
      plot pt with relative coords (\@xdim,\@ydim)
      \count@ := \count@+1
  OD

```

`\qbeziermax` The maximum number of points to plot.

```
366 \gdef\qbeziermax{500}
```

In the code below, to save registers `\@a...` are not used. Instead other registers are reused.

```

\newcounter{@sc} -> \c@multicnt
\newcounter{@scp} -> \c@tempcnta
\newdimen\@xa -> \ovxx
\newdimen\@xb -> \ovdx
\newdimen\@ya -> \ovyy
\newdimen\@yb -> \ovdy
\newsavebox{\@pictdot} -> \@tempboxa

```

`\qbezier` Main user-level command to plot quadratic bezier curves. #2 should be (.

```
367 \newcommand\qbezier[2][0]{\bezier{#1}#2}
```

`\bezier` Form of `\bezier` compatible with 2.09 `bezier.sty`, but modified to ignore spaces between its arguments. #2 should be white space, and #4 should be (.

```
368 \gdef\bezier#1)#2(#3)#4({\@bezier#1)(#3){}
```

\@bezier

```

369 \gdef\@bezier#1(#2,#3)(#4,#5)(#6,#7){%
370   \ifnum #1=\z@
371     \@ovxx #4\unitlength
372     \advance\@ovxx -#2\unitlength
373     \ifdim \@ovxx<\z@ \@ovxx -\@ovxx \fi
374     \@ovdx #6\unitlength
375     \advance\@ovdx -#4\unitlength
376     \ifdim \@ovdx<\z@ \@ovdx -\@ovdx \fi
377     \ifdim \@ovxx<\@ovdx \@ovxx \@ovdx \fi
378     \@ovyy #5\unitlength
379     \advance\@ovyy -#3\unitlength
380     \ifdim \@ovyy<\z@ \@ovyy -\@ovyy \fi
381     \@ovdy #7\unitlength
382     \advance\@ovdy -#5\unitlength
383     \ifdim \@ovdy<\z@ \@ovdy -\@ovdy \fi
384     \ifdim \@ovyy<\@ovdy \@ovyy \@ovdy \fi
385     \@multicnt
386     \ifdim \@ovxx>\@ovyy \@ovxx \else \@ovyy \fi
387     \@ovxx .5\@halfwidth \divide\@multicnt\@ovxx
388     \ifnum \qbeziermax<\@multicnt \@multicnt\qbeziermax\relax \fi
389   \else \@multicnt#1\relax \fi
390   \@tempcnta\@multicnt \advance\@tempcnta\@ne
391   \@ovdx #4\unitlength \advance\@ovdx -#2\unitlength
392   \multiply\@ovdx \tw@
393   \@ovxx #6\unitlength \advance\@ovxx -#2\unitlength
394   \advance\@ovxx -\@ovdx \divide\@ovxx\@multicnt
395   \@ovdy #5\unitlength \advance\@ovdy -#3\unitlength
396   \multiply\@ovdy \tw@
397   \@ovyy #7\unitlength \advance\@ovyy -#3\unitlength
398   \advance\@ovyy -\@ovdy \divide\@ovyy\@multicnt

399   \setbox\@tempboxa\hbox{%
400     \hskip -\@halfwidth
401     \vrule \@height\@halfwidth
402     \@depth \@halfwidth
403     \@width \@wholewidth}%
404   \put(#2,#3){%
405     \count@\z@
406     \@whilenum{\count@<\@tempcnta}\do
407       {\@xdim\count@\@ovxx
408         \advance\@xdim\@ovdx
409         \divide\@xdim\@multicnt
410         \multiply\@xdim\count@
411         \@ydim\count@\@ovyy
412         \advance\@ydim\@ovdy
413         \divide\@ydim\@multicnt
414         \multiply\@ydim\count@
415         \raise \@ydim
416         \hbext@\z@{\kern\@xdim
417           \unhcopy\@tempboxa\hss}%
418         \advance\count@\@ne}}
419   /2ekernel)

```

File E

ltthm.dtx

58 Theorem Environments

The user creates his own theorem-like environments with the command

```
\newtheorem{<name>}{<text>}[<counter>] or  
\newtheorem{<name>}[<oldname>]{<text>}
```

This defines the environment $\langle name \rangle$ to be just as one would expect a theorem environment to be, except that it prints $\langle text \rangle$ instead of “Theorem”.

If $\langle oldname \rangle$ is given, then environments $\langle name \rangle$ and $\langle oldname \rangle$ use the same counter, so using a $\langle name \rangle$ environment advances the number of the next $\langle name \rangle$ environment, and vice-versa.

If $\langle counter \rangle$ is given, then environment $\langle name \rangle$ is numbered within $\langle counter \rangle$.

E.g., if $\langle counter \rangle = \text{subsection}$, then the first $\langle name \rangle$ in subsection 7.2 is numbered $\langle text \rangle$ 7.2.1.

The way $\langle name \rangle$ environments are numbered can be changed by redefining $\backslash the\langle name \rangle$.

DOCUMENT STYLE PARAMETERS

$\backslash @thmcounter\{COUNTER\}$: A command such that

```
\edef\theCOUNTER{\@thmcounter{COUNTER}}
```

defines $\backslash theCOUNTER$ to produce a number for a theorem environment.

The default is:

```
BEGIN \noexpand\arabic{COUNTER} END
```

$\backslash @thmcountersep$: A separator placed between a theorem number and the number of the counter within which it is numbered.

E.g., to make the third theorem of section 7.2 be numbered 7.2-3, $\backslash @thmcountersep$ should be $\backslash def$ 'ed to ‘-’. Its default is ‘.’.

$\backslash @begintheorem\{NAME\}\{NUMBER\}$: A command that begins a theorem

environment for a ‘theorem’ named ‘NAME NUMBER’ – e.g., $\backslash @begintheorem\{Lemma\}\{3.7\}$ starts Lemma 3.7.

$\backslash @opargbegintheorem\{NAME\}\{NUMBER\}\{OPARG\}$:

A command that begins a theorem

environment for a ‘theorem’ named ‘NAME NUMBER’ with optional

argument OPARG – e.g., $\backslash @begintheorem\{Lemma\}\{3.7\}\{Jones\}$ starts ‘Lemma 3.7 (Jones)’.

$\backslash @endtheorem$: A command that ends a theorem environment.

$\backslash newtheorem\{NAME\}\{TEXT\}[COUNTER] ==$


```

BEGIN
  if \NAME is definable
  then \@definecounter{NAME}
    if COUNTER present
    then \@newctr{NAME}[COUNTER] fi
    \theNAME == BEGIN \theCOUNTER \@thmcountersep
                      eval\@thmcounter{NAME}
  END
    else \theNAME == BEGIN eval\@thmcounter{NAME} END
    \NAME == \@thm{NAME}{TEXT}
    \endNAME == \@endtheorem
  else error
  fi
END

\newtheorem{NAME}[OLDNAME]{TEXT}==
BEGIN
  if counter OLDNAME nonexistent
  then ERROR
  else
    if \NAME is definable
    then BEGIN
      \theNAME == \theOLDNAME
      \NAME == \@thm{OLDNAME}{TEXT}
      \endNAME == \@endtheorem
      END
    else error
    fi
  fi
END

\@thm{NAME}{TEXT} ==
BEGIN
  \refstepcounter{NAME}
  if next char = [
    then \@ythm{NAME}{TEXT}
    else \@xthm{NAME}{TEXT}
  fi
END

\@xthm{NAME}{TEXT} ==
BEGIN
  \@begintheorem{TEXT}{\theNAME}
  \ignorespaces
END

\@ythm{NAME}{TEXT}[OPARG] ==
BEGIN
  \@opargbegintheorem{TEXT}{\theNAME}{OPARG}
  \ignorespaces

```

END

`\newtheorem` `\newtheorem` ought really be allowed only in the preamble Which would be good document style, and allow some main memory to be saved by declaring these commands to be `\@onlypreamble`. Unfortunately the \LaTeX book indicates that `\newtheorem` may be used anywhere in the document...

```
1 \*2ekernel)
2 \def\newtheorem#1{%
3   \ifnextchar[{\@othm{#1}}{\@nthm{#1}}}
```

`\@nthm`

```
4 \def\@nthm#1#2{%
5   \ifnextchar[{\@xnthm{#1}{#2}}{\@ynthm{#1}{#2}}}
```

`\@xnthm` 92/09/18 RmS: Changed `\@addtoreset` to `\@newctr` to produce error message if counter #3 does not exist (to be consistent with behaviour of `\newcounter`)

```
6 \def\@xnthm#1#2[#3]{%
7   \expandafter\ifdefinable\csname #1\endcsname
8     {\@definecounter{#1}\@newctr{#1}[#3]%
9       \expandafter\xdef\csname the#1\endcsname{%
10         \expandafter\noexpand\csname the#3\endcsname \@thmcountersep
11         \@thmcounter{#1}}}%
12     \global\@namedef{#1}{\@thm{#1}{#2}}%
13     \global\@namedef{end#1}{\@endtheorem}}}
```

`\@ynthm`

```
14 \def\@ynthm#1#2{%
15   \expandafter\ifdefinable\csname #1\endcsname
16     {\@definecounter{#1}%
17       \expandafter\xdef\csname the#1\endcsname{\@thmcounter{#1}}%
18       \global\@namedef{#1}{\@thm{#1}{#2}}%
19       \global\@namedef{end#1}{\@endtheorem}}}
```

`\@othm`

```
20 \def\@othm#1[#2]#3{%
21   \@ifundefined{c@#2}{\@nocounterr{#2}}%
22   {\expandafter\ifdefinable\csname #1\endcsname
23     {\global\@namedef{the#1}{\@nameuse{the#2}}%
24     \global\@namedef{#1}{\@thm{#2}{#3}}%
25     \global\@namedef{end#1}{\@endtheorem}}}
```

`\@thm`

```
26 \def\@thm#1#2{%
27   \refstepcounter{#1}%
28   \ifnextchar[{\@ythm{#1}{#2}}{\@xthm{#1}{#2}}}
```

`\@xthm`

`\@ythm`

```
29 \def\@xthm#1#2{%
30   \@begintheorem{#2}{\csname the#1\endcsname}\ignorespaces}
31 \def\@ythm#1#2[#3]{%
32   \@opargbegintheorem{#2}{\csname the#1\endcsname}{#3}\ignorespaces}
```

Default values

```

\@thmcounter
\@thmcountersep 33 \def\@thmcounter#1{\noexpand\arabic{#1}}
34 \def\@thmcountersep{.}

\@begintheorem Providing theorem defaults.
\@opargbegintheorem 35 \def\@begintheorem#1#2{\trivlist
\@endtheorem 36 \item[\hskip \labelsep{\bfseries #1\ #2}]{\itshape}
37 \def\@opargbegintheorem#1#2#3{\trivlist
38 \item[\hskip \labelsep{\bfseries #1\ #2\ (#3)}]{\itshape}
39 \def\@endtheorem{\endtrivlist}
40 \</2ekernel>

```

File F

ltsect.dtx

59 Sectioning Commands

This file defines the declarations such as `\author` which are used by `\maketitle`. `\maketitle` itself is defined by each class, not in the L^AT_EX kernel.

The second part of the file defines the generic commands used for defining sectioning commands such as `\chapter`. Again the actual document level commands are defined in the class files, in terms of these commands.

```
1 \*2ekernel)
2 \message{title,}
```

59.1 The Title

```
\title The user defines the title and author by the declarations \title{<name>},
\author \author{<name>}
\date Similarly the date is declared with \date{<date>}.
\thanks Inside these, the \thanks{<footnote text>} command may be used to make
\and acknowledgements, notice of address, etc. in a footnote. If there are multiple
\maketitle authors, they have to be separated with the \and command.
And finally, the \maketitle command produces the actual title, using the
information previously saved with the other commands.

\title \title for use in \maketitle. If not given \maketitle will produce an error
\@title message.
3 \def\title#1{\gdef\@title{#1}}
4 \def\@title{\@latex@error{No \noexpand\title given}\@ehc}

\author \author for use in \maketitle. If not given \maketitle will produce a warning
\@author message.
5 \def\author#1{\gdef\@author{#1}}
6 \def\@author{\@latex@warning@no@line{No \noexpand\author given}}

\date \date for use in \maketitle. If not given \maketitle will produce \today as the
\@date default.
7 \def\date#1{\gdef\@date{#1}}
8 \gdef\@date{\today}

\thanks
9 \def\thanks#1{\footnotemark
10 \protected@xdef\@thanks{\@thanks
11 \protect\footnotetext[\the\c@footnote]{#1}}%
12 }

\@thanks
13 \let\@thanks\@empty
```

```

\and
14 \def\and{%                % \begin{tabular}
15   \end{tabular}%
16   \hskip 1em \@plus.17fil%
17   \begin{tabular}[t]{c}}%  % \end{tabular}

18 \message{sectioning,}

```

59.2 Sectioning

```

\@secpenalty
19 \newcount\@secpenalty
20 \@secpenalty = -300

\if@noskipsec  Way back in 1991 (08/26) FMi & RmS set the \@noskipsec switch to true for the
\@noskipsectrue preamble and to false in \document. This was done to trap lists and related text
in the preamble but it does not catch everything.
21 \newif\if@noskipsec \@noskipsectrue

\@startsection The \@startsection{<name>}{<level>}{<indent>}{<beforeskip>}
{<afterskip>}{<style>}*[<altheading> ]{<heading>} command is the mother of all
the user level sectioning commands. The part after the *, including the * is
optional.

```

name: e.g., 'subsection'

level: a number, denoting depth of section – e.g., chapter = 0, section = 1, etc.

indent: Indentation of heading from left margin

beforeskip: Absolute value = skip to leave above the heading. If negative, then paragraph indent of text following heading is suppressed.

afterskip: if positive, then skip to leave below heading, else negative of skip to leave to right of run-in heading.

style: Commands to set style. Since June 1996 release the *last* command in this argument may be a command such as `\MakeUppercase` or `\fbox` that takes an argument. The section heading will be supplied as the argument to this command. So setting #6 to, say, `\bfseries\MakeUppercase` would produce bold, uppercase headings.

If ‘*’ is missing, then increment the counter. If it is present, then there should be no [*altheading*] argument. The command uses the counter ‘secnumdepth’. It contains a pointer to the highest section level that is to be numbered.

Warning: The `\@startsection` command should be at the same or higher grouping level as the text that follows it. For example, you should *not* do something like

```

\def\foo{ \begingroup ...
          \paragraph{...}
          \endgroup}

```

```

Pseudocode for the \@startsection command
\@startsection
{NAME}{LEVEL}{INDENT}{BEFORESKIP}{AFTERSKIP}{STYLE} ==
BEGIN
  IF @noskipsec = T THEN \leavevmode FI
                                % true if previous section had no body.

  \par
  \@tempskipa := BEFORESKIP
  @afterindent := T
  IF \@tempskipa < 0 THEN \@tempskipa := -\@tempskipa
                                @afterindent := F
  FI
  IF @nobreak = true
    THEN \everypar == null
    ELSE \addpenalty{\@secpenalty}
         \addvspace{\@tempskipa}
  FI
  IF * next
    THEN \@ssect{INDENT}{BEFORESKIP}{AFTERSKIP}{STYLE}
    ELSE \@dblarg{\@sect
                  {NAME}{LEVEL}{INDENT}
                  {BEFORESKIP}{AFTERSKIP}{STYLE}}
  FI
END

22 \def\@startsection#1#2#3#4#5#6{%
23   \if@noskipsec \leavevmode \fi
24   \par
25   \@tempskipa #4\relax
26   \@afterindenttrue
27   \ifdim \@tempskipa <\z@
28     \@tempskipa -\@tempskipa \@afterindentfalse
29   \fi
30   \if@nobreak
31     \everypar{}%
32   \else
33     \addpenalty\@secpenalty\addvspace\@tempskipa
34   \fi
35   \@ifstar
36     {\@ssect{#3}{#4}{#5}{#6}}%
37     {\@dblarg{\@sect{#1}{#2}{#3}{#4}{#5}{#6}}}

```

\@sect Pseudocode for the \@sect command

```

\@sect{NAME}{LEVEL}{INDENT}{BEFORESKIP}{AFTERSKIP}{STYLE}[ARG1]{ARG2}
==
BEGIN
  IF LEVEL > \c@secnumdepth
    THEN \@svsec :=L null
    ELSE \refstepcounter{NAME}
         \@svsec :=L BEGIN \@seccntformat{#1}\relax END

```

```

FI
IF AFTERSKIP > 0
  THEN \beginngroup
        STYLE
        \@hangfrom{\hskip INDENT\@svsec}
        {\interlinepenalty 10000 ARG2\par}
      \endgroup
      \NAMEmark{ARG1}
      \addcontentsline{toc}{NAME}
      { IF LEVEL > \c@secnumdepth
        ELSE \protect\numberline{\theNAME} FI
        ARG1 }
  ELSE \@svsechd == BEGIN STYLE
        \hskip INDENT\@svsec
        ARG2
        \NAMEmark{ARG1}
        \addcontentsline{toc}{NAME}
        { IF LEVEL > \c@secnumdepth
          ELSE

\protect\numberline{\theNAME}

          FI
          ARG1 }
        END
      FI
      \@xsect{AFTERSKIP}
    END

38 \def\@sect#1#2#3#4#5#6[#7]#8{%
39   \ifnum #2>\c@secnumdepth
40     \let\@svsec\empty
41   \else
42     \refstepcounter{#1}%

```

Since \@seccntformat might end with an improper \hskip which is scanning forward for plus or minus we end the definition of \@svsec with \relax as a precaution.

```

43   \protected@edef\@svsec{\@seccntformat{#1}\relax}%
44   \fi
45   \@tempskipa #5\relax
46   \ifdim \@tempskipa>\z@
47     \beginngroup

```

This { used to be after the argument to \@hangfrom but was moved here to allow commands such as \MakeUppercase to be used at the end of #6.

```

48     #6{%
49       \@hangfrom{\hskip #3\relax\@svsec}%
50       \interlinepenalty \@M #8\@par}%
51   \endgroup
52   \csname #1mark\endcsname{#7}%
53   \addcontentsline{toc}{#1}{%
54     \ifnum #2>\c@secnumdepth \else
55       \protect\numberline{\csname the#1\endcsname}%

```

```

56      \fi
57      #7}%
58  \else
\relax added 2 May 90
59      \def\@svsechd{%
60          #6{\hskip #3\relax
61              \@svsec #8}%
62          \csname #1mark\endcsname{#7}%
63          \addcontentsline{toc}{#1}{%
64              \ifnum #2>\c@secnumdepth \else
65                  \protect\numberline{\csname the#1\endcsname}%
66              \fi
67              #7}}%
68  \fi
69  \@xsect{#5}}

\@xsect Pseudocode for the \@xsect command
\@xsect{AFTERSKIP} ==
BEGIN
  IF AFTERSKIP > 0
    THEN \par \nobreak
         \vskip AFTERSKIP
         \@afterheading
    ELSE @nobreak :=G F
         @noskipsec :=G T
         \everypar{ IF @noskipsec = T
                     THEN @noskipsec :=G F
                        \clubpenalty :=G 10000
                        \hskip -\parindent
                        \begingroup
                        \@svsechd
                        \endgroup
                        \unskip
                        \hskip -AFTERSKIP \relax
                        %% relax added 14 Jan 91
                     ELSE \clubpenalty :=G \@clubpenalty
                        \everypar := NULL
                     FI
                   }
    FI

  FI

END

70 \def\@xsect#1{%
71   \@tempskipa #1\relax
72   \ifdim \@tempskipa>\z@

Why not combine \@sect and \@xsect and save doing the same test twice? It is
not possible to change this now as these have become hooks!
This \par seems unnecessary.

73   \par \nobreak
74   \vskip \@tempskipa

```



```

75   \@afterheading
76   \else

77   \@nobreakfalse
78   \global\@noskipsecttrue
79   \everypar{%
80     \if@noskipsec
81       \global\@noskipsecfalse
82       {\setbox\z@\lastbox}%
83       \clubpenalty\@M
84       \begingroup \@svsechd \endgroup
85       \unskip
86       \@tempskipa #1\relax
87       \hskip -\@tempskipa
88     \else
89       \clubpenalty \@clubpenalty
90       \everypar{}}%
91   \fi}%
92   \fi
93   \ignorespaces}

```

`\@secntformat` This command formats the section number including the space following it.

```

94 \def\@secntformat#1{\csname the#1\endcsname\quad}

```

Pseudocode for the `\@ssect` command

```

\@ssect{INDENT}{BEFORESKIP}{AFTERSKIP}{STYLE}{ARG} ==
BEGIN
  IF AFTERSKIP > 0
    THEN \begingroup
          STYLE
          \@hangfrom{\hskip INDENT}{\interlinepenalty 10000
ARG\par}
          \endgroup
    ELSE \@svsechd == BEGIN STYLE
                          \hskip INDENT
                          ARG
                        END
  FI
  \@xsect{AFTERSKIP}
END

```

Pseudocode for the `\@afterheading` command

```

\@afterheading ==
BEGIN
  @nobreak :=G true
  \everypar := BEGIN IF @nobreak = T
                      THEN @nobreak :=G false
                        \clubpenalty :=G 10000
                        IF @afterindent = F
                          THEN remove \lastbox
                        FI
                      ELSE \clubpenalty :=G \@clubpenalty
                        \everypar := NULL

```

```

                                FI
                                END
                                END

\@ssect
95 \def\@ssect#1#2#3#4#5{%
96   \@tempskipa #3\relax
97   \ifdim \@tempskipa>\z@
98     \begingroup
This { used to be after the argument to \@hangfrom but was moved here to allow
commands such as \MakeUppercase to be used at the end of #4.
99     #4{%
100       \@hangfrom{\hskip #1}%
101       \interlinepenalty \@M #5\@par}%
102     \endgroup
103   \else
104     \def\@svsechd{#4{\hskip #1\relax #5}}%
105     \fi
106   \@xsect{#3}}

\if@afterindent
\@afterindenttrue 107 \newif\if@afterindent \@afterindenttrue

\@afterheading This hook is used in setting up custom-built headings in classes.dtx.
108 \def\@afterheading{%
109   \@nobreaktrue
110   \everypar{%
111     \if@nobreak
112       \@nobreakfalse
113       \clubpenalty \@M
114       \if@afterindent \else
115         {\setbox\z@\lastbox}%
116       \fi
117     \else
118       \clubpenalty \@clubpenalty
119       \everypar{}%
120     \fi}}

\@hangfrom \@hangfrom{<text>} : Puts <text> in a box, and makes a hanging indentation of
the following material up to the first \par. Should be used in vertical mode.
121 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
122   \hangindent \wd\@tempboxa\noindent\box\@tempboxa}

\c@secnumdepth
\c@tocdepth 123 \newcount\c@secnumdepth
124 \newcount\c@tocdepth

\secdef \secdef{<unstarcmds>}{<unstarcmds>}{<starcmds>}
When defining a \chapter or \section command without using \@startsection,
you can use \secdef as follows:
1. \def\chapter{ ... \secdef \<starcmd> \<unstarcmd> }

```

2. `\def\starcmd{[#1]#2{...}}` % Command to define `\chapter[...]{...}`

3. `\def\unstarcmd{#1{...}}` % Command to define `\chapter*{...}`

```
125 \def\secdef#1#2{\@ifstar{#2}{\@dblarg{#1}}}
```

59.2.1 Initializations

```
\sectionmark
\subsectionmark 126 \let\sectionmark\@gobble
\subsubsectionmark 127 \let\subsectionmark\@gobble
\paragraphmark 128 \let\subsubsectionmark\@gobble
\subparagraphmark 129 \let\paragraphmark\@gobble
130 \let\subparagraphmark\@gobble
131 \message{contents,}
```

59.3 Table of Contents etc.

59.3.1 Convention

`\tf@{foo}` = file number for output for table foo. The file is opened only if `@filesw = true`.

59.3.2 Commands

A `\l@{type}{<entry>}{<page>}` Macro needs to be defined by document style for making an entry of type `<type>` in a table of contents, etc. E.g., the document style should define `\l@chapter`, `\l@section`, etc.

Note: When the `\protect` command is used in the `<entry>` or `<text>` of one of the commands below, it causes the following control sequence to be written on the file without being expanded. The sequence will be expanded when the table of contents entry is processed.

Surprise: Inside an `\addcontentsline` or `\addtocontents` command argument, the commands: `\index`, `\glossary`, and `\label` are no-ops. This could cause a problem if the user puts an `\index` or `\label` into one of the commands he writes, or into the optional ‘short version’ argument of a `\section` or `\caption` command.

`\@starttoc` The `\@starttoc{<ext>}` command is used to define the commands: `\tableofcontents`, `\listoffigures`, etc.

For example: `\@starttoc{lof}` is used in `\listoffigures`. This command reads the `.<ext>` file and sets up to write the new `.<ext>` file.

```
\@starttoc{EXT} ==
BEGIN
  \begingroup
    \makeatletter
    read file \jobname.EXT
    IF @filesw = true
      THEN open \jobname.EXT as file \tf@EXT
    FI
    @nobreak :=G FALSE %% added 24 May 89
```

```

\endgroup
END
132 \def\starttoc#1{%
133   \begingroup
134   \makeatletter
135   \@input{\jobname.#1}%
136   \if@filesw
137     \expandafter\newwrite\csname tf@#1\endcsname
138     \immediate\openout \csname tf@#1\endcsname \jobname.#1\relax
139   \fi
140   \@nobreakfalse
141 \endgroup}

```

\addcontentsline The `\addcontentsline{<table>}{<type>}{<entry>}` command allows the user to add his/her own entry to a table of contents, etc. The command adds the entry `\contentsline{<type>}{<entry>}{<page>}` to the `.<table>` file.

This macro is implemented as an application of `\addtocontents`. Note that `\thepage` is not expandable during `\protected@write` therefore one gets the page number at the time of the `\shipout`.

```

142 \def\addcontentsline#1#2#3{%
143   \addtocontents{#1}{\protect\contentsline{#2}{#3}{\thepage}}}

```

\addtocontents The `\addtocontents{<table>}{<text>}` command adds `<text>` to the `.<table>` file, with no page number.

```

144 \long\def\addtocontents#1#2{%
145   \protected@write\@auxout
146     {\let\label@gobble \let\index@gobble \let\glossary@gobble}%
147     {\string\@writefile{#1}{#2}}}

```

\contentsline The `\contentsline{<type>}{<entry>}{<page>}` macro produces a `<type>` entry in a table of contents, etc. It will appear in the `.toc` or other file. For example, The entry for subsection 1.4.3 in the table of contents for example, might be produced by:

```

\contentsline{subsection}
  {\makebox{30pt}[r]{1.4.3} Gnats and Gnus}{22}

```

The `\protect` command causes command sequences to be written without expanding them.

```

148 \def\contentsline#1{\csname l@#1\endcsname}

```

`\@dottedtocline{<level>}{<indent>}{<numwidth> }{<title>}{<page>}`: Macro to produce a table of contents line with the following parameters:

level If `<level> > \c@tocdepth`, then no line produced.

indent Total indentation from the left margin.

numwidth Width of box for number if the `<title>` has a `\numberline` command. As of 25 Jan 1988, this is also the amount of extra indentation added to second and later lines of a multiple line entry.

title Contents of entry.

page Page number.

Uses the following parameters, which must be set by the document style. They should be defined with `\def`'s.

pnumwidth Width of box in which page number is set.

tocrmarg Right margin indentation for all but last line of multiple-line entries.

dotsep Separation between dots, in mu units. Should be `\def`'d to a number like 2 or 1.7

`\@dottedtocline`

```
149 \def\@dottedtocline#1#2#3#4#5{%
150   \ifnum #1>\c@tocdepth \else
151     \vskip \z@ \@plus.2\p@
152     {\leftskip #2\relax \rightskip \@tocrmarg \parfillskip -\rightskip
153      \parindent #2\relax\@afterindenttrue
154      \interlinepenalty\@M
155      \leavevmode
156      \@tempdima #3\relax
157      \advance\leftskip \@tempdima \null\nobreak\hskip -\leftskip
158      {#4}\nobreak
159      \leaders\hbox{$\m@th
```

If a document uses fonts other than computer modern, the use of a dot from math can be very disturbing despite the fact that this might be the only place in a document that then uses computer modern. Therefore we surround the dot with an `\hbox` to escape to the surrounding text font.

```
160       \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
161       mu$}\hfill
162       \nobreak
163       \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}%
164       \par}%
165 \fi}
```

Note: `\nobreak`'s added 7 Jan 86 to prevent bad line break that left the page number dangling by itself at left edge of a new line.

Changed 25 Jan 88 to use `\leftskip` instead of `\hangindent` so leaders of multiple-line contents entries would line up properly.

`\numberline` `\numberline{<number>}`: For use in a `\contentsline` command. It puts `<number>` flushleft in a box of width `\@tempdima` (Before 25 Jan 88 change, it also added `\@tempdima` to the hanging indentation.)

```
166 \def\numberline#1{\hb@xt@\@tempdima{#1\hfil}}
167 </2ekernel>
```

File G

ltfloat.dtx

60 Floats

The different types of floats are identified by a $\langle type \rangle$ name, which is the name of the counter for that kind of float. For example, figures are of type ‘figure’ and tables are of type ‘table’. Each $\langle type \rangle$ has associated a positive $\langle type\ number \rangle$, which is a power of two. E.g., figures might have type number 1, tables type number 2, programs type number 4, etc.

The locations where a float can go are specified by a $\langle placement\ specifier \rangle$, which is a list of the possible locations, each denoted by a letter as follows:

h : here	— at the current location in the text.
t : top	— at the top of a text page.
b : bottom	— at the bottom of a text page.
p : page	— on a separate float page

In addition, in conjunction with these, you can use ‘!’ which means that the current values of the float positioning parameters are ignored for this float. (Has no effect on ‘p’, float page positioning.) For example, ‘pht’ specifies that the float can appear in any of three locations: page, here or top.

60.1 Floating Environments

```
1 \*2ekernel
2 \message{floats,}
```

Where floats may appear on a page, and how many may appear there are specified by the following float placement parameters. The numbers are named like counters so the user can set them with the ordinary counter-setting commands.

<code>\c@topnumber</code>	: Number of floats allowed at the top of a column.
<code>\topfraction</code>	: Fraction of column that can be devoted to floats.
<code>\c@dbltopnumber, \dbltopfraction</code>	: Same as above, but for double-column floats.
<code>\c@bottomnumber, \bottomfraction</code>	: Same as above for bottom of page.
<code>\c@totalnumber</code>	: Number of floats allowed in a single column, including in-text floats.
<code>\textfraction</code>	: Minimum fraction of column that must contain text.
<code>\floatpagefraction</code>	: Minimum fraction of page that must be taken up by float page.
<code>\dblfloatpagefraction</code>	: Same as above, for double-column floats.

The document style must define the following.

`\fps@TYPE` : The default placement specifier for floats of type TYPE.

`\ftype@TYPE` : The type number for floats of type TYPE.

`\ext@TYPE` : The file extension indicating the file on which the contents list for float type TYPE is stored.
For example, `\ext@figure = 'lof'`.

`\fnum@TYPE` : A macro to generate the figure number for a caption.
For example, `\fnum@TYPE == Figure \thefigure`.

`\@makecaption{NUM}{TEXT}` :
A macro to make a caption, with NUM the value produced by `\fnum@...` and TEXT the text of the caption. It can assume it's in a `\parbox` of the appropriate width.

`\@float{TYPE}[PLACEMENT]` : This macro begins a float environment for a
single-column float of type TYPE with PLACEMENT as the placement specifier. The default value of PLACEMENT is defined by `\fps@TYPE`. The environment is ended by `\end@float`.
E.g., `\figure == \@float{figure}, \endfigure == \end@float`.

`\@float{TYPE}[PLACEMENT] ==`
`BEGIN`
 if hmode then `\@bsphack`
 `\@floatpenalty := -10002`
 else `\@floatpenalty := -10003`
 fi
 `\@captype ==L TYPE`
 `\@dblflset`
 `\@fps ==L PLACEMENT`
 `\@onelevel@sanitize \@fps`
 add default PLACEMENT if at most ! in PLACEMENT ==
`\@fpsadddefault`
 if inner
 then LaTeX Error: 'Not in outer paragraph mode.'
 `\@floatpenalty := 0`
 else if `\@freelist` nonempty
 then `\@currbox :=L head of \@freelist`
 `\@freelist :=G tail of \@freelist`
 `\count\@currbox :=G 32*\ftype@TYPE +`
 bits determined by
PLACEMENT
 else `\@floatpenalty := 0`
 LaTeX Error: 'Too many unprocessed floats'
 fi

```

fi
\@currbox :=G \color@vbox
\normalcolor
\ vbox{
%% 15 Dec 87 -
%% removed \boxmaxdepth :=L 0pt
%% that made box 0 depth because it screwed
%% things up. Instead, added \vskip0pt at
end

\hsize = \columnwidth
\@parboxrestore
\@floatboxreset

END

```

```

\caption ==
BEGIN
\refstepcounter{\@capttype}
\@dblarg{\caption{\@capttype}}
END

```

In following definition, `\par` moved from after `\addcontentsline` to before `\addcontentsline` because the `\write` could cause an extra blank line to be added to the paragraph above the caption. (Change made 12 Jun 87)

```

\caption{TYPE}[STEXT]{TEXT} ==
BEGIN
\par

\addcontentsline{\ext@TYPE}{TYPE}{\numberline{\theTYPE}{STEXT}}
\begingroup
\@parboxrestore
\@normalsize
\@makecaption{\fnum@TYPE}{TEXT}
\par
\endgroup
END

```

`\@dblfloat{TYPE}[PLACEMENT]` : Macro to begin a float environment for

a double-column float of type TYPE with PLACEMENT as the placement

specifier. The default value of PLACEMENT is 'tp'

The environment is ended by `\end@dblfloat`.

E.g., `\figure* == \@dblfloat{figure}`,

`\endfigure* == \end@dblfloat`.

```

\@dblfloat{TYPE}[PLACEMENT] ==

```


Identical to `\@float{TYPE}[PLACEMENT]` except `\hsize` and `\linewidth` are set to `\textwidth`.

`\@floatpenalty`

3 `\newcount\@floatpenalty`

`\caption` This is set to be an error message outside a float since no `capttype` is defined there; this may need to be changed by some classes.

```

4 \def\caption{%
5   \ifx\@capttype\@undefined
6     \latexerror{\noexpand\caption outside float}\@ehd
7     \expandafter\@gobble
8   \else
9     \refstepcounter\@capttype
10    \expandafter\@firstofone
11  \fi
12  {\@dblarg{\@caption\@capttype}}%
13 }
```

`\@caption`

```

14 \long\def\@caption#1[#2]#3{%
15   \par
16   \addcontentsline{\csname ext@#1\endcsname}{#1}%
17   {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
18   \begingroup
```

The paragraph setting parameters are normalised at this point, however `\@parboxrestore` resets `\everypar` which is not correct in this context so `\@setminipage` is called if needed.

The float mechanism, like `minipage`, sets the flag `@minipage` true before executing the user-supplied text. Many \LaTeX constructs test for this flag and do not add vertical space when it is true. The intention is that this emulates \TeX 's 'top of page' behaviour. The flag must be set false at the start of the first paragraph. This is achieved by a redefinition of `\everypar`, but the call to `\@parboxrestore` removes that redefinition, so it is re-inserted if needed. If the flag is already false then the `\caption` was not the first entry in the float, and so some other paragraph has already activated the special `\everypar`. In this case no further action is needed.

```

19   \@parboxrestore
20   \if@minipage
21     \@setminipage
22   \fi
23   \normalsize
24   \@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
25 \endgroup
```

`\@float`

`\@dblflset`

```

26 \def\@float#1{%
27   \@ifnextchar[%
28     {\xfloat{#1}}%
29     {\edef\reserved@a{\noexpand\xfloat{#1}[\csname fps@#1\endcsname]}}%
30     \reserved@a}}
```

`\@dblfloat`

```
31 \def\@dblfloat{%
32   \if@twocolumn\let\reserved@a\@dbflt\else\let\reserved@a\@float\fi
33   \reserved@a}
```

`\fps@dbl` Note that all double floats have default fps ‘tp’.

`\@setfps` This sets the fps, dealing with error conditions by adding the default.

`\@xfloat` The first part of this sets the count register that stores all the information about the type and fps of the float.

We assume here that the default specifiers already contain no active characters.

It may be better to store the defaults as numbers, rather than symbol strings.

```
34 \</2kernel>
35 \<latexrelease>\IncludeInRelease{2015/01/01}%
36 \<latexrelease>          {\@xfloat}{Check float options}%
37 \<*2kernel|latexrelease>
38 \def\@xfloat #1[#2]{%
39   \nodocument
40   \def \@captype {#1}%
41   \def \@fps {#2}%
42   \@onelevel@sanitize \@fps
43   \def \reserved@b {}%
44   \ifx \reserved@b \@fps
45     \@fpsadddefault
46   \else
47     \ifx \@fps \@empty
48       \@fpsadddefault
49     \fi
50   \fi
51   \ifhmode
52     \@bsphack
53     \@floatpenalty -\@Mii
54   \else
55     \@floatpenalty-\@Miii
56   \fi
57   \ifinner
58     \@parmoderr\@floatpenalty\z@
59   \else
60     \@next\@currbox\@freelist
61     {%
62       \@tempcnta \sixt@@n
63       \expandafter \@tfor \expandafter \reserved@a
64       \expandafter :\expandafter =\@fps
65       \do
```

Start of changes, use a nested if structure, ending in an error.

```
66       {%
67         \if \reserved@a h%
68           \ifodd \@tempcnta
69             \else
70               \advance \@tempcnta \@ne
71             \fi
72         \else\if \reserved@a t%
```

```

73         \@setfpsbit \tw@
74         \else\if \reserved@a b%
75             \@setfpsbit 4%
76         \else\if \reserved@a p%
77             \@setfpsbit 8%
78         \else\if \reserved@a !%
79             \ifnum \@tempcnta>15
80                 \advance\@tempcnta -\sixt@@n\relax
81             \fi
82         \else
83             \@latex@error{Unknown float option ‘\reserved@a’}%
84             {Option ‘\reserved@a’ ignored and ‘p’ used.}%
85             \@setfpsbit 8%
86         \fi\fi\fi\fi\fi
87     }%

```

End of changes

```

88     \@tempcntb \csname ftype@\@capytype \endcsname
89     \multiply \@tempcntb \@xxxii
90     \advance \@tempcnta \@tempcntb
91     \global \count\@currbox \@tempcnta
92 }%
93 \fltovf
94 \fi

```

The remainder sets up the box in which the float is typeset, and the typesetting environment to be used. It is essential to have the extra box to avoid the unwanted space that would otherwise often be put at the top of the float.

It ends with a hook; not sure how useful this is but it is needed at present to deal with double-column floats.

```

95 \global \setbox\@currbox
96 \color@vbox
97 \normalcolor
98 \vbox \bgroup
99 \hsize\columnwidth
100 \@parboxrestore
101 \floatboxreset
102 }%
103 </2ekernel | latexrelease>
104 <latexrelease>\EndIncludeInRelease
105 <latexrelease>\IncludeInRelease{0000/00/00}%
106 <latexrelease>          {\@xfloat}{Check float options}%
107 <latexrelease>\def\@xfloat #1[#2]{%
108 <latexrelease> \@nodocument
109 <latexrelease> \def \@capytype {#1}%
110 <latexrelease> \def \@fps {#2}%
111 <latexrelease> \@onelevel@sanitize \@fps
112 <latexrelease> \def \reserved@b {!}%
113 <latexrelease> \ifx \reserved@b \@fps
114 <latexrelease>     \fpsadddefault
115 <latexrelease> \else
116 <latexrelease>     \ifx \@fps \@empty
117 <latexrelease>         \fpsadddefault
118 <latexrelease>     \fi
119 <latexrelease> \fi

```

```

120 <latexrelease> \ifhmode
121 <latexrelease> \@bsphack
122 <latexrelease> \@floatpenalty -\@Mii
123 <latexrelease> \else
124 <latexrelease> \@floatpenalty-\@Miii
125 <latexrelease> \fi
126 <latexrelease> \ifinner
127 <latexrelease> \@parmoderr\@floatpenalty\z@
128 <latexrelease> \else
129 <latexrelease> \@next\@currbox\@freelist
130 <latexrelease> {%
131 <latexrelease> \@tempcnta \sixt@n
132 <latexrelease> \expandafter \@tfor \expandafter \reserved@a
133 <latexrelease> \expandafter :\expandafter =\@fps
134 <latexrelease> \do
135 <latexrelease> {%
136 <latexrelease> \if \reserved@a h%
137 <latexrelease> \ifodd \@tempcnta
138 <latexrelease> \else
139 <latexrelease> \advance \@tempcnta \@ne
140 <latexrelease> \fi
141 <latexrelease> \fi
142 <latexrelease> \if \reserved@a t%
143 <latexrelease> \@setfpsbit \tw@
144 <latexrelease> \fi
145 <latexrelease> \if \reserved@a b%
146 <latexrelease> \@setfpsbit 4%
147 <latexrelease> \fi
148 <latexrelease> \if \reserved@a p%
149 <latexrelease> \@setfpsbit 8%
150 <latexrelease> \fi
151 <latexrelease> \if \reserved@a !%
152 <latexrelease> \ifnum \@tempcnta>15
153 <latexrelease> \advance\@tempcnta -\sixt@n\relax
154 <latexrelease> \fi
155 <latexrelease> \fi
156 <latexrelease> }%
157 <latexrelease> \@tempcntb \csname ftype@\@capttype \endcsname
158 <latexrelease> \multiply \@tempcntb \@xxxii
159 <latexrelease> \advance \@tempcnta \@tempcntb
160 <latexrelease> \global \count\@currbox \@tempcnta
161 <latexrelease> }%
162 <latexrelease> \@fltovf
163 <latexrelease> \fi
164 <latexrelease> \global \setbox\@currbox
165 <latexrelease> \color@vbox
166 <latexrelease> \normalcolor
167 <latexrelease> \vbox \bgroup
168 <latexrelease> \hsize\columnwidth
169 <latexrelease> \@parboxrestore
170 <latexrelease> \@floatboxreset
171 <latexrelease> }%
172 <latexrelease> \EndIncludeInRelease
173 <*2kernel>

```

`\@floatboxreset` The rationale for allowing these normally global flags to be set locally here, via `\@parboxrestore`, was stated originally by Donald Arseneau and extended by Chris Rowley. It is because these flags are only set globally to true by section commands, and these should never appear within marginals or floats or, indeed, in any group; and they are only ever set globally to false when they are definitely true.

If anyone is unhappy with this argument then both flags should be treated as in `\set@nobreak`; otherwise this command will be redundant.

```
174 \def \@floatboxreset {%
175     \reset@font
176     \normalsize
177     \setminipage
178 }
```

`\@setnobreak`

```
179 \def \@setnobreak{%
180     \if@nobreak
181         \let\outer@nobreak\@nobreaktrue
182         \@nobreakfalse
183     \fi
184 }
```

`\@setminipage`

```
185 \def \@setminipage{%
186     \@minipagetrue
187     \everypar{\@minipagefalse\everypar{}}%
188 }
```

`\end@float`

```
189 \def\end@float{%
190     \@endfloatbox
191     \ifnum\@floatpenalty <\z@
192         \@largefloatcheck
193         \@cons\@currlist\@currbox
194         \ifnum\@floatpenalty <-\@Mii
195             \penalty -\@Miv
```

Saving and restoring `\prevdepth` added 26 May 87 to prevent extra vertical space when used in vertical mode.

```
196         \@tempdima\prevdepth
197         \vbox{}%
198         \prevdepth\@tempdima
199         \penalty\@floatpenalty

200     \else
201         \vadjust{\penalty -\@Miv \vbox{}\penalty\@floatpenalty}\@Esphack
202     \fi
203 \fi
204 }
```

\end@dblfloat

```
205 </2ekernel>
206 <latexrelease>\IncludeInRelease{2015/01/01}%
207 <latexrelease>          {\end@dblfloat}{float order in 2-column}%
208 <*2ekernel | latexrelease>
209 \def\end@dblfloat{%
210   \if@twocolumn
211     \@endfloatbox
212     \ifnum\@floatpenalty <\z@
213       \@largefloatcheck
214       \global\dp\@currbox1sp %
215       \@cons\@currlist\@currbox
216       \ifnum\@floatpenalty <-\@Mii
217         \penalty -\@Miv
218         \@tempdima\prevdepth
219         \vbox{}%
220         \prevdepth\@tempdima
221         \penalty\@floatpenalty
222       \else
223         \vadjust{\penalty -\@Miv \vbox{}}\penalty\@floatpenalty\@Esphack
224       \fi
225     \fi
226   \else
227     \end@float
228   \fi
229 }%
230 </2ekernel | latexrelease>
231 <latexrelease>\EndIncludeInRelease
232 <latexrelease>\IncludeInRelease{0000/00/00}%
233 <latexrelease>          {\end@dblfloat}{float order in 2-column}%
234 <latexrelease>\def\end@dblfloat{%
235 <latexrelease>\if@twocolumn
236 <latexrelease>  \@endfloatbox
237 <latexrelease>  \ifnum\@floatpenalty <\z@
238   \global\dp\@currbox1sp %
239   \@cons\@dbldeferlist\@currbox
240   \fi
241   \ifnum \@floatpenalty =-\@Mii \@Esphack\fi
242 \else
243 \end@float
244 \fi
245 }%
246 <latexrelease>\EndIncludeInRelease
247 <*2ekernel>
```

Force the depth of two column float boxes.

What follows is essentially \end@float without a starting \@endfloatbox.

We make sure that we never exceed \textheight, otherwise float will never get typeset (91/03/15 FMi).

RmS 92/03/18 changed \@esphack to \@Esphack.

`\@endfloatbox` This macro is not intended to be a hook; it is designed to help maintain the integrity of this code, which is used twice and, as can be seen, is subject to frequent changes.

```

248 \def \@endfloatbox{%
249     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87

250     \@minipagefalse
251     \outer@nobreak
252     \egroup                %% end of vbox
253     \color@endbox
254 }
255 %
256 % \begin{macro}{\outer@nobreak}
257 % \changes{v1.0h}{1994/05/20}{Macro added: default is to do nothing.}
258 % \begin{macrocode}
259 \let\outer@nobreak\@empty

```

`\@largefloatcheck` This calculates by how much a float is oversize for the page and prints this in a warning message.

```

260 \def \@largefloatcheck{%
261     \ifdim \ht\@currbox>\textheight
262         \tempdima -\textheight
263         \advance \tempdima \ht\@currbox

264         \@latex@warning {Float too large for page by \the\tempdima}%
265         \ht\@currbox \textheight
266     \fi
267 }

```

`\@dbflt`

```

\@xdblfloat 268 \def\@dbflt#1{\@ifnextchar[{\@xdblfloat{#1}}{\@xdblfloat{#1}[tp]}}
269 \def\@xdblfloat#1[#2]{%
270     \@xfloat{#1}[#2]\hsize\textwidth\linewidth\textwidth}

```

Moved to ltoutput 93/12/16

```

271 %\newcount\c@topnumber
272 %\newcount\c@dbltopnumber
273 %\newcount\c@bottomnumber
274 %\newcount\c@totalnumber

```

`\@dblfloatplacement` An analysis of `\@floatplacement`:
This should be called whenever `\@colht` has been set.

```

275 \def\@floatplacement{\global\@topnum\c@topnumber
276     % Textpage bit, global:
277     \global\@toproom \topfraction\@colht
278     \global\@botnum \c@bottomnumber
279     \global\@botroom \bottomfraction\@colht
280     \global\@colnum \c@totalnumber
281     % Floatpage bit, local:
282     \fppmin \floatpagefraction\@colht}
283 (/2kernel)

```

`\@dblfloatplacement` This should be called only within a group. Now changed to provide extra checks in `\@addtodblcol`, needed when processing a BANG float.

```
284 <latexrelease>\IncludeInRelease{2015/01/01}%
285 <latexrelease>          {\@dblfloatplacement}{float order in 2-column}%
286 <*2kernel | latexrelease>
```

When making two column float area, look for floats with 1sp depth.

```
287 \def\@dblfloatplacement{\global\@dbltopnum\c@dbltopnumber
288   \global\@dbltoproom \dbltopfraction\@colht
289   \@textmin \@colht
290   \advance \@textmin -\@dbltoproom
291   \@fpmin \dblfloatpagefraction\textheight
292   \@fptop \@dblfpptop
293   \@fpsep \@dblfpsep
294   \@fpbot \@dblfpbot
```

`\f@depth` is used in `\@testwrongwidth` to look for either column or dbl-column floats. A value of 1sp signals the latter. Because of this setting here, `\@dblfloatplacement` needs to be called inside a group which is a questionable design.

```
295   \def\f@depth{1sp}}%
296 </2kernel | latexrelease>
297 <latexrelease>\EndIncludeInRelease
298 <latexrelease>\IncludeInRelease{0000/00/00}%
299 <latexrelease>          {\@dblfloatplacement}{float order in 2-column}%
300 <latexrelease>\def \@dblfloatplacement {%
```

Textpage bit: global, but need not be.

```
301 <latexrelease> \global \@dbltopnum \c@dbltopnumber
302 <latexrelease> \global \@dbltoproom \dbltopfraction\@colht
```

This new bit uses `\@textmin` to locally store the amount of extra room in the column.

```
303 <latexrelease> \@textmin \@colht
304 <latexrelease> \advance \@textmin -\@dbltoproom
```

Floatpage bit: must be local.

```
305 <latexrelease> \@fpmin \dblfloatpagefraction\textheight
306 <latexrelease> \@fptop \@dblfpptop
307 <latexrelease> \@fpsep \@dblfpsep
308 <latexrelease> \@fpbot \@dblfpbot
309 <latexrelease>}%
310 <latexrelease>\EndIncludeInRelease
311 <*2kernel>
```

MARGINAL NOTES:

Marginal notes use the same mechanism as floats to communicate with the `\output` routine. Marginal notes are distinguished from floats by having a negative placement specification. The command `\marginpar [LTEXT]{RTEXT}` generates a marginal note in a parbox, using LTEXT if it's on the left and RTEXT if it's on the right. (Default is RTEXT = LTEXT.) It uses the following parameters.

`\marginparwidth` : Width of marginal notes.
`\marginparsep` : Distance between marginal note and text.
the page layout to determine how to move the marginal
note into the margin. E.g., `\@leftmargin skip ==`
`\hskip -\marginparwidth \hskip -\marginparsep` .
`\marginparpush` : Minimum vertical separation between `\marginpar`'s

Marginal notes are normally put on the outside of the page
if `@mparswitch = true`, and on the right if `@mparswitch = false`.
The command `\reversemarginpar` reverses the side where they
are put. `\normalmarginpar` undoes `\reversemarginpar`.
These commands have no effect for two-column output.

SURPRISE: if two marginal notes appear on the same line of
text, then the second one could appear on the next page, in
a funny position.

```

\marginpar [LTEXT]{RTEXT} ==
BEGIN
  if hmode then \bsphack
    \floatpenalty := -10002
  else \floatpenalty := -10003
  fi
  if inner
    then LaTeX Error: 'Not in outer paragraph mode.'
    \floatpenalty := 0
  else if \@freelist has two elements:
    then get \@marbox, \@currbox from \@freelist
    \count\@marbox :=G -1
  else \floatpenalty := 0
    LaTeX Error: 'Too many unprocessed floats'
    \@currbox, \@marbox := \@tempboxa    %%use \def
  fi
  fi
  if optional argument
    then %% \xmpar ==
      \@savemarbox\@marbox{LTEXT}
      \@savemarbox\@currbox{RTEXT}
    else %% \ympar ==
      \@savemarbox\@marbox{RTEXT}
      \box\@currbox :=G \box\@marbox
    fi
  \xympar
END

\reversemarginpar == BEGIN \@parbottom :=G 0
                      @reversemargin :=G true
                      END

```

```

\normalmarginpar == BEGIN \@mparbottom :=G 0
                  @reversemargin :=G false
                  END

```

\marginpar

```

312 \def\marginpar{%
313   \ifhmode
314     \bsphack
315     \@floatpenalty -\@Mii
316   \else
317     \@floatpenalty-\@Miii
318   \fi
319   \ifinner
320     \@parmoderr
321     \@floatpenalty\z@
322   \else
323     \@next\@currbox\@freelist{}\{}%
324     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
325     {\@floatpenalty\z@
326       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
327   \fi
328   \@ifnextchar [\@xmpar\@ympar}

```

\@xmpar

```

329 \long\def\@xmpar[#1]#2{%
330   \@savemarbox\@marbox{#1}%
331   \@savemarbox\@currbox{#2}%
332   \@xympar}

```

\@ympar

```

333 \long\def\@ympar#1{%
334   \@savemarbox\@marbox{#1}%
335   \global\setbox\@currbox\copy\@marbox
336   \@xympar}

```

\@savemarbox

```

337 \long\def \@savemarbox #1#2{%
338   \global\setbox #1%
339     \color@vbox
340     \vtop{%
341       \hsize\marginparwidth
342       \@parboxrestore
343       \@marginparreset
344       #2%
345       \@minipagefalse
346       \outer@nobreak
347     }%
348   \color@endbox
349 }

```

\@marginparreset The rationale for allowing these normally global flags to be set locally here, via \@parboxrestore was stated originally by Donald Arsenau and extended by Chris

Rowley. It is because these flags are only set globally to true by section commands, and these should never appear within marginals or floats or, indeed, in any group; and they are only ever set globally to false when they are definitely true.

If anyone is unhappy with this argument then both flags should be treated as in `\set@nobreak`; otherwise this command will be redundant.

```
350 \def \@marginparreset {%
351     \reset@font
352     \normalsize
353 %     \let\if@nobreak\iffalse
354 %     \let\if@noskipsec\iffalse
355 %     \setnobreak
356     \@setminipage
357 }
```

`\@xympar`

Setting the box here is done only because the code uses `\end@float`; it will be empty and gets discarded.

```
358 \def \@xympar{%
359     \ifnum\@floatpenalty <\z@\@cons\@currlist\@marbox\fi
360     \setbox\@tempboxa
361     \color@vbox
362     \vbox \bgroup
363     \end@float
364     \@ignorefalse
365     \@esphack
366 }
```

`\reversemarginpar`

`\normalmarginpar`

```
367 \def\reversemarginpar{\global\@mparbottom\z@ \@reversemargintrue}
368 \def\normalmarginpar{\global\@mparbottom\z@ \@reversemarginfalse}

369 \message{footnotes,}
```

60.2 Footnotes

`\footnote{NOTE}` : User command to insert a footnote.

`\footnote[NUM]{NOTE}`: User command to insert a footnote numbered *NUM*, where *NUM* is a number – 1, 2, etc. For example, if footnotes are numbered *, **, etc. within pages, then `\footnote[2]{...}` produces footnote '**'. This command does not step the footnote counter.

`\footnotemark[NUM]` : Command to produce just the footnote mark in the text, but no footnote. With no argument, it steps the footnote counter before generating the mark.

`\footnotetext[NUM]{TEXT}` : Command to produce the footnote but no mark. `\footnote` is equivalent to

`\footnotemark \footnotetext .`

As in PLAIN, footnotes use `\insert\footins`, and the following parameters:

- `\footnotesize` : Size-changing command for footnotes.
- `\footnotesep` : The height of a strut placed at the beginning of every footnote.
- `\skip\footins` : Space between main text and footnotes. The rule separating footnotes from text occurs in this space. This space lies above the strut of height `\footnotesep` which is at the beginning of the first footnote.
- `\footnoterule` : Macro to draw the rule separating footnotes from text. It is executed right after a `\vspace` of `\skip\footins`. It should take zero vertical space—i.e., it should to a negative skip to compensate for any positive space it occupies. (See PLAIN.TEX.)
- `\interfootnotelinepenalty` : Interline penalty for footnotes.
- `\thefootnote` : In usual LaTeX style, produces the footnote number. If footnotes are to be numbered within pages, then the document style file must include an `\@addtoreset` command to cause the footnote counter to be reset when the page counter is stepped. This is not a good idea, though, because the counter will not always be reset in time to ensure that the first footnote on a page is footnote number one.
- `\@thefnmark` : Holds the current footnote's mark—e.g., `\dag` or `'1'` or `'a'`.
- `\@mpfnnumber` : A macro that generates the numbers for `\footnote` and `\footnotemark` commands. It `== \thefootnote` outside a minipage environment, but can be changed inside to generate numbers for `\footnote`'s.
- `\@makefnmark` : A macro to generate the footnote marker from `\@thefnmark`. The default definition was `\hbox{$^\@thefnmark$}`.
- This is now replaced by `\@thefnmark`
- `\@makefntext{NOTE}` :
Must produce the actual footnote, using `\@thefnmark` as the mark

of the footnote and NOTE as the text. It is called when effectively inside a `\parbox`, with `\hsize = \columnwidth`.

For example, it might be as simple as

```
$^{\@thefnmark}$ NOTE
```

In a minipage environment, `\footnote` and `\footnotetext` are redefined so that

- (a) they use the counter `mpfootnote`
- (b) the footnotes they produce go at the bottom of the minipage.

The switch is accomplished by letting `\@mpfn == footnote` or `mpfootnote` and `\thempfn == \thefootnote` or `\thempfootnote`, and by redefining `\@footnotetext` to be `\@mpfootnotetext` in the minipage.

```
\footnote{NOTE} ==
BEGIN
  \stepcounter{\@mpfn}
  begingroup
    \protect == \noexpand
    \@thefnmark :=G eval (\thempfn)
  endgroup
  \@footnotemark
  \@footnotetext{NOTE}
END

\footnote[NUM]{NOTE} ==
BEGIN
  begingroup
    \protect == \noexpand
    counter \@mpfn :=L NUM
    \@thefnmark :=G eval (\thempfn)
  endgroup
  \@footnotemark
  \@footnotetext{NOTE}
END

\footnotemark ==
BEGIN \stepcounter{footnote}
  begingroup
    \protect == \noexpand
    \@thefnmark :=G eval(\thefootnote)
  endgroup
  \@footnotemark
END

\footnotemark[NUM] ==
BEGIN
  begingroup
    footnote counter :=L NUM
    \protect == \noexpand
    \@thefnmark :=G eval(\thefootnote)
```

```

        endgroup
        \@footnotemark
    END

\@footnotemark ==
    BEGIN
        \leavevmode
        IF hmode THEN \@x@sf := \the\spacefactor FI
        \@makefnmark          % put number in main text
        IF hmode THEN \spacefactor := \@x@sf FI
    END

\footnotetext      ==
    BEGIN begingroup \protect == \noexpand
        \@thefnmark :=G eval (\thempfn)
    endgroup
    \@footnotetext
    END

\footnotetext[NUM] ==
    BEGIN begingroup counter \@mpfn :=L NUM
        \protect == \noexpand
        \@thefnmark :=G eval (\thempfn)
    endgroup
    \@footnotetext
    END

\footins  LATEX does use the same insert for footnotes as PLAIN.
370 \newinsert\footins
    LATEX leaves these initializations for the \footins insert.
371 \skip\footins=\bigskipamount % space added when footnote is present
372 \count\footins=1000 % footnote magnification factor (1 to 1)
373 \dimen\footins=8in % maximum footnotes per page

\footnoterule  LATEX keeps PLAIN TEX's \footnoterule as the default.
374 \def\footnoterule{\kern-3\p@
375   \hrule \@width 2in \kern 2.6\p@} % the \hrule is .4pt high

\thefootnote
376 \@definecounter{footnote}
377 \def\thefootnote{\@arabic\c@footnote}

\thempfootnote  The default display for the footnote counter in minipages is to use italic letters.
                We use \itshape not \textit as the latter would add an italic correction.
378 \@definecounter{mpfootnote}
379 \def\thempfootnote{{\itshape\@alph\c@mpfootnote}}

\@makefnmark  Default definition.
380 %\def\@makefnmark{\hbox{$^{\@thefnmark}\m@th$}}
381 \def\@makefnmark{\hbox{\@textsuperscript{\normalfont\@thefnmark}}}
```

`\textsuperscript` This command provides superscript characters in the current text font. It's implementation might change!!!

```

382 \DeclareRobustCommand*\textsuperscript[1]{%
383   \@textsuperscript{\selectfont#1}}

```

`\@textsuperscript` This command should not be used directly, but may be used to define other commands `\textsuperscript`, `\@makefnmark`. #1 should always start with a font selection command, to activate the font size switch.

```

384 \def\@textsuperscript#1{%
385   {\m@th\ensuremath{^{\mbox{\fontsize\sf@size\z@#1}}}}

```

`\textsubscript`

```

386 (/2ekernel)
387 \latexrelease\IncludeInRelease{2015/01/01}%
388 \latexrelease           {\textsubscript}{\textsubscript}%
389 (*2ekernel | latexrelease)

```

`\@textsubscript`

```

390 \DeclareRobustCommand*\textsubscript[1]{%
391   \@textsubscript{\selectfont#1}}%

```

`\@textsubscript`

```

392 \def\@textsubscript#1{%
393   {\m@th\ensuremath{_{\mbox{\fontsize\sf@size\z@#1}}}}%

```

```

394 (/2ekernel | latexrelease)
395 \latexrelease\EndIncludeInRelease
396 \latexrelease\IncludeInRelease{0000/00/00}%
397 \latexrelease           {\textsubscript}{\textsubscript}%
398 \latexrelease\let\textsubscript\@undefined
399 \latexrelease\let\@textsubscript\@undefined
400 \latexrelease\EndIncludeInRelease
401 (*2ekernel)

```

```

402 \def\@textsubscript#1{%
403   {\m@th\ensuremath{_{\mbox{\fontsize\sf@size\z@#1}}}}%

```

`\footnotesep`

```

404 \newdimen\footnotesep

```

`\footnote`

```

405 \def\footnote{\@ifnextchar[\@xfootnote{\stepcounter\@mpfn
406   \protected@xdef\@thefnmark{\thempfn}%
407   \@footnotemark\@footnotetext}}

```

`\@xfootnote`

```

408 \def\@xfootnote[#1]{%
409   \begingroup
410     \csname c@\@mpfn\endcsname #1\relax
411     \unrestored@protected@xdef\@thefnmark{\thempfn}%
412   \endgroup
413   \@footnotemark\@footnotetext}

```

```

\@footnotetext
414 \long\def\@footnotetext#1{\insert\footins{%
415   \reset@font\footnotesize
416   \interlinepenalty\interfootnotelinepenalty
417   \splittopskip\footnotesep
418   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
419   \hsize\columnwidth \@parboxrestore
420   \protected@edef\@currentlabel{%
421     \csname p@footnote\endcsname\@thefnmark
422   }%
423   \color@begingroup
424     \@makefnmark{%
425       \rule{z@}{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
426   \color@endgroup}}%

\footnotemark
427 \def\footnotemark{%
428   \@ifnextchar[\@xfootnotemark
429     {\stepcounter{footnote}%
430     \protected@xdef\@thefnmark{\thefootnote}%
431     \@footnotemark}}

\@xfootnotemark
432 \def\@xfootnotemark[#1]{%
433   \begingroup
434     \c@footnote #1\relax
435     \unrestored@protected@xdef\@thefnmark{\thefootnote}%
436   \endgroup
437   \@footnotemark}

\@footnotemark
438 \def\@footnotemark{%
439   \leavevmode
440   \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
441   \@makefnmark
442   \ifhmode\spacefactor\x@sf\fi
443   \relax}

\footnotetext
444 \def\footnotetext{%
445   \@ifnextchar [\@xfootnotenext
446     {\protected@xdef\@thefnmark{\thempfn}%
447     \@footnotetext}}

\@xfootnotenext
448 \def\@xfootnotenext[#1]{%
449   \begingroup
450     \csname c@\mpfn\endcsname #1\relax
451     \unrestored@protected@xdef\@thefnmark{\thempfn}%
452   \endgroup
453   \@footnotetext}

```



```

\thempfn
\@mpfn 454 \def\@mpfn{footnote}
455 \def\thempfn{\thefootnote}
456 \endkernel

```

File H

ltidxglo.dtx

61 Index and Glossary Generation

Index and Glossary commands.

```

\makeindex      A preamble command to turn on indexing.
\makeglossary   A preamble command to turn on making glossary entries.
  \index        Make an index entry for #1.
  \glossary     Make a glossary entry for #1.

\makeindex ==
  BEGIN
    \index == BEGIN \@bsphack
              \begingroup
              \protect{X} == \string X\space
              %% added 3 Feb 87 for \index

commands

              %% in \footnotes
              re-\catcode special characters
              to 'other'
              \@wrindex

  END

  \@wrindex{ITEM} ==
    BEGIN
      write of {\indexentry{ITEM}{page number}}
    \endgroup
    \@esphack
  END

INITIALIZATION:

\index == BEGIN \@bsphack
          \begingroup
          re-\catcode special characters (in case '%' there)
          \@index

  END

  \@index{ITEM} == BEGIN \endgroup \@esphack END

Changes made 14 Apr 89 to write \glossaryentry's instead of
\indexentry's on the .glo file.

1 (*2kernel)
2 \message{index,}

\makeindex

3 \def\makeindex{%
4   \newwrite\@indexfile

```

```

5 \immediate\openout\@indexfile=\jobname.idx
6 \def\index{\@bsphack\beginngroup
7     \@sanitize
8     \@wrindex}\typeout
9     {Writing index file \jobname.idx}}%

```

Opening the write channel should be done only once since on some OS multiple opens are forbidden and in any case it is useless. So we turn this into a no-op after use.

```

10 \let\makeindex\@empty
11 }
12 \@onlypreamble\makeindex

```

\@wrindex

```

13 \def\@wrindex#1{%
14     \protected@write\@indexfile{%
15         {\string\indexentry{#1}{\thepage}}}%
16     \endgroup
17     \@esphack}

```

\index

```

18 \def\index{\@bsphack\beginngroup \@sanitize\@index}

```

\@index

```

19 \def\@index#1{\endgroup\@esphack}

```

\makeglossary

```

20 \def\makeglossary{%
21     \newwrite\@glossaryfile
22     \immediate\openout\@glossaryfile=\jobname.glo
23     \def\glossary{\@bsphack\beginngroup
24         \@sanitize
25         \@wrglossary}\typeout
26         {Writing glossary file \jobname.glo }}%

```

Opening the write channel should be done only once since on some OS multiple opens are forbidden and in any case it is useless. So we turn this into a no-op after use.

```

27 \let\makeglossary\@empty
28 }
29 \@onlypreamble\makeglossary

```

\@wrglossary

```

30 \def\@wrglossary#1{%
31     \protected@write\@glossaryfile{%
32         {\string\glossaryentry{#1}{\thepage}}}%
33     \endgroup
34     \@esphack}

```

\glossary

```

35 \def\glossary{\@bsphack\beginngroup\@sanitize\@index}
36 \endkernel)

```

File I

ltbibl.dtx

62 Bibliography Generation

A bibliography is created by the `thebibliography` environment, which generates a title such as “References”, and a list of entries. The `BIBTEX` program will create a file containing such an environment, which will be read in by the `\bibliography` command. With `BIBTEX`, the following commands will be used.

<code>\bibliography</code>	<code>\bibliography{⟨file1,file2, ...,filen⟩}</code> : specifies the bibdata files. Writes a <code>\bibdata</code> entry on the <code>.aux</code> file and tries to read in <code>mainfile.bbl</code> .
<code>\bibliographystyle</code>	<code>\bibliographystyle{⟨style⟩}</code> : Writes a <code>\bibstyle</code> entry on the <code>.aux</code> file.
<code>thebibliography</code>	The <code>thebibliography</code> environment is a list environment. To save the use of an extra counter, it should use <code>enumiv</code> as the item counter. Instead of using <code>\item</code> , items in the bibliography are produced by the following commands: <code>\bibitem{⟨name⟩}</code> : Produces a numbered entry cited as <code>⟨name⟩</code> . <code>\bibitem[⟨label⟩]{⟨name⟩}</code> : Produces an entry labeled by <code>⟨Label⟩</code> and cited by <code>⟨name⟩</code> .

The former is used for bibliographies with citations like [1], [2], etc.; the latter is used for citations like [Knuth82].

The document class must define the `thebibliography` environment. This environment has a single argument, which is the widest bibliography label— e.g., if the [Knuth67] is the widest entry, then this argument will be Knuth67. The `\thebibliography` command must begin a list environment, which the `\endthebibliography` command ends.

<code>\cite</code>	Entries are cited by the command <code>\cite{⟨name⟩}</code> .
<code>\nocite</code>	<code>\nocite{⟨citations⟩}</code> puts information on the <code>.aux</code> file that causes <code>BIBTEX</code> to include the <code>{⟨citations⟩}</code> list in the bibliography, but puts nothing in the text. <code>\nocite{*}</code> is special: it tells <code>BIBTEX</code> to put the whole of a collection of references into the bibliography.

```
1 (*2ekernel)
2 \message{bibliography,}
```

PARAMETERS

<code>\@cite</code>	: A macro such that <code>\@cite{LABEL1,LABEL2}{NOTE}</code> produces the output for a <code>\cite[NOTE]{FOO1,FOO2}</code>
command,	where entry <code>FOOi</code> is defined by <code>\bibitem[LABELi]{FOOi}</code> . The switch <code>@tempswa</code> is true if the optional <code>NOTE</code>
argument	is present. The default definition is : <pre>\@cite{LABELS}{NOTE} == BEGIN [LABELS IF @tempswa = T THEN , NOTE FI] END</pre>

`\@biblabel` : A macro to produce the label in the bibliography entry. For `\bibitem[LABEL]{NAME}`, the label is generated by `\@biblabel{LABEL}`. It has the default definition `\@biblabel{LABEL} -> [LABEL]`.

CONVENTION

`\b@F00` : The name or number of the reference created by `\cite{FOO}`
 E.g., if `\cite{FOO} -> [17]` , then `\b@F00 -> 17`.

```

\@bibitem
3 \def\bibitem{\@ifnextchar[\@lbibitem\@bibitem}

\@lbibitem
4 \def\@lbibitem[#1]#2{\item[\@biblabel{#1}\hfill]\if@filesw
5     {\let\protect\noexpand
6     \immediate
7     \write\@auxout{\string\bibcite{#2}{#1}}}\fi\ignorespaces}

\@bibitem
8 \def\@bibitem#1{\item\if@filesw \immediate\write\@auxout
9     {\string\bibcite{#1}{\the\value{\@listctr}}}\fi\ignorespaces}

\bibcite
10 \def\bibcite{\@newl@bel b}

\citation
11 \let\citation\@gobble

\cite
12 \DeclareRobustCommand\cite{%
13   \@ifnextchar [{\@tempswattrue\@citex}{\@tempswafalse\@citex[]}]

\@citex \penalty\@m added to definition of \@citex to allow a line break after the ‘,’ in
citations like [Jones80,Smith77] (Added 23 Oct 86)
space added after the ‘,’ (21 Nov 87)
14 \def\@citex[#1]#2{\leavevmode
15   \let\@citea\@empty
16   \@cite{\@for\@citeb:=#2\do
17     {\@citea\def\@citea{,\penalty\@m\ }%
18     \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}}%
19     \if@filesw\immediate\write\@auxout{\string\citation{\@citeb}}}\fi

```

Using `\hbox` instead of `\mbox` is fine because of the `\leavevmode` above. In fact the use of a box around the citation contents is more than questionable in my view (FMI), but within 2e I have to keep that for compatibility reasons as it would probably change too many existing documents. Its main reason is to avoid hyphenation of labels such as [FOOB89] into [FOO- B89] so in certain styles it makes sense; but, for example, in author year citations it becomes more than questionable.

So Chris added yet another hook here, as suggested by, at least, Donald Arsena. Note that this one is inside the first argument of the `\@cite` hook. This decouples the top-level typesetting of the citation from the details of the other business conducted here. All this really needs a complete rethink to get the right modularity.

```

20     \@ifundefined{b@\@citeb}{\hbox{\reset@font\bfseries ?}}%
21     \G@refundefinedtrue
22     \@latex@warning
23     {Citation ‘\@citeb’ on page \thepage \space undefined}}%
24     {\@cite@ofmt{\csname b@\@citeb\endcsname}}}{#1}}

```

`\bibdata`

```

\bibstyle 25 \let\bibdata=\@gobble
          26 \let\bibstyle=\@gobble

```

`\bibliography`

```

27 \def\bibliography#1{%
28   \if@filesw
29     \immediate\write\@auxout{\string\bibdata{#1}}%
30   \fi
31   \@input{\jobname.bbl}}

```

`\bibliographystyle`

```

32 \def\bibliographystyle#1{%
33   \ifx\@begindocumenthook\@undefined\else
34     \expandafter\AtBeginDocument
35   \fi
36   {\if@filesw
37     \immediate\write\@auxout{\string\bibstyle{#1}}%
38     \fi}}

```

`\nocite` (Added 14 Jun 85)

This puts information on the `.aux` file that causes BibTeX to include the citation list in the bibliography, but puts nothing in the text.

RmS 93/08/06: Made loop for `\nocite` like that for `\@citex`, to get rid of leading spaces.

```

39 \def\nocite#1{\@bsphack

```

With the implementation designed already in L^AT_EX 2.09 the `\nocite` command will not work before `\begin{document}` since it tries to write to the `.aux` file which is not open before that point. As a result the “reference” will appear on the terminal and nothing else will happen.

This would be easy to fix, but then a document using the fix will silently fail on an older release of L^AT_EX, missing all citations done with `\nocite`. Thus we do only generate an error message and leave the fix for a L^AT_EX 2_ε successor.

```

40   \ifx\@onlypreamble\document

```

Since we are after `\begin{document}` we can do the citations:

```

41     \@for\@citeb:=#1\do{%
42       \edef\@citeb{\expandafter\@firstofone\@citeb}%
43       \if@filesw\immediate\write\@auxout{\string\citation{\@citeb}}\fi
44       \@ifundefined{b@\@citeb}{\G@refundefinedtrue
45         \@latex@warning{Citation ‘\@citeb’ undefined}}{}%
46     \else

```

But before `\begin{document}` we raise an error message:

```
47 \latex@error{Cannot be used in preamble}\@eha
```

Without the compatibility problems we could fix the problem as follows:

```
48 % \AtBeginDocument{\nocite{#1}}
```

```
49 \fi
```

```
50 \esphack}
```

Since `\nocite{*}` should not produce a warning about undefined citation keys (see PR 557), we need to set the control sequence ‘`\b@*`’ to something other than `\relax`. As a result `\cite{*}` will not warn either (but that never worked with \LaTeX in the first place).

```
51 \expandafter\let\csname b@*\endcsname\@empty
```

62.1 Default definitions

This hook determines the ‘relative formatting’ of the two logical parts of a citation with comment.

`\@cite`

```
52 \def\@cite#1#2{[{#1\if@tempswa , #2\fi}]}
```

`\@cite@ofmt`

This is, in general, a command that appears to have one argument whose value is, in the kernel, a single cs whose name is the expansion of `b@*\@citeb`; the expansion of this cs will typically be some hmode material that produces the detailed typeset form of just the citations themselves.

```
53 \let\@cite@ofmt\hbox
```

`\@biblabel`

```
54 \def\@biblabel#1{[#1]}
```

```
55 \</2kernel>
```

File J

ltpage.dtx

63 Page styles and related commands

63.1 Page Style Commands

`\pagestyle{<style>}` : sets the page style of the current and succeeding pages to *style*

`\thispagestyle{<style>}` : sets the page style of the current page only to *style*.

To define a page style *style*, you must define `\ps@style` to set the page style parameters.

63.2 How a page style makes running heads and feet

The `\ps@...` command defines the macros `\@oddhead`, `\@oddfoot`, `\@evenhead`, and `\@evenfoot` to define the running heads and feet. (See output routine.) To make headings determined by the sectioning commands, the page style defines the commands `\chaptermark`, `\sectionmark`, etc., where `\chaptermark{<text>}` is called by `\chapter` to set a mark. The `\...mark` commands and the `\...head` macros are defined with the help of the following macros.

(All the `\...mark` commands should be initialized to no-ops.)

63.3 marking conventions

L^AT_EX extends T_EX's `\mark` facility by producing two kinds of marks a 'left' and a 'right' mark, using the following commands:

`\markboth{<left>}{<right>}` : Adds both marks.

`\markright{<right>}` : Adds a 'right' mark.

`\leftmark` : Used in the output routine, gets the current 'left' mark. Works like T_EX's `\botmark`.

`\rightmark` : Used in the output routine, gets the current 'right' mark. Works like T_EX's `\firstmark`. The marking commands work reasonably well for right marks 'numbered within' left marks—e.g., the left mark is changed by a `\chapter` command and the right mark is changed by a `\section` command. However, it does produce somewhat anomalous results if 2 `\markboth`'s occur on the same page.

Commands like `\tableofcontents` that should set the marks in some page styles use a `\mkboth` command, which is `\let` by the `pagestyle` command (`\ps@...`) to `\markboth` for setting the heading or to `\@gobbletwo` to do nothing.

```
1 (*2ekernel)
```

`\pagestyle` User command to set the page style for this and following pages.

```
2 \def\pagestyle#1{%
3   \@ifundefined{ps@#1}%
4     \undefinedpagestyle
5     {\@nameuse{ps@#1}}}
```


`\thispagestyle` User command to set the page style for this page only.

```

6 \def\thispagestyle#1{%
7   \ifundefined{ps@#1}%
8     \undefinedpagestyle
9     {\global\@specialpagetrue\gdef\@specialstyle{#1}}}
```

`\ps@empty` The empty page style: No head or foot line.

```

10 \def\ps@empty{%
11   \let\@mkboth\@gobbletwo\let\@oddhead\@empty\let\@oddfoot\@empty
12   \let\@evenhead\@empty\let\@evenfoot\@empty}
```

`\ps@plain` The plain page style: No head, centred page number in foot.

```

13 \def\ps@plain{\let\@mkboth\@gobbletwo
14   \let\@oddhead\@empty\def\@oddfoot{\reset@font\hfil\thepage
15     \hfil}\let\@evenhead\@empty\let\@evenfoot\@oddfoot}
```

`\@leftmark` We implement `\@leftmark` and `\@rightmark` in terms of already defined commands to save token space. We can't get rid of them since they are sometimes used in applications.

```

16 \let\@leftmark\@firstoftwo
17 \let\@rightmark\@secondoftwo
```

`\markboth` User commands for setting L^AT_EX marks.

`\markright` Test for `\@nobreak` added 15 Apr 86 in `\markboth` and `\markright` letting `\label` and `\index` to `\relax` added 22 Feb 86 so these commands can appear in sectioning command arguments RmS 91/06/21 Same for `\glossary`

```

18 \def\markboth#1#2{%
19   \begingroup
20     \let\label\relax \let\index\relax \let\glossary\relax
21     \unrestored@protected@xdef\@themark {{#1}{#2}}%
22     \@temptokena \expandafter{\@themark}%
23     \mark{\the\@temptokena}%
24   \endgroup
25   \if@nobreak\ifvmode\nobreak\fi\fi}
26 \def\markright#1{%
27   \begingroup
28     \let\label\relax \let\index\relax \let\glossary\relax
```

Protection is handled inside `\@markright`.

```

29     \expandafter\@markright\@themark {#1}%
30     \@temptokena \expandafter{\@themark}%
31     \mark{\the\@temptokena}%
32   \endgroup
33   \if@nobreak\ifvmode\nobreak\fi\fi}
```

`\@markright`

```

\leftmark 34 \def\@markright#1#2#3{\@temptokena {#1}%
\rightmark 35   \unrestored@protected@xdef\@themark{{\the\@temptokena}{#3}}}
```

```

36 \def\leftmark{\expandafter\@leftmark\botmark\@empty\@empty}
37 \def\rightmark{\expandafter\@rightmark\firstmark\@empty\@empty}
```

`\@themark` Initialise L^AT_EX's marks without setting a T_EX mark *<whatsit>*.

```

38 \def\@themark{{}{}}
```

`\mark` Test versions of L^AT_EX 2_ε initialised T_EX's `\mark` system at this point, but this was removed before the first release.

`\AtBeginDocument{\mark{}}{}}`

`\raggedbottom` `\raggedbottom` typesets pages with no vertical stretch, so they have their natural height instead of all being exactly the same height. (Uses a space of .0001fil to avoid interfering with the 1fil space of `\newpage`.)

```

39 \def\raggedbottom{%
40   \def\@textbottom{\vskip \z@ \@plus.0001fil}\let\@texttop\relax}

```

`\flushbottom` `\flushbottom`: Inverse of `\raggedbottom` — makes all pages the same height.

```

41 \def\flushbottom{%
42   \let\@textbottom\relax \let\@texttop\relax}

```

`\sloppy` `\sloppy` will never (well, hardly ever) produce overfull boxes, but may produce underfull ones. (14 June 85)

```

43 \def\sloppy{%
44   \tolerance 9999%
45   \emergencystretch 3em%
46   \hfuzz .5\p@
47   \vfuzz\hfuzz}

```

`sloppypar` A `sloppypar` environment is equivalent to `{\par \sloppy ... \par}`.

```

48 \def\sloppypar{\par\sloppy}
49 \def\endsloppypar{\par}

```

`\fussy` Resets T_EX's parameters to their normal finicky values.

```

50 \def\fussy{%
51   \emergencystretch\z@
52   \tolerance 200%
53   \hfuzz .1\p@
54   \vfuzz\hfuzz}

```

`\overfullrule` L^AT_EX default is no overfull box rule. Changed by document class option.

```

55 \overfullrule 0pt

```

56 `</2kernel>`

File K

ltoutput.dtx

64 Output Routine

64.1 Floats

The ‘2ekernel’ code ensures that a `\usepackage{autoout1}` is essentially ignored if a ‘full’ format is being used that has the autoload file mode already in the format.

```

1 \def\beginingroup
2 \def\makeatletter
3 \def\nfss@catcodes
4 \if2ekernel\expandafter\let\csname ver@autoout1.sty\endcsname\fmtversion
5 \if2ekernel
6 \message{output,}

*****
*                               *
*                               *
*****

```

PAGE LAYOUT PARAMETERS

```

\topmargin      : Extra space added to top of page.
@twoside        : boolean.  T if two-sided printing
\oddsidemargin  : IF @twoside = T
                  THEN extra space added to left of odd-numbered
                  pages.
                  ELSE extra space added to left of all pages.
\evensidemargin : IF @twoside = T
                  THEN extra space added to left of
even-numbered
                  pages.
\headheight     : height of head
\headsep        : separation between head and text
\footskip       : distance separation between baseline of last
                  line of text and baseline of foot.
                  Note difference between \footSKIP and \headSEP.
\textheight     : height of text on page, excluding head and foot
\textwidth      : width of printing on page
\columnsep      : IF @twocolumn = T
                  THEN width of space between columns
\columnseprule  : IF @twocolumn = T
                  THEN width of rule between columns (0 if none).
\columnwidth    : IF @twocolumn = T
                  THEN (\textwidth - \columnsep)/2
                  ELSE \textwidth
                  It is set by the \twocolumn and

```

`\onecolumn` commands.

`\@textbottom` : Command executed at bottom of vbox holding text of page (including figures). The `\raggedbottom` command almost `\let`'s this to `\vfil` (actually sets it to `\vskip \z@ plus.0001fil`). Should have depth 0pt.

`\@texttop` : Command executed at top of vbox holding text of page (including figures). Used by letter style; can also be used to produce centered pages. Let to `\relax` by `\raggedbottom` and `\flushbottom`.

Page layout must initialize `\@colht` and `\@colroom` to `\textheight`.

PAGE STYLE PARAMETERS:

`\floatsep` : Space left between floats.

`\textfloatsep` : Space between last top float or first bottom float and the text.

`\topfigrule` : Command to place rule (or whatever) between floats at top of page and text. Executed in inner vertical mode right before the `\textfloatsep` skip separating the floats from the text. Must occupy zero vertical space. (See `\footnoterule`.)

`\botfigrule` : Same as `\topfigrule`, but put after the `\textfloatsep` skip separating text from the floats at bottom of page.

`\intextsep` : Space left on top and bottom of an in-text float.

`\dblfloatsep` : Space between double-column floats.

`\dbltextfloatsep` : Space between top double-column floats and text.

`\dblfigrule` : Similar to `\topfigrule`, but for double-column floats.

`\@fptop` : Glue to go at top of float column – must be 0pt + stretch

`\@fpsep` : Glue to go between floats in a float column.

`\@fpbot` : Glue to go at bottom of float column – must be 0pt + stretch

`\@dblfpptop`, `\@dblfpsep`, `\@dblfpbot` : Analogous for double-column float page in two-column format.

FOOTNOTES: As in PLAIN, footnotes use `\insert\footins`.

PAGE LAYOUT SWITCHES AND MACROS

`@twocolumn` : Boolean. T if two columns per page globally.

PAGE STYLE MACROS AND SWITCHES

`\@oddhead` : IF @twoside = T
 THEN macro to generate head of
 odd-numbered
 pages.
 ELSE macro to generate head of all pages.
`\@evenhead` : IF @twoside = T
 THEN macro to generate head of
 even-numbered
 pages.
`\@oddfoot` : IF @twoside = T
 THEN macro to generate foot of
 odd-numbered
 pages.
 ELSE macro to generate foot of all pages.
`\@evenfoot` : IF @twoside = T
 THEN macro to generate foot of
 even-numbered
 pages.
`@specialpage` : boolean. T if current page is to have a special
 format.
`\@specialstyle` : If its value is foo then
 IF @specialpage = T
 THEN the command `\ps@foo` is executed to
 temporarily reset the page style parameters
 before composing the current page.
 This command should execute only `\def`'s
 and
 `\edef`'s, making only local definitions.

FLOAT PLACEMENT PARAMETERS

The following parameters are set by the macro `\@floatplacement`.
 When `\@floatplacement` is called,

`\@colht` is the height of the page or column being built. I.e.:

- * For single-column page it equals `\textheight`.
- * For double-column page it equals `\textheight` - height
 of double-column floats on page.

Note that some are set globally and some locally:

`\@topnum` :=G Maximum number of floats allowed on the top of a
 column.

`\@toproom` :=G Maximum amount of top of column devoted to floats—
 excluding `\textfloatsep` separation below the floats
 and `\floatsep` separation between them. For
 two-column output, should be computed as a function
 of `\@colht`.

`\@botnum`, `\@botroom`
 : Analogous to above.

`\@colnum` :=G Maximum number of floats allowed in a column, including in-text floats.

`\@textmin` :=L Minimum amount of text (excluding footnotes) that must appear on a text page.

%% 27 Sep 85 : made local to
%% `\@addtocurcol` and `\@addtonextcol`

It is now also used locally in processing double floats.

`\@fpmin` :=L Minimum height of floats in a float column.

The macro `\@dblfloatplacement` sets the following parameters.

`\@dbltopnum` :=G Maximum number of double-column floats allowed at the top of a two-column page.

`\@dbltoproom` :=G Maximum height of double-column floats allowed at top of two-column page.

`\@fpmin` :=L Minimum height of floats in a float column.

It should also perform the following local assignments where necessary – i.e., where the new value differs from the old one:

`\@fptop` :=L `\@dblfpptop`
`\@fpsep` :=L `\@dblfpsep`
`\@fpbot` :=L `\@dblfpbot`

OUTPUT ROUTINE VARIABLES

`\@colht` : The total height of the current column. In single column style, it equals `\textheight`. In two-column style, it is `\textheight` minus the height of the double-column floats on the current page. MUST BE INITIALIZED TO `\textheight`.

`\@colroom` : The height available in the current column for text and footnotes. It equals `\@colht` minus the height of all floats committed to the top and bottom of the current column.

`\@textfloatsheight` : The total height of in-text floats on the current page.

`\footins` : Footnote insertion number.

`\@maxdepth` : Saved value of TeX's `\maxdepth`. Must be set when any routine sets `\maxdepth`.

CALLING THE OUTPUT ROUTINE

The output routine is called either by TeX's normal page-breaking mechanism, or by a macro putting a penalty $<$ or $= -10000$ in the output list. In the latter case, the penalty indicates why the output

routine was called, using the following code.

penalty	reason
-10000	<code>\pagebreak</code> <code>\newpage</code>
-10001	<code>\clearpage</code> (<code>\penalty -10000 \vbox{} \penalty -10001</code>)
-10002	float insertion, called from horizontal mode
-10003	float insertion, called from vertical mode.
-10004	float insertion.

Note: A float or marginpar puts the following sequence in the output list:

- (i) a penalty of -10004,
- (ii) a null `\vbox`
- (iii) a penalty of -10002 or -10003.

This solves two special problems:

1. If the float comes right after a `\newpage` or `\clearpage`, then the first penalty is ignored, but the second one invokes the output routine.
2. If there is a split footnote on the page, the second 'page' puts out the rest of the footnote.

THE OUTPUT ROUTINE

FUNCTIONS USED IN THE OUTPUT ROUTINE:

`\@outputpage` : Produces an output page with the contents of box `\@outputbox` as the text part.

Also sets `\@colht :=G \textheight`.

The page style is determined as follows.

IF `@thispagestyle = true`

THEN use `\thispagestyle` style

ELSE use ordinary page style.

`\@tryfcolumn\FLIST` : Tries to form a float column composed of floats from `\FLIST` (if nonempty) with the following parameters:

`\@colht` : height of box

`\@fpmin` : minimum height of floats in the box

`\@fpsep` : interfloat space

`\@fptop` : glue at top of box

`\@fpbot` : glue at bottom of box.

If it succeeds, then it does the following:

* `\@outputbox :=L` the composed float box.

* `@fcolmade :=G true`

* `\FLIST :=G \FLIST` - floats put in box

* `\@freelist :=G \@freelist +` floats put in box

If it fails, then:

* `@fcolmade :=G false`

NOTE: BIT MUST BE A SINGLE TOKEN!

`\@makefcolumn \FLIST` : Same as `\@tryfcolumn` except that it fails to make a float column only if `\FLIST` is empty. Otherwise, it makes a float column containing at least the first box in `\FLIST`, disregarding `\@fpmin`.

`\@startcolumn` :
 Calls `\@tryfcolumn\@deferlist`. If `\@tryfcolumn` returns with (globally set) `@fcolmade = false`, then:

- * Globally sets `\@toplist` and `\@botlist` to floats from `\@deferlist` to go at top and bottom of column, deleting them from `\@deferlist`. It does this using `\@colht` as the total height, the page style parameters `\@floatsep` and `\@textfloatsep`, and the float placement parameters `\@topnum`, `\@toproom`, `\@botnum`, `\@botroom`, `\@colnum` and `\textfraction`.
- * Globally sets `\@colroom` to `\@colht` minus the height of the added floats.

`\@startdblcolumn` :
 Calls `\@tryfcolumn\@dbldeferlist{8}`. If `\@tryfcolumn` returns with (globally set) `@fcolmade = false`, then:

- * Globally sets `\@dbltoplist` to floats from `\@dbldeferlist` to go at top and bottom of column, deleting them from `\@dbldeferlist`. It does this using `\textheight` as the total height, and the parameters `\@dblfloatsep`, etc.
- * Globally sets `\@colht` to `\textheight` minus the height of the added floats.

`\@combinefloats` : Combines the text from box `\@outputbox` with the floats from `\@toplist` and `\@botlist`, putting the new box in `\@outputbox`. It uses `\floatsep` and `\textfloatsep` for the appropriate separations. It puts the elements of `\TOPLIST` and `\BOTLIST` onto `\@freelist`, and makes those lists null.

`\@makecol` : Makes the contents of `\box255` plus the accumulated footnotes, plus the floats in `\@toplist` and `\@botlist`, into a single column of height `\@colht` (unless the page height has been locally changed), which it puts into box `\@outputbox`. It puts boxes in `\@midlist` back onto `\@freelist` and restores `\maxdepth`.

`\@opcol` : Outputs a column whose text is in box `\@outputbox`. If `@twocolumn = false`, then it calls `\@outputpage`, sets `\@colht := G \textheight`, and calls `\@floatplacement`.

If @twocolumn = true, then:

If @firstcolumn = true, then it puts box \@outputbox into \@leftcolumn and sets @firstcolumn :=G false.

If @firstcolumn = false, then it puts out the current two-column page, any possible two-column float pages, and determines \@dbltoplist for the next page.

USER COMMANDS THAT CALL OR AFFECT THE OUTPUT ROUTINE

```
\newpage == BEGIN \par\vfil\penalty -10000 END
```

```
\clearpage == BEGIN \newpage
                  \write -1{}      % Part of hack to make sure no
                  \vbox{}          % \write's get lost.
                  \penalty -10001
                  END
```

```
\cleardoublepage == BEGIN \clearpage
                        if @twoside = true and c@page is even
                        then \hbox{} \newpage fi
                        END
```

`\twocolumn[BOX]` : starts a new page, changing to twocolumn setting and puts BOX in a parbox of width `\textwidth` across the top. Useful for full-width titles for double-column pages.

SURPRISE: The stretch from `\@dbltextfloatsep` will be inserted between the BOX and the top of the two columns.

FLOAT-HANDLING MECHANISMS

The float environment obtains an insertion number B from the `\@freelist` (see below for a description of list manipulation), puts the float into box B and sets `\count B` to a FLOAT SPECIFIER. For a normal (not double-column) float, it then causes a page break in one of the following two ways:

- In outer hmode: `\adjust{\penalty -10002}`
- In vmode : `\penalty -10003`.

For a double-column float, it puts B onto the `\@dbldeferlist`.

The float specifier has two components:

- * A PLACEMENT SPECIFICATION, describing where the float may be placed.
- * A TYPE, which is a power of two—e.g., figures might be

type 1 floats, tables type 2 floats, programs type 4 floats, etc.
The float specifier is encoded as follows, where bit 0 is the least significant bit.

Bit	Meaning
0	1 iff the float may go where it appears in the text.
1	1 iff the float may go on the top of a page.
2	1 iff the float may go on the bottom of a page.
3	1 iff the float may go on a float page.
4	1 unless the PLACEMENT includes a !
5	1 iff a type 1 float
6	1 iff a type 2 float
etc.	

A negative float specifier is used to indicate a marginal note.

MACROS AND DATA STRUCTURES FOR PROCESSING FLOATS

A FLOAT LIST consisting of the floats in boxes `\boxa ... \boxN` has the form:

```
\@elt \boxa ... \@elt \boxN
```

where `\boxI` is defined by

```
\newinsert\boxI
```

Normally, `\@elt` is `\let` to `\relax`. A test can be performed on the entire float list by locally `\def`'ing `\@elt` appropriately and executing the list.

This is a lot more efficient than looping through the list.

The following macros are used for manipulating float lists.

```
\@next \CS \LIST {NONEMPTY}{EMPTY} == %% NOTE: ASSUME
\@elt = \relax
  BEGIN  assume that \LIST == \@elt \B1 ... \@elt \Bn
        if n = 0
          then EMPTY
        else \CS      :=L \B1
              \LIST :=G \@elt \B2 ... \@elt \Bn
              NONEMPTY
        fi
  END
```

`\@bitor\NUM\LIST` : Globally sets switch `@test` to the disjunction for all I of bit `log2 \NUM` of the float specifiers of all the floats in `\LIST`.

I.e., `@test` is set to true iff there is at least one float in `\LIST` having bit `log2 \NUM` of its float specifier equal to 1.

Note: $\log_2 [(\backslash\text{count I})/32]$ is the bit number corresponding to the type of float I. To see if there is any float in `\LIST` having the same type as float I, you run `\@bitor` with

$$\backslash\text{NUM} = [(\backslash\text{count I})/32] * 32.$$

```
\@bitor\NUM\LIST ==
BEGIN
  @test :=G false
  { \@elt \CTR == if \NUM <> 0 then
                    if \count\CTR / \NUM is odd
                    then @test := true          fi fi
    \LIST
  }
END
```

`\@cons\LIST\NUM` : Globally sets `\LIST := \LIST * \@elt \NUM`

```
\@cons\LIST\NUM ==
BEGIN { \@elt == \relax
        \LIST :=G \LIST \@elt \NUM
      }
```

BOX LISTS FOR FLOAT-PLACEMENT ALGORITHMS

```
\@freelist      : List of empty boxes for placing new floats.
\@toplist       : List of floats to go at top of current column.
\@midlist       : List of floats in middle of current column.
\@botlist       : List of floats to go at bottom of current column.
\@deferlist     : List of floats to go after current column.
\@dbltoplist    : List of double-col. floats to go at top of current
                  page.
\@dbldeferlist  : List of double-column floats to go on subsequent
                  pages.
```

FLOAT-PLACEMENT ALGORITHMS

`\@addtobot` : Tries to put insert `\@currbox` on `\@botlist`.

Called only when:

- * `\ht BOX < \@colroom`
- * type of `\@currbox` not on `\@deferlist`
- * `\@colnum > 0`
- * `@insert = false`

If it succeeds, then:

- * sets `@insert true`
- * decrements `\@botroom` by `\ht BOX`
- * decrements `\@botnum` and `\@colnum` by 1

```

* decrements \@colroom by \ht BOX + either
\floatsep
    or \textfloatsep, as appropriate.
* sets \maxdepth to 0pt

\@addtotoporbot : Tries to put insert \@currbox on \@toplist or
                  \@botlist.
                  Called only under same conditions as \@addtobot.
                  If it succeeds, then:
                    * sets @insert true
                    * decrements \@toproom or \@botroom by \ht
BOX
                    * decrements \@colnum and either \@topnum or
                      \@botnum by 1
                    * decrements \@colroom by \ht BOX +
\floatsep
    or \textfloatsep, as appropriate.

\@addtocurcol : Tries to add \@currbox to current column, setting
                @insert true if it succeeds, false otherwise.
                It will add \@currbox to top only if bit 0 of
                \count \@currbox is 0, and to the bottom only if
                bit 0 = 0 or an earlier float of the same type is
                put on the bottom.
                If the float is put in the text, then
                \penalty\interlinepenalty is put
                right after the float, before the following \vskip,
                and \outputpenalty :=L 0.

\@addtonextcol : Tries to add \@currbox to the next column, setting
                @insert true if it succeeds, false otherwise.

\@addtodblcol : Tries to add \@currbox to the next double-column page,
                adding it to \@dbltoplist if it succeeds and
                \@dbldeferlist if it fails.

\@addmarginpar ==
BEGIN
  if \@currlist nonempty
  then remove \@marbox from \@currlist
    add \@marbox and \@currbox to \@freelist
    %% NOTE: \@currbox = left box
  else LaTeX error: ? %% shouldn't happen
  fi
  \@tempcnta := 1    %% 1 = right, -1 = left
  if @twocolumn = true
  then if @firstcolumn = true
    then \@tempcnta := -1
  fi

```

```

else if @mparswitch = true
  then if count0 odd
    else \@tempcnta := -1
    fi
  fi
  if @reversemargin = true
    then \@tempcnta := -\@tempcnta
    fi
  fi
if \@tempcnta < 0 then \box\@marbox :=G \box\@currbox
fi
\@tempdima :=L maximum(\@mparbottom - \@pageht
                        + ht of \@marbox, 0)
if \@tempdima > 0 then LaTeX warning: 'marginpar moved' fi
\@mparbottom :=G \@pageht + \@tempdima + depth of \@marbox
                + \marginparpush
\@tempdima :=L \@tempdima - ht of \@marbox
\box\@marbox :=G \box\@currbox
                    \vbox { \vskip \@tempdima
                            \box\@marbox
                            }
height of \@marbox :=G depth of \@marbox :=G 0
\kern -\@pagedp
\nointerlineskip
\hbox{ if @tempcnta > 0 then \hskip \columnwidth
                    \hskip \marginparsep
                    else \hskip -\marginparsep
                    \hskip -\marginparwidth
                    fi
\box\@marbox \hss
}
\nobreak
\nointerlineskip
\hbox{\vrule height 0 width 0 depth \@pagedp}
END

```

Floats and marginpars add a lot of dead cycles.

```

7 \maxdeadcycles = 100

8 \let\@elt\relax

9 \def\@next#1#2#3#4{\ifx#2\@empty #4\else
10 \expandafter\@xnext #2\@#1#2#3\fi}

11 \def\@xnext \@elt #1#2\@#3#4{\def#3{#1}\gdef#4{#2}}

\changes{v1.1v}{1996/07/26}{put \cs{global} into definition}

12 \def\@testfalse{\global\let@if@test\iffalse}
13 \def\@testtrue {\global\let@if@test\iftrue}
14 \@testfalse

```

\changes{v1.1v}{1996/07/26}{remove \cs{global} before \cs{@test...}}

```
15 \def\@bitor#1#2{\@testfalse {\let\@elt\@xbitor
16   \@tempcnta #1\relax #2}}
```

RmS 91/11/22: Added test for |\count#1 = 0|.
Suggested by Chris Rowley.

\changes{v1.1v}{1996/07/26}{remove \cs{global} before \cs{@test...}}

```
17 \def\@xbitor #1{\@tempcntb \count#1
18   \ifnum \@tempcnta =\z@
19     \else
20       \divide\@tempcntb\@tempcnta
21       \ifodd\@tempcntb \@testtrue\fi
22     \fi}
```

DEFINITION OF FLOAT BOXES:

\changes{v1.3a}{2015/09/205}
{extended \cs{@freelist}}

```
23 \</2kernel>
24 \<latexrelease>\IncludeInRelease{2015/10/01}%
25 \<latexrelease>          {\bx@ZZ}{Extended float list}%
26 \<*2kernel | latexrelease>
27 \let\@elt\newinsert
28 \<*2kernel>
29 \def\@freelist{%
30   \@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
31   \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
32   \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
33   \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R}
34 \@freelist
35 \</2kernel>
36 \ifx\numexpr\@undefined\else
37 \def\reserved@a{%
38   \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
39   \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
40   \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
41   \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
42   \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
43   \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
44   \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
45   \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}
46 \reserved@a
47 \def\@elt{\noexpand\@elt\noexpand}
48 \edef\@freelist{\@freelist\reserved@a}
49 \fi
50 \let\reserved@a\relax
51 \let\@elt\relax
52 \</2kernel | latexrelease>
53 \<latexrelease>\EndIncludeInRelease
54 \<latexrelease>\IncludeInRelease{0000/00/00}%
55 \<latexrelease>          {\bx@ZZ}{Extended float list}%
56 \<latexrelease>\def\@freelist{%
```

```

57 \latexrelease \elt\bx@A\elt\bx@B\elt\bx@C\elt\bx@D\elt\bx@E
58 \latexrelease \elt\bx@F\elt\bx@G\elt\bx@H\elt\bx@I\elt\bx@J
59 \latexrelease \elt\bx@K\elt\bx@L\elt\bx@M\elt\bx@N
60 \latexrelease \elt\bx@O\elt\bx@P\elt\bx@Q\elt\bx@R}
61 \latexrelease \insc@unt=234
62 \latexrelease\EndIncludeInRelease
63 {*2kernel}

64 \gdef\@toplist{}
65 \gdef\@botlist{}
66 \gdef\@midlist{}
67 \gdef\@currlist{}
68 \gdef\@deferlist{}
69 \gdef\@dblistoplist{}
70 % \begin{macrocode}
71 % \changes{v1.2m}{2015/03/12}
72 % {initialise \cs{@dbldeferlist} again}
73 % The new algorithm stores page wide floats together with column floats
74 % in a single |\@deferlist| list. We keep |\@dbldeferlist|
75 % initialised as empty so that packages that are testing for
76 % deferred floats can use the same code for old or new float
77 % handling.

```

```

\gdef\@dbldeferlist{}
\end{macrocode}

```

PAGE LAYOUT PARAMETERS

```

78 \newdimen\topmargin
79 \newdimen\oddsidemargin
80 \newdimen\evensidemargin
81 \let\@themargin=\oddsidemargin
82 \newdimen\headheight
83 \newdimen\headsep
84 \newdimen\footskip
85 \newdimen\textheight
86 \newdimen\textwidth
87 \newdimen\columnwidth
88 \newdimen\columnsep
89 \newdimen\columnseprule
90 \newdimen\marginparwidth
91 \newdimen\marginparsep
92 \newdimen\marginparpush

```

\AtBeginDvi We use a box register in which to put stuff that must appear before anything else in the .dvi file.

The stuff in the box should not add any typeset material to the page when it is unboxed.

```

93 \newbox\@begindvibox
94 \def \AtBeginDvi #1{%
95   \global \setbox \@begindvibox
96   \vbox{\unvbox \@begindvibox #1}%
97 }

```

```

\@maxdepth This is not the right place to set this; it needs to be set in a class/style file when
\maxdepth is set.
    Also, many settings to \maxdepth should be to \@maxdepth, probably?
98 \newdimen\@maxdepth
99 \@maxdepth = \maxdepth

\paperheight New \paper... registers.
\paperwidth 100 \newdimen\paperheight
101 \newdimen\paperwidth

\if@insert Local switches first:
\if@fcolmade 102 \newif \if@insert
\if@specialpage These should definitely be global:
\if@firstcolumn 103 \newif \if@fcolmade
\if@twocolumn 104 \newif \if@specialpage \@specialpagefalse
\if@twoside
\if@reversemarginpar These should be global but are not always set globally in other files.
\if@mparswitch 105 \newif \if@firstcolumn \@firstcolumntrue
\col@number 106 \newif \if@twocolumn \@twocolumnfalse

Not sure about these: two questions. Should things which must apply to a whole
document be local or global (they probably should be ‘preamble only’ commands)?
Are these three such things?
107 \newif \if@twoside \@twosidefalse
108 \newif \if@reversemargin \@reversemarginfalse
109 \newif \if@mparswitch \@mparswitchfalse

This counter has been imported from ‘multicol’.
110 \newcount \col@number
111 \col@number \@ne

INTERNAL REGISTERS

112 \newcount\@topnum
113 \newdimen\@toproom
114 \newcount\@dbltopnum
115 \newdimen\@dbltoproom
116 \newcount\@botnum
117 \newdimen\@botroom
118 \newcount\@colnum
119 \newdimen\@textmin
120 \newdimen\@fpmin
121 \newdimen\@colht
122 \newdimen\@colroom
123 \newdimen\@pageht
124 \newdimen\@pagedp
125 \newdimen\@mparbottom \@mparbottom\z@
126 \newcount\@currtype
127 \newbox\@outputbox
128 \newbox\@leftcolumn
129 \newbox\@holdpg

130 \def\@thehead{\@oddhead} % initialization
131 \def\@thefoot{\@oddfoot}

```


`\clearpage` The tests at the beginning are an experimental attempt to avoid a completely empty page after a `\twocolumn[...]`. This prevents the text from the argument vanishing into a float box, never to be seen again. We hope that it does not produce wrong formatting in other cases.

```

132 \def\clearpage{%
133   \ifvmode
134     \ifnum \@dbltopnum =\m@ne
135       \ifdim \pagetotal <\topskip
136         \hbox{}%
137       \fi
138     \fi
139   \fi
140   \newpage
141   \write\m@ne{}%
142   \vbox{}%
143   \penalty -\@Mi
144 }

```

`\cleardoublepage`

```

145 \def\cleardoublepage{\clearpage\if@twoside \ifodd\c@page\else
146   \hbox{}\newpage\if@twocolumn\hbox{}\newpage\fi\fi\fi}
147 \endkernel

```

`\onecolumn`

```

148 (*2ekernel | fltrace)
149 \def\onecolumn{%
150   \clearpage
151   \global\columnwidth\textwidth
152   \global\hsize\columnwidth
153   \global\linewidth\columnwidth
154   \global\@twocolumnfalse
155   \col@number \@one
156   \@floatplacement}

```

`\newpage` The two checks at the beginning ensure that an item label or run-in section title immediately before a `\newpage` get printed on the correct page, the one before the page break.

All three tests are largely to make error processing more robust; that is why they all reset the flags explicitly, even when it would appear that this would be done by a `\leavevmode`.

```

157 \def \newpage {%
158   \if@noskipsec
159     \ifx \@nodocument\relax
160       \leavevmode
161       \global \@noskipsecfalse
162     \fi
163   \fi
164   \if@inlabel
165     \leavevmode
166     \global \@inlabelfalse
167   \fi
168   \if@nobreak \@nobreakfalse \everypar{}\fi
169   \par

```

```

170 \vfil
171 \penalty -\@M}

\@emptycol It may be better to use an invisible rule rather than an empty box here.
172 \def \@emptycol {\vbox{}}\penalty -\@M}

\twocolumn There are several bug fixes to the two-column stuff here.
\@topnewpage 173 \def \twocolumn {%
174 \clearpage
175 \global\columnwidth\textwidth
176 \global\advance\columnwidth-\columnsep
177 \global\divide\columnwidth\tw@
178 \global\hsize\columnwidth
179 \global\linewidth\columnwidth
180 \global\@twocolumntrue
181 \global\@firstcolumntrue
182 \col@number \tw@

There is no reason to put a \@dblfloatplacement here since \@topnewpage ig-
nores these settings. The \@floatplacement is needed in case this comes after
some changes.
183 \@ifnextchar [\@topnewpage\@floatplacement
184 }

Note that here, getting a box from the freelist can assume success since this
comes just after a \clearpage.
185 \long\def \@topnewpage [#1]{%
186 \@nodocument
187 \@next\@currbox\@freelist{ }{%
188 \global \setbox\@currbox
189 \color@vbox
190 \normalcolor
191 \vbox {%
192 \hsize\textwidth
193 \@parboxrestore
194 \col@number \@ne
195 #1%
196 \vskip -\dbltextfloatsep
197 }%
198 \color@endbox

Added size test and warning message; perhaps we should use an error message.
199 \ifdim \ht\@currbox>\textheight
200 \ht\@currbox \textheight
201 \fi

This next line is not essential but it is more robust to make this value non-zero,
in case of weird errors.

This next bit is what is needed from \@addtodblcol, plus some extra checks
for error trapping.
202 \global \count\@currbox \tw@
203 \@tempdima -\ht\@currbox
204 \advance \@tempdima -\dbltextfloatsep
205 \global \advance \colht \@tempdima
206 \ifx \@dbltoplist \@empty

```

```

207 \else
208 \latexerr{Float(s) lost}\@ehb
209 \let \@dbltoplist \@empty
210 \fi
211 \@cons \@dbltoplist \@currbox

```

This setting of \@dbltopnum is used only to change the typesetting in \@combinedblfloats.

```

212 \global \@dbltopnum \m@ne
213 (*trace)
214 \fl@trace{dbltopnum set to -1 (= \the \@dbltopnum) (topnewpage)}%
215 /trace)

```

At points such as this we need to check that there is still a minimal amount of room left on the page; this uses an arbitrary small value at present; but note that this value is larger than that used when checking that page is too full of normal floats.

If there is little room left we just force a page-break, OK? This involves producing two empty columns. The second empty column may be produced by \output, in which case an extra, misleading, warning will be generated, OK? (This happens only when there is too little room left on the page for any float.) Otherwise (i.e. if the size is such that it is allowed as a normal float) the extra \@emptycol will be invoked in the second column by the conditional code guarded by the \if@firstcolumn test.

I now think that the cut-off point here should be 3\baselineskip, but we make it a bit less so that 3 lines of text will be allowed, OK?

Since this happens only when there is nothing on the page but the ‘top-box’, the empty box should not cause any problem other than some overfull box messages, which is not entirely misleading.

Here we need two page-ends since both columns need to be empty.

```

216 \ifdim \@colht<2.5\baselineskip
217 \latex@warning@no@line {Optional argument of \noexpand\twocolumn
218 too tall on page \thepage}%
219 \@emptycol
220 \if@firstcolumn
221 \else
222 \@emptycol
223 \fi
224 \else
225 \global \vsize \@colht
226 \global \@colroom \@colht
227 \@floatplacement
228 \fi
229 }

```

\output This needs some small adjustments. We cannot guarantee that the float mechanism will interact correctly with this stuff, but that mechanism does not always work properly with footnotes already.

RmS 91/09/29:

added reset of \par to the output routine. This avoids problems when the output routine is called within a list where \par may be a no-op.

```

230 \output {%
231 \let \par \@@par

```

```

232 \ifnum \outputpenalty<-\@M
233   \@specialoutput
234 \else
235   \@makecol
236   \@opcol

```

Moved to \@opcol: \@floatplacement.

```

237   \@startcolumn

```

This loop could be replaced by an \expandafter tail recursion in \@startcolumn.

```

238   \@whilesw \if@fcolmade \fi
239   {%
240 (*trace)
241   \fl@trace{PAGE: float \if@twocolumn column \else page \fi
242             completed}%
243 (/trace)
244   \@opcol\@startcolumn}%
245 \fi
246 \ifnum \outputpenalty>-\@Miv

```

At points such as this we need to check that there is still a minimal amount of room left on the page; this uses an arbitrary small value at present. If there is little room left we just force a page-break, OK?

This bit is essential only if a float has just been processed so maybe it should be moved; but this is the natural place at which to set the vsize and a test would need to be done anyway. A check has been added to ensure that there really has been a change in the value of \@colroom.

Since this happens only when there is nothing on the page but floats, the empty box should not cause any problem other than some overfull box messages, which is not entirely misleading.

The twocolumn case does not need any extra code here since this is the \output itself; in the second column there will still not be enough room left so \@emptycol will be executed again when the OR is called by the page builder when it gets to the penalty inserted by the first execution. (The page-builder is never invoked whilst the OR is being executed since it builds a inner vlist; thus any conditional code for the two-column case within \output may not get executed with the correct value of \if@firstcolumn.

```

247 \ifdim \@colroom<1.5\baselineskip
248 \ifdim \@colroom<\textheight
249 \latex@warning@no@line {Text page \thepage\space
250                        contains only floats}%
251 \@emptycol
252 % \if@twocolumn
253 % \if@firstcolumn
254 % \else
255 % \emptycol
256 % \fi
257 % \fi
258 \else
259 \global \vsize \@colroom
260 \fi
261 \else
262 \global \vsize \@colroom
263 \fi

```

```

264 \else
265   \global \vsize \maxdimen
266 \fi
267 }

```

CHANGES TO \@specialoutput:

* \penalty\z@ changed to \penalty\interlinepenalty so \samepage works properly with figure and table environments.
(Changed 23 Oct 86)

* Definition of \@specialoutput changed 26 Feb 88 so \@pageht and \@pagedp aren't changed for a marginal note.
(Change suggested by Chris Rowley.)

```

268 \gdef\@specialoutput{%
269   \ifnum \outputpenalty>-\@Mii
270     \doclearpage
271   \else
272     \ifnum \outputpenalty<-\@Miii
273       \ifnum \outputpenalty<-\@MM \deadcycles \z@ \fi
274       \global \setbox\@holdpg \vbox {\unvbox\@cclv}%
275     \else

```

Note that \boxmaxdepth should not be set here since we wish to record the natural depth of the holdpg box.

This is changed so as to not lose anything, such as writes and marks, which may get into box 255 and should be returned to the list. This should only happen when the first penalty in the mechanism is discarded and therefore \@holdpg should always be void in this case. This can happen because a penalty is discarded whenever there is no box on the list.

It was just: \setbox\@tempboxa \box \@cclv.

The last box which is removed is the box put there by the double-penalty mechanism. The \unskip then removes the \topskip which is put there since the box is the first on the page.

```

276   \global \setbox\@holdpg \vbox{%
277     \unvbox\@holdpg
278     \unvbox\@cclv

```

We must now remove the box added by the float mechanism and the \topskip glue therefore added above it by T_EX.

```

279     \setbox\@tempboxa \lastbox
280     \unskip
281   }%

```

These two are needed as separate dimensions only by \@addmarginpar; for other purposes we put the whole size into \@pageht (see below).

```

282   \@pagedp \dp\@holdpg
283   \@pageht \ht\@holdpg
284   \unvbox \@holdpg
285   \@next\@currbox\@currlist{%
286     \ifnum \count\@currbox>\z@

```

Putting the whole size into \@pageht (see above).

```

287     \advance \@pageht \@pagedp
288     \ifvoid\footins \else

```

```

289         \advance \@pageht \ht\footins
290         \advance \@pageht \skip\footins
291         \advance \@pageht \dp\footins
292     \fi
293     \ifvbox \@kludgeins

```

We want to make the adjustment due to this insert only if the non-star form is used. The *-form will probably not work with floats, but maybe it still could make some adjustment here even so?

```

294         \ifdim \wd\@kludgeins=\z@
295         \advance \@pageht \ht\@kludgeins
296     (*trace)
297         \fl@trace {Extra size added: \the \ht\@kludgeins}%
298     (/trace)
299     \fi
300     \fi

```

This version puts the inserts back just before the additional material; it could be moved earlier, before unboxing the page-so-far. Neither is guaranteed not to put things on the wrong page. This version is similar to the original version.

```

301     \@reinserts
302     \@addtocurcol
303     \else
304     \@reinserts
305     \@addmarginpar
306     \fi
307     }\@latexbug

```

A 2e change: use `\addpenalty` instead of `\penalty` here. Some penalty is needed to create a potential break-point immediately after the reinserts (or the marginal). Otherwise there can be no possibility to break here and this can cause the reinserts or the marginal to appear on the next page (which is often incorrect). However, if the nobreak flag is true, a `\nobreak` must be correct.

```

308     \ifnum \outputpenalty<\z@
309     \if@nobreak
310     \nobreak
311     \else
312     \addpenalty \interlinepenalty
313     \fi
314     \fi
315     \fi
316     \fi
317 }
318 (/2ekernel | fltrace)

```

`\@testwrongwidth` Test if the float box has the wrong width when trying to place it into some area.
`\f@depth` (Actually the test is for a conventional depth setting rather than for the width of the float. For that reason the box depth was explicitly tailored when the float was created).

```

319 (latexrelease)\IncludeInRelease{2015/01/01}%
320 (latexrelease)          {\@testwrongwidth}{float order in 2-column}%
321 (*2ekernel | latexrelease | fltrace)

322 \def\@testwrongwidth #1{%
323     \ifdim\dp#1=\f@depth

```

```

324 (*trace)
325   \fl@trace{\string#1
326           \ifdim\f@depth=\z@ single \else double \fi
327           column float -- ok}%
328 (/trace)
329 \else
330   \global\@testtrue
331 (*trace)
332   \fl@trace{\string#1
333           \ifdim\f@depth=\z@ double \else single \fi
334           column float -- wrong}%
335 (/trace)
336 \fi}%

```

Normally looking for single column floats, which have zero depth.

```

337 \let\f@depth\z@
338 (/2ekernel | latexrelease | fltrace)
339 (latexrelease)\EndIncludeInRelease
340 (latexrelease)\IncludeInRelease{0000/00/00}%
341 (latexrelease)           {\@testwrongwidth}{float order in 2-column}%
342 (latexrelease)\let\@testwrongwidth\@undefined
343 (latexrelease)\let\f@depth\@undefined
344 (latexrelease)\EndIncludeInRelease

```

`\@doclearpage` This is a very much an emergency action, just dumping everything: footnotes first then floats. A more sophisticated version is needed; but even more urgent is a bug-free version (see, for example, pr/3528).

Also, it puts any left-over non-boxes (writes, specials, etc.) back after any float pages created: this is a very bad bug since, for example, a kludge insert will be in quite the wrong place and, worse, be irremovable and uncancellable.

All the remaining changes are replacing the double column defer list or inserting the extra test `\@testwrongwidth{<box>}` at suitable places. That is at places where a box is taken off the deferlist.

```

345 (latexrelease)\IncludeInRelease{2015/01/01}{\@doclearpage}%
346 (latexrelease)           {float order in 2-column}%
347 (*2ekernel | latexrelease)
348 \def \@doclearpage {%
349   \ifvoid\footins
350     \ifvbox\@kludgeins
351       {\setbox \@tempboxa \box \@kludgeins}%
352 (*trace)
353       \fl@trace {kludgeins box made void}%
354 (/trace)
355     \fi
356     \setbox\@tempboxa\vsplit\@cclv to\z@ \unvbox\@tempboxa
357     \setbox\@tempboxa\box\@cclv
358     \xdef\@deferlist{\@toplist\@botlist\@deferlist}%
359     \global \let \@toplist \@empty
360     \global \let \@botlist \@empty
361     \global \@colroom \@colht
362     \ifx \@currlist\@empty
363       \else

```

```

364      \@latexerr{Float(s) lost}\@ehb
365      \global \let \@currlist \@empty
366      \fi
367      \@makefcolumn\@deferlist
368      \@whiles\if@fcolmade \fi{\@opcol\@makefcolumn\@deferlist}%
369      \if@twocolumn
370      \if@firstcolumn
371      \xdef\@deferlist{\@dbltoplist\@deferlist}%
372      \global \let \@dbltoplist \@empty
373      \global \@colht \textheight
374      \begingroup
375      \dblfloatplacement
376      \@makefcolumn\@deferlist
377      \@whiles\if@fcolmade \fi{\@outputpage
378      \@makefcolumn\@deferlist}%
379      \endgroup
380      \else
381      \vbox{}\clearpage
382      \fi
383      \fi

```

the next line is needed to avoid losing floats in certain circumstances a single call to the original `\doclearpage` will now no longer output all floats.

```

384      \ifx\@deferlist\@empty \else\clearpage \fi
385      \else
386      \setbox\@cclv\vbox{\box\@cclv\vfll}%
387      \@makecol\@opcol
388      \clearpage
389      \fi
390 }%
391 \</2ekernel | latexrelease>
392 \<latexrelease>\EndIncludeInRelease
393 \<latexrelease>\IncludeInRelease{0000/00/00}{\@doclearpage}%
394 \<latexrelease> \float order in 2-column}%
395 \<latexrelease>\def \@doclearpage {%
396 \<latexrelease> \ifvoid\footins

```

We empty any left over kludge insert box here; this is a temporary fix. It should perhaps be applied to one page of cleared floats, but who cares? The whole of this stuff needs completely redoing for many such reasons.

```

397 \<latexrelease> \ifvbox\@kludgeins
398 \<latexrelease> {\setbox \@tempboxa \box \@kludgeins}%
399 \<*trace>
400 \<latexrelease> \fl@trace {kludgeins box made void}%
401 \</trace>
402 \<latexrelease> \fi
403 \<latexrelease> \setbox\@tempboxa\vsplit\@cclv to\z@ \unvbox\@tempboxa
404 \<latexrelease> \setbox\@tempboxa\box\@cclv
405 \<latexrelease> \xdef\@deferlist{\@toplist\@botlist\@deferlist}%
406 \<latexrelease> \global \let \@toplist \@empty
407 \<latexrelease> \global \let \@botlist \@empty
408 \<latexrelease> \global \@colroom \@colht

```



```

409 \latexrelease> \ifx \@currlist\@empty
410 \latexrelease> \else
411 \latexrelease> \latexerr{Float(s) lost}\@ehb

412 \latexrelease> \global \let \@currlist \@empty
413 \latexrelease> \fi
414 \latexrelease> \makefcolumn\@deferlist
415 \latexrelease> \whiles\if@fcolmade \fi
416 \latexrelease> {\@opcol\@makefcolumn\@deferlist}%
417 \latexrelease> \if@twocolumn
418 \latexrelease> \if@firstcolumn
419 \latexrelease> \xdef\@dbldeferlist{\@dbltoplist\@dbldeferlist}%

420 \latexrelease> \global \let \@dbltoplist \@empty
421 \latexrelease> \global \@colht \textheight
422 \latexrelease> \begingroup
423 \latexrelease> \dblfloatplacement
424 \latexrelease> \makefcolumn\@dbldeferlist
425 \latexrelease> \whiles\if@fcolmade \fi
426 \latexrelease> {\@outputpage\@makefcolumn\@dbldeferlist}%
427 \latexrelease> \endgroup
428 \latexrelease> \else
429 \latexrelease> \vbox{}\clearpage
430 \latexrelease> \fi
431 \latexrelease> \fi
432 \latexrelease> \else
433 \latexrelease> \setbox\@cclv\vbox{\box\@cclv\vfil}%
434 \latexrelease> \makecol\@opcol
435 \latexrelease> \clearpage
436 \latexrelease> \fi
437 \latexrelease> }%
438 \latexrelease> \EndIncludeInRelease

```

\@opcol Several changes in detail here.

```

439 \*2kernel | fltrace)
440 \def \@opcol {%
441 \if@twocolumn
442 \outputdblcol
443 \else
444 \outputpage
445 \*trace)
446 \fl@trace{PAGE: one column (float? see above) page completed}%
447 \*trace)

```

Not needed since it comes after \@outputpage:

```

448 % \global\@colht\textheight
449 \fi

```

These do not need to be done every time \@opcol is used: they should be grouped together since they all need to be done at the end of the non-special output routine, or at the end of a clearpage one.

```

450 \global \@mparbottom \z@ \global \@textfloatsheight \z@
451 \@floatplacement
452 }
453 \*2kernel | fltrace)

```

`\@makecol` We must rewrite this macro to allow for variations in page-makeup required by changes in page-length.

This uses a different macro if a special-length column is being produced.

```

454 (*2kernel)
455 \gdef \@makecol {%
456   \ifvoid\footins
457     \setbox\@outputbox \box\@cclv
458   \else
459     \setbox\@outputbox \vbox {%

```

This `\boxmaxdepth` setting is to ensure that deep footnotes do not overwrite the footer (on account of the negative skip added later): it should use `\@maxdepth` otherwise the change is pointless when there are footnotes.

But see also its use when combining floats.

```

460   \boxmaxdepth \@maxdepth

461 %   \@tempdima\dp\@cclv
462   \unvbox \@cclv
463 %   \vskip-\@tempdima
464   \vskip \skip\footins

465   \color@begingroup
466   \normalcolor
467   \footnoterule
468   \unvbox \footins
469   \color@endgroup
470 }%
471 \fi

```

The h floats have now been finally committed to this page so we can reset their list. The top and bottom floats are then added to the page.

```

472 \let\@elt\relax
473 \xdef\@freelist{\@freelist\@midlist}%

474 \global \let \@midlist \@empty
475 \@combinefloats

```

The variations start here in case `\enlargethispage` has been used.

```

476 \ifvbox\@kludgeins
477   \@makespecialcolbox
478 \else

```

This extra reboxing is only needed to add the `\@texttop` and `\@textbottom` but this could be done earlier, when the floats are added.

The `\boxmaxdepth` resetting here will have no effect unless `\@textbottom` ends with a box or rule. So is this (or possibly `\@maxdepth`) the correct value?

The `\vskip -\dimen@` ensures that the visible depth of the box does not affect the placement of anything on the page. Thus very deep pages will overprint the footer; but these should have been prevented by suitable settings of the maxdepths at appropriate times.

If `\@textbottom` ends with a box or rule of non-zero depth then this skip adjustment should be done again after it.

I think that the final boxing of the main text page could have a common ending which may make it simpler to see what is going on.

This needs further investigation, especially in the ‘special case’.

Also, the `\boxmaxdepth` setting here affects what happens within `\@texttop` and `\@textbottom`, should it? Is it needed at all?

RmS 91/10/22: Replaced `\dimen128` by `\dimen@`.

```

479 \setbox\@outputbox \vbox to\@colht {%
480 % \boxmaxdepth \maxdepth %??
481 \@texttop
482 \dimen@ \dp\@outputbox
483 \unvbox \@outputbox
484 \vskip -\dimen@
485 \@textbottom
486 }%
487 \fi
488 \global \maxdepth \@maxdepth
489 }
```

`\@reinserts` This is the code which reinserts the inserts. It puts them all in one place; this can make some of them come out on the wrong page. It has been put into a separate macro to expedite experimentation.

```

490 \gdef \@reinserts{%
491 \ifvoid\footins\else\insert\footins{\unvbox\footins}\fi
492 \ifvbox\@kludgeins\insert\@kludgeins
493 {\unvbox\@kludgeins}\fi
494 }
495 </2kernel>
```

`\@makespecialcolbox` This implements certain variations in page-makeup.

```

496 (*2kernel | fltrace)
497 \gdef \@makespecialcolbox {%
498 (*trace)
499 \fl@trace{Kludgeins ht \the\ht\@kludgeins\space
500 dp \the\dp\@kludgeins\space
501 wd \the\wd\@kludgeins}%
502 </trace>
```

First we find the natural height of the column.

See above for discussion of what is happening here.

This needs further investigation, especially in this ‘special case’.

```

503 \setbox\@outputbox \vbox {%
504 \@texttop
505 \dimen@ \dp\@outputbox
506 \unvbox\@outputbox
507 \vskip-\dimen@
508 }%
509 \@tempdima \@colht
510 \ifdim \wd\@kludgeins>\z@
```

Note that in this case (the *-version), the height of the `\@kludgeins` box is not used since its value is somewhat arbitrary: it need only be big enough to ensure that the page-break is not taken prematurely.

Here we calculate how much vertical space needs to be added in order to enable the column to fit into a box of size `\@colht` using the best information we have about the amount of shrink available (another thing which is known internally about a box, but cannot be accessed at the \TeX level!).

This needs T_EX3 otherwise `\pageshrink` is zero anyway; it may not be exactly the figure we wish as it is the total available from the all the material collected before the page-break decision is made. It will, we think, always be an overestimate of the actual shrink in the box; therefore this should always force the shortest possible column with the possibility of an overfull box.

This should work for both the flush- and ragged-bottom setting since it makes the contents no smaller than the size (`\@colht`) of the box into which they are put.

There should perhaps be an upper limit, of 0pt?, on the extra space added to force shrinking.

See above for a discussion of the `\boxmaxdepth` setting here.

```

511     \advance \@tempdima -\ht\@outputbox
512     \advance \@tempdima \pageshrink
513 (*trace)
514     \fl@trace {Natural ht of col: \the \ht\@outputbox}%
515     \fl@trace {\string \@colht: \the \@colht}%
516     \fl@trace {Pageshrink added: \the \pageshrink}%
517     \fl@trace {Hence, space added: \the \@tempdima}%
518 (/trace)
519     \setbox\@outputbox \vbox to \@colht {%
520 %       \boxmaxdepth \maxdepth
521       \unvbox\@outputbox
522       \vskip \@tempdima
523       \@textbottom
524     }%
```

For the unstarred version, the final size of the page is precisely specified. Therefore, at least for the flush-bottom case, we need to ensure that, visually, it has this size exactly.

Thus we calculate this size and set the material in a box of this size, which is then put into a box of size `\@colht` with `\vss` at the bottom.

```

525     \else
526     \advance \@tempdima -\ht\@kludgeins
527 (*trace)
528     \fl@trace {Natural ht of col: \the \ht\@outputbox}%
529     \fl@trace {\string \@colht: \the \@colht}%
530     \fl@trace {Extra size added: -\the \ht \@kludgeins}%
531     \fl@trace {Hence, height of inner box: \the \@tempdima}%
532     \fl@trace {Max? pageshrink available: \the \pageshrink}%
533 (/trace)
```

This type of final packaging could be done always; this may simplify all of this page-makeup.

It is not necessary to set `\boxmaxdepth` here since the `\@outputbox` ends with glue.

```

534     \setbox \@outputbox \vbox to \@colht {%
535       \vbox to \@tempdima {%
536         \unvbox\@outputbox
537         \@textbottom}%
538       \vss}%
539     \fi
```

Finally we need to explicitly make the insert box void.

```

540   {\setbox \@tempboxa \box \@kludgeins}%
541 (*trace)
542   \fl@trace {kludgeins box made void}%
543 
```

```

544 }
545 
```

```

\@texttop These do nothing as a default.
\@textbottom 546 (*2ekernel)
547 \let \@texttop \relax
548 \let \@textbottom \relax

```

\@resetactivechars RmS 93/09/06: added hook to protect against certain active characters in the output routine. Default checks are for active space and end-of-line.

```

549 \def\@activechar@info #1{%
550   \@latex@info@no@line {Active #1 character found while
551                         output routine is active
552                         \MessageBreak
553                         This may be a bug in a package file
554                         you are using}%
555 }

```

Do not put any spaces in this next bit!

```

556 \begingroup
557 \obeylines\obeyspaces%
558 \catcode'\@active%
559 \gdef\@resetactivechars{%
560 \def~M{\@activechar@info{EOL}\space}%
561 \def {\@activechar@info{space}\space}%
562 \let'\active@math@prime}%
563 \endgroup

```

\@outputpage The \color@hbox hooks here are used to avoid putting just a colour special into an otherwise empty box (in a header or footer). These boxes are often set to be completely empty and so adding a special produces a very underfull box message.

There has been extensive tidying up of the old code here; including the removal of a level of grouping.

The setting of \protect immediately before the \shipout is needed so that protected commands within \writes are handled correctly.

Within shipout's vbox it is reset to its default value, \relax.

Resetting it to its default value after the shipout has been completed (and the contents of the writes have been expanded) must be done by use of \aftergroup. This is because it must have the value \relax before macros coming from other uses of \aftergroup within this box are expanded.

Putting this into the \aftergroup token list does not affect the definition used in expanding the \writes because the aftergroup token list is only constructed when popping the save-stack, it is not expanded until after the shipout is completed.

Question: should things from an \aftergroup within the shipped out box be executed in the environment set up for the writes, or after it finishes?

A lot of this code has been in-lined to prevent mis-use of internal commands as hooks.

```

564 \def\@outputpage{%
565 \begingroup           % the \endgroup is put in by \aftergroup

```

Now all the set-up stuff has been in-lined for Frank.

First the stuff for the writes.

From here ... was in the command \@writesetup.

```

566 \let \protect \noexpand

```

RmS 93/08/19: Redefined accents to allow changes in font encoding; but exactly why was this needed?

The \catcode'\ = 10 was removed as it was considered useless (presumably because nothing gets tokenised during shipout).

This was put in as some error produced active spaces in a mark, I think.

Why was the hyphen reset?

```

567 \@resetactivechars

```

If a page break happens between the start of a list and its first item the @newlist will be true and this will mess up any list that is used in the header or footer of the page. So we have to reset that flag.

```

568 \global\let\@@if@newlist\if@newlist
569 \global\@newlistfalse

```

This next hook replaces the following:

```

\let\-\@dischyph
\let'\@acci\let'\@accii\let\=\@acciii
\let\\@normalcr
\let\par\@@par %% 15 Sep 87 (this was once inside the box)

```

and it does more than they did; in particular it sets:

```

\parindent\z@
\parskip\z@skip
\everypar{}%
\leftskip\z@skip
\rightskip\z@skip
\parfillskip\@flushglue
\lineskip\normallineskip
\baselineskip\normalbaselineskip
\sloppy

```

```

570 \@parboxrestore

```

... to here was in the command \@writesetup.

```

571 \shipout \vbox{%
572   \set@typeset@protect
573   \aftergroup \endgroup
574   \aftergroup \set@typeset@protect
575                               % correct? or just restore by ending
576                               % the group?

```

This first bit has been moved inside the shipped out box.

Now the setup inside the shipped out box; this should contain all the stuff that could only affect typesetting; other stuff may need to be reset for the writes also.

From here ... was in the command \@shipoutsetup.

```

577 \if@specialpage
578   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
579 \fi
580 \if@twoside
581   \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
582     \let\@themargin\oddsidemargin
583   \else \let\@thehead\@evenhead
584     \let\@thefoot\@evenfoot \let\@themargin\evensidemargin
585   \fi
586 \fi

```

The rest was always inside the box.

RmS 91/08/15: aded this line:

```

587 \reset@font

```

RmS 93/08/06 Added \lineskiplimit=0pt to guard against it being nonzero:
e.g. by \offinterlineskip being in effect.

There are probably lots of other things that may need resetting.

```

588 \normalsize

```

Reset the space factors.

```

589 \normalsfcodes

```

Reset these here (previously reset separately for head and foot)

```

590 \let\label\@gobble
591 \let\index\@gobble
592 \let\glossary\@gobble
593 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@

```

... to here was in the command \@shipoutsetup.

```

594 \@beginndvi
595 \vskip \topmargin
596 \moveright\@themargin \vbox {%
597   \setbox\@tempboxa \vbox to\headheight{%
598     \vfil
599     \color@hbox
600     \normalcolor
601     \hb@xt@\textwidth{\@thehead}%
602     \color@endbox
603   }%
604   \dp\@tempboxa \z@
605   \box\@tempboxa
606   \vskip \headsep
607   \box\@outputbox
608   \baselineskip \footskip
609   \color@hbox
610   \normalcolor
611   \hb@xt@\textwidth{\@thefoot}%
612   \color@endbox
613 }%
614 }%

```

\endgroup now inserted by \aftergroup

Restore \if@newlist

```

615 \global\let\if@newlist\@if@newlist

```

```

616 \global \@colht \textheight
617 \stepcounter{page}%

```

It is now clear that this does something useful, thanks to Piet van Oostrum. It is needed because a float page is made without using TeX's page-builder; thus the output routine is never called so the marks are not updated.

```

618 \let\firstmark\botmark
619 }

```

`\@beginndvi` This unboxes stuff that must appear before anything else in the .dvi file, then returns that box register to the free list and cancels itself.

The stuff in the box should not add any typeset material to the page.

```

620 \def \@beginndvi{%
621   \unvbox \@beginndvibox
622   \global\let \@beginndvi \@empty
623 }

```

`\@combinefloats` The `\boxmaxdepth` setting here was not made local to a box so was dangerous. It is needed only within the box made by `\@cflt` (and not normally even there), so `\@cflb` it has been moved there; this also agrees with the original pseudocode.

```

624 \def \@combinefloats {%
625   \boxmaxdepth \maxdepth
626   \ifx \@toplist\@empty \else \@cflt \fi
627   \ifx \@botlist\@empty \else \@cflb \fi
628 }

629 \def \@cflt{%
630   \let \@elt \@comflelt
631   \setbox\@tempboxa \vbox{}%
632   \@toplist
633   \setbox\@outputbox \vbox{%
634     \boxmaxdepth \maxdepth
635     \unvbox\@tempboxa
636     \vskip -\floatsep
637     \topfigrule
638     \vskip \textfloatsep
639     \unvbox\@outputbox
640   }%
641   \let\@elt\relax
642   \xdef\@freelist{\@freelist\@toplist}%
643   \global\let\@toplist\@empty
644 }

645 \def \@cflb {%
646   \let\@elt\@comflelt
647   \setbox\@tempboxa \vbox{}%
648   \@botlist
649   \setbox\@outputbox \vbox{%
650     \unvbox\@outputbox
651     \vskip \textfloatsep
652     \botfigrule
653     \unvbox\@tempboxa
654     \vskip -\floatsep
655   }%

```



```

656 \let\@elt\relax
657 \xdef\@freelist{\@freelist\@botlist}%
658 \global \let \@botlist\@empty
659 }

\@comflelt
\@comdblfelet 660 \def\@comflelt#1{\setbox\@tempboxa
\@combinedblfloats 661 \vbox{\unvbox\@tempboxa\box #1\vskip\floatsep}}
662 \def\@comdblfelet#1{\setbox\@tempboxa
663 \vbox{\unvbox\@tempboxa\box #1\vskip\dblfloatsep}}
664 \def \@combinedblfloats{%
665 \ifx \@dbltoplist \@empty
666 \else
667 \setbox\@tempboxa \vbox{}%
668 \let \@elt \@comdblfelet
669 \@dbltoplist
670 \let \@elt \relax
671 \xdef \@freelist {\@freelist\@dbltoplist}%
672 \global\let \@dbltoplist \@empty
673 \setbox\@outputbox \vbox to\textheight

```

The setting of `\boxmaxdepth` here has no effect since the `\@outputbox` should already have depth zero. Even so, it would have no effect on the layout of the page.

```

674 {\boxmaxdepth\maxdepth %% probably not needed, CAR
675 \unvbox\@tempboxa\vskip-\dblfloatsep

```

Here we need different typesetting if the top float comes from `\@topnewpage`.

```

676 \ifnum \@dbltopnum>\m@ne
677 \dblfigrule
678 \fi
679 \vskip \dbltextfloatsep
680 \box\@outputbox
681 }%
682 \fi
683 }
684 \if2ekernel\

```

`\@startcolumn` We could combine (most of) these two into `\@startcol <list>`. Note that `\@startdblcolumn` `\@xstartcol` was only used once (i.e. in `\@startcolumn`); it has therefore been removed. This is not quite as efficient but it now has the same structure as `\@startdblcolumn`.

The empty-list test has been moved to `\@tryfcolumn`.

```

685 (*2ekernel | fltrace)
686 \def \@startcolumn {%
687 \global \@colroom \@colht
688 \@tryfcolumn \@deferlist
689 \if@fcolmade
690 (*trace)
691 \fl@trace{PAGE: float \if@twocolumn column \else page \fi
692 completed}%
693 \if2ekernel\
694 \else

```

```

695 \begingroup
696 \let \reserved@b \@deferlist
697 \global \let \@deferlist \@empty
698 \let \@elt \@scolelt
699 \reserved@b
700 \endgroup
701 \fi
702 }

This one does not need to set \@colht.

703 </2ekernel | fltrace>
704 <latexrelease | fltrace>\IncludeInRelease{2015/01/01}%
705 <latexrelease | fltrace> {\@startdblcolumn}{float order in 2-column}%
706 <*2ekernel | latexrelease | fltrace>
707 \def \@startdblcolumn {%
708 \@tryfcolumn \@deferlist
709 \if@fcolmade
710 <fltrace> \fl@trace{PAGE: double float page completed}%
711 \else
712 \begingroup
713 \let \reserved@b \@deferlist
714 \global \let \@deferlist \@empty
715 \let \@elt \@sdblcolelt
716 \reserved@b
717 \endgroup
718 \fi
719 }%
720 </2ekernel | latexrelease | fltrace>
721 <latexrelease | fltrace>\EndIncludeInRelease
722 <latexrelease | fltrace>\IncludeInRelease{0000/00/00}%
723 <latexrelease | fltrace> {\@startdblcolumn}{float order in 2-column}%
724 <latexrelease | fltrace>\def \@startdblcolumn {%

Not needed since this always comes after \@outputpage:

725 <latexrelease | fltrace>% \global \@colht \textheight
726 <latexrelease | fltrace> \@tryfcolumn \@dbldeferlist
727 <latexrelease | fltrace> \if@fcolmade
728 <*trace>
729 <latexrelease | fltrace> \fl@trace{PAGE: double float page completed}%
730 </trace>
731 <latexrelease | fltrace> \else

732 <latexrelease | fltrace> \begingroup
733 <latexrelease | fltrace> \let \reserved@b \@dbldeferlist
734 <latexrelease | fltrace> \global \let \@dbldeferlist \@empty
735 <latexrelease | fltrace> \let \@elt \@sdblcolelt
736 <latexrelease | fltrace> \reserved@b
737 <latexrelease | fltrace> \endgroup
738 <latexrelease | fltrace> \fi
739 <latexrelease | fltrace>}%
740 <latexrelease | fltrace>\EndIncludeInRelease
741 <*2ekernel | fltrace>

```

`\@tryfcolumn` Now tests if its list is empty before any further exertion.

```

742 \def \@tryfcolumn #1{%
743   \global \@fcolmadefalse
744   \ifx #1\@empty
745     \else
746     (*trace)
747       \fl@trace{PAGE: try float \if@twocolumn column/page\else page\fi
748         ---\string #1}%
749       \fl@trace{----- \string #1: #1}%
750     (/trace)

751   \xdef\@trylist{#1}%
752   \global \let \@failedlist \@empty
753   \begingroup
754     \let \@elt \@xtryfc \@trylist
755   \endgroup
756   \if@fcolmade
757     \@vtryfc #1%
758   \fi
759 \fi
760 }
761 (/2ekernel | fltrace)

762 (*2ekernel)

\@scolelt
763 \def\@scolelt#1{\def\@currbox{#1}\@addtonextcol}

\@sdblcolelt
764 \def\@sdblcolelt#1{\def\@currbox{#1}\@addtodblcol}

\@vtryfc
765 \def\@vtryfc #1{%
766   \global\setbox\@outputbox\vbox{}%
767   \let\@elt\@wtryfc
768   \@flsucceed
769   \global\setbox\@outputbox \vbox to\@colht{%
770     \vskip \@fptop
771     \vskip -\@fpsep
772     \unvbox \@outputbox
773     \vskip \@fpbot}%
774   \let\@elt\relax
775   \xdef #1{\@failedlist\@flfail}%
776   \xdef\@freelist{\@freelist\@flsucceed}}

\@wtryfc
777 \def\@wtryfc #1{%
778   \global\setbox\@outputbox\vbox{%
779     \unvbox\@outputbox
780     \vskip\@fpsep
781     \box #1}}

\@xtryfc
782 (/2ekernel)
783 (latexrelease)\IncludeInRelease{2015/01/01}{\@xtryfc}%

```

```

784 <latexrelease> {float order in 2-column}%
785 <*2ekernel | latexrelease>
786 \def\@xtryfc #1{%
787   \@next\reserved@a\@trylist{}\{}%
788   \@currtype \count #1%
789   \divide\@currtype\@xxxii
790   \multiply\@currtype\@xxxii
791   \@bitor \@currtype \@failedlist
792   \@testfp #1%
793   \@testwrongwidth #1%
794   \ifdim \ht #1>\@colht
795     \@testtrue
796   \fi
797   \if@test
798     \@cons\@failedlist #1%
799   \else
800     \@ytryfc #1%
801   \fi}%
802 </2ekernel | latexrelease>
803 <latexrelease>\EndIncludeInRelease
804 <latexrelease>\IncludeInRelease{0000/00/00}\{\@xtryfc}%
805 <latexrelease> {float order in 2-column}%
806 <latexrelease>\def\@xtryfc #1{%
807   \@next\reserved@a\@trylist{}\{}%
808   \@currtype \count #1%
809   \divide\@currtype\@xxxii
810   \multiply\@currtype\@xxxii
811   \@bitor \@currtype \@failedlist
812   \@testfp #1%
813   \ifdim \ht #1>\@colht
814     \@testtrue
815   \fi
816   \if@test
817     \@cons\@failedlist #1%
818   \else
819     \@ytryfc #1%
820   \fi}%
821 <latexrelease>\EndIncludeInRelease
822 <*2ekernel>

\@ytryfc
823 \def\@ytryfc #1{%
824   \begingroup
825   \gdef\@flsucceed{\@elt #1}%
826   \global\let\@flfail\@empty
827   \@tempdima\ht #1%
828   \let\@elt\@ztryfc
829   \@trylist
830   \ifdim \@tempdima >\@fpmin
831     \global\@fcolmadetrue
832   \else
833     \@cons\@failedlist #1%
834   \fi

```

```

835 \endgroup
836 \if@fcolmade
837 \let\@elt\@gobble
838 \fi}

\@ztryfc
839 (/2ekernel)
840 (latexrelease)\IncludeInRelease{2015/01/01}{\@ztryfc}%
841 (latexrelease) {float order in 2-column}%
842 (*2ekernel| latexrelease)
843 \def\@ztryfc #1{%
844 \@tempcnta\count #1%
845 \divide\@tempcnta\@xxxii
846 \multiply\@tempcnta\@xxxii
847 \@bitor \@tempcnta {\@failedlist \@flfail}%
848 \@testfp #1%
    not in fixfloats?
849 \@testwrongwidth #1%

850 \@tempdimb\@tempdima
851 \advance\@tempdimb\ht #1%
852 \advance\@tempdimb\@fpsep
853 \ifdim \@tempdimb >\@colht
854 \@testtrue
855 \fi
856 \if@test
857 \@cons\@flfail #1%
858 \else
859 \@cons\@flsucceed #1%
860 \@tempdima\@tempdimb
861 \fi}%
862 (/2ekernel| latexrelease)
863 (latexrelease)\EndIncludeInRelease
864 (latexrelease)\IncludeInRelease{0000/00/00}{\@ztryfc}%
865 (latexrelease) {float order in 2-column}%
866 (latexrelease)\def\@ztryfc #1{%
867 (latexrelease) \@tempcnta \count#1%
868 (latexrelease) \divide\@tempcnta\@xxxii
869 (latexrelease) \multiply\@tempcnta\@xxxii
870 (latexrelease) \@bitor \@tempcnta {\@failedlist \@flfail}%
871 (latexrelease) \@testfp #1%
872 (latexrelease) \@tempdimb\@tempdima
873 (latexrelease) \advance\@tempdimb \ht#1%
874 (latexrelease) \advance\@tempdimb\@fpsep
875 (latexrelease) \ifdim \@tempdimb >\@colht
876 (latexrelease) \@testtrue
877 (latexrelease) \fi
878 (latexrelease) \if@test
879 (latexrelease) \@cons\@flfail #1%
880 (latexrelease) \else
881 (latexrelease) \@cons\@flsucceed #1%
882 (latexrelease) \@tempdima\@tempdimb
883 (latexrelease) \fi}%
884 (latexrelease)\EndIncludeInRelease

```

The major changes for float suppression and the changes to the float mechanism to make it conform to the documentation are in these next macros.

`\@addtobot` Lots of changes.

```

885 (*2ekernel | fltrace)
886 \def \@addtobot {%
887 (*trace)
888   \fl@trace{***Start addtobot}%
889 (/trace)
890   \@getfpsbit 4\relax
891 (*trace)
892   \fl@trace{fpstype \ifodd \@tempcnta OK \else not \fi bot:
893                                           \the \@fpstype}%
894 (/trace)
895   \ifodd \@tempcnta
896     \@flsetnum \@botnum
897     \ifnum \@botnum>\z@
898       \@tempswafalse
899       \@flcheckspace \@botroom \@botlist
900       \if@tempswa

```

This next line means that this page is produced with box 255 having depth zero, rather than the normal maxdepth: is this needed, useful?

```

901       \global \maxdepth \z@
902       \@flupdates \@botnum \@botroom \@botlist
903 (*trace)
904       \fl@trace{colroom (after-bot) = \the \@colroom}%
905       \fl@trace{colnum (after-bot) = \the \@colnum}%
906       \fl@trace{botnum (after-bot) = \the \@botnum}%
907       \fl@trace{***Success: bot}%
908 (/trace)
909       \@inserttrue
910       \fi
911 (*trace)
912       \else
913         \fl@trace{Fail: botnum = \the \@botnum:
914                                     fpstype \the \@fpstype=ORD?}%
915         \ifnum \@fpstype<\sixt@n
916           \fl@trace{ERROR: !b float not successful (addtobot)}%
917           \fi
918 (/trace)
919       \fi
920       \fi
921 }

```

`\@addtotoporbot` Lots of changes.

```

922 \def \@addtotoporbot {%
923 (*trace)
924   \fl@trace{***Start addtotoporbot}%
925 (/trace)
926   \@getfpsbit \tw@
927 (*trace)
928   \fl@trace{fpstype \ifodd \@tempcnta OK \else not \fi top:
929                                           \the \@fpstype}%

```

```

930 </trace>
931 \ifodd \@tempcnta
932 \@flsetnum \@topnum
933 \ifnum \@topnum>\z@
934 \@tempswafalse
935 \@flcheckspace \@toproom \@toplist
936 \if@tempswa
937 \@bitor\@currtype{\@midlist\@botlist}%
938 <*trace>
939 \fl@trace{(mid+bot)list: \@midlist, \@botlist:
940 (addtotoporbot-before)}%
941 </trace>
942 \if@test
943 <*trace>
944 \fl@trace{type already on list: mid or bot---sent to addtobot}%
945 </trace>
946 \else
947 \@flupdates \@topnum \@toproom \@toplist
948 <*trace>
949 \fl@trace{colroom (after-top) = \the \@colroom}%
950 \fl@trace{colnum (after-top) = \the \@colnum}%
951 \fl@trace{topnum (after-top) = \the \@topnum}%
952 \fl@trace{***Success: top}%
953 </trace>
954 \@inserttrue
955 \fi
956 \fi
957 <*trace>
958 \else
959 \fl@trace{Fail: topnum = \the \@topnum: fpstype
960 \the \@fpstype=ORD?}%
961 \ifnum \@fpstype<\sixt@@n
962 \fl@trace{ERROR: !t float not successful (addtotoporbot)}%
963 \fi
964 </trace>
965 \fi
966 \fi
967 \if@insert
968 \else
969 <*trace>
970 \fl@trace{sent to addtobot (addtotoporbot)}%
971 </trace>
972 \@addtobot
973 \fi
974 }
975 </2ekernel | fltrace>

```

\@addtocurcol Lots of changes.

```

976 <latexrelease | fltrace | flafter>\IncludeInRelease{2015/01/01}%
977 <latexrelease | fltrace | flafter> {\@addtocurcol}{float order in 2-column}%
978 <*2ekernel | latexrelease | fltrace | flafter>
979 \def \@addtocurcol {%
980 <*trace>
981 \fl@trace{***Start addtocurcol}%

```

```

982 </trace>
983   \@insertfalse
984   \@setfloattypescounts
985   \ifnum \@fpstype=8
986 < *trace>
987   \fl@trace{fpstype !p only (addtocurcol): \the \@fpstype = 8?}%
988 </trace>
989   \else
990   \ifnum \@fpstype=24
991 < *trace>
992   \fl@trace{fpstype p only (addtocurcol): \the \@fpstype = 24?}%
993 </trace>
994   \else
995   \@flsettextmin

```

This is a new adjustment which is quite a major change in functionality; but it implements the documentation. Note that \@reqcolroom will include the whole of the page-so-far, and hence includes \@textfloatsheight of floats, so before comparing it with \@textmin, we add this to \@textmin also.

```

996 < *trace>
997   \fl@trace{textfloatsheight (before) = \the \@textfloatsheight}%
998 </trace>
999   \advance \@textmin \@textfloatsheight
1000   \@reqcolroom \@pageht

```

This line must be removed since \@specialoutput changed.

```

1001 %       \advance \@reqcolroom \@pagedp
1002 < *trace>
1003   \fl@trace{textmin + textfloatsheight: \the \@textmin}%
1004   \fl@trace{page-so-far: \the \@reqcolroom}%
1005 </trace>
1006   \ifdim \@textmin>\@reqcolroom
1007   \@reqcolroom \@textmin
1008 < *trace>
1009   \fl@trace{ORD? textmin being used}%
1010 </trace>
1011   \fi
1012   \advance \@reqcolroom \ht\@currbox
1013 < *trace>
1014   \fl@trace{float size = \the \ht \@currbox (addtocurcol)}%
1015   \fl@trace{colroom = \the \@colroom (addtocurcol)}%
1016   \fl@trace{reqcolroom = \the \@reqcolroom (addtocurcol)}%
1017 </trace>
1018   \ifdim \@colroom>\@reqcolroom
1019   \@flsetnum \@colnum
1020   \ifnum \@colnum>\z@
1021   \@bitor\@currtype\@deferlist

```

We need to defer the float also if its width doesn't fit.

```

1022   \@testwrongwidth\@currbox
1023 < *trace>
1024   \fl@trace{deferlist: \@deferlist: (addtocurcol-before)}%
1025 </trace>
1026   \if@test

```



```

1027 (*trace)
1028         \fl@trace{type already on list: defer (addtocurcol)}%
1029 (/trace)
1030         \else
1031         \@bitor\@currtype\@botlist
1032 (*trace)
1033         \fl@trace{botlist: \@botlist: (addtocurcol-before)}%
1034 (/trace)
1035         \if@test
1036 (*trace)
1037         \fl@trace{type already on list: bot---sent to addtobot}%
1038 (/trace)
1039         \@addtobot
1040         \else
1041 (*trace)
1042         \fl@trace{fpstype \ifodd \@tempcnta OK \else not \fi
1043         here: \the \@fpstype}%
1044 (/trace)
1045         \ifodd \count\@currbox
1046         \advance \@reqcolroom \intextsep
1047         \ifdim \@colroom>\@reqcolroom
1048         \global \advance \@colnum \m@ne
1049         \global \advance \@textfloatsheight \ht\@currbox

```

This may sometimes give an overestimate.

```

1050         \global \advance \@textfloatsheight 2\intextsep
1051         \@cons \@midlist \@currbox
1052 (*trace)
1053         \fl@trace{***Success: here}%
1054         \fl@trace{textfloatsheight (after-here) =
1055         \the \@textfloatsheight}%
1056         \fl@trace{colnum (after-here) = \the \@colnum}%
1057 (/trace)

```

CHANGE TO \@addtocurcol:

\penalty\z@ changed to \penalty\interlinepenalty so \samepage works properly with figure and table environments. (Changed 23 Oct 86)

There is also an \addpenalty\interlinepenalty above.

Since in 2e \samepage is no longer supported, these could be removed.

Although it is best to use \addvspace in case two h floats come together, this makes other spacing more difficult to adjust; whereas if a user specifies two h floats together then they can more easily get the spacing correct by ad hoc commands.

It is necessary to adjust for the addition of \parskip here in case the float is added between paragraphs (i.e. when in vertical mode).

If the nobreak switch is true we need to reset it and clear \everypar since the float may not reset the flag and cannot reset the \everypar globally.

Typesetting starts here (we are in vertical mode).

```

1058         \if@nobreak
1059         \nobreak
1060         \@nobreakfalse
1061         \everypar{}%
1062         \else
1063         \addpenalty \interlinepenalty
1064         \fi

```

```

1065          \vskip \intextsep
1066          \box\@currbox
1067          \penalty\interlinepenalty
1068          \vskip\intextsep
1069          \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi

Typesetting ends here.

1070          \outputpenalty \z@
1071          \@inserttrue
1072 (*trace)
1073          \else
1074          \fl@trace{Fail---no room at 2nd test of colroom
1075                  (addtocurcol \string\intextsep)}%
1076 (/trace)
1077          \fi
1078          \fi
1079          \if@insert
1080          \else

Next set of docstrip guards are a bit weird, essentially \@addtotoporbot ends
up inside the kernel and the fltrace package and \@addtobot shows up in the
flafter package. Guess that could have been done a bit more obvious :-)

1081 (*2ekernel | fltrace | latexrelease)
1082 (*trace)
1083          \fl@trace{not here: sent to addtotoporbot}%
1084 (/trace)
1085          \@addtotoporbot
1086 (/2ekernel | fltrace | latexrelease)
1087 (*!2ekernel&!fltrace&!latexrelease)
1088 (*trace)
1089          \fl@trace{not here: sent to addtobot}%
1090 (/trace)
1091          \@addtobot
1092 (/!2ekernel&!fltrace&!latexrelease)
1093          \fi
1094          \fi
1095          \fi
1096 (*trace)
1097          \else
1098          \fl@trace{Fail: colnum = \the \@colnum:
1099                  fpstype \the \@fpstype=ORD?}%
1100          \ifnum \@fpstype<\sist@n
1101          \fl@trace{ERROR: BANG float not successful (addtocurcol)}%
1102          \fi
1103 (/trace)
1104          \fi
1105 (*trace)
1106          \else
1107          \fl@trace{Fail---no room: fl box ht: \the \ht \@currbox
1108                  (addtocurcol)}%
1109 (/trace)
1110          \fi
1111          \fi
1112          \fi
1113          \if@insert

```

```

1114 \else
1115 \@resetfyps
1116 <*trace>
1117 \fl@trace{put on deferlist (addtocurcol)}%
1118 </trace>
1119 \@cons\@deferlist\@currbox
1120 <*trace>
1121 \fl@trace{deferlist: \@deferlist: (addtocurcol-after)}%
1122 </trace>
1123 \fi
1124 }%
1125 </2ekernel | latexrelease | fltrace | flafter>
1126 <latexrelease | fltrace | flafter>\EndIncludeInRelease
1127 <latexrelease | fltrace | flafter>\IncludeInRelease{0000/00/00}%
1128 <latexrelease | fltrace | flafter> {\@addtocurcol}{float order in 2-column}%
1129 <latexrelease | fltrace | flafter>\def \@addtocurcol {%
1130 <*trace>
1131 <latexrelease | fltrace | flafter> \fl@trace{***Start addtocurcol}%
1132 </trace>
1133 <latexrelease | fltrace | flafter> \@insertfalse
1134 <latexrelease | fltrace | flafter> \@setfloattyperecounts
1135 <latexrelease | fltrace | flafter> \ifnum \@fpstype=8
1136 <*trace>
1137 <latexrelease | fltrace | flafter> \fl@trace{fpstype !p only (addtocurcol):
1138 <latexrelease | fltrace | flafter> \the \@fpstype = 8?}%
1139 </trace>
1140 <latexrelease | fltrace | flafter> \else
1141 <latexrelease | fltrace | flafter> \ifnum \@fpstype=24
1142 <*trace>
1143 <latexrelease | fltrace | flafter> \fl@trace{fpstype p only (addtocurcol):
1144 <latexrelease | fltrace | flafter> \the \@fpstype = 24?}%
1145 </trace>
1146 <latexrelease | fltrace | flafter> \else
1147 <latexrelease | fltrace | flafter> \@flsettextmin

This is a new adjustment which is quite a major change in functionality; but it
implements the documentation. Note that \@reqcolroom will include the whole
of the page-so-far, and hence includes \@textfloatsheight of floats, so before
comparing it with \@textmin, we add this to \@textmin also.

1148 <*trace>
1149 <latexrelease | fltrace | flafter> \fl@trace{textfloatsheight (before) =
1150 <latexrelease | fltrace | flafter> \the \@textfloatsheight}%
1151 </trace>
1152 <latexrelease | fltrace | flafter> \advance \@textmin \@textfloatsheight
1153 <latexrelease | fltrace | flafter> \@reqcolroom \@pageht

This line must be removed since \@specialoutput changed.

1154 % \advance \@reqcolroom \@pagedp
1155 <*trace>
1156 <latexrelease | fltrace | flafter> \fl@trace{textmin + textfloatsheight:
1157 <latexrelease | fltrace | flafter> \the \@textmin}%
1158 <latexrelease | fltrace | flafter> \fl@trace{page-so-far: \the \@reqcolroom}%
1159 <latexrelease | fltrace | flafter>
1160 </trace>
1161 <latexrelease | fltrace | flafter> \ifdim \@textmin>\@reqcolroom

```

```

1162 <latexrelease | fltrace | flafter> \@reqcolroom \@textmin
1163 <*trace>
1164 <latexrelease | fltrace | flafter> \fl@trace{ORD? textmin being used}%
1165 </trace>
1166 <latexrelease | fltrace | flafter> \fi
1167 <latexrelease | fltrace | flafter> \advance \@reqcolroom \ht\@currbox
1168 <*trace>
1169 <latexrelease | fltrace | flafter> \fl@trace{float size =
1170 <latexrelease | fltrace | flafter> \the \ht \@currbox (addtocurcol)}}%
1171 <latexrelease | fltrace | flafter> \fl@trace{colroom =
1172 <latexrelease | fltrace | flafter> \the \@colroom (addtocurcol)}}%
1173 <latexrelease | fltrace | flafter> \fl@trace{reqcolroom =
1174 <latexrelease | fltrace | flafter> \the \@reqcolroom (addtocurcol)}}%
1175 </trace>
1176 <latexrelease | fltrace | flafter> \ifdim \@colroom>\@reqcolroom
1177 <latexrelease | fltrace | flafter> \@flsetnum \@colnum
1178 <latexrelease | fltrace | flafter> \ifnum \@colnum>\z@
1179 <latexrelease | fltrace | flafter> \@bitor\@currtype\@deferlist
1180 <*trace>
1181 <latexrelease | fltrace | flafter> \fl@trace{deferlist:
1182 <latexrelease | fltrace | flafter> \@deferlist: (addtocurcol-before)}}%
1183 </trace>
1184 <latexrelease | fltrace | flafter> \if@test
1185 <*trace>
1186 <latexrelease | fltrace | flafter> \fl@trace{type already on list:
1187 <latexrelease | fltrace | flafter> defer (addtocurcol)}}%
1188 </trace>
1189 <latexrelease | fltrace | flafter> \else
1190 <latexrelease | fltrace | flafter> \@bitor\@currtype\@botlist
1191 <*trace>
1192 <latexrelease | fltrace | flafter> \fl@trace{botlist: \@botlist:
1193 <latexrelease | fltrace | flafter> (addtocurcol-before)}}%
1194 </trace>
1195 <latexrelease | fltrace | flafter> \if@test
1196 <*trace>
1197 <latexrelease | fltrace | flafter> \fl@trace{type already on list:
1198 <latexrelease | fltrace | flafter> bot---sent to addtobot}}%
1199 </trace>
1200 <latexrelease | fltrace | flafter> \@addtobot
1201 <latexrelease | fltrace | flafter> \else
1202 <*trace>
1203 <latexrelease | fltrace | flafter> \fl@trace{fpstype
1204 <latexrelease | fltrace | flafter> \ifodd \@tempcnta OK \else not \fi
1205 <latexrelease | fltrace | flafter> here: \the \@fpstype}}%
1206 </trace>
1207 <latexrelease | fltrace | flafter> \ifodd \count\@currbox
1208 <latexrelease | fltrace | flafter> \advance \@reqcolroom \intextsep
1209 <latexrelease | fltrace | flafter> \ifdim \@colroom>\@reqcolroom
1210 <latexrelease | fltrace | flafter> \global \advance \@colnum \m@ne
1211 <latexrelease | fltrace | flafter> \global \advance
1212 <latexrelease | fltrace | flafter> \@textfloatsheight\ht\@currbox
This may sometimes give an overestimate.
1213 <latexrelease | fltrace | flafter> \global \advance
1214 <latexrelease | fltrace | flafter> \@textfloatsheight 2\intextsep

```

```

1215 <latexrelease | fltrace | flafter>          \@cons \@midlist \@currbox
1216 <*trace>
1217 <latexrelease | fltrace | flafter>          \fl@trace{***Success: here}%
1218 <latexrelease | fltrace | flafter>          \fl@trace{textfloatsheight
1219 <latexrelease | fltrace | flafter>              (after-here) =
1220 <latexrelease | fltrace | flafter>              \the \@textfloatsheight}%
1221 <latexrelease | fltrace | flafter>          \fl@trace{colnum (after-here) =
1222 <latexrelease | fltrace | flafter>              \the \@colnum}%
1223 </trace>

CHANGE TO \@addtocurcol:
\penalty\z@ changed to \penalty\interlinepenalty so \samepage works
properly with figure and table environments. (Changed 23 Oct 86)
There is also an \addpenalty\interlinepenalty above.
Since in 2e \samepage is no longer supported, these could be removed.
Although it is best to use \addvspace in case two h floats come together, this
makes other spacing more difficult to adjust; whereas if a user specifies two h floats
together then they can more easily get the spacing correct by ad hoc commands.
It is necessary to adjust for the addition of \parskip here in case the float is
added between paragraphs (i.e. when in vertical mode).
If the nobreak switch is true we need to reset it and clear \everypar since the
float may not reset the flag and cannot reset the \everypar globally.
Typesetting starts here (we are in vertical mode).
1224 <latexrelease | fltrace | flafter>          \if@nobreak
1225 <latexrelease | fltrace | flafter>          \nobreak
1226 <latexrelease | fltrace | flafter>          \@nobreakfalse
1227 <latexrelease | fltrace | flafter>          \everypar{}%
1228 <latexrelease | fltrace | flafter>          \else
1229 <latexrelease | fltrace | flafter>          \addpenalty\interlinepenalty
1230 <latexrelease | fltrace | flafter>          \fi
1231 <latexrelease | fltrace | flafter>          \vskip \intextsep
1232 <latexrelease | fltrace | flafter>          \box\@currbox
1233 <latexrelease | fltrace | flafter>          \penalty\interlinepenalty
1234 <latexrelease | fltrace | flafter>          \vskip\intextsep
1235 <latexrelease | fltrace | flafter>          \ifnum\outputpenalty
1236 <latexrelease | fltrace | flafter>              <-\@Mii \vskip
1237 <latexrelease | fltrace | flafter>          -\parskip\fi

Typesetting ends here.
1238 <latexrelease | fltrace | flafter>          \outputpenalty \z@
1239 <latexrelease | fltrace | flafter>          \@inserttrue
1240 <*trace>
1241 <latexrelease | fltrace | flafter>          \else
1242 <latexrelease | fltrace | flafter>          \fl@trace{Fail---no room at 2nd test of colroom
1243 <latexrelease | fltrace | flafter>              (addtocorcol \string\intextsep)}%
1244 </trace>
1245 <latexrelease | fltrace | flafter>          \fi
1246 <latexrelease | fltrace | flafter>          \fi
1247 <latexrelease | fltrace | flafter>          \if@insert
1248 <latexrelease | fltrace | flafter>          \else

```

Next set of docstrip guards are a bit weird, essentially \@addtotoporbot ends up inside the kernel and the fltrace package and \@addtotoporbot shows up in the flafter package. Guess that could have been done a bit more obvious :-)

```

1249 (*2ekernel | fltrace)
1250 (*trace)
1251 \latexrelease | fltrace | flafter) \fl@trace{not here: sent to addtotoporbot}%
1252 \traced)
1253 \latexrelease | fltrace | flafter) \@addtotoporbot
1254 \2ekernel | fltrace)
1255 (*!2ekernel&!autoload&!fltrace)
1256 (*trace)
1257 \latexrelease | fltrace | flafter) \fl@trace{not here: sent to addtobot}%
1258 \traced)
1259 \latexrelease | fltrace | flafter) \@addtobot
1260 \!2ekernel&!autoload&!fltrace)
1261 \latexrelease | fltrace | flafter) \fi
1262 \latexrelease | fltrace | flafter) \fi
1263 \latexrelease | fltrace | flafter) \fi
1264 (*trace)
1265 \latexrelease | fltrace | flafter) \else
1266 \latexrelease | fltrace | flafter) \fl@trace{Fail: colnum = \the \@colnum:
1267 \latexrelease | fltrace | flafter) fpstype \the \@fpstype=ORD?}%
1268 \latexrelease | fltrace | flafter) \ifnum \@fpstype<\sist@n
1269 \latexrelease | fltrace | flafter) \fl@trace{ERROR: BANG float not successful
1270 \latexrelease | fltrace | flafter) (addtocurcol)}}%
1271 \latexrelease | fltrace | flafter) \fi
1272 \traced)
1273 \latexrelease | fltrace | flafter) \fi
1274 (*trace)
1275 \latexrelease | fltrace | flafter) \else
1276 \latexrelease | fltrace | flafter) \fl@trace{Fail---no room: fl box ht:
1277 \latexrelease | fltrace | flafter) \the \ht \@currbox (addtocurcol)}}%
1278 \traced)
1279 \latexrelease | fltrace | flafter) \fi
1280 \latexrelease | fltrace | flafter) \fi
1281 \latexrelease | fltrace | flafter) \fi
1282 \latexrelease | fltrace | flafter) \if@insert
1283 \latexrelease | fltrace | flafter) \else
1284 \latexrelease | fltrace | flafter) \@resetfps
1285 (*trace)
1286 \latexrelease | fltrace | flafter) \fl@trace{put on deferlist (addtocurcol)}}%
1287 \traced)
1288 \latexrelease | fltrace | flafter) \@cons\@deferlist\@currbox
1289 (*trace)
1290 \latexrelease | fltrace | flafter) \fl@trace{deferlist: \@deferlist:
1291 \latexrelease | fltrace | flafter) (addtocurcol-after)}}%
1292 \traced)
1293 \latexrelease | fltrace | flafter) \fi
1294 \latexrelease | fltrace | flafter) }%
1295 \latexrelease | fltrace | flafter)\EndIncludeInRelease

```

\@addtonextcol Lots of changes.

```

1296 \latexrelease | fltrace)\IncludeInRelease{2015/01/01}
1297 \latexrelease | fltrace) {\@addtonextcol}{float order in 2-column}%
1298 (*2ekernel | fltrace)
1299 \def\@addtonextcol{%
1300 \begin{group

```

```

1301 (*trace)
1302   \fl@trace{***Start addtonextcol}%
1303 (/trace)
1304   \@insertfalse
1305   \@setfloattypecounts
1306   \ifnum \@fpstype=8
1307 (*trace)
1308   \fl@trace{fpstype not curcol: \the \@fpstype = 8?}%
1309 (/trace)
1310   \else
1311   \ifnum \@fpstype=24
1312 (*trace)
1313   \fl@trace{fpstype not curcol: \the \@fpstype = 24?}%
1314 (/trace)
1315   \else
1316   \@flsettextmin
1317 (*trace)
1318   \fl@trace{text-so-far: Opt (top of col)}%
1319 (/trace)
1320   \@reqcolroom \ht\@currbox
1321 (*trace)
1322   \fl@trace{float size: \the \@reqcolroom (addtonextcol)}%
1323 (/trace)
1324   \advance \@reqcolroom \@textmin
1325 (*trace)
1326   \fl@trace{colroom = \the \@colroom (addtonextcol)}%
1327   \fl@trace{reqcolroom = \the \@reqcolroom (addtonextcol)}%
1328 (/trace)
1329   \ifdim \@colroom>\@reqcolroom
1330   \@flsetnum \@colnum
1331   \ifnum \@colnum>\z@
1332   \@bitor\@currtype\@deferlist
1333 (*trace)
1334   \fl@trace{deferlist: \@deferlist: (addtonextcol-before)}%
1335 (/trace)
1336   \@testwrongwidth\@currbox
1337   \if@test
1338 (*trace)
1339   \fl@trace{type already on list: defer (addtonextcol)}%
1340 (/trace)
1341   \else
1342 (*trace)
1343   \fl@trace{sent to addtotoporbot (addtonextcol)}%
1344 (/trace)
1345   \@addtotoporbot
1346   \fi
1347   \fi
1348 (*trace)
1349   \else
1350   \fl@trace{Fail---no room: fl box ht: \the \ht \@currbox
1351   (addtonextcol)}%
1352 (/trace)
1353   \fi

```

```

1354     \fi
1355     \fi
1356     \if@insert
1357     \else
1358     (*trace)
1359         \fl@trace{put back on deferlist (addtonextcol)}%
1360     (/trace)
1361     \@cons\@deferlist\@currbox
1362     (*trace)
1363         \fl@trace{deferlist: \@deferlist: (addtonextcol-after)}%
1364     (/trace)
1365     \fi
1366     (*trace)
1367         \fl@trace{End of addtonextcol -- locally counts:}%
1368         \fl@trace{col: \the\@colnum. top: \the \@topnum. bot: \the \@botnum.}%
1369     (/trace)
1370     \endgroup
1371     (*trace)
1372         \fl@trace{End of addtonextcol -- globally counts:}%
1373         \fl@trace{col: \the\@colnum. top: \the \@topnum. bot: \the \@botnum.}%
1374     (/trace)
1375 }%
1376 (/2ekernel | fltrace)
1377 (latexrelease | fltrace)\EndIncludeInRelease
1378 (latexrelease | fltrace)\IncludeInRelease{0000/00/00}%
1379 (latexrelease | fltrace) {\@addfloatcol}{float order in 2-column}%
1380 (latexrelease | fltrace)\def\@addtonextcol{%
1381 (latexrelease | fltrace) \begin{group
1382 (*trace)
1383 (latexrelease | fltrace) \fl@trace{***Start addtonextcol}%
1384 (/trace)
1385 (latexrelease | fltrace) \@insertfalse
1386 (latexrelease | fltrace) \@setfloattypecounts
1387 (latexrelease | fltrace) \ifnum \@fpstype=8
1388 (*trace)
1389 (latexrelease | fltrace) \fl@trace{fpstype not curcol:
1390 (latexrelease | fltrace) \the \@fpstype = 8?}%
1391 (/trace)
1392 (latexrelease | fltrace) \else
1393 (latexrelease | fltrace) \ifnum \@fpstype=24
1394 (*trace)
1395 (latexrelease | fltrace) \fl@trace{fpstype not curcol:
1396 (latexrelease | fltrace) \the \@fpstype = 24?}%
1397 (/trace)
1398 (latexrelease | fltrace) \else
1399 (latexrelease | fltrace) \@flsettextmin
1400 (*trace)
1401 (latexrelease | fltrace) \fl@trace{text-so-far: Opt (top of col)}%
1402 (/trace)
1403 (latexrelease | fltrace) \@reqcolroom \ht\@currbox
1404 (*trace)
1405 (latexrelease | fltrace) \fl@trace{float size:
1406 (latexrelease | fltrace) \the \@reqcolroom (addtonextcol)}%
1407 (latexrelease | fltrace)

```



```

1408 </trace>
1409 <latexrelease | fltrace> \advance \@reqcolroom \@textmin
1410 <*trace>
1411 <latexrelease | fltrace> \fl@trace{colroom =
1412 <latexrelease | fltrace> \the \@colroom (addtonextcol)}%
1413 <latexrelease | fltrace> \fl@trace{reqcolroom =
1414 <latexrelease | fltrace> \the \@reqcolroom (addtonextcol)}%
1415 </trace>
1416 <latexrelease | fltrace> \ifdim \@colroom>\@reqcolroom
1417 <latexrelease | fltrace> \@flsetnum \@colnum
1418 <latexrelease | fltrace> \ifnum \@colnum>\z@
1419 <latexrelease | fltrace> \@bitor\@currtype\@deferlist
1420 <*trace>
1421 <latexrelease | fltrace> \fl@trace{deferlist: \@deferlist:
1422 <latexrelease | fltrace> (addtonextcol-before)}%
1423 </trace>
1424 <latexrelease | fltrace> \if@test
1425 <*trace>
1426 <latexrelease | fltrace> \fl@trace{type already on list:
1427 <latexrelease | fltrace> defer (addtonextcol)}%
1428 </trace>
1429 <latexrelease | fltrace> \else
1430 <*trace>
1431 <latexrelease | fltrace> \fl@trace{sent to addtotoporbot
1432 <latexrelease | fltrace> (addtonextcol)}%
1433 </trace>
1434 <latexrelease | fltrace> \@addtotoporbot
1435 <latexrelease | fltrace> \fi
1436 <latexrelease | fltrace> \fi
1437 <*trace>
1438 <latexrelease | fltrace> \else
1439 <latexrelease | fltrace> \fl@trace{Fail---no room: fl box ht:
1440 <latexrelease | fltrace> \the \ht \@currbox (addtonextcol)}%
1441 </trace>
1442 <latexrelease | fltrace> \fi
1443 <latexrelease | fltrace> \fi
1444 <latexrelease | fltrace> \fi
1445 <latexrelease | fltrace> \if@insert
1446 <latexrelease | fltrace> \else
1447 <*trace>
1448 <latexrelease | fltrace> \fl@trace{put back on deferlist
1449 <latexrelease | fltrace> (addtonextcol)}%
1450 </trace>
1451 <latexrelease | fltrace> \@cons\@deferlist\@currbox
1452 <*trace>
1453 <latexrelease | fltrace> \fl@trace{deferlist: \@deferlist:
1454 <latexrelease | fltrace> (addtonextcol-after)}%
1455 </trace>
1456 <latexrelease | fltrace> \fi
1457 <*trace>
1458 <latexrelease | fltrace> \fl@trace{End of addtonextcol --
1459 <latexrelease | fltrace> locally counts:}%
1460 <latexrelease | fltrace> \fl@trace{col: \the \@colnum.
1461 <latexrelease | fltrace> top: \the \@topnum. bot: \the \@botnum.}%

```

```

1462 </trace>
1463 <latexrelease | fltrace> \endgroup
1464 <*trace>
1465 <latexrelease | fltrace> \fl@trace{End of addtonextcol --
1466 <latexrelease | fltrace> globally counts:}%
1467 <latexrelease | fltrace> \fl@trace{col: \the \@colnum.
1468 <latexrelease | fltrace> top: \the \@topnum. bot: \the \@botnum.}%
1469 </trace>
1470 <latexrelease | fltrace>}%
1471 <latexrelease | fltrace>\EndIncludeInRelease

```

\@addtodblcol Lots of changes.

```

1472 <latexrelease | fltrace>\IncludeInRelease{2015/01/01}%
1473 <latexrelease | fltrace> {\@addtodblcol}{float order in 2-column}%
1474 <*2ekernel | latexrelease | fltrace>
1475 \def\@addtodblcol{%
1476 \begingroup
1477 <*trace>
1478 \fl@trace{***Start addtodblcol}%
1479 </trace>
1480 \@insertfalse
1481 \@setfloattypecounts
1482 \@getfpsbit \tw@
1483 <*trace>
1484 \fl@trace{fpstype \ifodd \@tempcnta OK \else not \fi dbltop:
1485 \the \@fpstype}%
1486 </trace>
1487 \ifodd\@tempcnta
1488 \@flsetnum \@dbltopnum
1489 \ifnum \@dbltopnum>\z@
1490 \@tempwafalse
1491 \ifdim \@dbltoproom>\ht\@currbox
1492 \@tempwattrue
1493 <*trace>
1494 \fl@trace{Space OK: \@dbltoproom =
1495 \the \@dbltoproom > \the \ht \@currbox
1496 (dbltoproom)}%
1497 </trace>
1498 \else
1499 <*trace>
1500 \fl@trace{fpstype: \the \@fpstype (addtodblcol)}%
1501 </trace>
1502 \ifnum \@fpstype<\sist@@n
1503 <*trace>
1504 \fl@trace{BANG float ignoring \@dbltoproom}%
1505 \fl@trace{\@spaces \@dbltoproom = \the \@dbltoproom.
1506 Ht float: \the \ht \@currbox-BANG}%
1507 </trace>

```

Need to check that there is room on the page, using the local value of \@textmin to make the necessary adjustment to \@dbltoproom.

```

1508 \advance \@dbltoproom \@textmin
1509 <*trace>
1510 \fl@trace{Local value of texmin: \the\@textmin}%

```

```

1511      \fl@trace{\@spaces space on page = \the \@dbltoproom.
1512              Ht float: \the \ht \@currbox-BANG}%
1513 \
```

```

1563     \else
1564         \fl@trace{Fail: dbltopnum = \the \@dbltopnum: fpstype
1565                                     \the \@fpstype=ORD?}%
1566         \ifnum \@fpstype<\sist@n
1567             \fl@trace{ERROR: !t float not successful (addtodblcol)}%
1568         \fi
1569     \trace
1570     \fi
1571     \fi
1572     \if@insert
1573     \else
1574     \trace
1575         \fl@trace{put on deferlist}%
1576     \trace
1577         \@cons\@deferlist\@currbox
1578     \trace
1579         \fl@trace{(dbl)deferlist: \@deferlist: (after)}%
1580     \trace
1581     \fi
1582     \trace
1583         \fl@trace{End of addtodblcol -- locally count:}%
1584         \fl@trace{dbltop: \the \@dbltopnum.}%
1585     \trace
1586     \endgroup
1587     \trace
1588         \fl@trace{End of addtodblcol -- globally count:}%
1589         \fl@trace{dbltop: \the \@dbltopnum.}%
1590     \trace
1591 }%
1592 \2kernel | latexrelease | fltrace
1593 \latexrelease | fltrace \EndIncludeInRelease
1594 \latexrelease | fltrace \IncludeInRelease{0000/00/00}%
1595 \latexrelease | fltrace {\@addtodblcol}{float order in 2-column}%
1596 \latexrelease | fltrace \def\@addtodblcol{%
1597 \latexrelease | fltrace \begingroup
1598 \trace
1599 \latexrelease | fltrace \fl@trace{***Start addtodblcol}%
1600 \trace
1601 \latexrelease | fltrace \@insertfalse
1602 \latexrelease | fltrace \@setfloattypescounts
1603 \latexrelease | fltrace \@getfpsbit \tw@
1604 \trace
1605 \latexrelease | fltrace \fl@trace{fpstype \ifodd \@tempcnta OK
1606 \latexrelease | fltrace \else not \fi dbltop: \the \@fpstype}%
1607 \trace
1608 \latexrelease | fltrace \ifodd\@tempcnta
1609 \latexrelease | fltrace \@flsetnum \@dbltopnum
1610 \latexrelease | fltrace \ifnum \@dbltopnum>\z@
1611 \latexrelease | fltrace \@tempswafalse
1612 \latexrelease | fltrace \ifdim \@dbltoproom>\ht\@currbox
1613 \latexrelease | fltrace \@tempswatrue
1614 \trace
1615 \latexrelease | fltrace \fl@trace{Space OK: \@dbltoproom =
1616 \latexrelease | fltrace \the \@dbltoproom > \the \ht \@currbox

```

```

1617 \latexrelease | fltrace> (dbltoproom)}%
1618 \tracetrace>
1619 \latexrelease | fltrace> \else
1620 (*tracetrace>
1621 \latexrelease | fltrace> \fl@trace{fpstype: \the \@fpstype (addtodblcol)}%
1622 \tracetrace>
1623 \latexrelease | fltrace> \ifnum \@fpstype<\sift@n
1624 (*tracetrace>
1625 \latexrelease | fltrace> \fl@trace{BANG float ignoring \@dbltoproom}%
1626 \latexrelease | fltrace> \fl@trace{\@spaces \@dbltoproom =
1627 \latexrelease | fltrace> \the \@dbltoproom.
1628 \latexrelease | fltrace> Ht float: \the \ht \@currbox-BANG}%
1629 \tracetrace>

Need to check that there is room on the page, using the local value of \@textmin
to make the necessary adjustment to \@dbltoproom.

1630 \latexrelease | fltrace> \advance \@dbltoproom \@textmin
1631 (*tracetrace>
1632 \latexrelease | fltrace> \fl@trace{Local value of texmin: \the\@textmin}%
1633 \latexrelease | fltrace> \fl@trace{\@spaces space on page =
1634 \latexrelease | fltrace> \the \@dbltoproom.
1635 \latexrelease | fltrace> Ht float: \the \ht \@currbox-BANG}%
1636 \tracetrace>
1637 \latexrelease | fltrace> \ifdim \@dbltoproom>\ht\@currbox
1638 \latexrelease | fltrace> \@tempswatruetrace>
1639 (*tracetrace>
1640 \latexrelease | fltrace> \fl@trace{Space OK BANG: space on page =
1641 \latexrelease | fltrace> \the\@dbltoproom > \the\ht\@currbox}%
1642 \latexrelease | fltrace> \else
1643 \latexrelease | fltrace> \fl@trace{fpstype: \the \@fpstype}%
1644 \latexrelease | fltrace> \fl@trace{Fail---no room dbltoproom-BANG?:}%
1645 \latexrelease | fltrace> \fl@trace{\@spaces space on page =
1646 \latexrelease | fltrace> \the \@dbltoproom.
1647 \latexrelease | fltrace> Ht float: \the \ht \@currbox}%
1648 \tracetrace>
1649 \latexrelease | fltrace> \fi
1650 \latexrelease | fltrace> \advance \@dbltoproom -\@textmin
1651 (*tracetrace>
1652 \latexrelease | fltrace> \else
1653 \latexrelease | fltrace> \fl@trace{fpstype: \the \@fpstype}%
1654 \latexrelease | fltrace> \fl@trace{Fail---no room dbltoproom-ORD?:}%
1655 \latexrelease | fltrace> \fl@trace{\@spaces \@dbltoproom =
1656 \latexrelease | fltrace> \the \@dbltoproom.
1657 \latexrelease | fltrace> Ht float: \the \ht \@currbox}%
1658 \tracetrace>
1659 \latexrelease | fltrace> \fi
1660 \latexrelease | fltrace> \fi
1661 \latexrelease | fltrace> \if@tempswa
1662 \latexrelease | fltrace> \@bitor \@currtype \@dbldeferlist
1663 (*tracetrace>
1664 \latexrelease | fltrace> \fl@trace{dbldeferlist:
1665 \latexrelease | fltrace> \@dbldeferlist: (before)}%
1666 \tracetrace>
1667 \latexrelease | fltrace> \if@test

```

```

1668 (*trace)
1669 \latexrelease|fltrace) \fl@trace{type already on list: dbldefer}%
1670 (/trace)
1671 \latexrelease|fltrace) \else
1672 \latexrelease|fltrace) \@tempdima -\ht\@currbox
1673 \latexrelease|fltrace) \advance\@tempdima
1674 \latexrelease|fltrace) -\ifx \@dbltoplist\@empty
1675 \latexrelease|fltrace) \dbltextfloatsep
1676 \latexrelease|fltrace) \else \dblfloatsep \fi
1677 \latexrelease|fltrace) \global \advance \@dbltoproom \@tempdima
1678 \latexrelease|fltrace) \global \advance \@colht \@tempdima
1679 \latexrelease|fltrace) \global \advance \@dbltopnum \m@ne
1680 \latexrelease|fltrace) \@cons \@dbltoplist \@currbox
1681 (*trace)
1682 \latexrelease|fltrace) \fl@trace{dbltopnum (after) =
1683 \latexrelease|fltrace) \the \@dbltopnum}%
1684 \latexrelease|fltrace) \fl@trace{***Success: dbltop}%
1685 (/trace)
1686 \latexrelease|fltrace) \@inserttrue
1687 \latexrelease|fltrace) \fi
1688 \latexrelease|fltrace) \fi
1689 (*trace)
1690 \latexrelease|fltrace) \else
1691 \latexrelease|fltrace) \fl@trace{Fail: dbltopnum = \the \@dbltopnum:
1692 \latexrelease|fltrace) fpstype \the \@fpstype=ORD?}%
1693 \latexrelease|fltrace) \ifnum \@fpstype<\sist@n
1694 \latexrelease|fltrace) \fl@trace{ERROR: !t float not successful
1695 \latexrelease|fltrace) (addtodblcol)}%
1696 \latexrelease|fltrace) \fi
1697 (/trace)
1698 \latexrelease|fltrace) \fi
1699 \latexrelease|fltrace) \fi
1700 \latexrelease|fltrace) \if@insert
1701 \latexrelease|fltrace) \else
1702 (*trace)
1703 \latexrelease|fltrace) \fl@trace{put on dbldeferlist}%
1704 (/trace)
1705 \latexrelease|fltrace) \@cons\@dbldeferlist\@currbox
1706 (*trace)
1707 \latexrelease|fltrace) \fl@trace{dbldeferlist: \@dbldeferlist: (after)}%
1708 (/trace)
1709 \latexrelease|fltrace) \fi
1710 (*trace)
1711 \latexrelease|fltrace) \fl@trace{End of addtodblcol -- locally count:}%
1712 \latexrelease|fltrace) \fl@trace{ dbltop: \the \@dbltopnum.}%
1713 (/trace)
1714 \latexrelease|fltrace) \endgroup
1715 (*trace)
1716 \latexrelease|fltrace) \fl@trace{End of addtodblcol -- globally count:}%
1717 \latexrelease|fltrace) \fl@trace{dbltop: \the \@dbltopnum.}%
1718 (/trace)
1719 \latexrelease|fltrace)}%
1720 \latexrelease|fltrace)\EndIncludeInRelease

```

\@addmarginpar

```
1721 (*2kernel)
1722 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
1723   \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
1724   \if@twocolumn
1725     \if@firstcolumn \@tempcnta\m@ne \fi
1726   \else
1727     \if@mparswitch
1728       \ifodd\c@page \else\@tempcnta\m@ne \fi
1729     \fi
1730     \if@reversemargin \@tempcnta -\@tempcnta \fi
1731   \fi
1732   \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
1733   \@tempdima\@mparbottom
1734   \advance\@tempdima -\@pageht
1735   \advance\@tempdima\ht\@marbox
1736   \ifdim\@tempdima >\z@
1737     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
1738   \else
1739     \@tempdima\z@
1740   \fi
1741   \global\@mparbottom\@pageht
1742   \global\advance\@mparbottom\@tempdima
1743   \global\advance\@mparbottom\dp\@marbox
1744   \global\advance\@mparbottom\marginparpush
1745   \advance\@tempdima -\ht\@marbox
```

Putting box movement inside the ‘marbox’:

```
1746   \global\setbox \@marbox
1747     \vbox {\vskip \@tempdima
1748       \box \@marbox}%
1749   \global \ht\@marbox \z@
1750   \global \dp\@marbox \z@
```

Sticking (rather than gluing:-) the ‘marbox’ to the line above, changed vskip to kern:

```
1751   \kern -\@pagedp
1752   \nointerlineskip
1753   \hb@xt@\columnwidth
1754     {\ifnum \@tempcnta >\z@
1755       \hskip\columnwidth \hskip\marginparsep
1756     \else
1757       \hskip -\marginparsep \hskip -\marginparwidth
1758     \fi
1759     \box\@marbox \hss}%
```

For this reason the following code can vanish:

```
       \nobreak           %% No longer needed.  CAR92/12
       \vskip -\@tempdima %% No longer needed.  CAR92/12

1760   \nointerlineskip
1761   \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
```

64.1.1 Kludgeins

This part of the file is part of the implementation of the following two new commands for L^AT_EX2e.

`\enlargethispage{<dim>}`

Adds <dim> to the height of the current column only. On the printed page the bottom of this column is extended downwards by exactly <dim> without having any effect on the placement of the footer; this may result in an overprinting.

`\enlargethispage*{<dim>}`

Similar to `\enlargethispage` but it tries to squeeze the column to be printed in as small a space as possible, ie it uses any shrinkability in the column. If the column was not explicitly broken (e.g. with `\pagebreak`) this may result in an overfull box message but except for this it will come out as expected (if you know what to expect).

The star form of this command is dedicated to Leslie Lamport, the other we need for ourselves (FMi, CAR).

These commands may well have unwanted effects if used soon before a `\clearpage`: please give keep them clear of such places.

`\@kludgeins` The insert which makes T_EX do a lot of the necessary work. All we need to put into it is the amount by which the pagegoal should be changed.

```
1762 \newinsert \@kludgeins
1763 \global\dimen\@kludgeins \maxdimen
1764 \global\count\@kludgeins 1000
```

`\enlargethispage` The user command.

```
\enlargethispage* 1765 \gdef \enlargethispage {%
1766     \ifstar
1767     {%
1768     (*trace)
1769         \fl@trace{Enlarging page height * }%
1770     </trace>
1771         \@enlargepage{\hbox{\kern\p@}}}%
1772     {%
1773     (*trace)
1774         \fl@trace{Enlarging page height exactly---}%
1775     </trace>
1776         \@enlargepage\@empty}%
1777 }
```

`\@enlargepage` This actually inserts the insert, after checking for extreme values of the change.

```
1778 \gdef\@enlargepage#1#2{%
1779     (*trace)
1780     \fl@trace{\@spaces\@spaces by #2}%
1781     </trace>
1782     \@tempskipa#2\relax
1783     \ifdim \@tempskipa>.5\maxdimen
```



```

1784     \@latexerr{Suggested\space extra\space height\space
1785               (\the\@tempskipa)\space dangerously\space
1786               large}\@eha
1787   \else
1788     \ifdim \vsize<.5\maxdimen
1789 (*trace)
1790     \fl@trace {Kludgeins added--pagegoal before: \the\pagegoal}%
1791 (/trace)
1792     \bsphack
1793     \insert\@kludgeins{#1\vskip-\@tempskipa}%
1794     \esphack
    This next bit is for tracing only:
1795 (*trace)
1796     \ifvmode \par
1797     \fl@trace {Kludgeins added--pagegoal after: \the\pagegoal}%
1798     \fi
1799 (/trace)
1800   \else
1801     \@latexerr{Page\space height\space already\space
1802               too\space large}\@eha
1803   \fi
1804 \fi
1805 }
1806 (/2ekernel)

```

64.1.2 Float control

This part implements controllable floats and other changes to the float mechanism.

It provides, at the document level, the following command for inclusion in L^AT_EX2_ε.

```
\suppressfloats
```

This suppresses all further floats on the current page.

With an optional argument it suppresses only floats only in certain positions on the current page.

[t] suppresses only floats at the top of the page [b] suppresses only floats at the bottom of the page

It also enables the use of an extra specifier, !, in the location optional argument of a float. If this is present then, just for this particular float, whenever it is processed by the float mechanism the followinghg are ignored:

- all restrictions on the number of floats which can appear;
- all explicit restrictions on the amount of space which should (not) be occupied by floats and/or text.

The mechanism will still attempt to ensure that pages are not overfull.

These specifiers override, for the single float, the suppression commands described above.

In its current form, it also supplies a reasonably exhaustive, and somewhat baroque, means of tracing some aspects of the float mechanism.

More tracing.

```

\fl@trace Set-up tracing for floats independent of other tracing as it produces mega-output.
\tracefloatsoff Default is no tracing.
\tracefloats 1807 \*fltrace
\fl@traceval 1808 \def \fl@tracemessage #1{\let\@elt\@empty\typeout{LaTeX2e: #1}}
\tracefloatvals 1809 \def \tracefloats{\let \fl@trace \fl@tracemessage}
\fl@tracemessage 1810 \def \tracefloatsoff {\let \fl@trace \@gobble}
1811 \tracefloatsoff
1812 \def \fl@traceval #1{\fl@trace{\string #1 = \the #1}}
1813 \IncludeInRelease{2015/01/01}{\tracefloatvals}%
1814 {trace float vals}%
1815 \def \tracefloatvals{%

```

As `\@dblfloatplacement` sets `\f@depth` it needs to be run inside a group, otherwise the float placement will test for the wrong value.⁸

```

1816 \begingroup
1817 \@dblfloatplacement
1818 \@floatplacement
1819 \fl@trace{***Float placement parameters:}%
1820 \fl@traceval\@colnum
1821 \fl@traceval\@colroom
1822 \fl@traceval\@topnum
1823 \fl@traceval\@toproom
1824 \fl@traceval\@botnum
1825 \fl@traceval\@botroom
1826 \fl@traceval\@fpmin
1827 \fl@trace{\string\textfraction = \textfraction}%
1828 \fl@traceval\@dbltopnum
1829 \fl@traceval\@dbltoproom
1830 \fl@trace{\string\textfraction = \textfraction}%
1831 \fl@trace{toplist: \@toplist}%
1832 \fl@trace{botlist: \@botlist}%
1833 \fl@trace{midlist: \@midlist}%
1834 \fl@trace{deferlist: \@deferlist}%
1835 \fl@trace{dbltoplist: \@dbltoplist}%
1836 %Fmi \fl@trace{dbldeferlist: \@dbldeferlist}%
1837 \endgroup
1838 }
1839 \EndIncludeInRelease
1840 \IncludeInRelease{0000/00/00}{\tracefloatvals}%
1841 {trace float vals}%
1842 \def \tracefloatvals{%
1843 \begingroup
1844 \@dblfloatplacement
1845 \@floatplacement
1846 \fl@trace{***Float placement parameters:}%
1847 \fl@traceval\@colnum
1848 \fl@traceval\@colroom
1849 \fl@traceval\@topnum

```

⁸This is a somewhat questionable design.

```

1850 \fl@traceval\@toproom
1851 \fl@traceval\@botnum
1852 \fl@traceval\@botroom
1853 \fl@traceval\@fpmin
1854 \fl@trace{\string\textfraction = \textfraction}%
1855 \fl@traceval\@dbltopnum
1856 \fl@traceval\@dbltoproom
1857 \fl@trace{\string\textfraction = \textfraction}%
1858 \fl@trace{toplist: \@toplist}%
1859 \fl@trace{botlist: \@botlist}%
1860 \fl@trace{midlist: \@midlist}%
1861 \fl@trace{deferlist: \@deferlist}%
1862 \fl@trace{dbltoplist: \@dbltoplist}%
1863 % next line only in old releases
1864 \fl@trace{dbldeferlist: \@dbldeferlist}%
1865 \endgroup
1866 }
1867 \EndIncludeInRelease

```

We need to make sure that `fltrace` comes before `flafter` to make the tracing work.

```

1868 \@ifpackageloaded{flafter}
1869 {
1870   \PackageWarningNoLine
1871     {fltrace}{Load 'fltrace' before 'flafter'\MessageBreak
              Attempting to recover by reloading 'flafter'}%

```

Hide the fact that `flafter` was already loaded and then request it anew.

```

1872   \expandafter\let\csname ver@flafter.sty\endcsname\relax
1873   \def\reserved@a#1{%
1874     \expandafter\let\csname\string#1+flafter+IIR\endcsname\relax}%
1875   \reserved@a\@addtocurcol
1876   \reserved@a\@addtonextcol
1877   \RequirePackage{flafter}}{}
1878 \end{fltrace}

```

As the code for `flafter` will contain tracing calls so that it works in conjunction with `fltrace` we need to provide a dummy definition for `\fl@trace` in that package.

```

1879 (*flafter)
1880 \providecommand\fl@trace[1]{}
1881 \end{flafter}

```

`\suppressfloats` Float suppression commands: these set the relevant counter globally to zero. Thus `\@flstop` they are overridden for a particular float by an `!` specifier.

```

1882 (*2kernel)
1883 \def \suppressfloats {%
1884   \ifnextchar [%
1885     \@flstop
1886     {\global \@colnum \z@}%
1887 }

```

Maybe this should be a loop over `#1`?

```

1888 \def \@flstop [#1]{%
1889   \if t#1%
1890     \global \@topnum \z@

```

```

1891 \fi
1892 \if b#1%
1893 \global \@botnum \z@
1894 \fi
1895 }

```

Manipulation of float placement and type; both their strings and the corresponding count registers.

`\@fpstype` First a new count register to go with `\@currtype`.
`\@reqcolroom` Then a new skip register, for information needed to remove the `\@maxsep`
`\@textfloatsheight` conservatism: it is possible that this could use a temporary register.

Finally a dimension register to hold the total height of in-text floats on the current page. This is needed to implement a major change in the functionality of `\@addtocurcol` which is, nevertheless, a bug fix. It is not local and therefore cannot be a temporary register.

```

1896 \newcount \@fpstype
1897 \newdimen \@reqcolroom
1898 \newdimen \@textfloatsheight
1899 \endkernel

```

`\@fpsadddefault` Adds the default placement to what is already there.
Should not need to change this, but could do it as follows:

```

\def \@fpsadddefault {%
  \@temptokena \expandafter\expandafter\expandafter
    {\csname fps@\@captype \endcsname}%
  \edef \reserved@a {\the\@temptokena}%
  \@onelevel@sanitize \reserved@a
  \edef \@fps {\@fps\reserved@a}%
}

```

```

1900 \endkernel\fltrace)
1901 \def \@fpsadddefault {%
1902 (*trace)
1903 \fl@trace{fps changed from: \@fps}%
1904 \endtrace)
1905 \edef \@fps {\@fps\csname fps@\@captype \endcsname}%
1906 \@latex@warning {%
1907 No positions in optional float specifier.\MessageBreak
1908 Default added (so using '\@fps')}%
1909 }

```

`\@setfloattypecounts` Sets counters `\@fpstype` and `\@currtype`.
BANG == bit4 of `\count\@currbox` = 0.

```

1910 \def \@setfloattypecounts {%
1911 \@currtype \count\@currbox
1912 \@fpstype \count\@currbox
1913 \divide\@currtype\@xxxii \multiply\@currtype\@xxxii
1914 \advance \@fpstype -\@currtype
1915 (*trace)
1916 \fl@trace{(mod 32) fpstype: \the \@fpstype}%
1917 \fl@trace{(mult of 32) currtype: \the \@currtype}%

```

```

1918 % Tracing only: but some should be changed into real errors/warnings?
1919 \ifnum \@fpstype<\sist@n
1920   \ifnum \@fpstype=\z@
1921     \fl@trace{ERROR: no PLACEMENT, fpstype = \the \@fpstype = 0?}%
1922   \fi
1923   \ifnum \@fpstype=\@ne
1924     \fl@trace{WARNING: only h, fpstype = \the \@fpstype = 1?}%
1925   \fi
1926   \fl@trace{BANG float}%
1927 \else
1928   \ifnum \@fpstype=\sist@n
1929     \fl@trace{ERROR: no PLACEMENT, fpstype = \the \@fpstype = 16?}%
1930   \fi
1931   \ifnum \@fpstype=17
1932     \fl@trace{WARNING: only h, fpstype = \the \@fpstype = 17?}%
1933   \fi
1934   \fl@trace{ORD float}%
1935 \fi
1936 \trace
1937 }
1938 \end{kernel} \end{fltrace}

```

Macros for getting, testing and setting bits of the fps.

`\@getfpsbit` Sets `\@tempcnta` to required bit of `\count\@currbox`.

```

1939 \end{kernel}
1940 \def \@getfpsbit {%
1941   \@boxfpsbit \@currbox
1942 }

```

`\@boxfpsbit` Used above.

```

1943 \def \@boxfpsbit #1#2{%
1944   \@tempcnta \count#1
1945   \divide \@tempcnta #2\relax
1946 }

```

`\@testfp` New definition of the float page test.

```

1947 \def \@testfp #1{%
1948   \@boxfpsbit #18\relax % Really ‘#1 8’ for human readers!
1949   \ifodd \@tempcnta
1950   \else
1951     \@testtrue
1952   \fi
1953 }

```

`\@setfpsbit` Sets required bit of `\@tempcnta` (to 1).

```

1954 \def \@setfpsbit #1{%
1955   \@tempcntb \@tempcnta
1956   \divide \@tempcntb #1\relax
1957   \ifodd \@tempcntb
1958   \else
1959     \advance \@tempcnta #1\relax
1960   \fi

```

```

1961 }
1962 </2ekernel>

```

\@resetfhps Globally adds t as a possible location for an h or !h only placement: this must be done using the count.

Although it will leave \@fpstype set to 17 even if it was originally 1, this does not matter since it is the last thing in \@addtocurcol.

```

1963 (*2ekernel | fltrace)
1964 \def \@resetfhps {%
1965   \let\reserved@a\@empty
1966   \ifnum \@fpstype=\@ne
1967     \def \reserved@a {!}%
1968     \@fpstype 17
1969   \fi
1970   \ifnum \@fpstype=17
1971     \global \advance \count\@currbox \tw@
1972     \@latex@warning@no@line {%
1973       '\reserved@a h' float specifier changed to '\reserved@a ht'}%
1974   (*trace)
1975     \fl@trace{%
1976       't' added to '\reserved@a h'- new Count: \the \count\@currbox}%
1977   </trace>
1978   \fi
1979 }

```

Special stuff for BANG floats.

\@flsetnum Ignores any zero float counter value in case BANG.

It uses a local assignment to the normally global counter: a bit naughty, perhaps?

These assignments are safe so long as the counter involved is only consulted once (i.e. only for the 'bang float') with the changed value. This is the case within \@addtocurcol because it is used only once within a call of the output routine (which forms a group).

For \@addtonextcol this is achieved by putting a group around its code; this is needed because it is called (by \@startcolumn) for each float which was on the deferlist. Almost identical considerations pertain to \@addtodblcol. There may be more efficient ways to handle this, but the group seems to be the simplest.

```

1980 \def \@flsetnum #1{%
1981   (*trace)
1982     \fl@trace{fpstype: \the \@fpstype (flsetnum \string#1)}%
1983   </trace>
1984   \ifnum \@fpstype<\sist@n
1985     \ifnum #1=\z@
1986   (*trace)
1987     \fl@trace{BANG float resetting \string#1 to 1}%
1988   </trace>
1989     #1\@ne
1990   \fi
1991   \fi
1992   (*trace)
1993     \fl@trace{#1 (before) = \the #1}%
1994   </trace>

```

1995 }

\@flsettextmin This ignores \textfraction space restriction in case BANG.

```
1996 \def \@flsettextmin {%
1997 \< *trace>
1998 \fl@trace{fpstype: \the \@fpstype (flsettextmin)}%
1999 \< /trace>
2000 \ifnum \@fpstype<\sist@n
2001 \< *trace>
2002 \fl@trace{BANG ignoring textmin}%
2003 \< /trace>
2004 \@textmin \z@
2005 \else
2006 \@textmin \textfraction\@colht
2007 \< *trace>
2008 \fl@trace{ORD textmin = \the \@textmin}%
2009 \< /trace>
2010 \fi
2011 }
```

\@flcheckspace This ignores space restriction in case BANG; this is still slightly conservative since it does not allow for the fact that, if there is no text in the column then \textfloatsep is not needed. Sets @tempswa true if there is room for \@currbox.

```
2012 \def \@flcheckspace #1#2{%
2013 \advance \@reqcolroom
2014 \ifx #2\@empty \textfloatsep \else \floatsep \fi
2015 \< *trace>
2016 \fl@trace{colroom = \the \@colroom
2017 \< (flcheckspace \string#1 \string#2)}%
2018 \fl@trace{reqcolroom = \the \@reqcolroom
2019 \< (flcheckspace \string#1 \string#2)}%
2020 \< /trace>
2021 \ifdim \@colroom>\@reqcolroom
2022 \ifdim #1>\ht\@currbox
2023 \@tempwattrue
2024 \< *trace>
2025 \fl@trace{Space OK: #1 = \the #1 > \the \ht \@currbox
2026 \< (flcheckspace \string#1 \string#2)}%
2027 \< /trace>
2028 \else
2029 \< *trace>
2030 \fl@trace{fpstype: \the \@fpstype
2031 \< (flcheckspace \string#1 \string#2)}%
2032 \< /trace>
2033 \ifnum \@fpstype<\sist@n
2034 \< *trace>
2035 \fl@trace{BANG float ignoring #1
2036 \< (flcheckspace \string#1 \string#2):}%
2037 \fl@trace{\@spaces #1 = \the #1. Ht float: \the \ht \@currbox
2038 \< BANG}%
2039 \< /trace>
2040 \@tempwattrue
2041 \< *trace>
```

```

2042     \else
2043     \fl@trace{Fail---no room (flcheckspace \string#1 \string#2)
2044             (fpstype \the \@fpstype=ORD?):}%
2045     \fl@trace{\@spaces #1 = \the #1. Ht float: \the \ht \@currbox
2046             ORD?:}%
2047 \end{trace}
2048 \fi
2049 \fi
2050 \end{trace}
2051 \else
2052     \fl@trace{Fail---no room at 2nd test of colroom
2053             (flcheckspace \string#1 \string#2):}%
2054 \end{trace}
2055 \fi
2056 }
2057 \end{2kernel} \end{fltrace}

```

`\@flupdates` This updates everything when a float is placed.

```

2058 \end{2kernel}
2059 \def \@flupdates #1#2#3{%
2060     \global \advance #1\m@ne
2061     \global \advance \@colnum \m@ne
2062     \@tempdima -\ht\@currbox
2063     \advance \@tempdima
2064     -\ifx #3\@empty \textfloatsep \else \floatsep \fi
2065     \global \advance #2\@tempdima
2066     \global \advance \@colroom \@tempdima
2067     \@cons #3\@currbox
2068 }
2069 \end{2kernel}

```

Interesting facts about float mechanisms past and present, together with a summary of various features, some unresolved:

1. The value `\textfraction` does not affect the processing of doublecol floats: this seems sensible, but should be documented.
2. `\twocolumn` floatplacement was wrong: `dbl` not needed, `ord` needed.
3. `\floatplacement` was not called after `\startdblcol` or `\topnewpage`. This has been changed; it is clearly a bug fix.
4. The use `\@topnewpage` when `\dblfigrule` is non-trivial produced a rule in the wrong place. This has been fixed by not using `\dblfigrule` when processing the ‘float’ from `\@topnewpage`.
5. If the specifier was just `h` and the float could not be put here, it went on the deferlist and stayed there until a clearpage. It now gets changed to a ‘th’: this is only an error-recovery action, putting just `h` or `!h` should be deprecated.
6. `\@dblmaxsep` was ‘the maximum of `\dblfloatsep` and `\dbltextfloatsep`’. But it was never used! Now gone completely, like `\@maxsep`.

7. After an h float is put on a page, it was counted as text when applying the `\textfraction` test; this is possibly too big a change although it is a bug fix?
8. Two consecutive h floats are separated by twice `\intertextsep`: this could be changed to one by use of `\addvspace`, OK? Note that it would also mean that less space is put in if an h float immediately follows other spaces. This is also possibly too big a change, at least for compatibility mode? Or it may be simply wrong! It has not been changed.
9. Now `\@addtocurcol` checks first for just p fps. I think that this is an increase in efficiency, but maybe the coding should be made even more efficient.
10. `\@tryfcolumn` now tests if the list is empty first, otherwise lots of wasted time! Thus this test has been removed from `\@startcolumn`. As Frank pointed out, this makes `\@startcolumn` less efficient. But it is now the same as `\@startdblcolumn`: I can see no reason why they should be different, but which is best?
11. Why is `\@colroom` set in `\@doclearpage`?
12. Footnotes. Check what `\clearpage` does when footnotes are left over. Footnotes are not put on float pages and, also, `\@addtonextcol` ignores the existence of held-over footnotes in deciding what floats can go on the page. Not changed.
13. `\clearpage` can still lose non-boxes, at least when floats are involved. It also moves some to the ‘wrong page’, but this may be a coding problem.
14. The `!` option makes it necessary to check in `\output` that there is enough room left on the page after adding a float. (This would have been necessary anyway if anyone set `\@textmin` too close to zero! A similar danger existed also if the text in a `\twocolumn[text]` entity gets too large.) The current implementation of this also makes the normal case a little less efficient, OK? Not enough room means, at present, less than `\baselineskip`, with a warning: is this OK? Should it be made generic (another parameter)?
15. There are four possibilities for supporting this:
`\twocolumn[\maketitle more text]`
 One is to change `\maketitle` slightly to allow this. Another is to change `\@topnewpage` so that more than one `\twocolumn[]` command is allowed; in this case `\maketitle\twocolumn[more text]` will work. The former is more robust from the user’s viewpoint, but makes the code for `\maketitle` rather ad hoc (maybe it is already?). Another is to misuse the global `twocolumn` flag locally within `\@topnewpage`. Yet another is to move the column count register from the multicol package into the kernel. This has been done.
16. Where should the reinserts be put to maximise the probability that footnotes come out on the correct page? Or should we go for as much compatibility as possible (but see next item)?

17. Should we continue to support (as much as possible) `\samepage`? Some of its intended functionality is now advertised as being provided by `\enlargethispage`. Use of either is likely to result in wrongly placed footnotes, marginals, etc. Which should have priority: obeying the pagination instructions, or correct placement of notes/marginalia?
18. Is the adjustment of space to cause shrinking in the kludge-* case correct? Should it be limited to 0pt?
19. Is the setting of `\boxmaxdepth` in `makecol` and friends needed? It only has any effect if `\@textbottom` ends with a box or rule, in which case the `vskip` to allow for its depth should also be added. If it is kept, it should probably be the last thing in the box. It has now been removed.

It would perhaps be better to document that `\@textbottom` and `\@texttop` must have natural height 0pt.
20. I cannot see why the `vskip` adjustment for the depth is needed if `boxmaxdepth` is used to ensure that there is never a too deep box.
21. The value of `\boxmaxdepth` should be explicitly set whenever necessary: it is too risky to assume that it has any particular value. Care is needed in deciding what to set it to.

It is interesting to note that the value of `\boxmaxdepth` is unique in being read before the local settings for the box group are reset; all other parameter settings which affect the box construction use their values outside the box group.
22. Should `\@maxdepth` store the setting of `\maxdepth` from `lplain`? Or should we provide a proper interface to class files for setting these?

An analysis of various other macros.

`\@opcol` should do `\@floatplacement`, but where? Right at the end, since it always occurs at the start of a column.

```
\def\@opcol{%
% Why is this done first?
\global \@mparbottom \z@
\if@twocolumn
\@outputdblcol
\else
\@outputpage
% This is not needed since it is done at the end of
% |\@outputpage|:
\global \@colht \textheight
\fi}
```

Only tracing has been added to these.

```
2070 <latexrelease | fltrace>\IncludeInRelease{2017/01/01}%
2071 <latexrelease | fltrace> {\@makefcolumn}{negative height floats}%
2072 <*2ekernel | fltrace | latexrelease>
2073 \def\@makefcolumn #1{%
2074 \begingroup
```

```

2075 \@fpmin -\maxdimen
2076 \let \@testfp \@gobble
2077 \@tryfcolumn #1%
2078 \endgroup
2079 (*trace)
2080 \if@fcolmade
2081 \fl@trace{PAGE: in \string\clearpage
2082 \if@twocolumn ---twocolumn\fi---}%
2083 \fl@trace{----- float column/page completed from \string#1}%
2084 \fi
2085 /trace)
2086 }

2087 (latexrelease | fltrace)\EndIncludeInRelease
2088 (latexrelease | fltrace)\IncludeInRelease{0000/00/00}%
2089 (latexrelease | fltrace) {\@makefcolumn}{negative height floats}%
2090 (latexrelease | fltrace)\def\@makefcolumn #1{%
2091 (latexrelease | fltrace) \begingroup
2092 (latexrelease | fltrace) \@fpmin \z@
2093 (latexrelease | fltrace) \let \@testfp \@gobble
2094 (latexrelease | fltrace) \@tryfcolumn #1%
2095 (latexrelease | fltrace) \endgroup
2096 (*trace)
2097 (latexrelease | fltrace) \if@fcolmade
2098 (latexrelease | fltrace) \fl@trace{PAGE: in \string\clearpage
2099 (latexrelease | fltrace) \if@twocolumn ---twocolumn\fi---}%
2100 (latexrelease | fltrace) \fl@trace{----- float column/page completed
2101 (latexrelease | fltrace) from \string#1}%
2102 (latexrelease | fltrace) \fi
2103 /trace)
2104 (latexrelease | fltrace)}
2105 (latexrelease | fltrace)\EndIncludeInRelease
2106 /2ekernel | fltrace | latexrelease)

```

This will line up the last baselines in the two columns provided they are constructed in the normal way: i.e. ending in a skip of minus the original depth, with `\@textbottom` adding nothing.

Thus again it is essential for `\@textbottom` to have depth 0pt.

```

2107 (latexrelease | fltrace)\IncludeInRelease{2015/01/01}%
2108 (latexrelease | fltrace) {\@outputdblcol}{2 column marks}%
2109 (*2ekernel | fltrace | latexrelease)

```

This is just a change to the single command `\@outputdblcol` so that it saves mark information for the first column and restores it in the second column.

```

2110 \def\@outputdblcol{%
2111 \if@firstcolumn
2112 \global\@firstcolumnfalse

```

Save the left column

```

2113 \global\setbox\@leftcolumn\copy\@outputbox
2114 (fltrace) \fl@trace{PAGE: first column boxed}%

```

Remember the marks from the first column

```

2115 \splitmaxdepth\maxdimen
2116 \vbadness\maxdimen

```

In case of `\enlargethispage` we will have infinite negative glue at the bottom of the page (coming from `\vss`) and that will earn us an error message if we `\vsplit` to get at the marks. So we need to remove the last glue (if any) at the end of `\@outputbox` as we are only interested in marks that change doesn't matter.

```
2117 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
2118 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
```

One minor difference from the current `fixmarks` package, pass the marks through a token register to stop any `#` tokens causing an error in a `\def`.

```
2119 \toks@ \expandafter{\topmark}%
2120 \xdef\@firstcoltopmark{\the\toks@}%
2121 \toks@ \expandafter{\splitfirstmark}%
2122 \xdef\@firstcolfirstmark{\the\toks@}%
```

This test does not work if truly empty marks have been inserted, but L^AT_EX marks should always have (at least) two brace groups. (Except before the first mark is used, when the marks are empty, but that is OK here.)

```
2123 \ifx\@firstcolfirstmark\@empty
2124 \global\let\@setmarks\relax
2125 \else
2126 \gdef\@setmarks{%
2127 \let\firstmark\@firstcolfirstmark
2128 \let\topmark\@firstcoltopmark}%
2129 \fi
```

End of change

```
2130 \else
2131 \global\@firstcolumntrue
2132 \setbox\@outputbox\vbox{%
2133 \hb@xt@\textwidth{%
2134 \hb@xt@\columnwidth{\box\@leftcolumn \hss}%
2135 \hfil
```

The color of the `\vrule` should be `\normalcolor` as to not inherit the color from the column.

```
2136 {\normalcolor\vrule \@width\columnseprule}%
2137 \hfil
2138 \hb@xt@\columnwidth{\box\@outputbox \hss}}}%
2139 \fl@trace{PAGE: second column also boxed}%
2140 \@combinedblfloats
```

Override current first and top with those of first column if necessary

```
2141 \@setmarks
```

End of change

```
2142 \@outputpage
2143 \fl@trace{PAGE: two column page completed}%
2144 \begingroup
2145 \dblfloatplacement
2146 \startdblcolumn
2147 \@whilesw\if@fcolmade \fi{\@outputpage
2148 \fl@trace{PAGE: double float page completed}%
2149 \startdblcolumn}%
2150 \endgroup
2151 \fi}%
```

```

2152 <latexrelease | fltrace>\EndIncludeInRelease
2153 <latexrelease | fltrace>\IncludeInRelease{0000/00/00}%
2154 <latexrelease | fltrace> {\@outputdblcol}{2 column marks}%
2155 <latexrelease | fltrace>\def\@outputdblcol{%
2156 <latexrelease | fltrace> \if@firstcolumn
2157 <latexrelease | fltrace> \global \@firstcolumnfalse
2158 <latexrelease | fltrace> \global \setbox\@leftcolumn \box\@outputbox
2159 <*trace>
2160 <latexrelease | fltrace> \fl@trace{PAGE: first column boxed}%
2161 </trace>
2162 <latexrelease | fltrace> \else
2163 <latexrelease | fltrace> \global \@firstcolumntrue
2164 <latexrelease | fltrace> \setbox\@outputbox \vbox {%
2165 <latexrelease | fltrace> \hb@xt@\textwidth {%
2166 <latexrelease | fltrace> \hb@xt@\columnwidth {%
2167 <latexrelease | fltrace> \box\@leftcolumn \hss}%
2168 <latexrelease | fltrace> \hfil
2169 <latexrelease | fltrace> {\normalcolor\vrule
2170 <latexrelease | fltrace> \@width\columnseprule}%
2171 <latexrelease | fltrace> \hfil
2172 <latexrelease | fltrace> \hb@xt@\columnwidth {%
2173 <latexrelease | fltrace> \box\@outputbox \hss}%
2174 <latexrelease | fltrace> }%
2175 <latexrelease | fltrace> }%
2176 <*trace>
2177 <latexrelease | fltrace> \fl@trace{PAGE: second column also boxed}%
2178 </trace>
2179 <latexrelease | fltrace> \@combinedblfloats
2180 <latexrelease | fltrace> \@outputpage
2181 <*trace>
2182 <latexrelease | fltrace> \fl@trace{PAGE: two column page completed}%
2183 </trace>
2184 <latexrelease | fltrace> \begingroup
2185 <latexrelease | fltrace> \@dblfloatplacement
2186 <latexrelease | fltrace> \@startdblcolumn

This loop could be replaced by an \expandafter tail recursion in
\@startdblcolumn.

2187 <latexrelease | fltrace> \@whiles\if@fcolmade \fi
2188 <latexrelease | fltrace> {\@outputpage
2189 <*trace>
2190 <latexrelease | fltrace> \fl@trace{PAGE: double float page completed}%
2191 </trace>
2192 <latexrelease | fltrace> \@startdblcolumn}%
2193 <latexrelease | fltrace> \endgroup
2194 <latexrelease | fltrace> \fi
2195 <latexrelease | fltrace> }%
2196 <latexrelease | fltrace>\EndIncludeInRelease
2197 </2kernel | fltrace | latexrelease>

```

64.1.3 Float placement parameters

The main purpose of this section is to ensure that all the float-placement parameters which need to be set in a class file or package have been declared. It

also describes their use and sets values for them which are reasonable for typical documents using US letter or A4 sized paper.

Limits for the placement of floating objects

<code>\c@topnumber</code>	This counter holds the maximum number of floats that can appear at the top of a text page or column. 2198 <code>{*2ekernel}</code> 2199 <code>\newcount\c@topnumber</code> 2200 <code>\setcounter{topnumber}{2}</code>
<code>\topfraction</code>	This macro holds the maximum proportion (as a decimal number) of a text page or column that can be occupied by floats at the top. 2201 <code>\newcommand\topfraction{.7}</code>
<code>\c@bottomnumber</code>	This counter holds the maximum number of floats that can appear at the bottom of a text page or column. 2202 <code>\newcount\c@bottomnumber</code> 2203 <code>\setcounter{bottomnumber}{1}</code>
<code>\bottomfraction</code>	This macro holds the maximum proportion (as a decimal number) of a text page or column that can be occupied by floats at the bottom. 2204 <code>\newcommand\bottomfraction{.3}</code>
<code>\c@totalnumber</code>	This counter holds the maximum number of floats that can appear on any text page or column. 2205 <code>\newcount\c@totalnumber</code> 2206 <code>\setcounter{totalnumber}{3}</code>
<code>\textfraction</code>	This macro holds the minimum proportion (as a decimal number) of a text page or column that must be occupied by text. 2207 <code>\newcommand\textfraction{.2}</code>
<code>\floatpagefraction</code>	This macro holds the minimum proportion (as a decimal number) of a page or column that must be occupied by floating objects before a ‘float page’ is produced. 2208 <code>\newcommand\floatpagefraction{.5}</code>
<code>\c@dbltopnumber</code>	This counter holds the maximum number of double-column floats that can appear on the top of a two-column text page. 2209 <code>\newcount\c@dbltopnumber</code> 2210 <code>\setcounter{dbltopnumber}{2}</code>
<code>\dbltopfraction</code>	This macro holds the maximum proportion (as a decimal number) of a two-column text page that can be occupied by double-column floats at the top. 2211 <code>\newcommand\dbltopfraction{.7}</code>
<code>\dblfloatpagefraction</code>	This macro holds the minimum proportion (as a decimal number) of a page that must be occupied by double-column floating objects before a ‘double-column float page’ is produced. 2212 <code>\newcommand\dblfloatpagefraction{.5}</code>

Floats on a text page

`\floatsep` `\textfloatsep` `\intextsep` When a floating object is placed on a page with text, these parameters control the separation between the float and the other objects on the page. These parameters are used for both one-column mode and single-column floats in two-column mode. They are all rubber lengths.

`\floatsep` is the space between adjacent floats that are placed at the top or bottom of the text page or column.

`\textfloatsep` is the space between the main text and floats at the top or bottom of the page or column.

`\intextsep` is the space between in-text floats and the text.

```
2213 \newskip\floatsep
2214 \newskip\textfloatsep
2215 \newskip\intextsep
2216 \setlength\floatsep {12\p@ \@plus 2\p@ \@minus 2\p@}
2217 \setlength\textfloatsep{20\p@ \@plus 2\p@ \@minus 4\p@}
2218 \setlength\intextsep {12\p@ \@plus 2\p@ \@minus 2\p@}
```

`\dblfloatsep` `\dbltextfloatsep` When double-column floats (floating objects that span the whole `\textwidth`) are placed at the top of a text page in two-column mode, the separation between the float and the text is controlled by `\dblfloatsep` and `\dbltextfloatsep`. They are rubber lengths.

`\dblfloatsep` is the space between adjacent double-column floats placed at the top of the text page.

`\dbltextfloatsep` is the space between the main text and double-column floats at the top of the page.

```
2219 \newskip\dblfloatsep
2220 \newskip\dbltextfloatsep
2221 \setlength\dblfloatsep {12\p@ \@plus 2\p@ \@minus 2\p@}
2222 \setlength\dbltextfloatsep{20\p@ \@plus 2\p@ \@minus 4\p@}
```

Floats on their own page or column

`\@fptop` `\@fpsep` `\@fpbot` When floating objects are placed on a separate page or column, called a ‘float page’, the layout of the page is controlled by these parameters, which are rubber lengths.

At the top of the page `\@fptop` is inserted; typically this supplies some stretchable whitespace. At the bottom of the page `\@fpbot` is inserted. Between adjacent floats `\@fpsep` is inserted.

These parameters are used for all floating objects on a ‘float page’ in one-column mode, and for single-column floats in two-column mode.

Note that at least one of the two parameters `\@fptop` and `\@fpbot` should contain a `plus ...fil` so as to fill the remaining empty space.

```
2223 \newskip\@fptop
2224 \newskip\@fpsep
2225 \newskip\@fpbot
2226 \setlength\@fptop{0\p@ \@plus 1fil}
2227 \setlength\@fpsep{8\p@ \@plus 2fil}
2228 \setlength\@fpbot{0\p@ \@plus 1fil}
```

`\@dblftop` `\@dblfpsep` `\@dblfpbot` Double-column ‘float pages’ in two-column mode use similar parameters.

```

2229 \newskip\@dblftop
2230 \newskip\@dblpsep
2231 \newskip\@dblfpbot
2232 \setlength\@dblftop{0\p@ \@plus 1fil}
2233 \setlength\@dblpsep{8\p@ \@plus 2fil}
2234 \setlength\@dblfpbot{0\p@ \@plus 1fil}

\topfigrule The macros can be used to put in rules between floats and text; whatever they
\botfigrule insert should be vertical mode material which takes up zero space.
\dblfigrule 2235 \let\topfigrule=\relax
2236 \let\botfigrule=\relax
2237 \let\dblfigrule=\relax
2238 \endkernel

```


File L

ltclass.dtx

65 Introduction

This file implements the following declarations, which replace `\documentstyle` in $\text{\LaTeX 2}_{\epsilon}$ documents.

Note that old documents containing `\documentstyle` will be run using a compatibility option—thus keeping everyone happy, we hope!

The overall idea is that there are two types of ‘style files’: ‘class files’ which define elements and provide a default formatting for them; and ‘packages’ which provide extra functionality. One difference between $\text{\LaTeX 2}_{\epsilon}$ and \LaTeX 2.09 is that $\text{\LaTeX 2}_{\epsilon}$ packages may have options. Note that options to classes/packages may be implemented such that they input files, but these file names are not necessarily directly related to the option name.

66 User interface

`\documentclass[<main-option-list>]{<class>}[<version>]`

There must be exactly one such declaration, and it must come first. The *<main-option-list>* is a list of options which can modify the formatting of elements which are defined in the *<class>* file as well as in all following `\usepackage` declarations (see below). The *<version>* is a version number, beginning with a date in the format YYYY/MM/DD. If an older version of the class is found, a warning is issued.

`\documentstyle[<main-option-list>]{<class>}[<version>]`

The `\documentstyle` declaration is kept in order to maintain upward compatibility with \LaTeX 2.09 documents. It is similar to `\documentclass`, but it causes all options in *<main-option-list>* that the *<class>* does not use to be passed to `\RequirePackage` after the options have been processed. This maintains compatibility with the 2.09 behaviour. Also a flag is set to indicate that the document is to be processed in \LaTeX 2.09 compatibility mode. As far as most packages are concerned, this only affects the warnings and errors \LaTeX generates. This flag does affect the definition of font commands, and `\sloppy`.

`\usepackage[<package-option-list>]{<package-list>}[<version>]`

There can be any number of these declarations. All packages in *<package-list>* are called with the same options.

Each *<package>* file defines new elements (or modifies those defined in the *<class>*), and thus extends the range of documents which can be processed. The *<package-option-list>* is a list of options which can modify the formatting of elements defined in the *<package>* file. The *<version>* is a version number, beginning with a date in the format YYYY/MM/DD. If an older version of the package is found, a warning is issued.

Each package is loaded only once. If the same package is requested more than once, nothing happens, unless the package has been requested with options that were not given the first time it was loaded, in which case an error is produced.

As well as processing the options given in the $\langle package-option-list \rangle$, each package processes the $\langle main-option-list \rangle$. This means that options that affect all of the packages can be given globally, rather than repeated for every package.

Note that class files have the extension `.cls`, packages have the extension `.sty`.

`filecontents`

The environment `filecontents` is intended for passing the contents of packages, options, or other files along with a document in a single file. It has one argument, which is the name of the file to create. If that file already exists (maybe only in the current directory if the OS supports a notion of a ‘current directory’ or ‘default directory’) then nothing happens (except for an information message) and the body of the environment is bypassed. Otherwise, the body of the environment is written verbatim to the file name given as the first argument, together with some comments about how it was produced.

The environment is allowed only before `\documentclass` to ensure that all packages or options necessary for this particular run are present when needed. The begin and end tags should each be on a line by itself. There is also a star-form; this does not write extra comments into the file.

66.1 Option processing

When the options are processed, they are divided into two types: *local* and *global*:

- For a class, the options in the `\documentclass` command are local.
- For a package, the options in the `\usepackage` command are local, and the options in the `\documentclass` command are global.

The options for `\documentclass` and `\usepackage` are processed in the following way:

1. The local and global options that have been declared (using `\DeclareOption` as described below) are processed first.

In the case of `\ProcessOptions`, they are processed in the order that they were declared in the class or package.

In the case of `\ProcessOptions*`, they are processed in the order that they appear in the option-lists. First the global options, and then the local ones.

2. Any remaining local options are dealt with using the default option (declared using the `\DeclareOption*` declaration described below). For document classes, this usually does nothing, but records the option on a list of unused options. For packages, this usually produces an error.

Finally, when `\begin{document}` is reached, if there are any global options which have not been used by either the class or any package, the system will produce a warning.

67 Class and Package interface

67.1 Class name and version

`\ProvidesClass`

A class can identify itself with the `\ProvidesClass{ $\langle name \rangle$ }[$\langle version \rangle$]` command. The $\langle version \rangle$ should begin with a date in the format YYYY/MM/DD.

67.2 Package name and version

`\ProvidesPackage` A package can identify itself with the `\ProvidesPackage{⟨name⟩}[⟨version⟩]` command. The `⟨version⟩` should begin with a date in the format YYYY/MM/DD.

67.3 Requiring other packages

`\RequirePackage` Packages or classes can load other packages using `\RequirePackage[⟨options⟩]{⟨name⟩}[⟨version⟩]`. If the package has already been loaded, then nothing happens unless the requested options are not a subset of the options with which it was loaded, in which case an error is called.

`\LoadClass` Similar to `\RequirePackage`, but for classes, may not be used in package files.

`\PassOptionsToPackage` Packages can pass options to other packages using:

`\PassOptionsToPackage{⟨options⟩}{⟨package⟩}`.

`\PassOptionsToClass` This adds the `⟨options⟩` to the options list of any future `\RequirePackage` or `\usepackage` command. For example:

```
\PassOptionsToPackage{foo,bar}{fred}
\RequirePackage[baz]{fred}
```

is the same as:

```
\RequirePackage[foo,bar,baz]{fred}
```

`\LoadClassWithOptions` `\LoadClassWithOptions{⟨name⟩}[⟨version⟩]:`

This is similar to `\LoadClass`, but it always calls class `⟨name⟩` with exactly the same option list that is being used by the current class, rather than an option explicitly supplied or passed on by `\PassOptionsToClass`.

`\RequirePackageWithOptions` `\RequirePackageWithOptions` is the analogous command for packages.

This is mainly intended to allow one class to simply build on another, for example:

```
\LoadClassWithOptions{article}
```

This should be contrasted with the slightly different construction

```
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\ProcessOptions
\LoadClass{article}
```

As used here, the effects are more or less the same, but the version using `\LoadClassWithOptions` is slightly quicker (and less to type). If, however, the class declares options of its own then the two constructions are different; compare, for example:

```
\DeclareOption{landscape}{...}
\ProcessOptions
\LoadClassWithOptions{article}
```

with:

```
\DeclareOption{landscape}{...}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\ProcessOptions
\LoadClass{article}
```

In the first case, the `article` class will be called with option `landscape` precisely when the current class is called with this option; but in the second example it will not as in that case `article` is only passed options by the default option handler, which is not used for `landscape` as that option is explicitly declared.

<code>\@ifpackageloaded</code> <code>\@ifclassloaded</code> <code>\@ifpackagelater</code> <code>\@ifclasslater</code> <code>\@ifpackagewith</code> <code>\@ifclasswith</code>	<p>To find out if a package has already been loaded, use <code>\@ifpackageloaded{<package>}{<true>}{<false>}</code>.</p> <p>To find out if a package has already been loaded with a version equal to or more recent than <code><version></code>, use <code>\@ifpackagelater{<package>}{<version>}{<true>}{<false>}</code>.</p> <p>To find out if a package has already been loaded with at least the options <code><options></code>, use <code>\@ifpackagewith{<package>}{<options>}{<true>}{<false>}</code>.</p> <p>There exists one package that can't be tested with the above commands: the <code>fontenc</code> package pretends that it was never loaded to allow for repeated reloading with different options (see <code>ltoutenc.dtx</code> for details).</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

67.4 Declaring new options

Options for classes and packages are built using the same macros.

<code>\DeclareOption</code> <code>\DeclareOption*</code>	<p>To define a builtin option, use <code>\DeclareOption{<name>}{<code>}</code>.</p> <p>To define the default action to perform for local options which have not been declared, use <code>\DeclareOption*{<code>}</code>.</p>
-------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Note: there should be no use of

`\RequirePackage`, `\DeclareOption`, `\DeclareOption*` or `\ProcessOptions` inside `\DeclareOption` or `\DeclareOption*`.

Possible uses for `\DeclareOption*` include:

`\DeclareOption*{}`

Do nothing. Silently accept unknown options. (This suppresses the usual warnings.)

`\DeclareOption*{\@unknownoptionerror}`

Complain about unknown local options. (The initial setting for package files.)

`\DeclareOption*{\PassOptionsToPackage{\CurrentOption}{<pkg-name>}`

Handle the the current option by passing it on to the package `<pkg-name>`, which will presumably be loaded via `\RequirePackage` later in the file. This is useful for building ‘extension’ packages, that perhaps handle a couple of new options, but then pass everything else on to an existing package.

`\DeclareOption*{\InputIfFileExists{xx-\CurrentOption.yyy}%
 {}%
 {\OptionNotUsed}}`

Handle the option `foo` by loading the file `xx-foo.yyy` if it exists, otherwise do nothing, but declare that the option was not used. Actually the `\OptionNotUsed` declaration is only needed if this is being used in class files, but does no harm in package files.

67.5 Safe Input Macros

<code>\InputIfFileExists</code> <code>\IfFileExists</code>	<p><code>\InputIfFileExists{<file>}{<then>}{<else>}</code> Inputs <code><file></code> if it exists. Immediately before the input, <code><then></code> is executed. Otherwise <code><else></code> is executed.</p> <p>As above, but does not input the file. One thing you might like to put in the <code><else></code> clause is</p>
-------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<code>\@missingfileerror</code>	This starts an interactive request for a filename, supplying default extensions. Just hitting return causes the whole input to be skipped and entering <code>x</code> quits the current run,
<code>\input</code>	This has been redefined from the L ^A T _E X2.09 definition, in terms of the new commands <code>\InputIfFileExists</code> and <code>\@missingfileerror</code> .
<code>\listfiles</code>	Giving this declaration in the preamble causes a list of all files input via the ‘safe input’ commands to be listed at the end. Any strings specified in the optional argument to <code>\ProvidesPackage</code> are listed alongside the file name. So files in standard (and other non-standard) distributions can put informative strings in this argument.

68 Implementation

	1 <code>*2kernel</code>
<code>\if@compatibility</code>	The flag for compatibility mode. 2 <code>\newif\if@compatibility</code>
<code>\@documentclasshook</code>	The hook called after the first <code>\documentclass</code> command. By default this checks to see if <code>\@normalsize</code> is undefined, and if so, sets it to <code>\normalsize</code> . 3 <code>\def\@documentclasshook{%</code> 4 <code> \ifx\@normalsize\undefined</code> 5 <code> \let\@normalsize\normalsize</code> 6 <code> \fi</code> 7 <code>}</code>
<code>\@declaredoptions</code>	This list is automatically built by <code>\DeclareOption</code> . It is the list of options (separated by commas) declared in the class or package file and it defines the order in which the the corresponding <code>\ds@<i>option</i></code> commands are executed. All local <code>\@option</code> s which are not declared will be processed in the order defined by the optional argument of <code>\documentclass</code> or <code>\usepackage</code> . 8 <code>\let\@declaredoptions\@empty</code>
<code>\@classoptionslist</code>	List of options of the main class. 9 <code>\let\@classoptionslist\relax</code> 10 <code>\@onlypreamble\@classoptionslist</code>
<code>\@unusedoptionlist</code>	List of options of the main class that haven’t been declared or loaded as class option files. 11 <code>\let\@unusedoptionlist\@empty</code> 12 <code>\@onlypreamble\@unusedoptionlist</code>
<code>\CurrentOption</code>	Name of current package or option. 13 <code>\let\CurrentOption\@empty</code>
<code>\@currname</code>	Name of current package or option. 14 <code>\let\@currname\@empty</code>
<code>\@currentt</code>	The current file extension. 15 <code>\global\let\@currentt=\@empty</code>

```

\@clsextension The two possible values of \@currentt.
\@pkgextension 16 \def\@clsextension{cls}
                17 \def\@pkgextension{sty}
                18 \@onlypreamble\@clsextension
                19 \@onlypreamble\@pkgextension

\@pushfilename Commands to push and pop the file name and extension.
\@popfilename  #1 current name.
\@currnamestack #2 current extension.
                #3 current catcode of @.
                #4 Rest of the stack.
                20 \def\@pushfilename{%
                21   \xdef\@currnamestack{%
                22     {\@currname}%
                23     {\@currentt}%
                24     {\the\catcode'\@}%
                25     \@currnamestack}}
                26 \@onlypreamble\@pushfilename
                27 \def\@popfilename{\expandafter\@p@pfilename\@currnamestack\@nil}
                28 \@onlypreamble\@popfilename
                29 \def\@p@pfilename#1#2#3#4\@nil{%
                30   \gdef\@currname{#1}%
                31   \gdef\@currentt{#2}%
                32   \catcode'\@#3\relax
                33   \gdef\@currnamestack{#4}}
                34 \@onlypreamble\@p@pfilename
                35 \gdef\@currnamestack{}
                36 \@onlypreamble\@currnamestack

\@optionlist Returns the option list of the file.
                37 \def\@optionlist#1{%
                38   \@ifundefined{opt@#1}\@empty{\csname opt@#1\endcsname}}
                39 \@onlypreamble\@optionlist

\@ifpackageloaded \@ifpackageloaded{<name>} Checks to see whether a file has been loaded.
\@ifclassloaded  40 \def\@ifpackageloaded{\@ifl@aded\@pkgextension}
                  41 \def\@ifclassloaded{\@ifl@aded\@clsextension}
                  42 \@onlypreamble\@ifpackageloaded
                  43 \@onlypreamble\@ifclassloaded
                  44 \def\@ifl@aded#1#2{%
                  45   \expandafter\ifx\csname ver@#2.#1\endcsname\relax
                  46     \expandafter\@secondoftwo
                  47   \else
                  48     \expandafter\@firstoftwo
                  49   \fi}
                  50 \@onlypreamble\@ifl@aded

\@ifpackagelater \@ifpackagelater{<name>}{YYYY/MM/DD} Checks that the package loaded is
\@ifclasslater   more recent than the given date.
                  51 \def\@ifpackagelater{\@ifl@ter\@pkgextension}
                  52 \def\@ifclasslater{\@ifl@ter\@clsextension}
                  53 \@onlypreamble\@ifpackagelater
                  54 \@onlypreamble\@ifclasslater

```

```

55 \def\@ifl@t@r#1#2{%
56   \expandafter\@ifl@t@r
57     \csname ver@#2.#1\endcsname}
58 \@onlypreamble\@ifl@t@r

This internal macro is also used in \NeedsTeXFormat.

59 \def\@ifl@t@r#1#2{%
60   \ifnum\expandafter\@parse@version#1//00\@nil<%
61     \expandafter\@parse@version#2//00\@nil
62     \expandafter\@secondoftwo
63   \else
64     \expandafter\@firstoftwo
65   \fi}
66 \@onlypreamble\@ifl@t@r

67 \def\@parse@version#1/#2/#3#4#5\@nil{#1#2#3#4 }

\@ifpackagewith \@ifpackagewith{<name>}{<option-list>} Checks that <option-list> is a subset of
\@ifclasswith the options with which <name> was loaded.

68 \def\@ifpackagewith{\@ifoptions\@pkgextension}
69 \def\@ifclasswith{\@ifoptions\@clsextension}
70 \@onlypreamble\@ifpackagewith
71 \@onlypreamble\@ifclasswith

72 \def\@ifoptions#1#2{%
73   \@expandtwoargs\@if@ptions{\@optionlist{#2.#1}}
74 \@onlypreamble\@ifoptions

Probably shouldn't use \CurrentOption here... (changed to \reserved@b.)

75 \if2kernel)
76 (latexrelease)\IncludeInRelease{2017/01/01}%
77 (latexrelease) \if@ptions{Spaces in option clash check}%
78 (*2kernel | latexrelease)
79 \def\@if@ptions#1#2{%
80   \let\reserved@a\@firstoftwo

81   \edef\reserved@b{\zap@space#2 \@empty}%
82   \@for\reserved@b:=\reserved@b\do{%
83     \ifx\reserved@b\@empty
84     \else
85       \expandafter\in@\expandafter{\expandafter,\reserved@b,}{, #1,}%
86       \ifin@
87       \else
88         \let\reserved@a\@secondoftwo
89       \fi
90     \fi
91   }%
92   \reserved@a}
93 \if2kernel | latexrelease)
94 (latexrelease)\EndIncludeInRelease
95 (latexrelease)\IncludeInRelease{0000/00/00}%
96 (latexrelease) \if@ptions{Spaces in option clash check}%
97 (latexrelease)\def\@if@ptions#1#2{%
98   (latexrelease) \let\reserved@a\@firstoftwo
99   (latexrelease) \@for\reserved@b:=#2\do{%
100 (latexrelease) \ifx\reserved@b\@empty

```

```

101 <latexrelease> \else
102 <latexrelease> \expandafter\in@\expandafter
103 <latexrelease> {\expandafter,\reserved@b,}{, #1,}%
104 <latexrelease> \ifin@
105 <latexrelease> \else
106 <latexrelease> \let\reserved@a\@secondoftwo
107 <latexrelease> \fi
108 <latexrelease> \fi
109 <latexrelease> }%
110 <latexrelease> \reserved@a}
111 <*2kernel>
112 \@onlypreamble\@if@pti@ns

\ProvidesPackage Checks that the current filename is correct, and defines \ver@filename.
113 \def\ProvidesPackage#1{%
114 \xdef\@gtempa{#1}%
115 \ifx\@gtempa\@currname\else
116 \@latex@warning@no@line{You have requested
117 \cls@pkg\space'\@currname',\MessageBreak
118 but the \cls@pkg\space provides '#1'}%
119 \fi
120 \@ifnextchar[\@pr@videpackage{\@pr@videpackage[]}]%
121 \@onlypreamble\ProvidesPackage

122 \def\@pr@videpackage[#1]{%
123 \expandafter\xdef\csname ver@\@currname.\@current\endcsname{#1}%
124 \ifx\@current\@clsextension
125 \typeout{Document Class: \@gtempa\space#1}%
126 \else
127 \wlog{Package: \@gtempa\space#1}%
128 \fi}
129 \@onlypreamble\@pr@videpackage

\ProvidesClass Like \ProvidesPackage, but for classes.
130 \let\ProvidesClass\ProvidesPackage
131 \@onlypreamble\ProvidesClass

\ProvidesFile Like \ProvidesPackage, but for arbitrary files. Do not apply \@onlypreamble to
these, as we may want to label files input during the document.

\@providesfile
132 \def\ProvidesFile#1{%
133 \begingroup
134 \catcode'\ 10 %
135 \ifnum \endlinechar<256 %
136 \ifnum \endlinechar>\m@ne
137 \catcode\endlinechar 10 %
138 \fi
139 \fi
140 \@makeother\/%
141 \@makeother\&%

142 \kernel@ifnextchar[{\@providesfile{#1}}{\@providesfile{#1}[]}]%

```


During initex a special version of `\@providesfile` is used. The real definition is installed right at the end, in `ltfinal.dtx`.

```
\def\@providesfile#1[#2]{%
  \wlog{File: #1 #2}%
  \expandafter\xdef\csname ver@#1\endcsname{#2}%
\endgroup}
\end{macrocode}
```

`\PassOptionsToPackage` If the package has been loaded, we check that it was first loaded with the options.
`\PassOptionsToClass` Otherwise we add the option list to that of the package.

```
143 \def\@passOptions#1#2#3{%
144   \expandafter\xdef\csname opt@#3.#1\endcsname{%
145     \@ifundefined{opt@#3.#1}\@empty
146     {\csname opt@#3.#1\endcsname,}%
147     \zap@space#2 \@empty}}
148 \@onlypreamble\@passOptions
149 \def\PassOptionsToPackage{\@passOptions\@pkgextension}
150 \def\PassOptionsToClass{\@passOptions\@clsextension}
151 \@onlypreamble\PassOptionsToPackage
152 \@onlypreamble\PassOptionsToClass
```

`\DeclareOption` Adds an option as a `\ds@` command, or the default `\default@ds` command.

```
\DeclareOption* 153 \def\DeclareOption{%
154   \let\@fileswithopti@ns\@badrequireerror
155   \@ifstar\@defdefault@ds\@declareoption}
156 \long\def\@declareoption#1#2{%
157   \xdef\@declaredoptions{\@declaredoptions,#1}%
158   \toks@{#2}%
159   \expandafter\edef\csname ds@#1\endcsname{\the\toks@}}
160 \long\def\@defdefault@ds#1{%
161   \toks@{#1}%
162   \edef\default@ds{\the\toks@}}
163 \@onlypreamble\DeclareOption
164 \@onlypreamble\@declareoption
165 \@onlypreamble\@defdefault@ds
```

`\OptionNotUsed` If we are in a class file, add `\CurrentOption` to the list of unused options. Otherwise, in a package file do nothing.

```
166 \def\OptionNotUsed{%
167   \ifx\@current\@clsextension
168     \xdef\@unusedoptionlist{%
169       \ifx\@unusedoptionlist\@empty\else\@unusedoptionlist,\fi
170       \CurrentOption}%
171   \fi}
172 \@onlypreamble\OptionNotUsed
```

`\default@ds` The default default option code. Set by `\@onefilewithoptions` to either `\OptionNotUsed` for classes, or `\@unknownoptionerror` for packages. This may be reset in either case with `\DeclareOption*`.

```
173 % \let\default@ds\OptionNotUsed
```

`\ProcessOptions` `\ProcessOptions` calls `\ds@option` for each known package option, then calls `\default@ds` for each option on the local options list. Finally resets all the declared options to `\relax`. The empty option does nothing, this has to be reset on the off chance it's set to `\relax` if an empty element gets into the `\@declaredoptions` list.

The star form is similar but executes options given in the order specified in the document, not the order they are declared in the file. In the case of packages, global options are executed before local ones.

```

174 \def\ProcessOptions{%
175   \let\ds@\@empty
176   \edef\@curroptions{\@ptionlist{\@currname.\@currentt}}%
177   \@ifstar\@xprocessoptions\@processoptions}
178 \@onlypreamble\ProcessOptions

179 \def\@processoptions{%
180   \@for\CurrentOption:=\@declaredoptions\do{%
181     \ifx\CurrentOption\@empty\else
182       \@expandtwoargs\in@{,\CurrentOption,}%{
183         ,\ifx\@currentt\@clsextension\else\@classoptionslist,\fi
184         \@curroptions,}%
185       \ifin@
186         \@use@option
187         \expandafter\let\csname ds@\CurrentOption\endcsname\@empty
188       \fi
189     \fi}%
190   \@processoptions}
191 \@onlypreamble\@processoptions

192 \def\@xprocessoptions{%
193   \ifx\@currentt\@clsextension\else
194     \@for\CurrentOption:=\@classoptionslist\do{%
195       \ifx\CurrentOption\@empty\else
196         \@expandtwoargs\in@{,\CurrentOption,}%{,\@declaredoptions,}%
197       \ifin@
198         \@use@option
199         \expandafter\let\csname ds@\CurrentOption\endcsname\@empty
200       \fi
201     \fi}%
202   \fi
203   \@processoptions}
204 \@onlypreamble\@xprocessoptions

```

The common part of `\ProcessOptions` and `\ProcessOptions*`.

```

205 \def\@processoptions{%
206   \@for\CurrentOption:=\@curroptions\do{%
207     \@ifundefined{ds@\CurrentOption}%
208     {\@use@option
209     \default@ds}%

```

There should not be any non-empty definition of `\CurrentOption` at this point, as all the declared options were executed earlier. This is for compatibility with 2.09 styles which use `\def\ds@...` directly, and so have options which do not appear in `\@declaredoptions`.

```

210     \@use@option}%

```

Clear all the definitions for option code. First set all the declared options to `\relax`, then reset the ‘default’ and ‘empty’ options. and the list of declared options.

```

211 \@for\CurrentOption:=\@declaredoptions\do{%
212   \expandafter\let\csname ds@\CurrentOption\endcsname\relax}%

213 \let\CurrentOption\@empty
214 \let\@fileswith@pti@ns\@@fileswith@pti@ns
215 \AtEndOfPackage{\let\@unprocessedoptions\relax}}
216 \@onlypreamble\@process@pti@ns

```

`\@options` `\@options` is a synonym for `\ProcessOptions*` for upward compatibility with L^AT_EX 2.09 style files.

```

217 \def\@options{\ProcessOptions*}
218 \@onlypreamble\@options

```

`\@use@option` Execute the code for the current option.

```

219 \def\@use@option{%
220   \@expandtwoargs\@removeelement\CurrentOption
221   \@unusedoptionlist\@unusedoptionlist
222   \csname ds@\CurrentOption\endcsname}
223 \@onlypreamble\@use@option

```

`\ExecuteOptions` `\ExecuteOptions{<option-list>}` executes the code declared for each option.

```

224 </2ekernel>
225 <latexrelease>\IncludeInRelease{2017/01/01}%
226 <latexrelease>           {\@if@pti@ns}{Spaces in \ExecuteOptions}%
227 <*2ekernel | latexrelease>
228 \def\ExecuteOptions#1{%

```

Use `\@fortmp` here as it is anyway cleared during `\@for` loop so does not change any existing names.

```

229   \edef\@fortmp{\zap@space#1 \@empty}%
230   \def\reserved@a##1\@nil{%
231     \@for\CurrentOption:=\@fortmp\do
232       {\csname ds@\CurrentOption\endcsname}%
233     \edef\CurrentOption{##1}}%
234   \expandafter\reserved@a\CurrentOption\@nil}
235 </2ekernel | latexrelease>
236 <latexrelease>\EndIncludeInRelease
237 <latexrelease>\IncludeInRelease{0000/00/00}%
238 <latexrelease>           {\@if@pti@ns}{Spaces in \ExecuteOptions}%
239 <latexrelease>\def\ExecuteOptions#1{%
240 <latexrelease>   \def\reserved@a##1\@nil{%
241 <latexrelease>     \@for\CurrentOption:=#1\do
242 <latexrelease>       {\csname ds@\CurrentOption\endcsname}%
243 <latexrelease>     \edef\CurrentOption{##1}}%
244 <latexrelease>   \expandafter\reserved@a\CurrentOption\@nil}
245 <*2ekernel>

246 \@onlypreamble\ExecuteOptions

```

The top-level commands, which just set some parameters then call the internal command, `\@fileswithoptions`.

`\documentclass` The main new-style class declaration.

```

247 \def\documentclass{%
248   \let\documentclass\@twoclasseserror
249   \if@compatibility\else\let\usepackage\RequirePackage\fi
250   \@fileswithoptions\@clsextension}
251 \@onlypreamble\documentclass

```

`\documentstyle` 2.09 style class ‘style’ declaration.

```

252 \def\documentstyle{%
253   \makeatletter\input{latex209.def}\makeatother
254   \documentclass}
255 \@onlypreamble\documentstyle

```

`\RequirePackage` Load package if not already loaded.

```

256 \def\RequirePackage{%
257   \@fileswithoptions\@pkgextension}
258 \@onlypreamble\RequirePackage

```

`\LoadClass` Load class.

```

259 \def\LoadClass{%
260   \ifx\@current\@pkgextension
261     \@latex@error
262       {\noexpand\LoadClass in package file}%
263       {You may only use \noexpand\LoadClass in a class file.}%
264   \fi
265   \@fileswithoptions\@clsextension}
266 \@onlypreamble\LoadClass

```

`\@loadwithoptions` Pass the current option list on to a class or package. #1 is `\@cls-or-pkgextension`, #2 is `\RequirePackage` or `\LoadClass`, #3 is the class or package to be loaded.

```

267 \def\@loadwithoptions#1#2#3{%
268   \expandafter\let\csname opt@#3.#1\expandafter\endcsname
269     \csname opt@\@currname.\@current\endcsname
270   #2{#3}}
271 \@onlypreamble\@loadwithoptions

```

`\LoadClassWithOptions` Load class ‘#1’ with the current option list.

```

272 \def\LoadClassWithOptions{%
273   \@loadwithoptions\@clsextension\LoadClass}
274 \@onlypreamble\LoadClassWithOptions

```

`\RequirePackageWithOptions` Load package ‘#1’ with the current option list.

```

275 \def\RequirePackageWithOptions{%
276   \AtEndOfPackage{\let\@unprocessedoptions\relax}%
277   \@loadwithoptions\@pkgextension\RequirePackage}
278 \@onlypreamble\RequirePackageWithOptions

```

`\usepackage` To begin with, `\usepackage` produces an error. This is reset by `\documentclass`.

```

279 \def\usepackage#1#{%
280   \@latex@error
281     {\noexpand \usepackage before \string\documentclass}%
282     {\noexpand \usepackage may only appear in the document

```

```

283     preamble, i.e., \MessageBreak
284     between \noexpand\documentclass and
285     \string\begin{document}.}%
286     \@gobble}
287 \@onlypreamble\usepackage

```

`\NeedsTeXFormat` Check that the document is running on the correct system.

```

288 \def\NeedsTeXFormat#1{%
289   \def\reserved@a{#1}%
290   \ifx\reserved@a\fmtname
291     \expandafter\@needsformat
292   \else
293     \@latex@error{This file needs format '\reserved@a'%
294       \MessageBreak but this is '\fmtname'}{%
295       The current input file will not be processed
296       further,\MessageBreak
297       because it was written for some other flavor of
298       TeX.\MessageBreak\@ehd}%

```

If the file is not meant to be processed by L^AT_EX 2_ε we stop inputting it, but we do not end the run. We just end inputting the current file.

```

299   \endinput \fi}
300 \@onlypreamble\NeedsTeXFormat
301 \def\@needsformat{%
302   \@ifnextchar[%]
303     \@needsf@rmat
304   {}}
305 \@onlypreamble\@needsformat
306 \def\@needsf@rmat[#1]{%
307   \@ifl@t@r\fmtversion{#1}{}%
308   {\@latex@warning@no@line
309     {You have requested release '#1' of LaTeX,\MessageBreak
310     but only release '\fmtversion' is available}}}%
311 \@onlypreamble\@needsf@rmat

```

`\zap@space` `\zap@space foo<space>\@empty` removes all spaces from `foo` that are not protected by `{ }` groups.

```

312 \def\zap@space#1 #2{%
313   #1%
314   \ifx#2\@empty\else\expandafter\zap@space\fi
315   #2}

```

`\@fileswithoptions` The common part of `\documentclass` and `\usepackage`.

```

316 \def\@fileswithoptions#1{%
317   \@ifnextchar[%]
318     {\@fileswith@ptions#1}%
319     {\@fileswith@ptions#1[]}}
320 \@onlypreamble\@fileswithoptions
321 \def\@fileswith@ptions#1[#2]#3{%
322   \@ifnextchar[%]
323     {\@fileswith@ptions#1[#{#2}]#3}%
324     {\@fileswith@ptions#1[#{#2}]#3[]}}
325 \@onlypreamble\@fileswith@ptions

```

Then we do some work.

First of all, we define the global variables. Then we look to see if the file has already been loaded. If it has, we check that it was first loaded with at least the current options. If it has not, we add the current options to the package options, set the default version to be 0000/00/00, and load the file if we can find it. Then we check the version number.

Finally, we restore the old file name, reset the default option, and we set the catcode of @.

For classes, we can immediately process the file. For other types, #2 could be a comma separated list, so loop through, processing each one separately.

```

326 </2ekernel>
327 <latexrelease>\IncludeInRelease{2017/01/01}%
328 <latexrelease>      {\@fileswith@pti@ns}{\ifx tests in \@fileswith@pti@ns}%
329 <*2ekernel | latexrelease>
330 \def\@fileswith@pti@ns#1[#2]#3[#4]{%
331   \ifx#1\@clsextension
332     \ifx\@classoptionslist\relax
333       \xdef\@classoptionslist{\zap@space#2 \@empty}%
334       \def\reserved@a{%
335         \@onefilewithoptions#3[{#2}][#{4}]#1%
336         \@documentclasshook}%
337     \else
338       \def\reserved@a{%
339         \@onefilewithoptions#3[{#2}][#{4}]#1%
340       \fi
341     \else
build up a list of calls to \@onefilewithoptions (one for each package) without
thrashing the parameter stack.
342     \def\reserved@b##1,{%
If #1 is \@nnil we have reached the end of the list (older version used \@nil here
but \@nil is undefined so \ifx equal to all undefined commands)
343     \ifx\@nnil##1\relax\else
If \ifx\@nnil##1\n@nil is true then #1 is (presumably) empty (Older code used
\relax which is slightly easier to get into #1 by mistake, which would spoil this
test.)
344     \ifx\@nnil##1\@nnil\else
345     \noexpand\@onefilewithoptions##1[{#2}][#{4}]%
346     \noexpand\@pkgextension
347     \fi
348     \expandafter\reserved@b
349   \fi}%
350   \edef\reserved@a{\zap@space#3 \@empty}%
351   \edef\reserved@a{\expandafter\reserved@b\reserved@a,\@nnil,}%
352 \fi
353 \reserved@a}
354 </2ekernel | latexrelease>

355 <latexrelease>\EndIncludeInRelease
356 <latexrelease>\IncludeInRelease{0000/00/00}%
357 <latexrelease>      {\@fileswith@pti@ns}{\ifx tests in \@fileswith@pti@ns}%
358 <latexrelease>\def\@fileswith@pti@ns#1[#2]#3[#4]{%

```

```

359 \latexrelease \ifx#1\clsextension
360 \latexrelease \ifx\@classoptionslist\relax
361 \latexrelease \xdef\@classoptionslist{\zap@space#2 \@empty}%
362 \latexrelease \def\reserved@a{%
363 \latexrelease \@onefilewithoptions#3[#{#2}][#{#4}]#1%
364 \latexrelease \@documentclasshook}%
365 \latexrelease \else
366 \latexrelease \def\reserved@a{%
367 \latexrelease \@onefilewithoptions#3[#{#2}][#{#4}]#1%
368 \latexrelease \fi
369 \latexrelease \else
370 \latexrelease \def\reserved@b##1,{%
371 \latexrelease \ifx\@nil##1\relax\else
372 \latexrelease \ifx\relax##1\relax\else
373 \latexrelease \noexpand\@onefilewithoptions##1[#{#2}][#{#4}]%
374 \latexrelease \noexpand\@pkgextension
375 \latexrelease \fi
376 \latexrelease \expandafter\reserved@b
377 \latexrelease \fi}%
378 \latexrelease \edef\reserved@a{\zap@space#3 \@empty}%
379 \latexrelease \edef\reserved@a{%
380 \latexrelease \expandafter\reserved@b\reserved@a,\@nil,}%
381 \latexrelease \fi
382 \latexrelease \reserved@a}
383 \*2ekernel)
384 \@onlypreamble\@fileswith@ptions

```

Have the main argument as #1, so we only need one \expandafter above.

```

385 \def\@onefilewithoptions#1[#2][#3]#4{%
386 \pushfilename
387 \xdef\@currname{#1}%
388 \global\let\@currentx#4%
389 \expandafter\let\csname\@currname.\@currentx-h@@k\endcsname\@empty
390 \let\CurrentOption\@empty
391 \reset@ptions
392 \makeatletter

```

Grab everything in a macro, so the parameter stack is popped before any processing begins.

```

393 \def\reserved@a{%
394 \ifl@aded\@currentx{#1}%
395 {\@ifOptions\@currentx{#1}{#2}{}}%
396 {\@latexError
397 {Option clash for \@cls@pkg\space #1}%
398 {The package #1 has already been loaded
399 with options:\MessageBreak
400 \space\space[\@optionlist{#1.\@currentx}]\MessageBreak
401 There has now been an attempt to load it
402 with options:\MessageBreak
403 \space\space[#2]\MessageBreak
404 Adding the global options:\MessageBreak
405 \space\space
406 \optionlist{#1.\@currentx},#2\MessageBreak
407 to your \noexpand\documentclass declaration may fix this.%

```

```

408         \MessageBreak
409         Try typing \space <return> \space to proceed.}}}%
410     {\@pass@ptions\@currentx{#2}{#1}%

411     \global\expandafter
412     \let\csname ver@\@currname.\@currentx\endcsname\@empty
413     \InputIfFileExists
414     {\@currname.\@currentx}%
415     {}%
416     {\@missingfileerror\@currname\@currentx}%

\@unprocessedoptions will generate an error for each specified option in a pack-
age unless a \ProcessOptions has appeared in the package file.

417     \let\@unprocessedoptions\@unprocessedoptions
418     \csname\@currname.\@currentx-h@@k\endcsname
419     \expandafter\let\csname\@currname.\@currentx-h@@k\endcsname
420         \@undefined
421     \@unprocessedoptions}

422     \@ifl@ter\@currentx{#1}{#3}{}%
423     {\@latex@warning@no@line
424     {You have requested,\on@line,
425     version\MessageBreak
426     ‘#3’ of \@cls@pkg\space #1,\MessageBreak
427     but only version\MessageBreak
428     ‘\csname ver@#1.\@currentx\endcsname’\MessageBreak
429     is available}}}%

430     \ifx\@currentx\@clsextension\let\LoadClass\@twoloadclasserror\fi
431     \popfilename
432     \@reset@ptions}%
433     \reserved@a}
434 \@onlypreamble\@onefilewithoptions

\@@fileswith@ptions Save the definition (for error checking).
435 \let\@@fileswith@ptions\@fileswith@ptions
436 \@onlypreamble\@@fileswith@ptions

\@reset@ptions Reset the default option, and clear lists of declared options.
437 \def\@reset@ptions{%
438     \global\ifx\@currentx\@clsextension
439     \let\default@ds\OptionNotUsed
440     \else
441     \let\default@ds\@unknownoptionerror
442     \fi
443     \global\let\ds@\@empty
444     \global\let\@declaredoptions\@empty}
445 \@onlypreamble\@reset@ptions

```

68.1 Hooks

Allow code do be saved to be executed at specific later times.

Save things in macros, I considered using toks registers, (and \addto@hook from the NFSS code, that would require stacking the contents in the case of required packages, so just generate a new macro for each package.


```

\@begindocumenthook Stuff to appear at the beginning or end of the document.
\@enddocumenthook 446 \ifx\@begindocumenthook\@undefined
447 \let\@begindocumenthook\@empty
448 \fi
449 \let\@enddocumenthook\@empty

\g@addto@macro Globally add to the end of a macro.
450 \long\def\g@addto@macro#1#2{%
451 \begingroup
452 \toks@{\expandafter{#1#2}}%
453 \xdef#1{\the\toks@}%
454 \endgroup}

\AtEndOfPackage The access functions.
\AtEndOfClass 455 \def\AtEndOfPackage{%
\AtBeginDocument 456 \expandafter\g@addto@macro\csname\@currname.\@currentt-h@@k\endcsname}
\AtEndDocument 457 \let\AtEndOfClass\AtEndOfPackage
458 \@onlypreamble\AtEndOfPackage
459 \@onlypreamble\AtEndOfClass

460 \def\AtBeginDocument{\g@addto@macro\@begindocumenthook}
461 \def\AtEndDocument{\g@addto@macro\@enddocumenthook}
462 \@onlypreamble\AtBeginDocument

\@cls@pkg The current file type.
463 \def\@cls@pkg{%
464 \ifx\@currentt\@clsextension
465 document class%
466 \else
467 package%
468 \fi}
469 \@onlypreamble\@cls@pkg

\@unknownoptionerror Bad option.
470 \def\@unknownoptionerror{%
471 \latexerror
472 {Unknown option '\CurrentOption' for \@cls@pkg\space'\@currname'}%
473 {The option '\CurrentOption' was not declared in
474 \@cls@pkg\space'\@currname', perhaps you\MessageBreak
475 misspelled its name.
476 Try typing \space <return>
477 \space to proceed.}}
478 \@onlypreamble\@unknownoptionerror

\@@unprocessedoptions Declare an error for each option, unless a \ProcessOptions occurred.
479 \def\@@unprocessedoptions{%
480 \ifx\@currentt\@pkgextension
481 \edef\@curroptions{\optionlist{\@currname.\@currentt}}%
482 \@for\CurrentOption:=\@curroptions\do{%
483 \ifx\CurrentOption\@empty\else\@unknownoptionerror\fi}%
484 \fi}
485 \@onlypreamble\@unprocessedoptions
486 \@onlypreamble\@@unprocessedoptions

```

```

\@badrequireerror \RequirePackage or \LoadClass occurs in the options section.
487 \def\@badrequireerror#1[#2]#3[#4]{%
488   \@latex@error
489     {\noexpand\RequirePackage or \noexpand\LoadClass
490       in Options Section}%
491     {The \@cls@pkg\space '@@currname' is defective.\MessageBreak
492       It attempts to load '#3' in the options section, i.e.,\MessageBreak
493       between \noexpand\DeclareOption and \string\ProcessOptions.}}
494 \@onlypreamble\@badrequireerror

\@twoloadclasserror Two \LoadClass in a class.
495 \def\@twoloadclasserror{%
496   \@latex@error
497     {Two \noexpand\LoadClass commands}%
498     {You may only use one \noexpand\LoadClass in a class file}}
499 \@onlypreamble\@twoloadclasserror

\@twoclasseserror Two \documentclass or \documentstyle.
500 \def\@twoclasseserror#1{%
501   \@latex@error
502     {Two \noexpand\documentclass or \noexpand\documentstyle commands}%
503     {The document may only declare one class.}\@gobble}
504 \@onlypreamble\@twoclasseserror

```

68.2 Providing shipment

```

\two@digits Prefix a number less than 10 with '0'.
505 \def\two@digits#1{\ifnum#1<10 0\fi\number#1}

\filecontents This environment implements inline files. The star-form does not write extra
\endfilecontents comments into the file.

506 \begingroup%
507 \catcode'\*=11 %
508 \catcode'\^M\active%
509 \catcode'\^L\active\let^L\relax%
510 \catcode'\^I\active%

511 \gdef\filecontents{\@tempswatrue\filec@ntents}%
512 \gdef\filecontents*{\@tempswafalse\filec@ntents}%

513 \gdef\filec@ntents#1{%
514   \openin\@inputcheck#1 %
515   \ifeof\@inputcheck%
516     \@latex@warning@no@line%
517       {Writing file '@@currdir#1'}%

518   \chardef\reserved@c15 %
519   \ch@ck7\reserved@c\write%
520   \immediate\openout\reserved@c#1\relax%
521   \else%

522   \closein\@inputcheck%
523   \@latex@warning@no@line%
524     {File '#1' already exists on the system.\MessageBreak%

```

```

525         Not generating it from this source}%
526     \let\write\@gobbletwo%
527     \let\closeout\@gobble%
528 \fi%
529 \if@tempswa%

530     \immediate\write\reserved@c{%
531         \@percentchar\@percentchar\space%
532         \expandafter\@gobble\string\LaTeX2e file '#1'^^J%
533         \@percentchar\@percentchar\space generated by the %
534         '@currentvir' \expandafter\@gobblefour\string\newenvironment^^J%
535         \@percentchar\@percentchar\space from source '@jobname' on %
536         \number\year/\two@digits\month/\two@digits\day.^^J%
537         \@percentchar\@percentchar}%
538 \fi%
539 \let\do\@makeother\dospecials%

540 \edef\E{\@backslashchar end\string{\@currentvir\string}}%
541 \edef\reserved@b{%
542     \def\noexpand\reserved@b%
543         #####1\E####2\E####3\relax}%
544 \reserved@b{%
545     \ifx\relax##3\relax%

There was no \end{filecontents}

546     \immediate\write\reserved@c{##1}%
547     \else%

There was a \end{filecontents}, so stop this time.

548     \edef^^M{\noexpand\end{\@currentvir}}%
549     \ifx\relax##1\relax%
550     \else%

Text before the \end, write it with a warning.

551     \@latex@warning{Writing text '#1' before %
552         \string\end{\@currentvir}\MessageBreak as last line of #1}%
553     \immediate\write\reserved@c{##1}%
554     \fi%
555     \ifx\relax##2\relax%
556     \else%

Text after the \end, ignore it with a warning.

557     \@latex@warning{%
558         Ignoring text '#2' after \string\end{\@currentvir}}%
559     \fi%
560     \fi%
561     ^^M}%

562 \catcode'\^^L\active%
563 \let\L\@undefined%
564 \def^^L{\@ifundefined L^^J^^J^^J}%
565 \catcode'\^^I\active%
566 \let\I\@undefined%
567 \def^^I{\@ifundefined I\space\space}%
568 \catcode'\^^M\active%
569 \edef^^M##1^^M{%

```

```

570 \noexpand\reserved@b##1\E\E\relax}}%
571 \endgroup%

572 \begingroup
573 \catcode'\=\catcode'\%
574 \catcode'\%=12
575 \catcode'\*=11
576 \gdef\@percentchar{%}
577 \gdef\endfilecontents{|
578 \immediate\closeout\reserved@c
579 \def\T##1##2##3{|
580 \ifx##1\@undefined\else
581 \@latex@warning@no@line{##2 has been converted to Blank ##3e}|
582 \fi}|
583 \T\L{Form Feed}{Lin}|
584 \T\I{Tab}{Spac}|
585 \immediate\write\@unused{}}
586 \global\let\endfilecontents*\endfilecontents
587 \@onlypreamble\filecontents
588 \@onlypreamble\endfilecontents
589 \@onlypreamble\filecontents*
590 \@onlypreamble\endfilecontents*
591 \endgroup
592 \@onlypreamble\filecontents

593 </2ekernel>

```

69 After Preamble

Finally we declare a package that allows all the commands declared above to be `\@onlypreamble` to be used after `\begin{document}`.

```

594 <*/afterpreamble>
595 \NeedsTeXFormat{LaTeX2e}
596 \ProvidesPackage{pkgindoc}
597 [1994/10/20 v1.1 Package Interface in Document (DPC)]
598 \def\reserved@a#1\do\@classoptionslist#2\do\filecontents#3\relax{%
599 \gdef\@preamblecmds{#1#3}}
600 \expandafter\reserved@a\@preamblecmds\relax
601 </afterpreamble>

```

File M

lthyphen.dtx

This file contains the code for loading hyphenation patterns into L^AT_EX. Most of this will end up in a file called `hyphen.ltx`. If you wish to customize your L^AT_EX system in respect of hyphenation patterns, write a file `hyphen.cfg`. If this file exists, it will be loaded instead of `hyphen.ltx`. See the comments below for additional information.

To produce the printed version of this file the following code is used. It can be extracted with the DOCSTRIP program, or one can run this file directly through L^AT_EX 2_ε.

```
1 (*driver)
2 \documentclass{ltxdoc}
3 \begin{document}
4 \DocInput{lthyphen.dtx}
5 \end{document}
6 \</driver>
```

The default file `hyphen.ltx` loads hyphenation patterns for US english. If you want to load additional or other hyphenation patterns, you should create a file `hyphen.cfg`. This is best done by starting from `hyphen.ltx`.

For backward compatibility, the default file, `hyphen.ltx`, first tries to load the file `hyphen.tex`. If this file exists, an information message is issued and the appropriate defaults for T_EX's internal parameters are set: `\language` is initialized to 0, and `\lefthyphenmin` and `\righthyphenmin` to 2 and 3, respectively, to disallow x- or -xx breaks.

```
7 (*default)
8 \InputIfFileExists{hyphen.tex}%
9   {\message{Loading hyphenation patterns for US english.}%
10    \language=0
11    \lefthyphenmin=2 \righthyphenmin=3 }%
```

Otherwise, since we cannot do anything without any hyphenation patterns, an error message is printed and the IniT_EX run is terminated by invoking `\@@end` (which is the L^AT_EX 2_ε name for T_EX's `\end` primitive).

```
12   {\errhelp{The configuration for hyphenation is incorrectly
13             installed.^^J%
14             If you don't understand this error message you need
15             to seek^^Jexpert advice.}%
16    \errmessage{OOPS! I can't find any hyphenation patterns for
17               US english.^^J \space Think of getting some or the
18               latex2e setup will never succeed}\@@end}
19 \</default>
```

The following example describes the possible contents of a file `hyphen.cfg` that will load both US English and German hyphenation patterns, making the former the default. It sets `\language` to 0 for the US patterns and to 1 for the German patterns. Then `\language` is set to 0 to make this the default and the default values of `\lefthyphenmin` and `\righthyphenmin` are set.

```
\language=0
\input hyphen % (or \input ushyphen1 if the file has been renamed)
```

```
\language=1
\input ghyph31
\language=0
\lefthyphenmin=2
\righthyphenmin=3
\endinput
```

Another possibility is to use the package `babel`, by Johannes Braams. That package is distributed with a suitable `hyphen.cfg` file.

File N

ltxuatex.dtx

70 Overview

LuaTeX adds a number of engine-specific functions to TeX. Several of these require set up that is best done in the kernel or need related support functions. This file provides *basic* support for LuaTeX at the L^ATeX 2_ε kernel level plus as a loadable file which can be used with plain TeX and L^ATeX.

This file contains code for both TeX (to be stored as part of the format) and Lua (to be loaded at the start of each job). In the Lua code, the kernel uses the namespace `luatexbase`.

The following `\count` registers are used here for register allocation:

```
\e@alloc@attribute@count  Attributes (default 258)
\e@alloc@ccodetable@count  Category code tables (default 259)
\e@alloc@luafunction@count  Lua functions (default 260)
    \e@alloc@whatsit@count  User whatsits (default 261)
    \e@alloc@bytecode@count  Lua bytecodes (default 262)
    \e@alloc@luachunk@count  Lua chunks (default 263)
```

(`\count 256` is used for `\newmarks` allocation and `\count 257` is used for `\newXeTeXintercharclass` with XeTeX, with code defined in `ltxfinal.dtx`). With any L^ATeX 2_ε kernel from 2015 onward these registers are part of the block in the extended area reserved by the kernel (prior to 2015 the L^ATeX 2_ε kernel did not provide any functionality for the extended allocation area).

71 Core TeX functionality

The commands defined here are defined for possible inclusion in a future L^ATeX format, however also extracted to the file `ltxuatex.tex` which may be used with older L^ATeX formats, and with plain TeX.

<code>\newattribute</code>	<code>\newattribute{<attribute>}</code> Defines a named <code>\attribute</code> , indexed from 1 (<i>i.e.</i> <code>\attribute0</code> is never defined). Attributes initially have the marker value <code>-7FFFFFFF</code> ('unset') set by the engine.
<code>\newcatcodetable</code>	<code>\newcatcodetable{<catcodetable>}</code> Defines a named <code>\catcodetable</code> , indexed from 1 (<code>\catcodetable0</code> is never assigned). A new catcode table will be populated with exactly those values assigned by IniTeX (as described in the LuaTeX manual).
<code>\newluafunction</code>	<code>\newluafunction{<function>}</code> Defines a named <code>\luafunction</code> , indexed from 1. (Lua indexes tables from 1 so <code>\luafunction0</code> is not available).
<code>\newwhatsit</code>	<code>\newwhatsit{<whatsit>}</code> Defines a custom <code>\whatsit</code> , indexed from 1.
<code>\newluabytecode</code>	<code>\newluabytecode{<bytecode>}</code>

	Allocates a number for Lua bytecode register, indexed from 1.
<code>\newluachunkname</code>	<code>newluachunkname{⟨chunkname⟩}</code> Allocates a number for Lua chunk register, indexed from 1. Also enters the name of the register (without backslash) into the <code>lua.name</code> table to be used in stack traces.
<code>\catcodetable@initex</code>	Predefined category code tables with the obvious assignments. Note that the
<code>\catcodetable@string</code>	<code>latex</code> and <code>atletter</code> tables set the full Unicode range to the codes predefined by
<code>\catcodetable@latex</code>	the kernel.
<code>\catcodetable@atletter</code>	<code>\setattribute{⟨attribute⟩}{⟨value⟩}</code>
<code>\setattribute</code>	<code>\unsetattribute{⟨attribute⟩}</code>
<code>\unsetattribute</code>	Set and unset attributes in a manner analogous to <code>\setlength</code> . Note that attributes take a marker value when unset so this operation is distinct from setting the value to zero.

72 Plain T_EX interface

The `luatex` interface may be used with plain T_EX using `\input{ltuatex}`. This inputs `ltuatex.tex` which inputs `etex.src` (or `etex.sty` if used with L^AT_EX) if it is not already input, and then defines some internal commands to allow the `luatex` interface to be defined.

The `luatexbase` package interface may also be used in plain T_EX, as before, by inputting the package `\input luatexbase.sty`. The new version of `luatexbase` is based on this `luatex` code but implements a compatibility layer providing the interface of the original package.

73 Lua functionality

73.1 Allocators in Lua

<code>new_attribute</code>	<code>luat_{ex}base.new_attribute(⟨attribute⟩)</code> Returns an allocation number for the <code>⟨attribute⟩</code> , indexed from 1. The attribute will be initialised with the marker value <code>-0xFFFFFFFF</code> ('unset'). The attribute allocation sequence is shared with the T _E X code but this function does <i>not</i> define a token using <code>\attributedef</code> . The attribute name is recorded in the <code>attributes</code> table. A metatable is provided so that the table syntax can be used consistently for attributes declared in T _E X or Lua.
<code>new_whatsit</code>	<code>luat_{ex}base.new_whatsit(⟨whatsit⟩)</code> Returns an allocation number for the custom <code>⟨whatsit⟩</code> , indexed from 1.
<code>new_bytecode</code>	<code>luat_{ex}base.new_bytecode(⟨bytecode⟩)</code> Returns an allocation number for a bytecode register, indexed from 1. The optional <code>⟨name⟩</code> argument is just used for logging.
<code>new_chunkname</code>	<code>luat_{ex}base.new_chunkname(⟨chunkname⟩)</code> Returns an allocation number for a Lua chunk name for use with <code>\directlua</code> and <code>\latelua</code> , indexed from 1. The number is returned and also <code>⟨name⟩</code> argument is added to the <code>lua.name</code> array at that index.

These functions all require access to a named T_EX count register to manage their allocations. The standard names are those defined above for access from

TeX, e.g. “e@alloc@attribute@count, but these can be adjusted by defining the variable `<type>_count_name` before loading `ltnatex.lua`, for example

```
local attribute_count_name = "attributetracker"
require("ltnatex")
```

would use a TeX `\count` (`\countdef`’d token) called `attributetracker` in place of “e@alloc@attribute@count.

73.2 Lua access to TeX register numbers

`registernumber` `luatexbase.registernumber(<name>)`
 Sometimes (notably in the case of Lua attributes) it is necessary to access a register *by number* that has been allocated by TeX. This package provides a function to look up the relevant number using LuaTeX’s internal tables. After for example `\newattribute\myattrib`, `\myattrib` would be defined by (say) `\myattrib=\attribute15`. `luatexbase.registernumber("myattrib")` would then return the register number, 15 in this case. If the string passed as argument does not correspond to a token defined by `\attributedef`, `\countdef` or similar commands, the Lua value `false` is returned.

As an example, consider the input:

```
\newcommand\test[1]{%
\typeout{#1: \expandafter\meaning\csname#1\endcsname^^J
\space\space\space\space
\directlua{tex.write(luatexbase.registernumber("#1") or "bad input")}%
}}

\test{undefinedrubbish}

\test{space}

\test{hbox}

\test{@MM}

\test{@tempdima}
\test{@tempdimb}

\test{strutbox}

\test{sixt@@n}

\attributedef\myattr=12
\myattr=200
\test{myattr}
```

If the demonstration code is processed with LuaLaTeX then the following would be produced in the log and terminal output.

```
undefinedrubbish: \relax
bad input
```

```

space: macro:->
    bad input
hbox: \hbox
    bad input
@MM: \mathchar"4E20
    20000
@tempdima: \dimen14
    14
@tempdimb: \dimen15
    15
strutbox: \char"B
    11
sist@n: \char"10
    16
myattr: \attribute12
    12

```

Notice how undefined commands, or commands unrelated to registers do not produce an error, just return **false** and so print **bad input** here. Note also that commands defined by **\newbox** work and return the number of the box register even though the actual command holding this number is a **\chardef** defined token (there is no **\boxdef**).

73.3 Module utilities

provides_module `luatexbase.provides_module(<info>)`

This function is used by modules to identify themselves; the **info** should be a table containing information about the module. The required field **name** must contain the name of the module. It is recommended to provide a field **date** in the usual L^AT_EX format **yyyy/mm/dd**. Optional fields **version** (a string) and **description** may be used if present. This information will be recorded in the log. Other fields are ignored.

module_info `luatexbase.module_info(<module>, <text>)`

module_warning `luatexbase.module_warning(<module>, <text>)`

module_error `luatexbase.module_error(<module>, <text>)`

These functions are similar to L^AT_EX's **\PackageError**, **\PackageWarning** and **\PackageInfo** in the way they format the output. No automatic line breaking is done, you may still use **\n** as usual for that, and the name of the package will be prepended to each output line.

Note that `luatexbase.module_error` raises an actual Lua error with **error()**, which currently means a call stack will be dumped. While this may not look pretty, at least it provides useful information for tracking the error down.

73.4 Callback management

add_to_callback `luatexbase.add_to_callback(<callback>, <function>, <description>)` Registers the *<function>* into the *<callback>* with a textual *<description>* of the function. Functions are inserted into the callback in the order loaded.

remove_from_callback `luatexbase.remove_from_callback(<callback>, <description>)` Removes the callback function with *<description>* from the *<callback>*. The removed function and its description are returned as the results of this function.

in_callback `luatexbase.in_callback(<callback>, <description>)` Checks if the *<description>*

	matches one of the functions added to the list for the $\langle callback \rangle$, returning a boolean value.
<code>disable_callback</code>	<code>luatexbase.disable_callback($\langle callback \rangle$)</code> Sets the $\langle callback \rangle$ to <code>false</code> as described in the LuaTeX manual for the underlying <code>callback.register</code> built-in. Callbacks will only be set to <code>false</code> (and thus be skipped entirely) if there are no functions registered using the callback.
<code>callback_descriptions</code>	A list of the descriptions of functions registered to the specified callback is returned. <code>{}</code> is returned if there are no functions registered.
<code>create_callback</code>	<code>luatexbase.create_callback($\langle name \rangle$,metatype,$\langle default \rangle$)</code> Defines a user defined callback. The last argument is a default function or <code>false</code> .
<code>call_callback</code>	<code>luatexbase.call_callback($\langle name \rangle$,...)</code> Calls a user defined callback with the supplied arguments.

74 Implementation

```

1  $\langle *2ekernel | tex | latexrelease \rangle$ 
2  $\langle 2ekernel | latexrelease \rangle \ifx \directlua \@undefined \else$ 

```

74.1 Minimum LuaTeX version

LuaTeX has changed a lot over time. In the kernel support for ancient versions is not provided: trying to build a format with a very old binary therefore gives some information in the log and loading stops. The cut-off selected here relates to the tree-searching behaviour of `require()`: from version 0.60, LuaTeX will correctly find Lua files in the `texmf` tree without ‘help’.

```

3  $\langle latexrelease \rangle \backslash IncludeInRelease \{2015/10/01\}$ 
4  $\langle latexrelease \rangle \backslash newluafunction \{LuaTeX\} \%$ 
5  $\backslash ifnum \luatexversion < 60 \%$ 
6  $\backslash wlog \{*****\}$ 
7  $\backslash wlog \{* LuaTeX version too old for l\luatex support *\}$ 
8  $\backslash wlog \{*****\}$ 
9  $\backslash expandafter \endinput$ 
10  $\backslash fi$ 

```

74.2 Older L^AT_EX/Plain T_EX setup

```

11  $\langle *tex \rangle$ 

```

Older L^AT_EX formats don’t have the primitives with ‘native’ names: sort that out. If they already exist this will still be safe.

```

12  $\backslash directlua \{tex.enableprimitives("",tex.extraprimitives("luatex"))\}$ 
13  $\backslash ifx \e@alloc \@undefined$ 
14  $\backslash ifx \documentclass \@undefined$ 
15  $\backslash ifx \loccount \@undefined$ 
16  $\backslash input \{etex.src\} \%$ 
17  $\backslash fi$ 
18  $\backslash catcode '\@=11 \%$ 
19  $\backslash outer \expandafter \def \csname newfam \endcsname$ 
20  $\{\backslash alloc@8 \fam \chardef \et@xmaxfam\}$ 
21  $\backslash else$ 
22  $\backslash RequirePackage \{etex\}$ 

```

```

23 \expandafter\def\csname newfam\endcsname
24     {\alloc@8\fam\chardef\et@xmaxfam}
25 \expandafter\let\expandafter\new@mathgroup\csname newfam\endcsname
26 \fi

```

74.2.1 Fixes to etex.src/etex.sty

These could and probably should be made directly in an update to `etex.src` which already has some Lua_T_EX-specific code, but does not define the correct range for Lua_T_EX.

```

27 % 2015-07-13 higher range in luatex
28 \edef \et@xmaxregs {\ifx\directlua\undefined 32768\else 65536\fi}
29 % luatex/xetex also allow more math fam
30 \edef \et@xmaxfam {\ifx\Umathchar\undefined\sixt@@n\else\ccclvi\fi}

31 \count 270=\et@xmaxregs % locally allocates \count registers
32 \count 271=\et@xmaxregs % ditto for \dimen registers
33 \count 272=\et@xmaxregs % ditto for \skip registers
34 \count 273=\et@xmaxregs % ditto for \muskip registers
35 \count 274=\et@xmaxregs % ditto for \box registers
36 \count 275=\et@xmaxregs % ditto for \toks registers
37 \count 276=\et@xmaxregs % ditto for \marks classes

    and 256 or 16 fam. (Done above due to plain/LATEX differences in lTuatex.)

38 % \outer\def\newfam{\alloc@8\fam\chardef\et@xmaxfam}

    End of proposed changes to etex.src

```

74.2.2 luatex specific settings

Switch to global cf `luatex.sty` to leave room for inserts not really needed for luatex but possibly most compatible with existing use.

```

39 \expandafter\let\csname newcount\expandafter\expandafter\endcsname
40     \csname globcount\endcsname
41 \expandafter\let\csname newdimen\expandafter\expandafter\endcsname
42     \csname globdimen\endcsname
43 \expandafter\let\csname newskip\expandafter\expandafter\endcsname
44     \csname globskip\endcsname
45 \expandafter\let\csname newbox\expandafter\expandafter\endcsname
46     \csname globbox\endcsname

```

Define `\e@alloc` as in latex (the existing macros in `etex.src` hard to extend to further register types as they assume specific 26x and 27x count range. For compatibility the existing register allocation is not changed.

```

47 \chardef\e@alloc@top=65535
48 \let\e@alloc\chardef\chardef

49 \def\e@alloc#1#2#3#4#5#6{%
50     \global\advance#3\@ne
51     \e@ch@ck{#3}{#4}{#5}#1%
52     \allocationnumber#3\relax
53     \global#2#6\allocationnumber
54     \wlog{\string#6=\string#1\the\allocationnumber}}%

55 \gdef\e@ch@ck#1#2#3#4{%
56     \ifnum#1<#2\else
57         \ifnum#1=#2\relax

```

```

58      #1\@cclvi
59      \ifx\count#4\advance#1 10 \fi
60      \fi
61      \ifnum#1<#3\relax
62      \else
63      \errmessage{No room for a new \string#4}%
64      \fi
65      \fi}%

```

Two simple L^AT_EX macros used in `ltlatex.sty`.

```

66 \long\def\@gobble#1{}
67 \long\def\@firstofone#1{#1}

68 % Fix up allocations not to clash with |etex.src|.

69 \expandafter\csname newcount\endcsname\@alloc@attribute@count
70 \expandafter\csname newcount\endcsname\@alloc@ccodetable@count
71 \expandafter\csname newcount\endcsname\@alloc@luafunction@count
72 \expandafter\csname newcount\endcsname\@alloc@whatsit@count
73 \expandafter\csname newcount\endcsname\@alloc@bytecode@count
74 \expandafter\csname newcount\endcsname\@alloc@luachunk@count

```

End of conditional setup for plain T_EX / old L^AT_EX.

```

75 \fi
76 \</tex>

```

74.3 Attributes

`\newattribute` As is generally the case for the LuaT_EX registers we start here from 1. Notably, some code assumes that `\attribute0` is never used so this is important in this case.

```

77 \ifx\@alloc@attribute@count\@undefined
78   \countdef\@alloc@attribute@count=258
79 \fi
80 \def\newattribute#1{%
81   \e@alloc@attribute\attributedef
82   \e@alloc@attribute@count\m@ne\e@alloc@top#1%
83 }
84 \e@alloc@attribute@count=\z@

```

`\setattribute` Handy utilities.

```

\unsetattribute 85 \def\setattribute#1#2{#1=\numexpr#2\relax}
86 \def\unsetattribute#1{#1=-"7FFFFFFF\relax}

```

74.4 Category code tables

`\newcatcodetable` Category code tables are allocated with a limit half of that used by LuaT_EX for everything else. At the end of allocation there needs to be an initialisation step. Table 0 is already taken (it's the global one for current use) so the allocation starts at 1.

```

87 \ifx\@alloc@ccodetable@count\@undefined
88   \countdef\@alloc@ccodetable@count=259
89 \fi
90 \def\newcatcodetable#1{%

```

```

91 \e@alloc\catcodetable\chardef
92 \e@alloc@ccodetable@count\m@ne{"8000}#1%
93 \initcatcodetable\allocationnumber
94 }
95 \e@alloc@ccodetable@count=\z@

```

\catcodetable@initex Save a small set of standard tables. The Unicode data is read here in using a parser
\catcodetable@string simplified from that in load-unicode-data: only the nature of letters needs to
\catcodetable@latex be detected.

```

\catcodetable@atletter
96 \newcatcodetable\catcodetable@initex
97 \newcatcodetable\catcodetable@string
98 \beginingroup
99 \def\setrangecatcode#1#2#3{%
100 \ifnum#1>#2 %
101 \expandafter\@gobble
102 \else
103 \expandafter\@firstofone
104 \fi
105 {%
106 \catcode#1=#3 %
107 \expandafter\setrangecatcode\expandafter
108 {\number\numexpr#1 + 1\relax}{#2}{#3}
109 }%
110 }
111 \@firstofone{%
112 \catcodetable\catcodetable@initex
113 \catcode0=12 %
114 \catcode13=12 %
115 \catcode37=12 %
116 \setrangecatcode{65}{90}{12}%
117 \setrangecatcode{97}{122}{12}%
118 \catcode92=12 %
119 \catcode127=12 %
120 \savecatcodetable\catcodetable@string
121 \endgroup
122 }%
123 \newcatcodetable\catcodetable@latex
124 \newcatcodetable\catcodetable@atletter
125 \beginingroup
126 \def\parseunicodedataI#1;#2;#3;#4\relax{%
127 \parseunicodedataII#1;#3;#2 First>\relax
128 }%
129 \def\parseunicodedataII#1;#2;#3 First>#4\relax{%
130 \ifx\relax#4\relax
131 \expandafter\parseunicodedataIII
132 \else
133 \expandafter\parseunicodedataIV
134 \fi
135 {#1}#2\relax%
136 }%
137 \def\parseunicodedataIII#1#2#3\relax{%
138 \ifnum 0%
139 \if L#21\fi

```

```

140     \if M#21\fi
141     >0 %
142     \catcode"#1=11 %
143     \fi
144 }%
145 \def\parseunicodedataIV#1#2#3\relax{%
146     \read\unicoderead to \unicodedataline
147     \if L#2%
148         \count0="#1 %
149         \expandafter\parseunicodedataV\unicodedataline\relax
150     \fi
151 }%
152 \def\parseunicodedataV#1;#2\relax{%
153     \loop
154         \unless\ifnum\count0>"#1 %
155             \catcode\count0=11 %
156             \advance\count0 by 1 %
157     \repeat
158 }%
159 \def\storedpar{\par}%
160 \chardef\unicoderead=\numexpr\count16 + 1\relax
161 \openin\unicoderead=UnicodeData.txt %
162 \loop\unless\ifeof\unicoderead %
163     \read\unicoderead to \unicodedataline
164     \unless\ifx\unicodedataline\storedpar
165         \expandafter\parseunicodedataI\unicodedataline\relax
166     \fi
167 \repeat
168 \closein\unicoderead
169 \@firstofone{%
170     \catcode64=12 %
171     \savecatcodetable\catcodetable@latex
172     \catcode64=11 %
173     \savecatcodetable\catcodetable@atletter
174 }
175 \endgroup

```

74.5 Named Lua functions

`\newluafunction` Much the same story for allocating LuaTeX functions except here they are just numbers so they are allocated in the same way as boxes. Lua indexes from 1 so once again slot 0 is skipped.

```

176 \ifx\e@alloc@luafunction@count\@undefined
177     \countdef\e@alloc@luafunction@count=260
178 \fi
179 \def\newluafunction{%
180     \e@alloc@luafunction\e@alloc@chardef
181     \e@alloc@luafunction@count\m@ne\e@alloc@top
182 }
183 \e@alloc@luafunction@count=\z@

```

74.6 Custom whatsits

`\newwhatsit` These are only settable from Lua but for consistency are definable here.

```
184 \ifx\e@alloc@whatsit@count\@undefined
185   \countdef\e@alloc@whatsit@count=261
186 \fi
187 \def\newwhatsit#1{%
188   \e@alloc@whatsit\e@alloc@chardef
189   \e@alloc@whatsit@count\m@ne\e@alloc@top#1%
190 }
191 \e@alloc@whatsit@count=\z@
```

74.7 Lua bytecode registers

`\newluabytocode` These are only settable from Lua but for consistency are definable here.

```
192 \ifx\e@alloc@bytecode@count\@undefined
193   \countdef\e@alloc@bytecode@count=262
194 \fi
195 \def\newluabytocode#1{%
196   \e@alloc\luabytocode\e@alloc@chardef
197   \e@alloc@bytecode@count\m@ne\e@alloc@top#1%
198 }
199 \e@alloc@bytecode@count=\z@
```

74.8 Lua chunk registers

`\newluachunkname` As for bytecode registers, but in addition we need to add a string to the `lua.name` table to use in stack tracing. We use the name of the command passed to the allocator, with no backslash.

```
200 \ifx\e@alloc@luachunk@count\@undefined
201   \countdef\e@alloc@luachunk@count=263
202 \fi
203 \def\newluachunkname#1{%
204   \e@alloc\luachunk\e@alloc@chardef
205   \e@alloc@luachunk@count\m@ne\e@alloc@top#1%
206   {\escapechar\m@ne
207    \directlua{lua.name[\the\allocationnumber]="\string#1"}}%
208 }
209 \e@alloc@luachunk@count=\z@
```

74.9 Lua loader

Load the Lua code at the start of every job. For the conversion of \TeX into numbers at the Lua side we need some known registers: for convenience we use a set of systematic names, which means using a group around the Lua loader.

```
210 (2ekernel)\everyjob\expandafter{%
211 (2ekernel) \the\everyjob
212   \begingroup
213     \attributedef\attributezero=0 %
214     \chardef      \charzero      =0 %
```

Note name change required on older luatex, for hash table access.

```
215   \countdef      \CountZero      =0 %
```



```

216 \dimendef \dimenzero =0 %
217 \mathchardef \mathcharzero =0 %
218 \muskipdef \muskipzero =0 %
219 \skipdef \skipzero =0 %
220 \toksdef \tokszero =0 %
221 \directlua{require("lualatex")}
222 \endgroup
223 (2ekernel)}
224 (latexrelease)\EndIncludeInRelease

225 % \changes{v1.0b}{2015/10/02}{Fix backing out of \TeX{ } code}
226 % \changes{v1.0c}{2015/10/02}{Allow backing out of Lua code}
227 (latexrelease)\IncludeInRelease{0000/00/00}
228 (latexrelease) {\newluafunction}{LuaTeX}%
229 (latexrelease)\let\@alloc@attribute@count\@undefined
230 (latexrelease)\let\newattribute\@undefined
231 (latexrelease)\let\setattribute\@undefined
232 (latexrelease)\let\unsetattribute\@undefined
233 (latexrelease)\let\@alloc@ccodetable@count\@undefined
234 (latexrelease)\let\newcatcodetable\@undefined
235 (latexrelease)\let\catcodetable@initex\@undefined
236 (latexrelease)\let\catcodetable@string\@undefined
237 (latexrelease)\let\catcodetable@latex\@undefined
238 (latexrelease)\let\catcodetable@atletter\@undefined
239 (latexrelease)\let\@alloc@luafunction@count\@undefined
240 (latexrelease)\let\newluafunction\@undefined
241 (latexrelease)\let\@alloc@luafunction@count\@undefined
242 (latexrelease)\let\newwhatsit\@undefined
243 (latexrelease)\let\@alloc@whatsit@count\@undefined
244 (latexrelease)\let\newluabytecode\@undefined
245 (latexrelease)\let\@alloc@bytecode@count\@undefined
246 (latexrelease)\let\newluachunkname\@undefined
247 (latexrelease)\let\@alloc@luachunk@count\@undefined
248 (latexrelease)\directlua{luatexbase.uninstall()}
249 (latexrelease)\EndIncludeInRelease

```

In \everyjob, if luaotfload is available, load it and switch to TU.

```

250 (latexrelease)\IncludeInRelease{2017/01/01}%
251 (latexrelease) {\fontencoding}{TU in everyjob}%
252 (latexrelease)\fontencoding{TU}\let\encodingdefault\fontencoding
253 (latexrelease)\ifx\directlua\@undefined\else
254 (2ekernel)\everyjob\expandafter{%
255 (2ekernel) \the\everyjob
256 (*2ekernel, latexrelease)
257 \directlua{%
258 %% Horrible hack, locally reset the luatex version number
259 %% This is not required for the source version of luaotfload
260 %% but is required due to an error in the version check in the
261 %% public version (January 2017)
262 %% https://github.com/lualatex/luaotfload/issues/387
263 %% It is expected that this will be removed before TeXLive 2017
264 local tmp_version=tex.luatexversion %
265 tex.luatexversion=199 %
266 if xpcall(function ()%
267 require('luaotfload-main')%

```

```

268         end, texio.write_nl) then %
269     local _void = luaotfload.main (%)
270     else %
271     texio.write_nl('Error in luaotfload: reverting to OT1')%
272     tex.print('\string\\def\string\\encodingdefault{OT1}')%
273     end %
274     tex.luaotfloadversion=tmp_version%
275     }%
276     \let\f@encoding\encodingdefault
277     \expandafter\let\csname ver@luaotfload.sty\endcsname\fmtversion
278 </2ekernel, latexrelease>
279 <latexrelease>\fi
280 <2ekernel> }
281 <latexrelease>\EndIncludeInRelease
282 <latexrelease>\IncludeInRelease{0000/00/00}%
283 <latexrelease>          {\fontencoding}{TU in everyjob}%
284 <latexrelease>\fontencoding{OT1}\let\encodingdefault\f@encoding
285 <latexrelease>\EndIncludeInRelease
286 <2ekernel | latexrelease>\fi
287 </2ekernel | tex | latexrelease>

```

74.10 Lua module preliminaries

```
288 <*lua>
```

Some set up for the Lua module which is needed for all of the Lua functionality added here.

luaotfload Set up the table for the returned functions. This is used to expose all of the public functions.

```

289 luaotfload      = luaotfload or { }
290 local luaotfload = luaotfload

```

Some Lua best practice: use local versions of functions where possible.

```

291 local string_gsub      = string.gsub
292 local tex_count        = tex.count
293 local tex_setattribute = tex.setattribute
294 local tex_setcount     = tex.setcount
295 local texio_write_nl   = texio.write_nl

296 local luaotfload_warning
297 local luaotfload_error

```

74.11 Lua module utilities

74.11.1 Module tracking

modules To allow tracking of module usage, a structure is provided to store information and to return it.

```
298 local modules = modules or { }
```

provides_module Local function to write to the log.

```

299 local function luaotfload_log(text)
300     texio_write_nl("log", text)
301 end

```

Modelled on `\ProvidesPackage`, we store much the same information but with a little more structure.

```

302 local function provides_module(info)
303   if not (info and info.name) then
304     luatexbase_error("Missing module name for provides_module")
305   end
306   local function spaced(text)
307     return text and (" " .. text) or ""
308   end
309   luatexbase_log(
310     "Lua module: " .. info.name
311     .. spaced(info.date)
312     .. spaced(info.version)
313     .. spaced(info.description)
314   )
315   modules[info.name] = info
316 end
317 luatexbase.provides_module = provides_module

```

74.11.2 Module messages

There are various warnings and errors that need to be given. For warnings we can get exactly the same formatting as from `TeX`. For errors we have to make some changes. Here we give the text of the error in the `LATeX` format then force an error from Lua to halt the run. Splitting the message text is done using `\n` which takes the place of `\MessageBreak`.

First an auxiliary for the formatting: this measures up the message leader so we always get the correct indent.

```

318 local function msg_format(mod, msg_type, text)
319   local leader = ""
320   local cont
321   local first_head
322   if mod == "LaTeX" then
323     cont = string_gsub(leader, ".", " ")
324     first_head = leader .. "LaTeX: "
325   else
326     first_head = leader .. "Module " .. msg_type
327     cont = "(" .. mod .. ")"
328     .. string_gsub(first_head, ".", " ")
329     first_head = leader .. "Module " .. mod .. " " .. msg_type .. ":"
330   end
331   if msg_type == "Error" then
332     first_head = "\n" .. first_head
333   end
334   if string.sub(text,-1) ~= "\n" then
335     text = text .. " "
336   end
337   return first_head .. " "
338     .. string_gsub(
339       text
340       .. "on input line "
341       .. tex.inputlineno, "\n", "\n" .. cont .. " "
342     )

```

```

343     .. "\n"
344 end

module\_info Write messages.
module\_warning 345 local function module_info(mod, text)
module\_error 346     texio_write_nl("log", msg_format(mod, "Info", text))
347 end
348 luatexbase.module_info = module_info
349 local function module_warning(mod, text)
350     texio_write_nl("term and log", msg_format(mod, "Warning", text))
351 end
352 luatexbase.module_warning = module_warning
353 local function module_error(mod, text)
354     error(msg_format(mod, "Error", text))
355 end
356 luatexbase.module_error = module_error

    Dedicated versions for the rest of the code here.
357 function luatexbase_warning(text)
358     module_warning("luatexbase", text)
359 end
360 function luatexbase_error(text)
361     module_error("luatexbase", text)
362 end

```

74.12 Accessing register numbers from Lua

Collect up the data from the T_EX level into a Lua table: from version 0.80, LuaT_EX makes that easy.

```

363 local luaregisterbasetable = { }
364 local registermap = {
365     attributezero = "assign_attr"    ,
366     charzero      = "char_given"    ,
367     CountZero     = "assign_int"    ,
368     dimenzero     = "assign_dimen"  ,
369     mathcharzero  = "math_given"    ,
370     muskipzero    = "assign_mu_skip",
371     skipzero      = "assign_skip"   ,
372     tokszero      = "assign_toks"   ,
373 }
374 local createtoken
375 if tex.luatexversion > 81 then
376     createtoken = token.create
377 elseif tex.luatexversion > 79 then
378     createtoken = newtoken.create
379 end
380 local hashtokens = tex.hashtokens()
381 local luatexversion = tex.luatexversion
382 for i,j in pairs (registermap) do
383     if luatexversion < 80 then
384         luaregisterbasetable[hashtokens[i][1]] =
385             hashtokens[i][2]
386     else

```

```

387     luaregisterbasetable[j] = createtoken(i).mode
388   end
389 end

```

registernumber Working out the correct return value can be done in two ways. For older LuaTeX releases it has to be extracted from the `hashtokens`. On the other hand, newer LuaTeX's have `newtoken`, and whilst `.mode` isn't currently documented, Hans Hagen pointed to this approach so we should be OK.

```

390 local registernumber
391 if luatexversion < 80 then
392   function registernumber(name)
393     local nt = hashtokens[name]
394     if(nt and luaregisterbasetable[nt[1]]) then
395       return nt[2] - luaregisterbasetable[nt[1]]
396     else
397       return false
398     end
399   end
400 else
401   function registernumber(name)
402     local nt = createtoken(name)
403     if(luaregisterbasetable[nt.cmdname]) then
404       return nt.mode - luaregisterbasetable[nt.cmdname]
405     else
406       return false
407     end
408   end
409 end
410 luatexbase.registernumber = registernumber

```

74.13 Attribute allocation

new_attribute As attributes are used for Lua manipulations its useful to be able to assign from this end.

```

411 local attributes=setmetatable(
412 {},
413 {
414   __index = function(t,key)
415     return registernumber(key) or nil
416   end}
417 )
418 luatexbase.attributes = attributes

419 local attribute_count_name = attribute_count_name or "e@alloc@attribute@count"
420 local function new_attribute(name)
421   tex_setcount("global", attribute_count_name,
422               tex_count[attribute_count_name] + 1)
423   if tex_count[attribute_count_name] > 65534 then
424     luatexbase_error("No room for a new \\attribute")
425   end
426   attributes[name]= tex_count[attribute_count_name]
427   luatexbase_log("Lua-only attribute " .. name .. " = " ..
428                 tex_count[attribute_count_name])
429   return tex_count[attribute_count_name]

```

```

430 end
431 luatexbase.new_attribute = new_attribute

```

74.14 Custom whatsit allocation

`new_whatsit` Much the same as for attribute allocation in Lua.

```

432 local whatsit_count_name = whatsit_count_name or "e@alloc@whatsit@count"
433 local function new_whatsit(name)
434   tex_setcount("global", whatsit_count_name,
435               tex_count[whatsit_count_name] + 1)
436   if tex_count[whatsit_count_name] > 65534 then
437     luatexbase_error("No room for a new custom whatsit")
438   end
439   luatexbase_log("Custom whatsit " .. (name or "") .. " = " ..
440               tex_count[whatsit_count_name])
441   return tex_count[whatsit_count_name]
442 end
443 luatexbase.new_whatsit = new_whatsit

```

74.15 Bytecode register allocation

`new_bytecode` Much the same as for attribute allocation in Lua. The optional *(name)* argument is used in the log if given.

```

444 local bytecode_count_name = bytecode_count_name or "e@alloc@bytecode@count"
445 local function new_bytecode(name)
446   tex_setcount("global", bytecode_count_name,
447               tex_count[bytecode_count_name] + 1)
448   if tex_count[bytecode_count_name] > 65534 then
449     luatexbase_error("No room for a new bytecode register")
450   end
451   luatexbase_log("Lua bytecode " .. (name or "") .. " = " ..
452               tex_count[bytecode_count_name])
453   return tex_count[bytecode_count_name]
454 end
455 luatexbase.new_bytecode = new_bytecode

```

74.16 Lua chunk name allocation

`new_chunkname` As for bytecode registers but also store the name in the `lua.name` table.

```

456 local chunkname_count_name = chunkname_count_name or "e@alloc@luachunk@count"
457 local function new_chunkname(name)
458   tex_setcount("global", chunkname_count_name,
459               tex_count[chunkname_count_name] + 1)
460   local chunkname_count = tex_count[chunkname_count_name]
461   chunkname_count = chunkname_count + 1
462   if chunkname_count > 65534 then
463     luatexbase_error("No room for a new chunkname")
464   end
465   lua.name[chunkname_count]=name
466   luatexbase_log("Lua chunkname " .. (name or "") .. " = " ..
467               chunkname_count .. "\n")
468   return chunkname_count
469 end

```

```
470 luatexbase.new_chunkname = new_chunkname
```

74.17 Lua callback management

The native mechanism for callbacks in LuaTeX allows only one per function. That is extremely restrictive and so a mechanism is needed to add and remove callbacks from the appropriate hooks.

74.17.1 Housekeeping

The main table: keys are callback names, and values are the associated lists of functions. More precisely, the entries in the list are tables holding the actual function as **func** and the identifying description as **description**. Only callbacks with a non-empty list of functions have an entry in this list.

```
471 local callbacklist = callbacklist or { }
```

Numerical codes for callback types, and name-to-value association (the table keys are strings, the values are numbers).

```
472 local list, data, exclusive, simple = 1, 2, 3, 4
473 local types = {
474   list      = list,
475   data      = data,
476   exclusive = exclusive,
477   simple    = simple,
478 }
```

Now, list all predefined callbacks with their current type, based on the LuaTeX manual version 1.01. A full list of the currently-available callbacks can be obtained using

```
\directlua{
  for i,_ in pairs(callback.list()) do
    texio.write_nl("- " .. i)
  end
}
\bye
```

in plain LuaTeX. (Some undocumented callbacks are omitted as they are to be removed.)

```
479 local callbacktypes = callbacktypes or {
```

Section 8.2: file discovery callbacks.

```
480   find_read_file      = exclusive,
481   find_write_file     = exclusive,
482   find_font_file      = data,
483   find_output_file    = data,
484   find_format_file    = data,
485   find_vf_file        = data,
486   find_map_file       = data,
487   find_enc_file       = data,
488   find_sfd_file       = data,
489   find_pk_file        = data,
490   find_data_file      = data,
491   find_opentype_file  = data,
```

```

492 find_truetype_file = data,
493 find_type1_file    = data,
494 find_image_file    = data,
495 open_read_file     = exclusive,
496 read_font_file     = exclusive,
497 read_vf_file       = exclusive,
498 read_map_file      = exclusive,
499 read_enc_file      = exclusive,
500 read_sfd_file      = exclusive,
501 read_pk_file       = exclusive,
502 read_data_file     = exclusive,
503 read_truetype_file = exclusive,
504 read_type1_file    = exclusive,
505 read_opentype_file = exclusive,

```

Not currently used by luatex but included for completeness. may be used by a font handler.

```

506 find_cidmap_file  = data,
507 read_cidmap_file  = exclusive,

```

Section 8.3: data processing callbacks.

```

508 process_input_buffer = data,
509 process_output_buffer = data,
510 process_jobname      = data,

```

Section 8.4: node list processing callbacks.

```

511 contribute_filter    = simple,
512 buildpage_filter     = simple,
513 build_page_insert    = exclusive,
514 pre_linebreak_filter = list,
515 linebreak_filter     = list,
516 append_to_vlist_filter = list,
517 post_linebreak_filter = list,
518 hpack_filter         = list,
519 vpack_filter         = list,
520 hpack_quality        = list,
521 vpack_quality        = list,
522 pre_output_filter    = list,
523 process_rule         = list,
524 hyphenate            = simple,
525 ligaturing           = simple,
526 kerning              = simple,
527 insert_local_par     = simple,
528 mlist_to_hlist       = list,

```

Section 8.5: information reporting callbacks.

```

529 pre_dump            = simple,
530 start_run           = simple,
531 stop_run            = simple,
532 start_page_number   = simple,
533 stop_page_number    = simple,
534 show_error_hook     = simple,
535 show_warning_message = simple,
536 show_error_message  = simple,
537 show_lua_error_hook = simple,

```



```

538 start_file          = simple,
539 stop_file           = simple,
540 call_edit           = simple,

```

Section 8.6: PDF-related callbacks.

```

541 finish_pdffile = data,
542 finish_pdfpage = data,

```

Section 8.7: font-related callbacks.

```

543 define_font = exclusive,

```

```

544 }

```

```

545 luatexbase.callbacktypes=callbacktypes

```

callback.register Save the original function for registering callbacks and prevent the original being used. The original is saved in a place that remains available so other more sophisticated code can override the approach taken by the kernel if desired.

```

546 local callback_register = callback_register or callback.register
547 function callback.register()
548   luatexbase_error("Attempt to use callback.register() directly\n")
549 end

```

74.17.2 Handlers

The handler function is registered into the callback when the first function is added to this callback's list. Then, when the callback is called, the handler takes care of running all functions in the list. When the last function is removed from the callback's list, the handler is unregistered.

More precisely, the functions below are used to generate a specialized function (closure) for a given callback, which is the actual handler.

The way the functions are combined together depends on the type of the callback. There are currently 4 types of callback, depending on the calling convention of the functions the callback can hold:

simple is for functions that don't return anything: they are called in order, all with the same argument;

data is for functions receiving a piece of data of any type except node list head (and possibly other arguments) and returning it (possibly modified): the functions are called in order, and each is passed the return value of the previous (and the other arguments untouched, if any). The return value is that of the last function;

list is a specialized variant of *data* for functions filtering node lists. Such functions may return either the head of a modified node list, or the boolean values **true** or **false**. The functions are chained the same way as for *data* except that for the following. If one function returns **false**, then **false** is immediately returned and the following functions are *not* called. If one function returns **true**, then the same head is passed to the next function. If all functions return **true**, then **true** is returned, otherwise the return value of the last function not returning **true** is used.

exclusive is for functions with more complex signatures; functions in this type of callback are *not* combined: An error is raised if a second callback is registered..

Handler for data callbacks.

```
550 local function data_handler(name)
551   return function(data, ...)
552     for _,i in ipairs(callbacklist[name]) do
553       data = i.func(data,...)
554     end
555     return data
556   end
557 end
```

Handler for exclusive callbacks. We can assume `callbacklist[name]` is not empty: otherwise, the function wouldn't be registered in the callback any more.

```
558 local function exclusive_handler(name)
559   return function(...)
560     return callbacklist[name][1].func(...)
561   end
562 end
```

Handler for list callbacks.

```
563 local function list_handler(name)
564   return function(head, ...)
565     local ret
566     local alltrue = true
567     for _,i in ipairs(callbacklist[name]) do
568       ret = i.func(head, ...)
569       if ret == false then
570         luatexbase_warning(
571           "Function '" .. i.description .. "' returned false\n"
572           .. "in callback '" .. name .. "'")
573       )
574       break
575     end
576     if ret ~= true then
577       alltrue = false
578       head = ret
579     end
580   end
581   return alltrue and true or head
582 end
583 end
```

Handler for simple callbacks.

```
584 local function simple_handler(name)
585   return function(...)
586     for _,i in ipairs(callbacklist[name]) do
587       i.func(...)
588     end
589   end
590 end
```

Keep a handlers table for indexed access.

```
591 local handlers = {
592   [data]      = data_handler,
593   [exclusive] = exclusive_handler,
594   [list]      = list_handler,
```

```

595 [simple]      = simple_handler,
596 }

```

74.17.3 Public functions for callback management

Defining user callbacks perhaps should be in package code, but impacts on `add_to_callback`. If a default function is not required, it may be declared as `false`. First we need a list of user callbacks.

```

597 local user_callbacks_defaults = { }

```

`create_callback` The allocator itself.

```

598 local function create_callback(name, ctype, default)
599   if not name or name == ""
600   or not ctype or ctype == ""
601   then
602     luatexbase_error("Unable to create callback:\n" ..
603                       "valid callback name and type required")
604   end
605   if callbacktypes[name] then
606     luatexbase_error("Unable to create callback '" .. name ..
607                       "':\ncallback is already defined")
608   end
609   if default ~= false and type (default) ~= "function" then
610     luatexbase_error("Unable to create callback '" .. name ..
611                       "':\ndefault is not a function")
612   end
613   user_callbacks_defaults[name] = default
614   callbacktypes[name] = types[ctype]
615 end
616 luatexbase.create_callback = create_callback

```

`call_callback` Call a user defined callback. First check arguments.

```

617 local function call_callback(name,...)
618   if not name or name == "" then
619     luatexbase_error("Unable to create callback:\n" ..
620                       "valid callback name required")
621   end
622   if user_callbacks_defaults[name] == nil then
623     luatexbase_error("Unable to call callback '" .. name
624                       .. "':\nunknown or empty")
625   end
626   local l = callbacklist[name]
627   local f
628   if not l then
629     f = user_callbacks_defaults[name]
630     if l == false then
631       return nil
632     end
633   else
634     f = handlers[callbacktypes[name]](name)
635   end
636   return f(...)
637 end
638 luatexbase.call_callback=call_callback

```

`add_to_callback` Add a function to a callback. First check arguments.

```
639 local function add_to_callback(name, func, description)
640   if not name or name == "" then
641     luatexbase_error("Unable to register callback:\n" ..
642       "valid callback name required")
643   end
644   if not callbacktypes[name] or
645     type(func) ~= "function" or
646     not description or
647     description == "" then
648     luatexbase_error(
649       "Unable to register callback.\n\n"
650       .. "Correct usage:\n"
651       .. "add_to_callback(<callback>, <function>, <description>)"
652     )
653   end
```

Then test if this callback is already in use. If not, initialise its list and register the proper handler.

```
654   local l = callbacklist[name]
655   if l == nil then
656     l = { }
657     callbacklist[name] = l
```

If it is not a user defined callback use the primitive callback register.

```
658     if user_callbacks_defaults[name] == nil then
659       callback_register(name, handlers[callbacktypes[name]](name))
660     end
661   end
```

Actually register the function and give an error if more than one `exclusive` one is registered.

```
662   local f = {
663     func      = func,
664     description = description,
665   }
666   local priority = #l + 1
667   if callbacktypes[name] == exclusive then
668     if #l == 1 then
669       luatexbase_error(
670         "Cannot add second callback to exclusive function\n'" ..
671         name .. "'"")
672     end
673   end
674   table.insert(l, priority, f)
```

Keep user informed.

```
675   luatexbase_log(
676     "Inserting '" .. description .. "' at position "
677     .. priority .. " in '" .. name .. "'")
678 )
679 end
680 luatexbase.add_to_callback = add_to_callback
```

`remove_from_callback` Remove a function from a callback. First check arguments.

```

681 local function remove_from_callback(name, description)
682   if not name or name == "" then
683     luatexbase_error("Unable to remove function from callback:\n" ..
684                       "valid callback name required")
685   end
686   if not callbacktypes[name] or
687     not description or
688     description == "" then
689     luatexbase_error(
690       "Unable to remove function from callback.\n\n"
691       .. "Correct usage:\n"
692       .. "remove_from_callback(<callback>, <description>)"
693     )
694   end
695   local l = callbacklist[name]
696   if not l then
697     luatexbase_error(
698       "No callback list for '" .. name .. "'\n")
699   end

```

Loop over the callback's function list until we find a matching entry. Remove it and check if the list is empty: if so, unregister the callback handler.

```

700   local index = false
701   for i,j in ipairs(l) do
702     if j.description == description then
703       index = i
704       break
705     end
706   end
707   if not index then
708     luatexbase_error(
709       "No callback '" .. description .. "' registered for '" ..
710       name .. "'\n")
711   end
712   local cb = l[index]
713   table.remove(l, index)
714   luatexbase_log(
715     "Removing '" .. description .. "' from '" .. name .. "'."
716   )
717   if #l == 0 then
718     callbacklist[name] = nil
719     callback_register(name, nil)
720   end
721   return cb.func,cb.description
722 end
723 luatexbase.remove_from_callback = remove_from_callback

```

`in_callback` Look for a function description in a callback.

```

724 local function in_callback(name, description)
725   if not name
726     or name == ""
727     or not callbacklist[name]
728     or not callbacktypes[name]
729     or not description then

```

```

730     return false
731 end
732 for _, i in pairs(callbacklist[name]) do
733     if i.description == description then
734         return true
735     end
736 end
737 return false
738 end
739 luatexbase.in_callback = in_callback

```

`disable_callback` As we subvert the engine interface we need to provide a way to access this functionality.

```

740 local function disable_callback(name)
741     if(callbacklist[name] == nil) then
742         callback_register(name, false)
743     else
744         luatexbase_error("Callback list for " .. name .. " not empty")
745     end
746 end
747 luatexbase.disable_callback = disable_callback

```

`callback_descriptions` List the descriptions of functions registered for the given callback.

```

748 local function callback_descriptions (name)
749     local d = {}
750     if not name
751         or name == ""
752         or not callbacklist[name]
753         or not callbacktypes[name]
754     then
755         return d
756     else
757         for k, i in pairs(callbacklist[name]) do
758             d[k] = i.description
759         end
760     end
761     return d
762 end
763 luatexbase.callback_descriptions = callback_descriptions

```

`uninstall` Unlike at the T_EX level, we have to provide a back-out mechanism here at the same time as the rest of the code. This is not meant for use by anything other than `latexrelease`: as such this is *deliberately* not documented for users!

```

764 local function uninstall()
765     module_info(
766         "luatexbase",
767         "Uninstalling kernel luatexbase code"
768     )
769     callback.register = callback_register
770     luatexbase = nil
771 end
772 luatexbase.uninstall = uninstall
773  $\langle$ /lua $\rangle$ 

```

Reset the catcode of @.

```
774 \catcode'\@=\etacatcode\relax
```

File O

l^tfinal.dtx

75 Final settings

This section contains the final settings for L^AT_EX. It initialises some debugging and typesetting parameters, sets the default `\catcodes` and `uc/lc` codes, and inputs the hyphenation file.

75.1 Debugging

By default, L^AT_EX shows statistics:

```
1 \*2ekernel)
2 \tracingstats1
```

75.2 Typesetting parameters

```
\@lowpenalty These are penalties used internally.
\@medpenalty 3 \newcount\@lowpenalty
\@highpenalty 4 \newcount\@medpenalty
5 \newcount\@highpenalty
```

```
\newmarks Allocate extended marks types if etex is active. Placed here at the end of the
format to increase compatibility with count allocations in earlier releases.
```

```
6 \</2ekernel)
7 \<*2ekernel | latexrelease)
8 \<(latexrelease)\IncludeInRelease{2015/01/01}%
9 \<(latexrelease) {\newmarks}{Extended Allocation}%
10 \ifx\marks\@undefined\else
11 \def\newmarks{%
12 \e@alloc\marks \e@alloc@chardef{\count256}\m@ne\e@alloc@top}
13 \fi
14 \</2ekernel | latexrelease)
15 \<(latexrelease)\EndIncludeInRelease
16 \<(latexrelease)\IncludeInRelease{0000/00/00}%
17 \<(latexrelease) {\newmarks}{Extended Allocation}%
18 \<(latexrelease)\let\newmarks\@undefined
19 \<(latexrelease)\EndIncludeInRelease
20 \<*2ekernel)
```

```
\newXeTeXintercharclass Allocate \XeTeXintercharclass types if xetex is active. previously defined in
\XeTeXalloc@intercharclass xetex.ini.
\XeTeXalloc@intercharclass@top
```

```
21 \</2ekernel)
22 \<*2ekernel | latexrelease)
23 \<(latexrelease)\IncludeInRelease{2015/01/01}%
24 \<(latexrelease) {\newXeTeXintercharclass}{Extended Allocation}%
```

Classes allocated 1 to 4094 (or 254 on older xetex) (In earlier XeLaTeX versions 1, 2 and 3 were pre-set for CJK).

```
25 \ifx\XeTeXcharclass\@undefined
26 \else
```



```

27 \ifdim\the\XeTeXversion\XeTeXrevision\p@>0.99993\p@
28 \chardef\Xe@alloc@intercharclass@top=4095
29 \else
30 \chardef\Xe@alloc@intercharclass@top=255
31 \fi

32 \def\newXeTeXintercharclass{%
33 \Xe@alloc\XeTeXcharclass
34 \chardef\Xe@alloc@intercharclass\m@ne\Xe@alloc@intercharclass@top}
35 \fi

36 \</2kernel | latexrelease>
37 \<latexrelease>\EndIncludeInRelease
38 \<latexrelease>\IncludeInRelease{0000/00/00}%
39 \<latexrelease> \<newXeTeXintercharclass>\{Extended Allocation\}%
40 \<latexrelease> \ifx\XeTeXcharclass\@undefined
41 \<latexrelease> \else
42 \<latexrelease> \def\Xe@alloc@#1#2#3#4#5{\global\advance#1\@ne
43 \<latexrelease> \Xe@ch@ck#1#4#2%
44 \<latexrelease> \allocationnumber#1%
45 \<latexrelease> \global#3#5\allocationnumber
46 \<latexrelease> \wlog{\string#5=\string#2\the\allocationnumber}}
47 \<latexrelease> \def\Xe@ch@ck#1#2#3{%
48 \<latexrelease> \ifnum#1<#2\else
49 \<latexrelease> \errmessage{No room for a new #3}%
50 \<latexrelease> \fi}
51 \<latexrelease> \def\newXeTeXintercharclass{%
52 \<latexrelease> \Xe@alloc@\Xe@alloc@intercharclass
53 \<latexrelease> \XeTeXcharclass\chardef\@cclv}
54 \<latexrelease> \fi
55 \<latexrelease>\EndIncludeInRelease
56 \*2kernel | latexrelease>
57 \<latexrelease>\IncludeInRelease{2016/02/01}%
58 \<latexrelease> {\Xe@alloc@intercharclass}\{Start of XeTeX class allocator}%
59 \ifx\XeTeXcharclass\@undefined
60 \else
61 \countdef\Xe@alloc@intercharclass=257
62 \Xe@alloc@intercharclass=\z@
63 \fi
64 \</2kernel | latexrelease>
65 \<latexrelease>\EndIncludeInRelease
66 \<latexrelease>\IncludeInRelease{2015/01/01}%
67 \<latexrelease> {\Xe@alloc@intercharclass}\{Start of XeTeX class allocator}%
68 \<latexrelease> \ifx\XeTeXcharclass\@undefined
69 \<latexrelease> \else
70 \<latexrelease> \Xe@alloc@intercharclass=\thr@@
71 \<latexrelease> \fi
72 \<latexrelease>\EndIncludeInRelease
73 \<latexrelease>\IncludeInRelease{0000/00/00}%
74 \<latexrelease> {\Xe@alloc@intercharclass}\{Start of XeTeX class allocator}%
75 \<latexrelease> \ifx\XeTeXcharclass\@undefined
76 \<latexrelease> \else
77 \<latexrelease> \newcount\Xe@alloc@intercharclass
78 \<latexrelease> \Xe@alloc@intercharclass=\thr@@
79 \<latexrelease> \fi

```

```

80 <latexrelease>\EndIncludeInRelease
81 <*2ekernel>

```

The default values of the picture and \fbox parameters:

```

82 \unitlength = 1pt
83 \fboxsep = 3pt
84 \fboxrule = .4pt

```

The saved value of T_EX's \maxdepth:

```

85 \@maxdepth = \maxdepth

```

\vsize initialized because a \clearpage with \vsize < \topskip causes trouble.
 \@colroom and \@colht also initialized because \vsize may be set to them if a
 \clearpage is done before the \begin{document}

```

86 \vsize = 1000pt
87 \@colroom = \vsize
88 \@colht = \vsize

```

Initialise \textheight \textwidth and page style, to avoid internal errors if they
 are not set by the class.

```

89 \textheight=.5\maxdimen
90 \textwidth=\textheight
91 \ps@empty

```

75.3 Lccodes for hyphenation

For 7- and 8-bit engines the assumption of T1 encodings is the basis for the hyphenation patterns. That's not the case for the Unicode engines, where the assumption is engine-native working. The common loader system provides access to data from the Unicode Consortium covering not only \lccode but also other related data. The \lccode part of that at least needs to be loaded before hyphenation is tackled: XeT_EX follows the standard T_EX route of building patterns into the format. LuaT_EX doesn't require this data be loaded *here* but it does need to be loaded somewhere. Rather than test for the Unicode engines by name, the approach here is to look for the extended math mode handling both provide: any other engine developed in this area will presumably also provide \Umathcode.

```

92 \ifnum 0%
93   \ifx\Umathcode\@undefined\else 1\fi
94   \ifx\XeTeXmathcode\@undefined\else 1\fi
95   >\z@
96   \message{ Unicode character data,}
97   \input{load-unicode-data}
98 </2ekernel>
99 <latexrelease>\IncludeInRelease{2016/02/01}%
100 <latexrelease> {\XeTeXintercharclasses}{XeTeX character classes}%
101 <latexrelease> \ifx\XeTeXinterchartoks\undefined
102 <latexrelease> \else
103 <latexrelease>   \begingroup
104 <latexrelease>   \chardef\XeTeXcharclassID = 0 %
105 <latexrelease>   \chardef\XeTeXcharclassOP = 0 %
106 <latexrelease>   \chardef\XeTeXcharclassCL = 0 %
107 <latexrelease>   \chardef\XeTeXcharclassEX = 0 %
108 <latexrelease>   \chardef\XeTeXcharclassIS = 0 %

```

```

109 <latexrelease> \chardef\XeTeXcharclassNS = 0 %
110 <latexrelease> \chardef\XeTeXcharclassCM = 0 %
111 <latexrelease> \input{load-unicode-xetex-classes}
112 <latexrelease> \endgroup
113 <latexrelease> \global\let\xtxHanGlue\undefined
114 <latexrelease> \global\let\xtxHanSpace\undefined
115 <latexrelease> \global\XeTeXinterchartoks 0 1 = {}
116 <latexrelease> \global\XeTeXinterchartoks 0 2 = {}
117 <latexrelease> \global\XeTeXinterchartoks 0 3 = {}
118 <latexrelease> \global\XeTeXinterchartoks 1 0 = {}
119 <latexrelease> \global\XeTeXinterchartoks 2 0 = {}
120 <latexrelease> \global\XeTeXinterchartoks 3 0 = {}
121 <latexrelease> \global\XeTeXinterchartoks 1 1 = {}
122 <latexrelease> \global\XeTeXinterchartoks 1 2 = {}
123 <latexrelease> \global\XeTeXinterchartoks 1 3 = {}
124 <latexrelease> \global\XeTeXinterchartoks 2 1 = {}
125 <latexrelease> \global\XeTeXinterchartoks 2 2 = {}
126 <latexrelease> \global\XeTeXinterchartoks 2 3 = {}
127 <latexrelease> \global\XeTeXinterchartoks 3 1 = {}
128 <latexrelease> \global\XeTeXinterchartoks 3 2 = {}
129 <latexrelease> \global\XeTeXinterchartoks 3 3 = {}
130 <latexrelease> \fi
131 <latexrelease> \EndIncludeInRelease
132 <latexrelease> \IncludeInRelease{0000/00/00}%
133 <latexrelease> {\XeTeXintercharclasses}{XeTeX character classes}%
134 <latexrelease> \ifx\XeTeXinterchartoks\undefined
135 <latexrelease> \else
136 <latexrelease> \input{load-unicode-xetex-classes}
137 <latexrelease> \gdef\xtxHanGlue{\hskip0pt plus 0.1em\relax}
138 <latexrelease> \gdef\xtxHanSpace{\hskip0.2em plus 0.2em minus 0.1em\relax}
139 <latexrelease> \global\XeTeXinterchartoks 0 1 = {\xtxHanSpace}
140 <latexrelease> \global\XeTeXinterchartoks 0 2 = {\xtxHanSpace}
141 <latexrelease> \global\XeTeXinterchartoks 0 3 = {\nobreak\xtxHanSpace}
142 <latexrelease> \global\XeTeXinterchartoks 1 0 = {\xtxHanSpace}
143 <latexrelease> \global\XeTeXinterchartoks 2 0 = {\nobreak\xtxHanSpace}
144 <latexrelease> \global\XeTeXinterchartoks 3 0 = {\xtxHanSpace}
145 <latexrelease> \global\XeTeXinterchartoks 1 1 = {\xtxHanGlue}
146 <latexrelease> \global\XeTeXinterchartoks 1 2 = {\xtxHanGlue}
147 <latexrelease> \global\XeTeXinterchartoks 1 3 = {\nobreak\xtxHanGlue}
148 <latexrelease> \global\XeTeXinterchartoks 2 1 = {\nobreak\xtxHanGlue}
149 <latexrelease> \global\XeTeXinterchartoks 2 2 = {\nobreak\xtxHanGlue}
150 <latexrelease> \global\XeTeXinterchartoks 2 3 = {\xtxHanGlue}
151 <latexrelease> \global\XeTeXinterchartoks 3 1 = {\xtxHanGlue}
152 <latexrelease> \global\XeTeXinterchartoks 3 2 = {\xtxHanGlue}
153 <latexrelease> \global\XeTeXinterchartoks 3 3 = {\nobreak\xtxHanGlue}
154 <latexrelease> \fi
155 <latexrelease> \EndIncludeInRelease
156 <*2ekernel>

```

There is one over-ride that makes sense here (see below for the same for 8-bit engines): setting the lccode for - to itself.

```
157 \lccode'\- ='\- % default hyphen char
```

The alternative is that a “traditional” engine is in use.

```
158 \else
```

We set things up so that hyphenation files can assume that the default (T1) lccodes are in use (at present this also sets up the uccodes). We temporarily define `\reserved@a` to apply `\reserved@c` to all the numbers in the range of its arguments.

```

159 \def\reserved@a#1#2{%
160   \@tempcnta#1\relax
161   \@tempcntb#2\relax
162   \reserved@b
163 }
164 \def\reserved@b{%
165   \ifnum\@tempcnta>\@tempcntb\else
166     \reserved@c\@tempcnta
167     \advance\@tempcnta\@ne
168     \expandafter\reserved@b
169   \fi
170 }

```

Depending on the T_EX version, we might not be allowed to do this for non-ASCII characters.

```

171 \def\reserved@c#1{%
172   \count@=#1\advance\count@ by -"20
173   \uccode#1=\count@
174   \lccode#1=#1
175 }
176 \reserved@a{'\a}{'\z}
177 \reserved@a{"A0}{\BC}
178 \reserved@a{"E0}{\FF}

```

The upper case characters need their `\uccode` and `\lccode` values set, and their `\sfcode` set to 999.

```

179 \def\reserved@c#1{%
180   \count@=#1\advance\count@ by "20
181   \uccode#1=#1
182   \lccode#1=\count@
183   \sfcode#1=999
184 }
185 \reserved@a{'\A}{'\Z}
186 \reserved@a{"80}{\9C}
187 \reserved@a{"C0}{\DF}

```

Well, it would be nice if that were correct, but unfortunately, the Cork encoding contains some odd slots whose uccode or lccode isn't quite what you'd expect.

```

188 \uccode'\^^Y='^I      % dotless i
189 \lccode'\^^Y='^Y      % dotless i
190 \uccode'\^^Z='^J      % dotless j, ae in OT1
191 \lccode'\^^Z='^Z      % dotless j, ae in OT1
192 \lccode'\^^9d='^i     % dotted I
193 \uccode'\^^9d='^9d    % dotted I
194 \lccode'\^^9e='^9e    % d-bar
195 \uccode'\^^9e='^d0    % d-bar

```

Finally here is one that helps hyphenation in the OT1 encoding.

```

196 \lccode'\^^[='^^[    % oe in OT1

```

And we also set the `\lccode` of `\-` and `\textcompwordmark` so that they do not prevent hyphenation in the remainder of the word (as suggested by Lars Helström).

```
197 \lccode'\- ='\- % default hyphen char
198 \lccode 127=127 % alternate hyphen char
199 \lccode 23 =23 % textcompwordmark in T1
```

End of the conditional to select either Unicode or T1 encoding defaults.

```
200 \fi
```

This is as good a place as any to active a few XeTeX-specific settings

```
201 \ifx\XeTeXuseglyphmetrics\@undefined
202 \else
203   \XeTeXuseglyphmetrics=1 %
204   \XeTeXdashbreakstate=1 %
205 \fi
```

75.4 Hyphenation

The following code will be compiled into the format file. It checks for the existence of `hyphen.cfg` in inputs that file if found. Otherwise it inputs `hyphen.ltx`. Note that these are loaded in *before* the `\catcodes` are set, so local hyphenation files can use 8-bit input.

We try to load the customized hyphenation description file.

```
206 \InputIfFileExists{hyphen.cfg}
207   {\typeout{=====^^J%
208             Local configuration file hyphen.cfg used^^J%
209             =====}%
210   \def\@addtofilelist##1{\xdef\@filelist{\@filelist,##1}}%
211   }
212   {\input{hyphen.ltx}}
213 \let\@addtofilelist\@gobble
```

75.5 Font loading

Fonts loaded during the formatting process might already have changed the `\font@submax` from 0pt to something higher. If so, we put out a bold warning.

```
214 % \changes{v1.1c}{2000/08/23}{Fix typo in warning}
215 \ifdim \font@submax >\z@
216   \@font@warning{Size substitutions with differences\MessageBreak
217                 up to \font@submax\space have occurred.\MessageBreak
218                 \MessageBreak
219                 Please check the transcript file
220                 carefully\MessageBreak
221                 and redo the format generation if necessary!
222                 \@gobbletwo}%
223   \errhelp{Only stopped, to give you time to
224           read the above message.}
225   \errmessage{}
```

We reset the macro. Otherwise every user will get a warning on every job.

```
226 \def\font@submax{0pt}
227 \fi
```

75.6 Input encoding

We temporarily define `\reserved@a` to apply `\reserved@c` to all the numbers in the range of its arguments.

```
228 \def\reserved@a#1#2{%
229   \@tempcnta#1\relax
230   \@tempcntb#2\relax
231   \reserved@b
232 }
233 \def\reserved@b{%
234   \ifnum\@tempcnta>\@tempcntb\else
235     \reserved@c\@tempcnta
236     \advance\@tempcnta\@ne
237     \expandafter\reserved@b
238   \fi
239 }
```

Set the special catcodes (although some of these are useless, since an error will have occurred if the catcodes have changed). Note that `^^J` has catcode ‘other’ for use in warning messages.

```
240 \catcode'\ =10
241 \catcode'\# =6
242 \catcode'\$ =3
243 \catcode'\% =14
244 \catcode'\& =4
245 \catcode'\' =0
246 \catcode'\^ =7
247 \catcode'\_ =8
248 \catcode'\{ =1
249 \catcode'\} =2
250 \catcode'\~ =13
251 \catcode'\@ =11
252 \catcode'\^^I =10
253 \catcode'\^^J =12
254 \catcode'\^^L =13
255 \catcode'\^^M =5
```

Set the ‘other’ catcodes.

```
256 \def\reserved@c#1{\catcode#1=12\relax}
257 \reserved@c{'\!}
258 \reserved@c{'\"}
259 \reserved@a{'\' }{'\?}
260 \reserved@c{'\[}
261 \reserved@c{'\]}
262 \reserved@c{'\' }
263 \reserved@c{'\|}
```

Set the ‘letter’ catcodes.

```
264 \def\reserved@c#1{\catcode#1=11\relax}
265 \reserved@a{'\A }{'\Z}
266 \reserved@a{'\a }{'\z}
```

All the characters in the range 0–31 and 127–255 are illegal, *except* `tab` (`^^I`), `nl` (`^^J`), `ff` (`^^L`) and `cr` (`^^M`).

Now allow 8-bit characters, although their use in this way is strongly discouraged. See `inputenc.dtx` for a supported mechanism for 8-bit input.

```

267 \def\reserved@c#1{\catcode#1=15\relax}
268 \reserved@a{0}{'\^H}
269 \reserved@c{'\^K}
270 \reserved@a{'\^N}{31}

```

75.7 Lccodes and uccodes

We now again set up the default (T1) uc/lccodes. The lower case characters need their `\uccode` and `\lccode` values set. Some of this is a repeat of the set-up before loading hyphenation files. Depending on the T_EX version, we might not be allowed to do this for non-ASCII characters. For the Unicode engines (XeT_EX and LuaT_EX) there is no need to do any of this: they use hyphenation data which does not alter any of the set up and so this entire block is skipped.

```

271 \ifnum 0%
272   \ifx\Umathcode\@undefined\else 1\fi
273   \ifx\XeTeXmathcode\@undefined\else 1\fi
274   >\z@
275 \else
276 \def\reserved@c#1{%
277   \count@=#1\advance\count@ by -"20
278   \uccode#1=\count@
279   \lccode#1=#1
280 }
281 \reserved@a{'\a}{'\z}
282 \reserved@a{"A0}{"BC}
283 \reserved@a{"E0}{"FF}

```

The upper case characters need their `\uccode` and `\lccode` values set, and their `\sfcode` set to 999.

```

284 \def\reserved@c#1{%
285   \count@=#1\advance\count@ by "20
286   \uccode#1=#1
287   \lccode#1=\count@
288   \sfcode#1=999
289 }
290 \reserved@a{'\A}{'\Z}
291 \reserved@a{"80}{"9C}
292 \reserved@a{"C0}{"DF}

```

Well, it would be nice if that were correct, but unfortunately, the Cork encoding contains some odd slots whose `uccode` or `lccode` isn't quite what you'd expect.

```

293 \uccode'\^Y='I      % dotless i
294 \lccode'\^Y='^Y      % dotless i
295 \uccode'\^Z='J      % dotless j, ae in OT1
296 \lccode'\^Z='^Z      % dotless j, ae in OT1
297 \lccode'\^9d='i      % dotted I
298 \uccode'\^9d='^9d    % dotted I
299 \lccode'\^9e='^9e    % d-bar
300 \uccode'\^9e='^d0    % d-bar

```

Finally here is one that helps hyphenation in the OT1 encoding.

```

301 \lccode'\^[='^[      % oe in OT1
302 \fi % End of reset block for 8-bit engines

```

`\MakeUppercase` And whilst we're doing things with uc/lc tables, here are two commands to upper-
`\MakeUppercase` and lower-case a string.

`\@uclclist` *Note* that this implementation is subject to change! At the moment we're not providing any way to extend the list of uc/lc commands, since finding a good interface is difficult. These commands have some nasty features, such as uppercasing mathematics, environment names, labels, etc. A much better long-term solution is to use all-caps fonts, but these aren't generally available.

```

303 \DeclareRobustCommand{\MakeUppercase}[1]{%
304     \def\i{I}\def\j{J}%
305     \def\reserved@a##1##2{\let##1##2\reserved@a}%
306     \expandafter\reserved@a\@uclclist\reserved@b{\reserved@b\@gobble}%
307     \protected@edef\reserved@a{\uppercase{#1}}%
308     \reserved@a
309 }
310 \DeclareRobustCommand{\MakeLowercase}[1]{%
311     \def\reserved@a##1##2{\let##1##2\reserved@a}%
312     \expandafter\reserved@a\@uclclist\reserved@b{\reserved@b\@gobble}%
313     \protected@edef\reserved@a{\lowercase{#1}}%
314     \reserved@a
315 }
316 \def\@uclclist{\oe\OE\o\O\ae\AE
317     \dh\DH\dj\DJ\l\L\ng\NG\ss\SS\th\TH}

```

The above code works, but has the nasty side-effect that if you say something like:

```

\markboth{\MakeUppercase\contentsname}
         {\MakeUppercase\contentsname}

```

then the uppercasing is only done to the first letter of the contents name, since the mark expands out to:

```

\mark{\protect\MakeUppercase Table of Contents}
      {\protect\MakeUppercase Table of Contents}

```

In order to get round this, we redefine `\MakeUppercase` and `\MakeLowercase` to grab their argument and brace it. This is a very low-level hack, and is *not* recommended practice! This is an instance of a general problem that makes it unsafe to grab arguments unbraced, and probably needs a more general solution. For the moment though, this hack will do:

```

318 \protected@edef\MakeUppercase#1{\MakeUppercase{#1}}
319 \protected@edef\MakeLowercase#1{\MakeLowercase{#1}}

```

75.8 Applying Patch files

Between major releases, small patches will be distributed in files `ltpatch.ltx` which must be added at this point.

Patch file code removed.

```

320 %\IfFileExists{ltpatch.ltx}
321 %  {\typeout{=====^~J%
322 %           Applying patch file ltpatch.ltx^~J%
323 %           =====}}
324 %  \def\fmtversion@topatch{unknown}
325 %  \input{ltpatch.ltx}

```


[illegible]

```

338 % \def\fmtversion@topatch{0}%
339 % \ifx\fmtversion@topatch\patch@level\else
340 % \def\reserved@a\typeout##1##2\reserved@a{%
341 % \typeout{##1 patch level \patch@level}##2}
342 % \everyjob\expandafter\expandafter\expandafter{%
343 % \expandafter\reserved@a\the\everyjob\reserved@a}
344 % \let\reserved@a\relax
345 % \the\everyjob
346 % \fi
347 % \fi
348 % \else
349 % \typeout{^^J^^J^^J%
350 % !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!^^J%
351 % !! Patch file 'ltpatch.ltx' (for version <\fmtversion@topatch>)^^J%
352 % !! is not suitable for version <\fmtversion> of LaTeX.^^J^^J%
353 % !! Please check if initex found an old patch file:^^J%
354 % !! --- if so, rename it or delete it, and redo the^^J%
355 % !! initex run.^^J%
356 % !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!^^J}%
357 % \batchmode \@@end
358 % \fi
359 % \let\fmtversion@topatch\relax
360 % }{}

```

`\reserved@a` And just to make sure nobody relies on those definitions of `\reserved@b` and `\reserved@b` friends. These macros are reserved for use in the kernel. *Do not use them as general scratch macros.*

\toks

```

369 \toks4{}
370 \toks6{}
371 \toks8{}

```

`\errhelp` Empty the error help message, which may have some rubbish:

```

372 \errhelp{}

```

75.10 Initialise file list

`\@providesfile` Initialise for use in the document. During `initex` a modified version has been used which leaves debugging information for `latexbug.tex`.

```

373 \def\@providesfile#1[#2]{%
374   \wlog{File: #1 #2}%
375   \expandafter\xdef\csname ver@#1\endcsname{#2}%
376   \endgroup}

```

`\@filelist` Reset `\@filelist` so files input while making the format are not listed. The list built up so far may take up a lot of memory and so it is moved to `\reserved@a` where it will be overwritten as soon as almost any L^AT_EX command is issued in a class file. However the `latexbug.tex` program will be able to access this information and insert it into a bug report.

```

377 \let\@filelist\@gobble
378 \def\@addtofilelist#1{\xdef\@filelist{\@filelist,#1}}%

```

75.11 Dumping the format

Finally we make `@` into a letter, ensure the format will be in the ‘normal’ error mode, and dump everything into the format file.

```

379 \makeatother
380 \errorstopmode
381 \dump
382 \</2ekernel>

```

Change History

1985/11/04 ltmath.dtx LaTeX2.09	1989/04/29 ltfssbas.dtx v1.0h
General: produce warning message if line extends into margin.	General: Documented problem with <code>\halign</code> , and <code>\noalign</code> 147
Doesn't warn about formula overprinting equation number. 273	<code>\mathversion</code> : Test if version defined added. 155
1989/04/10 ltfssbas.dtx v1.0a	1989/04/29 ltfssbas.dtx v1.0i
General: Starting with version numbers! <code>\ifmmode</code> added in <code>\math@group</code> 147	General: Removed the <code>\halign</code> <code>\noalign</code> correction (wasn't bugfree) 147
1989/04/10 ltfssbas.dtx v1.0b	1989/04/29 ltfssini.dtx v1.0f
General: <code>\preload@sizes</code> added. 147	General: Corrections to L ^A T _E X tabular env. added. 217
<code>\wrong@fontshape</code> changed to define substitution font/shape macro. 147	1989/05/01 ltfssbas.dtx v1.0j
1989/04/10 ltfssini.dtx v1.0a	General: Default for <code>\baselinestretch</code> added. 147
General: Starting with version numbers <code>\newif</code> for <code>\@tempswa</code> added since this switch is unknown at the time when this file is read in. (latex.tex is loaded later.) <code>\math@famname</code> changed to <code>\math@version</code> . 217	1989/05/22 ltfssbas.dtx v1.0k
1989/04/14 ltfssbas.dtx v1.0c	General: Lines longer than 72 characters folded. 147
General: More documentation added. 147	1989/05/22 ltfssini.dtx v1.0g
1989/04/15 ltfssini.dtx v1.0b	General: Lines shortened to 72 characters 217
General: <code>\mathfontset</code> renamed to <code>\mathversion</code> . 217	1989/09/14 ltfssbas.dtx v1.0m
1989/04/19 ltfssbas.dtx v1.0d	General: Global replacement: <code>\group</code> to <code>\mathgroup</code> 147
General: Even more doc. 147	<code>\mathversion</code> : Corrected typo: <code>\endscname</code> to <code>\endcsname</code> . 155
1989/04/21 ltfssbas.dtx v1.0e	1989/11/07 ltfssini.dtx v1.0i
General: Documentation is fun! Parameters of <code>\define@mathalphabet</code> changed. 147	General: All family, series, and shape names abbreviated. 217
1989/04/21 ltfssini.dtx v1.0c	1989/11/08 ltfssbas.dtx v1.0o
General: Changed to conform to fam.tex. 217	General: First parameter of <code>\define@mathalphabet</code> and <code>\define@mathgroup</code> changed from string to control sequence. 147
1989/04/23 ltfssbas.dtx v1.0f	1989/11/14 ltfssbas.dtx v1.0p
General: % in <code>\getanddefinefonts</code> added. 147	<code>\math@version</code> : Math version prefix 'mv@' added. 155
1989/04/26 ltfssini.dtx v1.0d	1989/11/19 ltfssbas.dtx v1.0q
General: <code>\xpt</code> added. 217	<code>\define@newfont</code> : Group added. 157
1989/04/27 ltfssbas.dtx v1.0g	<code>\wrong@fontshape</code> : Instead of calling <code>\family\default@family</code> , etc. we directly set <code>\f@family</code> , etc. 160
General: Documentation revised. 147	1989/11/22 ltfssbas.dtx v1.0r
1989/04/27 ltfssini.dtx v1.0e	<code>\math@version</code> : <code>\def</code> → <code>\edef</code> for <code>\math@version</code> . 155
General: Definitions of L ^A T _E X symbols corrected. 217	1989/11/25 ltfssbas.dtx v1.0s
	General: All <code>\edef\font@name</code> changed to <code>\xdef\font@name</code> .

Necessary after introduction of <code>\begingroup/\endgroup</code> in v1.0q.	147	1990/01/21 ltfssstrc.dtx v1.2b <code>\use@mathgroup</code> : Macro added to allow cleaner interface.	178
<code>extra//</code> \rightarrow <code>+</code> in <code>\extra@def</code> . . .	147	1990/01/23 ltfssbas.dtx v1.2c General: <code>\no@version@warning</code> renamed to <code>\no@alphabet@error</code>	147
1989/11/26 ltfssbas.dtx v1.0t <code>\select@group: \bgroup/\egroup</code> changed to <code>\begingroup/\endgroup</code> to avoid empty Ord atom on math list.	162	Macro <code>\no@alphabet@help</code> added	147
1989/12/02 ltfssini.dtx v1.1b General: <code>\rmmath</code> renamed to <code>\mathrm</code>	217	<code>\no@alphabet@error</code> : Changed to error call	147
1989/12/03 ltfssini.dtx v1.1c General: Some internal macros renamed to make them inaccessible.	217	1990/01/25 ltfssini.dtx v1.1e <code>\nfss@text</code> : Macro added.	220
1989/12/05 ltfssbas.dtx v1.0u <code>\addto@hook: \addto@hook</code> added.	167	1990/01/27 ltfssbas.dtx v1.2d <code>\DeclarePreloadSizes</code> : Font identifier set to <code>\relax</code>	152
1989/12/05 ltfssstrc.dtx v1.0u fam.dtx <code>\every@math@size</code> : Hook <code>\every@size</code> added.	175	1990/01/28 ltfssbas.dtx v1.2e <code>\mathgroup: \newfam</code> let to <code>\new@mathgroup</code>	147
1989/12/13 ltfssstrc.dtx v1.0f <code>\use@mathgroup: \expandafter</code> added before final <code>\fi</code>	178	1990/01/28 ltfssbas.dtx v1.2f <code>\define@newfont</code> : Added call to <code>\curr@fontshape</code> macro to allow substitution.	158
1989/12/16 ltfssbas.dtx v1.1a <code>\select@group: \relax</code> in front added.	162	<code>\wrong@fontshape</code> : Warning message slightly changed. . . .	160
Now four arguments.	162	1990/01/28 ltfssini.dtx v1.2b <code>\em</code> : Call to <code>\@nomath</code> added. . . .	218
Redefinition of alphabet now simpler.	163	1990/02/08 ltfssini.dtx v1.1g General: Protected the commands <code>\family</code> , <code>\series</code> , <code>\shape</code> , <code>\size</code> , <code>\selectfont</code> , and <code>\mathversion</code>	217
Usage of <code>'=</code> macro added. . . .	163	1990/02/16 ltfssbas.dtx v1.2g General: Support for changes of <code>\baselineskip</code> without changing the size.	147
1989/12/16 ltfssstrc.dtx v1.1a <code>\selectfont</code> : Changed order of calls.	172	<code>\math@version: \@nomath</code> added. . . .	155
<code>\use@mathgroup</code> : Redefinition of alphabet now simpler.	178	1990/02/16 ltfssstrc.dtx v1.0i <code>\selectfont</code> : Changed <code>\f@size</code> to <code>\lcl@currsz</code> (see fam file). . . .	172
Usage of <code>'=</code> macro added. . . .	178	1990/02/18 ltfssstrc.dtx v1.0j General: Redefine unprotected version <code>\p@selectfont</code> instead of <code>\selectfont</code>	172
1990/01/18 ltfssstrc.dtx v1.0h General: <code>\tracingfonts</code> meaning changed.	168	1990/03/14 ltfssstrc.dtx v1.0k General: Added code for TeX3. . . .	168
1990/01/20 ltfssbas.dtx v1.2a <code>\math@bgroup</code> : Def. placed in this file.	164	<code>\extract@font</code> : Added code for TeX3.	171
<code>\math@egroup</code> : Def. placed in this file.	164	<code>\selectfont</code> : Added code for TeX3.	172
<code>\select@group</code> : Def for alph id changed.	163	1990/03/30 ltfssbas.dtx v1.2h <code>\math@egroup</code> : Changed to have one arg.	164
1990/01/21 ltfssbas.dtx v1.2b <code>\select@group</code> : Code moved to <code>\use@mathgroup</code>	163		

1990/03/30 ltfssstrc.dtx v1.2h	1990/08/27 ltfssstrc.dtx 1.0r
\use@mathgroup: Third argument removed (see \math@egroup). 178	\type@restoreinfo: Some extra tracing info. 174
1990/04/01 ltfssbas.dtx v1.2i	1990/08/27 ltfssstrc.dtx v1.0r
General: Code added from tracefnt.dtx. 147	\getanddefine@fonts: Correcting missing name after
Support for TeX3. 147	\tracingon. 179
1990/04/01 ltfssstrc.dtx v1.0l	1991/03/28 ltfssini.dtx v1.1m
General: Part of code moved to fam.dtx. 168	\copyright: Extra braces added. 220
\tracingfonts: Check if \tracingfonts already defined. 169	1991/03/30 ltfssini.dtx v1.2g
1990/04/01 ltfssstrc.dtx v1.0o	\newfont: Definition added. 219
\tracingfonts: Check if \tracingfonts defined removed again. 169	\symbol: Definition added. 219
1990/04/02 ltfssini.dtx v1.1i	1991/07/24 ltmiscen.dtx LaTeX2.09
General: \input of files now handled by docstrip. 217	\@verbatim: Added
1990/04/05 ltfssstrc.dtx v1.0m	\penalty\interlinepenalty to definition of \par so that \samepage works 264
\selectfont: Call \tracingon only if \tracingfonts greater than 3. 172	1991/08/14 ltmath.dtx LaTeX2.09
1990/05/05 ltfssstrc.dtx v1.0n	\cases: (RmS) inserted extra braces around entry for NFSS 270
\selectfont: \tracingon with new syntax. 172	1991/08/14 ltpictur.dtx LaTeX2.09
1990/06/23 ltfssini.dtx v1.1k	General: (RmS) inserted extra braces around entry for NFSS 331
\nfss@text: Changed to \mbox. 220	1991/08/14 ltthm.dtx LaTeX2.09
1990/06/24 ltfssbas.dtx v1.2j	\@endtheorem: Moved \itshape after \item to make it work with NFSS 353
\DeclarePreloadSizes: Missing percent added. 151	1991/08/26 ltfssini.dtx v1.1n
1990/06/24 ltfssstrc.dtx v1.0o	\p@reset@font: Macro introduced 220
\baselinestretch: Moved to tracefnt.dtx. 175	1991/08/26 ltmiscen.dtx LaTeX2.09
\getanddefine@fonts: \Adding tracing code. 179	\@verbatim: \@@par added 264
\Macro moved from fam.dtx. 179	1991/08/26 ltpictur.dtx LaTeX2.09
Adding debug code. 179	\endpicture: (RmS & FmI) extra boxing level around \@picbox to guard against unboxing in math mode (proposed by John Hobby) 330
\use@mathgroup: Tracing code added. 178	1991/08/26 ltplain.dtx LaTeX2.09
1990/06/30 ltfssbas.dtx v1.2l	\tracingall: Added \errorcon-textlines=\maxdimen, suggested by J. Schrod 29
\showhyphens: Macro added. 165	1991/09/29 ltboxes.dtx LaTeX2.09
1990/06/30 ltfssstrc.dtx v1.0p	\@mpfootnotetext: (RmS) added
\use@mathgroup: Added \relax after math group number. 178	\reset@font 303
1990/07/07 ltfssstrc.dtx v1.0q	1991/09/29 ltfloating.dtx LaTeX2.09
\getanddefine@fonts: Group number added to tracing. 179	\@footnotetext: (RmS) added
\math@egroup: Tracing code added. 178	\reset@font 382
\use@mathgroup: Group number added to tracing. 178	1991/09/29 ltmath.dtx LaTeX2.09
	\@eqnum: RmS: \reset@font added. 273
	1991/09/29 ltsect.dtx LaTeX2.09
	\@dottedtocline: (RmS) added
	\reset@font for page number 363

- 1991/10/17 ltcentrl.dtx LaTeX209
`\@tfor`: (Rms) `\xdef` replaced by
`\def` (See FMi's array.doc) . . . 54
- 1991/10/25 ltbibl.dtx LaTeX2.09
`\@citex`: added `\reset@font`,
suggested by Bernd Raichle. 387
- 1991/11/01 ltfloat.dtx LaTeX2.09
`\footnote`: (RmS) Added
`\let\protect\noexpand` in
`\footnote`, `\footnotemark`,
and `\footnotetext`, since
`\xdef` is used 381
- 1991/11/04 ltlists.dtx LaTeX2.09
`\makelabel`: (RmS) added default
definition for `\makelabel`, to
produce an error message. . . 291
- 1991/11/04 ltplain.dtx RmS
General: Removed `\itemitem` since
never needed/useful with
 \LaTeX 27
- 1991/11/06 ltbibl.dtx LaTeX2.09
`\@citex`: added code to remove a
leading blank 387
- 1991/11/13 ltbibl.dtx LaTeX2.09
`\@bibitem`: Changed counter
enumi to enumiv, as it says in
the comment above 387
- 1991/11/21 ltssini.dtx v1.1o
`\p@reset@font`: Added extra
braces for robustness. 220
Changed to protected version of
macro. 220
- 1991/11/22 ltfloat.dtx LaTeX2.09
`\footnote`: (RmS) Added
`\let\protect\noexpand` in
`\xfootnote`,
`\xfootnotemark`, and
`\xfootnotetext` 381
- 1991/11/22 ltlists.dtx LaTeX2.09
`\@item`: (RmS) Changed second
call to `\makelabel` to
`\unhbox\@tempboxa`. Avoids
problems with side effects in
`\makelabel` and is more
efficient. 291
- 1991/11/27 ltssbas.dtx v1.3a
General: All `\family`, `\shape` etc.
renamed to `\fontfamily` etc. 147
- 1991/11/27 ltssini.dtx v1.2a
General: All `\family`, `\shape` etc.
renamed to `\fontfamily` etc. 217
- 1992/01/06 ltssini.dtx v1.2c
General: added `slitex` code 217
- 1992/01/10 ltbibl.dtx LaTeX2.09
`\@bibitem`: Changed `\c@enumiv` to
`\value of \@listctr` 387
- 1992/01/10 ltmath.dtx LaTeX2.09
`equation`: RmS: put `\hbox` around
`\@eqnnum` to typeset the
equation number in text mode
(as in the `eqnarray` env.) . . . 273
- 1992/01/10 ltthm.dtx LaTeX2.09
`\@othm`: (RmS) Check for existence
of theorem environment . . . 352
- 1992/01/14 ltbibl.dtx LaTeX2.09
`\@biblabel`: removed `\hfill` . . . 389
- 1992/01/14 ltsect.dtx 0.0
`\@starttoc`: (RmS) added
`\immediate` to `\openout` as all
`\write` commands are also
executed `\immediate` 362
- 1992/02/26 ltbibl.dtx LaTeX2.09
`\@lbibitem`: Added `\hfill` to
restore left-alignment of
bibliography labels in alpha
style 387
- 1992/03/18 ltdefs.dtx LaTeX209
General: (RMS) changed input
channel from 0 to
`\inputcheck` to avoid
conflicts with other channels
allocated by `\newread` 36
- 1992/03/18 ltfloat.dtx LaTeX2.09
`\@xympar`: (RmS) added
`\global\@ignorefalse` 377
`\end@float`: (RmS) changed
`\@esphack` to `\@Esphack` . . . 371
- 1992/03/18 ltlists.dtx 0.0
General: RmS: added
`\@nmbrlistfalse` 288
- 1992/03/18 ltmiscen.dtx LaTeX2.09
`\begin`: Changed `\@ignoretrue` to
`\@ignorefalse` (as
documented) 262
- 1992/03/21 ltssini.dtx v1.2d
General: Renamed `\text` to
`\nfss@text` to make it
internal. 217
- 1992/05/12 ltssbas.dtx v1.3c
`\extract@alph@from@version`:
Macro added. 163
`\select@group`: Added call to `\ex-`
`tract@alph@from@version`. . 163
- 1992/07/26 ltssbas.dtx v1.9a
`\curr@fontshape`: 157
`\DeclareFontShape`: Introduced
`\DeclareFontShape` 148

<code>\define@newfont:</code>	157	<code>\@seccntformat</code>	357
<code>\math@fonts:</code>	162	1992/09/18 <code>ltlists.dtx</code> LaTeX2.09	
<code>\select@group:</code>	162, 163	General: (RmS) Added warning if	
<code>\split@name:</code> Added splitting into		<code>\item</code> is used in math mode	289
<code>\f@encoding.</code>	157	1992/09/18 <code>lftab.dtx</code> LaTeX2.09	
<code>\wrong@fontshape:</code>	160	<code>\@array:</code> Changed <code>\par</code> to	
1992/07/26 <code>lftsstrc.dtx</code> v2.0b		<code>\@empty</code> to avoid starting new	
<code>\sfct@:</code>	187	row e.g. after <code>\hline</code>	317
<code>\sfct@sub:</code>	188	1992/09/19 <code>lftsstrc.dtx</code> v2.0c	
<code>\selectfont:</code>	172	<code>\try@simple@size:</code>	181
<code>\try@simple@size:</code>	181, 182	1992/09/21 <code>lftssini.dtx</code> v1.4d	
<code>\try@size@range:</code>	185	<code>\not@math@alphabet:</code> Macro	
<code>\use@mathgroup:</code>	178	defined.	218
1992/08/14 <code>ltbibl.dtx</code> LaTeX2.09		1992/09/22 <code>lftssbas.dtx</code> v1.91a	
<code>\@citex:</code> added missing argument		General: Introduced <code>\tf@size</code> for	
braces around <code>\hbox</code> , found by		math size.	147
Ed Sznyter	387	1992/09/22 <code>lftsstrc.dtx</code> v2.1a	
1992/08/14 <code>ltboxes.dtx</code> LaTeX2.09		<code>\getanddefine@fonts:</code> Introduced	
<code>\endminipage:</code> (RmS) replaced		<code>\tf@size</code> for math size.	179
<code>\vskip-\lastskip</code> by <code>\unskip</code>		1992/11/13 <code>lftssini.dtx</code> v?	
(proposed by FMi)	303	<code>\hexnumber@:</code> Made expandable. . .	219
1992/08/17 <code>ltbibl.dtx</code> LaTeX2.09		1992/11/23 <code>ltcounts.dtx</code> LaTeX2.09	
<code>\@citex:</code> simplified code for		<code>\stepcounter:</code> Replaced <code>{}</code> in	
removing leading blanks in		<code>\stepcounter</code> by <code>\begingroup</code>	
citation key (proposed by		<code>\endgroup</code> to avoid adding an	
Frank Jensen and Kresten		empty ord in math mode . . .	141
Krab Thorup)	387	1992/11/26 <code>ltboxes.dtx</code> LaTeX2.09	
1992/08/19 <code>ltsect.dtx</code> 0.0		<code>\@mpfootnotetext:</code> (RmS) added	
<code>\@xsect:</code> (RmS) corrected bug:		protection for <code>\edef</code>	303
stretch and shrink in argument		1992/11/26 <code>lftfloat.dtx</code> LaTeX2.09	
to <code>\hskip</code> previously not		<code>\@footnotetext:</code> (RmS) added	
negated	358	protection for <code>\edef</code>	382
1992/08/19 <code>ltthm.dtx</code> LaTeX2.09		<code>\footnote:</code> (RmS) Changed all to	
<code>\@othm:</code> (RmS) Changed error		<code>'def'protect'noexpand'protect'noexpand</code>	
message to complain about		381
undefined counter	352	1992/12/03 <code>lftssini.dtx</code> v?	
1992/08/20 <code>lftssini.dtx</code> v1.4b		<code>\hexnumber@:</code> Make it accept	
<code>\@setsize:</code> Added <code>\@currsize.</code> .	219	counters.	219
1992/08/24 <code>ltdefns.dtx</code> LaTeX2.09		1993/03/08 <code>preload.dtx</code> v2.0b	
<code>\@ifnextchar:</code> (Rms)		General: Added 12pt preloads . .	241
<code>\@ifnextchar</code> didn't work if its		1993/03/18 <code>lftssbas.dtx</code> v2.0c	
first argument was an equal		General: Changed all <code>\@tempdima</code>	
sign.	46	in <code>\@tempdimb</code> to avoid killing	
1992/08/24 <code>ltmiscen.dtx</code> LaTeX2.09		<code>\numberline</code>	147
<code>\begin:</code> Added code to <code>\begin</code> to		1993/03/18 <code>lftsstrc.dtx</code> v2.1b	
remember line number. Used		General: Changed all <code>\@tempdima</code>	
by <code>\@badend</code> to display position		in <code>\@tempdimb</code> to avoid killing	
of non-matching <code>\begin.</code> . . .	262	<code>\numberline</code>	168
<code>\verb:</code> Changed <code>\verb</code> and		Changed all <code>\@tempdimb</code> in	
<code>\@sverb</code> to work correctly in		<code>\@tempdimx</code> to avoid killing	
math mode	265	<code>\numberline</code>	168
1992/08/25 <code>ltsect.dtx</code> LaTeX2.09		1993/03/18 <code>lftsstrc.dtx</code> v2.1c	
<code>\@sect:</code> (FMi) replaced explicit		<code>\DeclareSizeFunction:</code> Added all	
setting of <code>\@svsec</code> by call to		args to avoid blanks problems	184

1993/04/09 lterror.dtx v1.0e	1993/09/02 ltfsstrc.dtx v2.1i
<code>\@latexerr</code> : Mention The Companion 60	General: Corrected name of <code>sgen</code> size function. 168
1993/04/11 lterror.dtx v1.0f	1993/09/03 ltmiscen.dtx LaTeX2.09
<code>\@latexerr</code> : Remove setting of <code>errorcontextlines</code> 60	<code>\verbatim@nolig@list</code> : Replaced <code>\@noligs</code> by extensible list . . 265
1993/05/05 ltfntcmd.dtx v2.0b	1993/09/07 ltmiscen.dtx LaTeX2.09
General: Removed all LaTeX related cmds 245	<code>\verb@balance@group</code> : (RmS) Changed definition of <code>\verb</code> so that it detects a missing second delimiter. 265
1993/05/16 ltfsbas.dtx v2.0e	1993/09/08 ltmiscen.dtx LaTeX2.09
<code>\showhyphens</code> : Use <code>\reset@font</code> 165	<code>\enddocument</code> : Added warning in case of undefined references. 259
1993/07/16 ltfsstrc.dtx v2.1h	1993/09/15 ltfsbas.dtx v2.0g
General: Changed layout of info messages 168	<code>\DeclareFontEncoding</code> : Corrected: <code>\default@T</code> to <code>\default@M</code> . . 150
1993/07/17 ltoutenc.dtx 1.0d	1993/09/15 ltfsstrc.dtx v2.1j
General: changed <code>\catcoding @</code> . 93	General: Corrected spelling of <code>\noexpand</code> 168
1993/08/03 ltmiscen.dtx LaTeX2.09	1993/09/19 lterror.dtx LaTeX2.09
<code>\enddocument</code> : Changed redefinition of <code>\global</code> to redefinition of <code>\@setckpt</code> . . . 259	<code>\@invalidchar</code> : (RmS) Error message for invalid input characters. 62
1993/08/05 ltpictur.dtx LaTeX2.09	1993/11/02 ltmath.dtx LaTeX2.09
<code>\circle</code> : (RMS) Added error message if <code>\circle</code> is used in math mode. 346	General: RmS: Corrected description of <code>\@eqnset</code> , moved <code>\@eqnset</code> accordingly and removed extra <code>\tabskip</code> assignment. 273
1993/08/05 ltsect.dtx LaTeX2.09	1993/11/03 ltmath.dtx LaTeX2e
<code>\@sect</code> : (RmS) Made sure that <code>\protect</code> works correctly in expansion of <code>\the counter</code> . . 357	General: RmS: Initialized <code>\everycr</code> to empty 273
1993/08/05 ltspc.dtx LaTeX2e	1993/11/03 ltpictur.dtx LaTeX2.09
<code>\@hspace</code> : (RmS) Removed superfluous <code>\leavevmode</code> in <code>\@hspace</code> and <code>\@hspacer</code> , as suggested by CAR. 78	General: (RmS) changed <code>\halign</code> to <code>\ialign</code> to initialize <code>\tabskip</code> and <code>\everycr</code> . . . 331
1993/08/05 lttab.dtx latex2e	1993/11/11 ltfsini.dtx v2.1a
<code>\tabular*</code> : Replaced <code>\expandafter\def</code> by <code>\@namedef</code> 317	<code>\normalfont</code> : Macro added 220
1993/08/06 ltbibl.dtx LaTeX2.09	1993/11/11 ltfsstrc.dtx v2.2a
<code>\@citex</code> : Moved writing to .aux file in loop over citation keys so that leading blanks are removed there as well. 387	General: Option concept added for LaTeX2e 168
1993/08/13 ltoutenc.dtx 1.0f	1993/11/14 ltclass.dtx v0.2a
General: Protected against active <code>@</code> sign. 93	<code>\@currentx</code> : Name changed from <code>\@currentextension</code> 467
1993/08/13 preload.dtx v2.0c	<code>\@fileswithoptions</code> : Moved resetting of <code>\default@ds</code> , <code>\ds@</code> and <code>\@declaredoptions</code> here, from the end of <code>\ProcessOptions</code> 477
1993/08/16 ltoutenc.dtx 1.0g	<code>\@reset@options</code> : macro added . . 478
General: Needs space after <code>\string</code> 93	<code>\AtEndDocument</code> : Included extension in the generated
1993/08/18 ltfsdcl.dtx v2.0e	
<code>\new@mathversion</code> : Exchanged names of encodings in warning message of <code>\SetSymbolFont</code> . 202	

macro name for package and class hooks.	479	1993/11/22 ltclass.dtx v0.2f	
\documentstyle: Added		\@fileswithoptions: Made the default [] not	
\RequirePackage		[\@unknownversion]	475
\@unusedoptionlist stuff. . .	474	Made the initial version [] not	
\g@addto@macro: Made global . .	479	[\@unknownversion]	477
\NeedsTeXFormat: made more robust for alternative syntax for other formats.	475	\@ifclasslater: Added //00 so parsing never produces a runaway argument.	469
\ProcessOptions*: Optimise 'empty option' code.	472	General: \@unknownversion removed	482
Stop adding the global option list inside class files.	472	1993/11/22 ltdefs.dtx LaTeX2e	
1993/11/15 ltclass.dtx v0.2b		\@minus: Macro added	35
\documentstyle: Modified to match \ProcessOption* . . .	474	\@plus: Macro added	35
\ProcessOptions*: Star form added.	472	\CheckCommand: Macro added . . .	41
1993/11/17 ltclass.dtx v0.2c		\providecommand: Macro added . .	41
\@@fileswith@pti@ns: Macro added	478	1993/11/22 lterror.dtx LaTeX2e	
\@badrequireerror: Macro added	480	\c@errorcontextlines: Macro added	59
\@fileswithoptions: Added trap for two \LoadClass commands.	478	1993/11/22 ltfiles.dtx LaTeX2e	
\@twoloadclasserror: Macro added	480	\listfiles: Removed checking for \@unknownversion	88
\CurrentOption: Name changed from \@curroption	467	1993/11/22 ltlength.dtx LaTeX2e	
\DeclareOption*: Error checking added	471	\@settodim: Macro added	146
\NeedsTeXFormat: Name changed from \NeedsFormat	475	\@settopoint: Macro added	146
\ProcessOptions*: restoring \@fileswith@pti@ns added.	472	\settodepth: Macro added	146
1993/11/18 ltclass.dtx v0.2d		\settoheight: Macro added	146
\documentstyle: Modified		1993/11/22 ltlogos.dtx LaTeX2e	
\RequirePackage stuff. . . .	474	\LaTeXe: Macro added	79
\ExecuteOptions: Use		1993/11/23 ltclass.dtx v0.2g	
\CurrentOption not		\@use@option: Name changed from \@executeoption	473
\reserved@a	473	General: Various macros now moved to latex.tex.	467
\NeedsTeXFormat: \fmtname		Warnings and errors now directly coded.	467
\fmtversion not \@... . . .	475	1993/11/23 ltdefs.dtx LaTeX2e	
1993/11/21 ltfiles.dtx LaTeX2e		\@argdef: Macro added	37
\@missingfileerror: Stop infinite looping on \@er@ext	87	\@ifundefined: Redefined to remove a trailing \fi	46
1993/11/21 ltmiscen.dtx v0.9a		\@newcommand: Macro added	37
\@verbatim: use \verbatim@font instead of \tt	264	\@newenv: Macro interface changed	40
\verb: Use \verbatim@font instead of \tt.	265	\@xargdef: Macro interface changed	37
\verbatim@font: Macro added . .	265	\@yargdf: Avoid \@?@? token . .	38
		Macro interface changed	38
		\newcommand: Macro reimplemented and extended . .	37
		\renewcommand: Macro reimplemented and extended . .	39
		\renewenvironment: Macro reimplemented and extended . .	40
		\two@digits: Macro added	34

1993/11/23 ltoutput.dtx v0.1a	\@imakebox: macro modified ... 296
\paperheight: Register added ... 406	\@irsbox: redefined to support
\paperwidth: Register added ... 406	\height 305
1993/11/23 ltoutput.dtx v0.1c	\@isavebox: color support 298
\@enlargepage: Command added 446	extra group 298
\@kludgeins: Insert added 446	\@isavepicbox: extra group 298
\@makecol: Command changed .. 416	\@makebox: default changed from x
\@specialoutput: Command	to c 296
changed 409	\@makepicbox: macro modified .. 297
\enlargethispage*: Commands	\@savebox: default c not x 298
added 446	\bm@b: macros added 296
1993/11/24 ltfntcmd.dtx v2.1a	\endlrbox: macro added 298
\maybeic@: Use \t@st@ic 250	\fbox: extra group 299
\t@st@ic: Macro added 250	\lrbox: color support 298
1993/11/24 ltfssini.dtx v2.1a	macro added 298
General: Removed \xpt stuff ... 220	\makebox: modified 295
1993/11/24 ltlogos.dtx LaTeX2e	\mbox: extra group 296
\LaTeX: Macro changed 79	\minipage: Redefined to support
1993/11/28 ltclass.dtx v0.2h	extra optional arguments ... 302
\@twoclasseserror: Macro added 480	\newsavebox: Pass the whole of
General: Assorted commands now	arg 1 to \@ifdefinable 297
in the kernel removed. 467	\parbox: Redefined to support
Directory syntax checing moved	extra optional arguments ... 300
to dircheck.dtx 467	\raisebox: redefined to support
Primitive filenames now	\height 304
terminated by space not	\sbox: color support 298
\relax. 467	extra group 298
\endfilecontents: Don't globally	\set@color: color support 297
allocate a write stream (always	macro added 297
use 15) 480	1993/12/03 ltclass.dtx v0.2i
1993/11/28 ltfiles.dtx LaTeX2e	\@cls@pkg: Name changed to avoid
\@missingfileerror: Use filename	clash with output routine. ... 479
parser from dircheck 87	General: \@onlypreamble: Many
1993/11/29 ltoutput.dtx v1.0b	commands declared. 467
\@makecol: \@makespecialcolbox	Removed obsolete
added 416	\@documentclass 467
\@makespecialcolbox: Command	1993/12/03 lterror.dtx v1.0b
added 417	\@latexerr: Set
1993/11/29 ltplain.dtx LaTeX2e	\c@errorcontextlines to -1 . 60
General: All accents in decimals;	1993/12/03 ltfssini.dtx v2.1a
suggested by Paul Taylor 28	General: update for LaTeX2e ... 217
1993/11/30 ltoutput.dtx v1.0c	1993/12/04 ltfiles.dtx v0.9b
\fl@tracemessage: Commands	\@iinput: Macro reimplemented . 87
added 448	\@input: Macro reimplemented . 87
1993/12/01 fontdef.dtx v2.1a	\IfFileExists: Macro added ... 86
General: Update for LaTeX2e ... 223	\input: Macro reimplemented .. 87
1993/12/01 ltoutput.dtx v1.0e	\InputIfFileExists: Macro
\@reinserts: Command added . 417	added 87
1993/12/03 ltboxes.dtx v0.1a	1993/12/05 ltfloat.dtx LaTeX2e
\@argsbox: macro removed 304	\@dblfloatplacement: Command
\@begin@tempboxa: macro added 296	changed 374
\@end@tempboxa: macro added .. 296	\@xfloat: Command changed .. 368
\@irsbox: redefined to support	1993/12/05 ltoutput.dtx v1.0f
\height 305	\@addtobot: Command changed . 428

\@addtocurcol: Command	1993/12/07 ltclass.dtx v0.2m
changed 429	\@fileswithoptions: Reset
\@addtodblcol: Command	\CurrentOption 477
changed 440	1993/12/07 ltoutenc.dtx 1.1
\@addtonextcol: Command	General: Protected all special
changed 436	characters with \string. 93
\@addtotoporbot: Command	1993/12/07 ltoutenc.dtx v1.1
changed 428	General: Made all character
\@boxfpsbit: Command added . 451	numbers decimal. 90
\@flcheckspace: Command	Removed a lot of equal signs
added 453	and the like. 90
\@flsetnum: Command added . . 452	1993/12/08 ltboxes.dtx v0.1b
\@flsettextmin: Command	\@begin@tempboxa: Extra braces
added 453	for color support (braces
\@flstop: Commands added . . . 449	removed from other macros) 296
\@flupdates: Command added . 454	\@irsbox: fix typo 305
\@fpsadddefault: Command	\@parboxto: \endgraf added due
added 450	to extra group in
\@getfpsbit: Command added . 451	\@begin@tempboxa 301
\@opcol: Command changed . . . 415	\lrbox: move \@endpefalse out of
Hook added 415	the inner group 298
\@outputpage: Command	1993/12/08 ltfntcmd.dtx v2.1b
changed 419	General: Macros \rm, \bf and \sf
\@resethfps: Command added . 452	moved to classes.dtx 252
\@setfloattypecounts: Command	1993/12/08 ltlists.dtx LaTeX2e
added 450	\@item: use \sbox to support
\@setfpsbit: Command added . 451	colour 291
\@shipoutsetup: Command	1993/12/08 ltspace.dtx LaTeX2e
added 419	\@bsphack: Command
\@startcolumn: Command	reimplemented 70
changed 423	Command reimplemented; late
\@startdblcolumn: Command	birthday present for Chris . . . 70
changed 423	\@vbsphack: Command added . . 72
\@testfp: Command added 451	1993/12/09 ltboxes.dtx v0.1c
\@textfloatsheight: Commands	\@irsbox: fix another typo 305
added 450	1993/12/09 ltclass.dtx v0.2n
\@topnewpage: Commands	\documentstyle: input 209
changed 408	compatibility file. 474
\@tryfcolumn: Command	1993/12/09 ltfiles.dtx v0.9e
changed 424	\document: Hook added 82
\@writesetup: \@startpagehook	1993/12/09 ltmiscen.dtx v0.9e
added 419	\enddocument: Hook added 259
\@output: Command changed . . . 409	1993/12/10 ltoutenc.dtx v1.2
1993/12/06 ltclass.dtx v0.2k	General: Added source code for
\ExecuteOptions: Preserve	tlenc.sty. 90
\CurrentOption. 473	1993/12/11 ltfntcmd.dtx v3.0a
1993/12/06 ltoutput.dtx v1.0f	General: Complete reworking of all
\@specialoutput: Unboxing of 255	text commands, using just one
added to rescue writes 409	creator function 245
1993/12/06 ltoutput.dtx v1.0g	italic correction now put in front
\@topnewpage: \@floatplacement	of penalty before glue 245
placement bug fixed 408	newcommands replaced by defs 245
1993/12/07 ltclass.dtx v0.2l	newfontswitch command
\ProvidesFile: Macro added . . . 470	corrected and changed 245

\DeclareTextFontCommand: Macro changed	247	\IfFileExists: Removed interactive prompting for current directory syntax	10
\emph: Macro changed	248	\strip@prefix: modified, name changed from \stripmeaning. . .	5
\fix@penalty: Macro added	250	1993/12/13 ltlists.dtx latex2e	
\maybe@ic: Macro name changed	249	\trivlist: Initialised	
\maybe@ic@: Macro and name changed	249	\@itemlabel	288
\sw@slant: Macro changed	250	1993/12/13 ltmiscen.dtx v0.9h	
\textup: Macros changed	248	\@noligs: Readded \@noligs . . .	266
1993/12/11 ltmath.dtx v0.9g		\@verbatim: Readded \@noligs .	264
General: Added a group around the first argument of \frac to prevent changes (for example font changes) from modifying the contents of the second argument.	273	Removed optional argument of \item	264
1993/12/11 ltoutenc.dtx v1.2a		center: Removed optional argument of \item	263
General: Corrected for tlencl, math.	90	flushleft: Removed optional argument of \item	263
1993/12/11 ltsect.dtx LaTeX2e		flushright: Removed optional argument of \item	263
\@author: Added default	354	1993/12/13 ltoutenc.dtx v1.2b	
\@title: Added default	354	General: Corrected file name in driver code.	90
1993/12/11 ltxref.dtx LaTeX2e		1993/12/13 lttab.dtx latex2e	
\@setref: Macro added	255	\tabbing: Removed optional argument of \item	312
\pageref: Macro reimplemented .	255	1993/12/14 ltoutput.dtx v1.0i	
\ref: Macro reimplemented	255	General: Section added to declare all parameters	459
1993/12/12 ltoutput.dtx v1.0h		1993/12/15 ltboxes.dtx v0.1d	
\@cflb: boxmaxdepth setting moved	422	\@iminipage: Changed default from 'c' to 's'	302
defs changed to lets	422	\@iparbox: Changed default from 'c' to 's'	301
\@cflt: name changed	422	\minipage: Changed default from 'c' to 's'	302
\@docclearpage: defs changed to lets	414, 415	extra space removed.	302
\@makecol: defs changed to lets .	416	\parbox: Changed default from 'c' to 's'	300
\@resetfyps: Warnings added: minimal	452	1993/12/15 ltclass.dtx v0.2p	
\@startdblcolumn: defs changed to lets	424	General: Removed extra 's' from \@warnings	467
\@topnewpage: braces removed . .	408	1993/12/16 ltlogos.dtx LaTeX2e	
\@tryfcolumn: defs changed to lets	425	\LaTeXe: Extended logo by DPC	79
\fl@tracemessage: Commands changed	448	1993/12/16 ltmath.dtx v0.9i	
1993/12/13 ltclass.dtx v0.2o		\@eqnocr: use \refstepcounter instead of shortcut	275
General: Removed setting \errorcontextlines (now in latex.tex)	467	General: use \refstepcounter instead of shortcut	273
\documentstyle: compatibility file now latex209.sty.	474	1993/12/16 ltmiscen.dtx v0.9i	
\usepackage: Fixed error handling	474	General: \literal added	266
1993/12/13 ltdirchk.dtx v0.2a		1993/12/16 ltpage.dtx LaTeX2e	
General: on the 'docstrip' pass, do not check openin path	10	\mark: Init \mark at begin document	392

1993/12/16 ltspace.dtx LaTeX2e		initializing mark until the	
\@bsphack: Corrected optimisation		problem is solved.	391
:-)	70	1993/12/18 ltoutenc.dtx 1.3b	
1993/12/16 lttab.dtx latex2e		General: Fixed typos with	
\@xhline: Measure from middle of		\ProvidesPackage lines.	
vertical rules	326	Added the \NeedsTeXFormat	
1993/12/17 ltclass.dtx v0.2q		line. Added the last argument	
\@documentclasshook: Macro		to \DeclareEncoding. Moved	
added	467	the use of the encodings to	
\@fileswithoptions: Add		after their declaration.	93
\@compatibility hook	476	Replaced the missing last	
\documentstyle: Match Alan's		argument to	
new code.	474	\DeclareFontEncoding.	105, 107
1993/12/17 ltoutenc.dtx 1.3		1993/12/18 ltoutenc.dtx 1.3c	
General: Added this section	94	General: Rewrote for the new	
Removed all the hackery for use		syntax of	
in \DeclareFontEncoding, and		\EncodingSpecific.	105, 107
redid everything using		Split \EncodingSpecific	
\DeclareTextFoo.	105, 107	up into \EncodingSpecific	
Removed the catcode hackery,		and \DeclareAccent.	94
since the file is only read as a		1993/12/18 ltoutenc.dtx v1.3a	
package in the preamble, and		General: Replaced OT3 by XXX	90
removed all the messages on		1993/12/18 ltoutenc.dtx v1.3b	
the screen, which just confuse		General: Corrected typos.	90
users. Replaced them by the		Replaced the missing last	
appropriate \ProvidesPackage		argument to	
commands. Added XXXenc. . . .	93	\DeclareFontEncoding.	90
1993/12/17 ltoutenc.dtx v1.3		1993/12/18 ltoutenc.dtx v1.3c	
General: Added		General: A new syntax, separating	
\EncodingSpecificAccent,		accent-definitions from	
\EncodingSpecificAccent-		encoding-specific definitions,	
edLetter and		and allowing encoding-specific	
\EncodingSpecificCommand. . . .	90	\chardef, \let, etc.	90
Made Rokicki's encoding a		Rewrote for the new syntax of	
proper encoding scheme rather		\EncodingSpecific.	90
than a variant of OT1.	90	1993/12/18 ltoutenc.dtx v1.3d	
1993/12/17 ltoutput.dtx v1.0j		General: Some T1 stuff had drifted	
\@opcol: Hook removed	415	into the OT1 file.	90
\@specialoutput: Page room test		1993/12/18 ltpage.dtx LaTeX2e	
added	410	\@sloppy: Added	
\@topnewpage: check for vsize too		\emergencystretch	392
small added	408	1993/12/19 ltclass.dtx v0.2r	
Page room test added	409	\endfilecontents: Different	
\@writesetup: —and then		message when ignoring a file	480
removed	419	1993/12/19 ltfntcmd.dtx v3.0b	
\fl@tracemessage: tracefloatvals		General: \@pdef command added	245
made a document command	448	Added by ASAJ.	252
1993/12/17 ltpage.dtx LaTeX2e		Made \@newfontswitch produce	
\mark: Removed init \mark at		an error if command already	
begin document, since it		exists, and added	
doesn't work.	392	\@renewfontswitch, ASAJ	245
\rightmark: Stopgap solution to		Other tidying	245
mark \leftmark and		Some more tidying done	245
\rightmark work without			

Untidying added, so this is now a TEMPORARY version.	245	<code>\math@version</code> : New math font setup	155
Wording changes by CAR.	252	1994/01/17 ltffssini.dtx v2.1e <code>\not@math@alphabet</code> : Message changed	218
<code>\DeclareOldFontCommand</code> : Corrected and tidied	252	1994/01/17 ltfsstrc.dtx v2.3a General: New math font setup . . .	168
<code>\DeclareTextFontCommand</code> : Corrected and tidied	247	<code>\check@mathfonts</code> : New math font setup	177
1993/12/19 ltspac.dtx LaTeX2e <code>\@bsphack</code> : There seem to be problems with selfmade birthday presents	71	<code>\glb@currsz</code> : New math font setup	174
1993/12/20 ltdefns.dtx LaTeX2e <code>\@reargdef</code> : Kept old version of <code>\@reargdef</code> , for array.sty	39	<code>\restglb@settings</code> : New math font setup	177
1993/12/20 ltfiles.dtx v0.9m <code>\@obsoletefile</code> : Added this command, removed <code>@oldfilewarning</code>	88	1994/01/18 ltbibl.dtx LaTeX2e <code>\bibliography</code> : Use <code>\@input@</code> so include files are listed.	388
1994/01/05 fontdef.dtx v2.1d General: Removed nf prefix from file names.	225	1994/01/18 ltclass.dtx v0.2t <code>\@ifclassloaded</code> : Fix typo <code>\@pkgetension</code>	468
1994/01/13 ltmath.dtx v0.9o <code>\@eqnocr</code> : correcting 0.9i	275	1994/01/18 ltfiles.dtx v0.9p <code>\@iffileonpath</code> : Macro added . . .	86
General: correcting 0.9i	273	<code>\@input</code> : do not use a different definition for <code>\input@path</code> . . .	87
1994/01/14 ltdirchk.dtx v0.2d <code>\IfFileExists</code> : Close the texsys.aux output stream	10	<code>\@input@</code> : Macro added	87
1994/01/15 ltfiles.dtx v0.9o <code>\document</code> : move <code>\@preamblecmds</code> after document hook	83	<code>\IfFileExists</code> : New Definition . .	86
1994/01/17 ltclass.dtx v0.2s <code>\@fileswithoptions</code> : Modify to reduce parameter stack usage	476, 477	<code>\include</code> : Use <code>\@input@</code> so include files are listed.	85
General: Added many more <code>\@onlypreamble</code> commands	467	<code>\InputIfFileExists</code> : New Definition	87
Wrapped long lines to column 72	467	1994/01/18 ltffssini.dtx v2.1f <code>\not@math@alphabet</code> : Message corrected	218
1994/01/17 ltfiles.dtx LaTeX2e <code>\listfiles</code> : New Version, adds 'tex' if needed, and lines up columns	88	1994/01/18 ltmiscen.dtx v0.9p <code>\@verbatim</code> : Add <code>\global\@inlabelfalse</code>	264
1994/01/17 ltffssbas.dtx v2.1a General: New math font setup . . .	147	Only add <code>\penalty</code> if in hmode . . .	264
<code>\curr@math@size</code> : New math font setup	156	1994/01/19 fontdef.dtx v2.1e General: Added missing setting for symbols in bold version.	229
<code>\everydisplay</code> : New math font setup	156	1994/01/19 ltdirchk.dtx v0.2e <code>\IfFileExists</code> : name changed from <code>\test</code>	9
<code>\everymath</code> : New math font setup . .	156	<code>\input@path</code> : No longer check that an empty group is in the path . .	11
<code>\frozen@everydisplay</code> : New math font setup	156	<code>\strip@prefix</code> : name changed from <code>\strip@meaning</code> , to match NFSS.	5
<code>\frozen@everymath</code> : New math font setup	156	1994/01/19 ltmath.dtx v1.0n classes <code>\mathindent</code> : Deferred setting of <code>\mathindent</code>	276
		1994/01/20 ltdirchk.dtx v0.2f General: <code>\@copytexsys</code> and the texsys.new file removed	9
		Modify all of ltxcheck	13

<code>\IfFileExists: \copytexsys</code>	1994/01/31 ltfontcmd.dtx v3.1b
removed 10	General: <code>\@normalsize</code> no longer defined 245
1994/01/21 ltclass.dtx v0.2u	1994/02/01 ltpage.dtx LaTeX2e
<code>\documentstyle: compatibility file</code>	<code>\pagestyle: (DPC)</code> Modify to get nicer error message 390
now latex209.def. 474	<code>\thispagestyle: (DPC)</code> Modify to get nicer error message 391
1994/01/21 ltdirchk.dtx v0.2g	1994/02/02 ltclass.dtx v0.2x
General: Improve documentation, reorganise docstrip module . . . 1	<code>\@fileswithoptions: Only run</code> the hook and options check if the file was loaded. 478
<code>\filename@parse: Minor changes, and add Mac version (:)</code> 11	1994/02/03 ltoutput.dtx v1.0k
<code>\today: Name changed from</code> <code>\stamp</code> , to save memory 9	<code>\@makespecialcolbox: correct</code> mistakes in the documentation 418
1994/01/21 ltfloat.dtx LaTeX2e	1994/02/07 ltclass.dtx v0.2y
<code>\@xfloat: Added missing percent</code> characters. 368	<code>\@fileswithoptions: Run</code> <code>\@compatibility</code> on the first class to start (not the first to finish) 476
1994/01/21 ltmiscen.dtx v0.9s	<code>\@ifclasswith: Add extra ,s so</code> ‘two’ is not matched with ‘twocolumn’ 469
<code>\verbatim@font: Removed</code> unnecessary category code hackery. 265	<code>\ProcessOptions*: Add extra ,s so</code> ‘two’ is not matched with ‘twocolumn’ 472
1994/01/24 ltdirchk.dtx v0.2h	1994/02/07 ltssbas.dtx v2.1c
<code>\IfFileExists: Stop testing once</code> texsys.aux has been found . . . 10	<code>\DeclareFontEncoding: revert</code> catcode settings earlier 149
1994/01/24 ltpage.dtx LaTeX2e	<code>\DeclareFontShape: revert</code> catcode settings earlier 148
<code>\pagestyle: (DPC)</code> Complain if pagestyle is undefined. 390	1994/02/08 ltoutput.dtx v1.0k
1994/01/25 ltdirchk.dtx v0.2i	<code>\@makespecialcolbox:</code> boxmaxdepth setting added . . 418
General: Protect against looping on <code>\@@input</code> and <code>\@@end</code> 2	boxmaxdepth setting removed . . 417
1994/01/25 ltssbas.dtx v2.1b	General: Documentation and tasks tidied. 393
<code>\math@version: Corrections for</code> math setup 156	1994/02/10 ltclass.dtx v0.2z
1994/01/25 ltmath.dtx LaTeX2e	<code>\@documentclasshook: Changed</code> the name from <code>\@compatibility</code> to <code>\@documentclasshook</code> , and added the check for whether <code>\@normalsize</code> has been defined. ASAJ. 467
<code>\bordermatrix: Removed</code> <code>\p@renwd</code> 270	<code>\@fileswithoptions: Renamed</code> <code>\@compatibility</code> to <code>\@documentclasshook</code> . ASAJ. 476
1994/01/26 ltssstrc.dtx v2.3c	1994/02/10 ltssbas.dtx v2.1d
<code>\check@mathfonts: Correct trace</code> info placement 177	<code>\addto@hook: Made \addto@hook</code> long. 167
<code>\restglb@settings: Correct trace</code> info placement 177	
1994/01/27 ltfontcmd.dtx v3.1a	
<code>\nocorrlist: Only ., used as</code> default for cm fonts 251	
1994/01/29 ltclass.dtx v0.2v	
<code>\@unprocessedoptions: Macro</code> added. 479	
<code>\@fileswithoptions: All options</code> raise error if no <code>\ProcessOptions</code> appears . . 478	
1994/01/31 ltclass.dtx v0.2w	
<code>\g@addto@macro: Use toks register</code> to avoid ‘hash’ problems . . . 479	
1994/01/31 ltfiles.dtx v0.9t	
<code>\document: set \@normalsize or</code> <code>\normalsize</code> if necessary 83	

1994/02/10 ltfsncmp.dtx v2.1d	Long lines wrapped to 72 columns	80
\scan@fontshape: scan away stuff after pt		191
1994/02/22 ltfsini.dtx v2.1g	General: Add code from the old dump.dtx	518
General: Correct error message . .	Initial version, split from latex.dtx	510
1994/02/24 ltfsbas.dtx v2.1e	move code here from lhyphen.dtx	515
\DeclareFontShape: Separate restoration of catcodes for fd cmds	Remove oldcomments environment	510
\define@newfont: Separate restoration of catcodes for fd cmds	use \InputIfFileExists not \IfFileExists	515
\nfss@catcodes: Separate restoration of catcodes for fd cmds		158
1994/02/25 ltdirchk.dtx v0.2j	1994/03/07 ltfloat.dtx v1.0a	
General: Remove need for drv file .	\@endfloatbox: (DPC) Extra group for colour	373
1994/03/01 ltdirchk.dtx v0.2k	\@footnotetext: (DPC) Extra group for colour	382
General: Add unstripped module, so that dircheck.dtx may be used with initex	\@xfloat: (DPC) Extra group for colour	369
1994/03/02 ltboxes.dtx v0.1e	1994/03/07 lthyphen.dtx v0.1c	
General: Add 2kernel module . .	General: move the 2kernel code to ltfinal.dtx	483
Remove need for drv file	1994/03/07 ltlength.dtx v1.0a	
1994/03/02 ltclass.dtx v0.3a	\@settodim: (DPC) Extra group for colour	146
General: Remove need for driver file	1994/03/07 ltlists.dtx v1.0a	
1994/03/03 ltboxes.dtx v0.1f	General: Initial version, split from latex.dtx	280
\@irsbox: Replaced a missing \else	Long lines wrapped to 72 columns	280
1994/03/04 ltfloat.dtx v1.0a	1994/03/07 ltpage.dtx v1.0a	
General: Initial version, split from latex.dtx	General: Initial version, split from ltherest.dtx	390
1994/03/04 ltsect.dtx v1.0a	1994/03/07 ltpictur.dtx v0.1a	
General: Initial version, split from latex.dtx	General: Initial version, split from latex.dtx	328
1994/03/04 lttab.dtx v1.0a	Long lines wrapped to 72 columns	328
General: Initial version, split from latex.dtx	1994/03/07 ltsect.dtx v1.0a	
1994/03/04 ltvers.dtx v1.0a	\@hangfrom: (DPC)Extra groups for colour	360
General: Initial version, split from latex.dtx	1994/03/07 lttab.dtx v1.0a	
1994/03/07 ltboxes.dtx v0.1a	General: Long lines wrapped to 72 columns	306
\@mpfootnotetext: Extra group for colour	1994/03/08 ltclass.dtx v0.3b	
1994/03/07 ltboxes.dtx v1.0a	General: Modify driver code into ‘new style’	467
General: Unify format with other Kernel files	1994/03/08 ltdirchk.dtx v1.0a	
1994/03/07 ltdefs.dtx v1.0a	General: Reorganise driver module into ‘new style’	1
\@italiccorr: Macro added . . .	1994/03/08 ltplain.dtx v1.0a	
1994/03/07 ltfiles.dtx v1.0a	General: Remove need for a driver file.	14
General: Initial version, split from latex.dtx		80

1994/03/10 ltssbas.dtx v2.2f	1994/03/13 ltfiles.dtx v0.3b
\backslash math@egroup: Changed	\backslash InputIfFileExists: Use new
\backslash begingroup/ \backslash endgroup to	cmd \backslash @addtofilelist 87
\backslash bgroup/ \backslash egroup. 164	1994/03/13 ltssbas.dtx v2.1g
1994/03/11 ltssdcl.dtx v2.1b	General: add 2ekernel module to
\backslash DeclareSymbolFontAlphabet@:	omit repeated code 147
Added check against use of	1994/03/13 ltssdcl.dtx v2.1c
alphabet switch outside of	General: add 2ekernel module to
math mode. 216	omit repeated code 194
\backslash SetMathAlphabet@: Changed	1994/03/14 ltboxes.dtx v1.0b
parameter template in	\backslash @isavebox: Use
temporary macro to catch	\backslash color@setgroup 298
check add below. 207	\backslash @isavepicbox: Use
1994/03/12 ltclass.dtx v0.3c	\backslash color@setgroup 298
\backslash @fileswithoptions: Do not use	\backslash color@begingroup: macro added
\backslash @pr@videpackage to avoid	for colour support 297
timeout 478	\backslash color@endgroup: macro added for
General: Change name from	colour support 297
docclass to ltclass 467	\backslash lrbox: Use \backslash color@setgroup . . 298
\backslash ProvidesFile: Add \backslash wlog . . . 470	\backslash sbox: Use \backslash color@setgroup . . . 298
\backslash ProvidesPackage: Add \backslash wlog . . 470	1994/03/14 ltfloat.dtx 1.0c
use \backslash @gtempa 470	\backslash @xympar: (DPC) Use
1994/03/12 ltdefs.dtx v1.0b	\backslash color@begingroup 377
\backslash @reargdef: New defn, in terms of	1994/03/14 ltfloat.dtx v1.0c
\backslash @yargdef 39	\backslash @endfloatbox: (DPC) Use
\backslash @yargd@f: Name changed from	\backslash color@endgroup 373
\backslash XXX@argdef 38	\backslash @footnotetext: (DPC) Use
1994/03/12 ltdirchk.dtx v1.0b	\backslash color@begingroup, add
General: Change name from	\backslash endgraf 382
dircheck.dtx 1	\backslash @savemarbox: (DPC) Use
Minor edits to the timeouts in	\backslash color@begingroup 376
ltxcheck 1	\backslash @xfloat: (DPC) Use
1994/03/12 ltfloat.dtx v1.0b	\backslash color@begingroup 369
\backslash @savemarbox: (DPC) Extra group	1994/03/15 ltfiles.dtx LaTeX2e
for colour 376	\backslash @missingfileerror: Quit on x or
\backslash @xympar: (DPC) Extra bgroup for	X just like a real error 87
colour 377	1994/03/15 ltfmtcmd.dtx v3.2a
1994/03/12 ltplain.dtx v1.0b	General: Adapted to mass
General: Name changed from	formatting 245
lplain. The end of an era 14	Changed \backslash / to \backslash @@italiccorr 245
1994/03/12 ltplain.dtx v1.0e	Removed \backslash @renewfontswitch . 245
General: Replaced remaining	Removed defs of short-forms and
width, height, depth by L ^A T _E X	all sizes except \backslash normalize . 245
macro names to save tokens. . . 14	1994/03/15 ltoutput.dtx v1.0l
1994/03/13 ltcntrl.dtx v1.0c	\backslash @addtocurcol: Changed
\backslash @tfor: (DPC) Add \backslash @tf@r so a	\backslash addvspace to \backslash vskip . . 431, 435
single group is correctly	\backslash @combinedblfloats: Removed
treated. 54	boxmaxdepth setting. 423
1994/03/13 ltfiles.dtx LaTeX2e	\backslash @makecol: \backslash maxdepth changed to
\backslash @addtofilelist: Macro added . . 88	\backslash @maxdepth 416
\backslash listfiles: Reset	Removed boxmaxdepth setting. 417
\backslash @addtofilelist at begin	\backslash @makespecialcolbox: Removed
document 88	boxmaxdepth setting. 418

<code>\@topnewpage</code> : Corrected and amended warning message . .	408	1994/03/28 <code>ltsect.dtx</code> v1.0b	General: Split further from <code>ltherest.dtx</code>	354
Warning added: it should be improved	409	1994/03/28 <code>lftab.dtx</code> v1.0b	General: Improve documentation	306
General: Added some warnings when page gets full of top floats.	393	1994/03/28 <code>ltthm.dtx</code> v1.0a	General: Initial version, split from <code>latex.dtx</code>	350
Driver added and further tidying.	393	1994/03/29 <code>ltcounts.dtx</code> v1.0c	General: Create file from parts of <code>ltmiscen</code> and <code>ltherest</code>	140
Removed duplicated code and corrected <code>docstrip</code> options. . .	393	1994/03/29 <code>lftlength.dtx</code> v1.0c	General: Create file <code>lftcntlen</code> from parts of <code>ltmiscen</code> and <code>ltherest</code>	146
Some <code>boxmaxdepth</code> settings removed.	393	1994/03/29 <code>ltmiscen.dtx</code> v1.0d	General: Remove counter macros to <code>lftcntlen</code>	258
1994/03/16 <code>ltclass.dtx</code> v0.3f		1994/03/29 <code>lftpageno.dtx</code> v1.0c	General: Create file <code>lftcntlen</code> from parts of <code>ltmiscen</code> and <code>ltherest</code>	253
General: Add <code>pkgindoc</code> package .	482	1994/03/29 <code>lftxref.dtx</code> v1.0c	General: Create file <code>lftcntlen</code> from parts of <code>ltmiscen</code> and <code>ltherest</code>	254
1994/03/16 <code>ltfiles.dtx</code> LaTeX2e		1994/03/31 <code>lftbibl.dtx</code> v1.0a	General: Initial version of <code>lftidxbib.dtx</code> , split from <code>ltherest.dtx</code>	386
<code>\listfiles</code> : Move this code directly into <code>\document</code>	88	1994/03/31 <code>lftidxglo.dtx</code> v1.0a	General: Initial version of <code>lftidxbib.dtx</code> , split from <code>ltherest.dtx</code>	384
1994/03/16 <code>ltfiles.dtx</code> v1.0c		1994/04/09 <code>ltcounts.dtx</code> v1.0d	<code>\@newctr</code> : <code>\@nocnterr</code> now has counter name argument	141
<code>\document</code> : (DPC) directly add file list settings	83		<code>\addtocounter</code> : <code>\@nocnterr</code> now has counter name argument . .	141
1994/03/16 <code>ltmiscen.dtx</code> v1.0b			<code>\setcounter</code> : <code>\@nocnterr</code> now has counter name argument	141
<code>\@verbatim</code> : Remove <code>\global\@inlabelfalse</code> again.	264		<code>\stepcounter</code> : Use <code>\addtocounter</code> to have name checked	141
1994/03/28 <code>ltalloc.dtx</code> v1.0d		1994/04/09 <code>ltthm.dtx</code> v1.0b	<code>\@othm</code> : Use standard counter error message (FMI)	352
General: Redefinition of ‘new’ allocations removed.	49	1994/04/11 <code>ltclass.dtx</code> v0.3g	<code>\endfilecontents</code> : Add star form, dont write <code>\endinput</code> at the end of the file.	480
1994/03/28 <code>ltldirchk.dtx</code> v1.0d			<code>\ProvidesFile</code> : Protect against weird catcodes.	470
General: Improve documentation .	1	1994/04/11 <code>lftssbas.dtx</code> v2.1h	General: Added <code>\defaultscriptratio</code> and <code>\defaultscriptscriptratio</code>	147
1994/03/28 <code>lterror.dtx</code> v1.0d				
<code>\@invalidchar</code> : (DPC) Comment out (use <code>catcode15</code> instead) . .	62			
General: Remove test for <code>\inputlineno</code> undefined.	59			
1994/03/28 <code>ltfiles.dtx</code> v1.0d				
<code>\document</code> : (DPC) Use <code>\normalsize</code> not <code>\@normalsize</code>	83			
(DPC) remove <code>\@normalsize</code> check	83			
1994/03/28 <code>lftfloat.dtx</code> v1.0b				
<code>\@caption</code> : Use <code>\normalsize</code> not <code>\@normalsize</code>	367			
General: Split further from <code>ltherest.dtx</code>	364			
1994/03/28 <code>ltlists.dtx</code> v1.0b				
General: Improve documentation	279			
1994/03/28 <code>ltmiscen.dtx</code> v1.0c				
General: Improve Documentation	258			
1994/03/28 <code>ltplain.dtx</code> v1.0c				
<code>\newlanguage</code> : Remove some <code>\outer</code> declarations.	16			

<code>\defaultscriptratio</code> : Macro added	165	<code>\no@alphabet@error</code> : Use std LaTeX error macro	147
<code>\defaultscriptscriptratio</code> : Macro added	165	1994/04/18 ltfssdcl.dtx ???	
1994/04/12 ltboxes.dtx v1.0c		<code>\DeclareMathAlphabet</code> : Pass correct arg (2 not 3)	205
General: Remove <code>\@acci</code> , now defined in ltplain.dtx	301	1994/04/18 ltfssdcl.dtx v2.1d	
Remove <code>\@dischyph</code> , now defined in ltinit.dtx	301	General: Removed surplus <code>\no@alphabet@error</code> (see fam.dtx)	194
1994/04/12 ltdefns.dtx v1.0g		1994/04/18 ltfssstrc.dtx v2.3d	
<code>\@dischyph</code> : Define <code>\@dischyph</code> , was previously in ltboxes.dtx	35	General: Changed to new error/warning scheme	168
1994/04/12 ltplain.dtx v1.0d		<code>\font@submax</code> : Changed dimen to macro	185
General: Define <code>\@acci</code>	28	<code>\fontsubfuzz</code> : Changed dimen to macro	185
1994/04/12 ltvers.dtx v1.0b		<code>\subst@size</code> : <code>\font@submax</code> and <code>\fontsubfuzz</code> now macros	186
General: Have version info generated automatically.	32	1994/04/19 ltpage.dtx v1.0b	
1994/04/14 ltfntcmd.dtx v3.2b		General: Improve documentation	390
General: Macros renamed to non-private forms, JB	245	1994/04/20 ltfntcmd.dtx v3.3a	
<code>\DeclareOldFontCommand</code> : Renamed from <code>\@newfontswitch</code>	251	General: Documentation up-dated	245
1994/04/15 ltboxes.dtx v1.0d		New implementation of <code>\nocorr</code>	245
<code>\@isavebox</code> : Added missing procent character.	298	<code>\check@nocorr@</code> : Macros added	248
1994/04/17 ltcounts.dtx v1.0e		<code>\maybe@ic@</code> : <code>\nocorr</code> etc removed from list of tokens to check, leaving only punctuation characters	250
<code>\@newctr</code> : Use <code>\@nocounterr</code> instead of <code>\@nocnterr</code>	141	1994/04/20 ltmiscen.dtx v1.0e	
<code>\addtocounter</code> : Use <code>\@nocounterr</code> instead of <code>\@nocnterr</code>	141	<code>\enddocument</code> : Changed logic for producing warning messages	260
<code>\setcounter</code> : Use <code>\@nocounterr</code> instead of <code>\@nocnterr</code>	141	1994/04/21 ltboxes.dtx v1.0e	
1994/04/17 lterror.dtx v1.0h		<code>\@iiiminipage</code> : Extra <code>\bgroup</code> for colour	302
<code>\@nocounterr</code> : New name for error message, old error message (without arg) kept	60	<code>\@mpfootnotetext</code> : Extra <code>\endgraf</code> for colour	303
1994/04/17 ltthm.dtx v1.0c		<code>\endminipage</code> : Extra <code>\egroup</code> for colour	303
<code>\@othm</code> : Use new std counter error message (FMi)	352	1994/04/21 ltfinal.dtx v0.1c	
1994/04/18 ltfinal.dtx v0.1b		General: Added comments, set the catcodes of 128–255.	510
General: Initialise <code>\textheight</code> , <code>\textwidth</code> and page style	512	1994/04/22 ltfssini.dtx v2.1g	
1994/04/18 ltfloat.dtx v1.0d		<code>\not@math@alphabet</code> : Message changed again	218
<code>\@footnotetext</code> : (DPC) Remove Colour support	382	1994/04/23 ltfinal.dtx v0.1d	
<code>\@savemarbox</code> : (DPC) Remove Colour support	376	General: Check that <code>\font@submax</code> is still zero	510
1994/04/18 ltfssbas.dtx v2.1i		1994/04/24 ltoutput.dtx v1.0m	
General: Macro <code>\no@alphabet@help</code> removed again	147	<code>\@resetfps</code> : Number 2 changed to <code>\tw@</code>	452
<code>\calculate@math@sizes</code> : Changed message to log only	165	Warning changed	452

\@specialoutput: Message changed to give more info and ‘top’ removed	410	1994/04/28 ltplain.dtx v1.0g General: Turn off overfull box tracing in log	24
\@topnewpage: Message changed to give more info	409	1994/04/29 ltclass.dtx v1.0a General: Change version number to 1 (no other change)	467
Warning message removed as it will be generated later	408	1994/04/29 ltmiscen.dtx v1.0f \@verbatim: \leavevmode added	264
General: Changed \@normalsize to \normalsize.	393	Change to \everypar added	264
Corrected unverbbed commands in documentation.	393	1994/04/29 ltoutenc.dtx 1.4a General: Removed \EncodingSpecific. Renamed all the commands. Added \DeclareTextGlyph and \UndeclareTextCommand.	94
Removed some long lines and other aesthetic changes.	393	Removed Rokicki’s OT1 variant encoding. Moved the driver to the top.	93
Warning messages changed/corrected.	393	1994/04/30 ltfntcmd.dtx v3.3b General: Documentation up-dated and tidied	245
1994/04/24 ltpictur.dtx v0.1b General: Removed surplus spaces after \hbox to in several cases	328	Prefix frag@ changed to frag in \@protecteddef	245
1994/04/25 ltclass.dtx v0.3h General: Removed spurious extra ‘.’s at the end of error messages	467	Title changed	245
1994/04/25 ltfloat.dtx v1.0e \@largefloatcheck: Changed warning message to give more info	373	Warning changed to info message in \@protecteddef	245
Command added	373	1994/04/30 ltoutput.dtx v1.0n \@activechar@info: \@activechar@warning changed to \@activechar@info	419
General: Changed warning messages	364	\@combinedblfloats: Removed rule in topnewpage case	423
Removed obsolete tracing code	364	\@emptycol: Empty column action added: \@emptycol	408
1994/04/27 ltfsstrc.dtx v2.3e General: Corrected item that was forgotten in last change.	168	\@flsetnum: Rogue space removed	452
1994/04/28 lterror.dtx v1.0j \@inmatherr: Macro added	62	\@specialoutput: Cut-off point changed to 2\baselineskip	410
1994/04/28 lterror.dtx v1.1c \@inmatherr: Replaced \noexpand with \protect.	62	Empty column action added: \@emptycol	410
1994/04/28 ltssdcl.dtx v2.1e General: Removed all \uppercase in hex num parsing macros	194	Extra empty column added for twocolumn case	410
1994/04/28 ltlists.dtx v1.0c General: Replaced \@ltxnomath by \@inmatherr	289	Extra empty column added for twocolumn case (wrong, see below)	410
1994/04/28 ltpictur.dtx v0.1c General: bezier curves added	347	\@topnewpage: Added setting of \@col@number	408
\@multiput: (DPC) Ignore spaces between)(.	330	Cut-off point changed to 3\baselineskip	409
(DPC) Macro added	330	Empty column action added: \@emptycol	409
\@picture: (DPC) Ignore spaces before (.	329	Message changed for Frank	409

General: \@activechar@warning changed to an info message.	393	1994/05/02 ltmiscen.dtx v1.0g General: Changed 91 to 1991 and moved some bits	258
Added \col@number.	393	1994/05/02 ltoutput.dtx v1.0o \@resetthfps: Code shortened	452
Documentation tidied.	393	General: Code of \@resetthfps shortened.	393
Empty column action added.	393	1994/05/03 ltbibl.dtx v1.0b \nocite: Make \nocite issue a warning for an undefined citation key.	388
Fixed bug from \dblfigrule with \topnewpage.	393	1994/05/03 ltfinal.dtx v0.1f General: Set the catcode of control-J to be 'other', for use in messages.	510
Full of floats action improved.	393	1994/05/03 ltfloat.dtx v1.0f General: (CAR) Added \@largefloatcheck	364
\col@number: Added \col@number	406	Removed unnecessary braces from arguments of \@ifnextchar	364
\onecolumn: Added setting of \col@number	407	\end@dblfloat: \@largefloatcheck added	372
1994/05/01 ltterror.dtx v1.0k \@latexerr: (CAR) Added draft \@latexinfo.	60	\end@float: (CAR) Added \@largefloatcheck	371
1994/05/01 ltoutenc.dtx 1.4a General: Added the \a command.	101	1994/05/03 ltfsdcl.dtx v2.1f General: Renamed \@@DeclareMathDelimiter to \DeclareMathDelimiter	194
Added the \SaveAtCatcode and \RestoreAtCatcode commands.	104	1994/05/03 ltlists.dtx v1.0d \@item: \hskip changed to \kern	290
Removed the uc/lc table settings, since the T1 uc/lc table is now the default.	111	General: Removed superfluous braces	289
Rewrote for the new syntax.	105, 107	1994/05/03 ltmiscen.dtx v1.0h \@centercr: \@badcrerr replaced by \@nolnerr	263
1994/05/01 ltoutenc.dtx v1.4a General: Removed Rokicki's encoding.	90	1994/05/03 lttab.dtx v1.0d \@endpbox: Use \@finalstrut based on depth of \@arstrutbox	327
Renamed the commands, removed the \EncodingSpecific command. Turned all slots into decimal. Added \a.	90	1994/05/04 ltclass.dtx v1.0b \NeedsTeXFormat: Changed wording of the warning	475
1994/05/02 ltcntrl.dtx v1.0l \@break@tfor: Macro added (from ltfiles.dtx)	54	1994/05/04 ltterror.dtx v1.0m \@badcrerr: Error message removed	62
1994/05/02 ltfiles.dtx v1.0f \@iffilenamepath: \@break@loop renamed to \@break@tfor	86	1994/05/05 ltbibl.dtx v1.0c \@citex: Set switch for warning and end of run.	387
\@obsoletefile: Make \@onlypreamble	88	\nocite: Do not write page number in \nocite warning message.	388
1994/05/02 ltfinal.dtx v0.1e General: Added setting the 'letter' catcodes.	516	Set switch for warning and end of run.	388
Added setting the 'other' catcodes.	516		
Added setting the special catcodes.	516		
Made slot 127 illegal	516		
Set all the catcodes	510		
1994/05/02 ltfinal.dtx v0.1f General: Set the catcode of control-J.	516		

1994/05/05 ltfinal.dtx v0.1g	General: Superfluous braces removed from several commands 295
General: Added empty errhelp. . . 510	
\errhelp: Set error help empty. . . 520	
1994/05/05 ltfntcmd.dtx v3.3c	\color@setgroup: macro added for colour support 297
\@math@egroup: Corrected	\endminipage: Use new
\@fontswitch and added saved versions 252	\color@setgroup concept. . . 303
General: Corrected \@fontswitch 245	1994/05/11 ltclass.dtx v1.0c
1994/05/05 ltmiscen.dtx v1.0i	\endfilecontents: Add checks for form feed and tab 480
General: Removed braces from ifnextchar and ifstar arguments 258	1994/05/11 ltdirchk.dtx v1.0e
1994/05/07 lttab.dtx v1.0c	General: Add \ProvidesFile as used in fd files. 4
\@maxtab: Changed \@firsttab to \chardef 310	1994/05/11 lterror.dtx v1.0o
Changed \@maxtab to \chardef 310	\@latexerr: (ASAJ) Removed one of the extra blank lines to \@latexerr. 60
General: Removed definition of \+ 306	1994/05/11 ltlogos.dtx v1.0o
Removed surplus braces from \ifnextchar constructs . . . 306	\LaTeX: Use
1994/05/08 ltfntcmd.dtx v3.3d	\DeclareProtectedCommand. ASAJ. 79
General: Removed	\LaTeXe: Use
\@undefinedfonterror 245	\DeclareProtectedCommand. ASAJ. 79
\normalsize: Removed	1994/05/11 ltoutenc.dtx 1.5a
\@undefinedfonterror 252	General: Made T1 and OT1 generate packages rather than def files. Renamed the ‘package’ module to ‘teststy’. . . 93
1994/05/09 ltfntcmd.dtx v3.3f	1994/05/11 ltoutenc.dtx v1.5a
General: Replaced all \next by \@let@token and undo change 3.3e, whatever that was. . . . 245	General: Reimplemented
1994/05/10 ltdefs.dtx v1.0n	\DeclareTextCommand using \@changed@cmd and \DeclareProtectedCommand. . . 94
General: (ASAJ) Added	Renamed the commands again.
\DeclareProtectedCommand. . . 34	Made the encoding part of the command syntax. Added the \DeclareTextCommand interface. Used
Added	\DeclareProtectedCommand. . . 90
\DeclareProtectedCommand . . 42	\DeclareTextAccent:
Added \makeatletter and \makeatother ASAJ. 47	Reimplemented using \DeclareTextCommand. 96
Removed braces around \ifundefined argument. ASAJ. 39	1994/05/11 ltspc.dtx v1.0o
1994/05/10 lterror.dtx v1.0n	\,: Use \DeclareRobustCommand. ASAJ. 77
\@latexerr: (ASAJ) Added extra blank lines to \@latexerr. . . . 60	\hspace: Use
1994/05/10 ltmiscen.dtx v1.0j	\DeclareRobustCommand. ASAJ. 78
\esverb: Slight change in error message text. 265	1994/05/12 ltboxes.dtx v1.0g
1994/05/11 ltboxes.dtx v1.0f	\@finalstrut: macro added 305
\@begin@tempboxa: Use new	\fbbox: New definition, merged with \framebox 299
\color@setgroup concept. . . 296	
\@iiiminipage: Use new	
\color@setgroup concept. . . 302	
\@mpfootnotetext: Use new	
\color@setgroup concept. . . 303	
Use new \normalcolor and	
\@finalstrut. 303	

<code>\framebox</code> : Merged <code>\fbox</code> and <code>\framebox</code> 299	<code>\RestoreAtCatcode</code> commands. 104
<code>\normalcolor</code> : macro added for colour support 297	Rewrote for the new syntax. 105, 107
1994/05/12 ltdefns.dtx v1.0p General: (ASAJ) Fixed a bug with <code>\relax</code> which was using <code>\@gobble</code> before defining it. . . 34	1994/05/12 ltoutput.dtx v1.0p <code>\@writsetup</code> : <code>\normalcoloradded</code> 419
Fixed a bug with <code>\relax</code> which was using <code>\@gobble</code> before defining it. 42	General: <code>\normalcoloradded</code> in various places (DPC). 393
1994/05/12 ltffsbas.dtx v2.1j General: New <code>baselinestretch</code> concept 147	1994/05/13 ltboxes.dtx v1.0h <code>\@arrayparboxrestore</code> : New accent system, use <code>\let</code> not <code>\def</code> 302
Replaced hand-protected commands by <code>\DeclareRobustCommand</code> defs 147	1994/05/13 ltcounts.dtx v1.0f General: Removed <code>\@Ialph</code> 142
<code>\f@linespread</code> : New macro 155	Removed <code>\@ialph</code> 142
<code>\fontencoding</code> : Use <code>\DeclareRobustCommand</code> 153	1994/05/13 ltdefns.dtx v1.0q General: (ASAJ) Renamed <code>\DeclareProtectedCommand</code> to <code>\DeclareRobustCommand</code> . Removed <code>\if@short@command</code> 34
<code>\fontfamily</code> : Use <code>\DeclareRobustCommand</code> 154	(ASAJ) Replaces <code>\space</code> by ‘ ’ in <code>\csname</code> 34
<code>\fontseries</code> : Use <code>\DeclareRobustCommand</code> 154	Renamed <code>\DeclareProtectedCommand</code> to <code>\DeclareRobustCommand</code> . Removed <code>\if@short@command</code> . Moved to after the definition of <code>\@gobble</code> 42
<code>\fontshape</code> : Use <code>\DeclareRobustCommand</code> 154	1994/05/13 ltdefns.dtx v1.0r General: (ASAJ) Added logging message to <code>\DeclareProtectedCommand</code> . . . 34
<code>\fontsize</code> : Redefined to use <code>\set@fontsize</code> 155	Added logging message to <code>\DeclareProtectedCommand</code> . . . 42
<code>\linespread</code> : New macro 155	1994/05/13 ltdefns.dtx v1.0s General: (ASAJ) Added <code>\@backslashchar</code> 34
<code>\mathversion</code> : Use <code>\DeclareRobustCommand</code> 155	(ASAJ) Coded <code>\ifdefinable</code> more efficiently. 34
1994/05/12 ltffsdccl.dtx v2.1g General: Allow <code>\relax</code> as undefined command 194	Coded more efficiently, thanks to FMi. 39
Allow <code>\relax</code> ’ed cmds to be declared 194	1994/05/13 ltfiles.dtx LaTeX2e <code>\listfiles</code> : Stop <code>\listfiles</code> being run twice 88
1994/05/12 ltffsini.dtx v2.1i General: Moved <code>\fontencoding</code> to fam.dtx 217	1994/05/13 ltfiles.dtx v1.0g <code>\document</code> : Added execution of <code>\every@size</code> 83
Moved <code>\fontfamily</code> to fam.dtx 217	1994/05/13 ltfinal.dtx v0.1h General: Added package <code>otlenc</code> , and defined <code>\@acci</code> , <code>\@accii</code> and <code>\@acciii</code> 510
Moved <code>\fontseries</code> to fam.dtx 217	
Moved <code>\fontshape</code> to fam.dtx 217	
Moved <code>\fontsize</code> to fam.dtx . 217	
Moved <code>\mathversion</code> to fam.dtx 217	
Moved <code>\selectfont</code> to tracefnt.dtx 217	
1994/05/12 ltffsstrc.dtx v2.3f <code>\selectfont</code> : Use <code>\DeclareRobustCommand</code> 172	
1994/05/12 ltoutenc.dtx 1.5a General: Removed the <code>\SaveAtCatcode</code> and	

1994/05/13 ltfinal.dtx v1.0h		
General: Added output enc stuff .	518	
1994/05/13 ltfloat.dtx v1.0g		
\@footnotetext: (DPC) Add new		
style colour support:		
\normalcolor	382	
(DPC) Use \@finalstrut	382	
\@xfloat: (DPC) Use		
\normalcolor	369	
1994/05/13 ltfntcmd.dtx v3.3g		
General: Replaced \@protecteddef		
by \DeclareRobustCommand .	245	
1994/05/13 ltfsbas.dtx v2.1k		
General: Remove File identification		
‘typeout’	147	
1994/05/13 ltfsbas.dtx v2.1l		
\DeclareFontEncoding: Init		
encoding change command .	150	
\define@newfont: Use \@input@		
for fd files	158	
1994/05/13 ltfsdcl.dtx v2.1h		
General: Removed file		
identification typeout	194	
1994/05/13 ltfsini.dtx v2.1j		
General: Removed file		
identification typeout	217	
1994/05/13 ltfsstrc.dtx v2.3g		
General: Removed typeouts as		
\ProvidesPackage writes to		
log.	168	
1994/05/13 ltoutenc.dtx v1.5b		
General: Added \{, \} and \\$. . .	90	
Renamed		
\DeclareProtectedCommand to		
\DeclareRobustCommand. . . .	90	
Replaces \space by ‘ ’ in		
\csname.	90	
1994/05/13 ltpictur.dtx v0.1d		
General: Removed surplus braces		
from \@if.. constructions . .	328	
1994/05/13 lttab.dtx v1.0d		
\@contfield: Colour support . . .	312	
\@startfield: Colour support . .	311	
\@stopfield: Colour support . . .	311	
\@a: moved to ltoutenc	310	
1994/05/14 fontdef.dtx v2.1f		
General: Removed .def files. . . .	225	
1994/05/14 ltfsbas.dtx v2.1m		
\enc@update: Macro added	154	
1994/05/14 ltfsbas.dtx v2.1n		
General: Set defaults for all		
\@f...	155	
\DeclareErrorFont: Don’t set		
\@fencoding	159	
\DeclareFontEncoding: Log if		
encoding is redeclared	150	
Only init enc change cmd when		
new encoding	150	
1994/05/14 ltfsini.dtx v2.1k		
General: Init error font just before		
checking for fontdef.cfg	221	
\p@reset@font: Remove surplus		
braces	220	
1994/05/14 ltfsstrc.dtx v2.3h		
\selectfont: Added		
\enc@update	173	
1994/05/14 ltoutenc.dtx 1.5d		
General: Moved the driver to the		
top.	93	
1994/05/14 ltoutenc.dtx v1.5c		
General: Added the fontenc		
package	127	
Added the fontenc package. . . .	90	
Fixed a bug which caused an		
infinite loop if \f@encoding		
was incorrectly set.	90, 94	
Moved fontsmpl to its own dtx		
file.	90	
1994/05/14 ltoutenc.dtx v1.5d		
General: Rewrote		
\DeclareTextCommand to define		
its argument to use the current		
encoding by default, rather		
than the encoding provided to		
\DeclareTextCommand. . . .	90, 94	
Tidied up the documentation. . .	90	
1994/05/14 ltoutenc.dtx v1.5e		
General: Replaced \ENC@cmd by		
\ENC-cmd.	90	
1994/05/15 ltfsbas.dtx v2.1o		
General: encoding cmds changed		
to enc-cmd	147	
1994/05/16 ltalloc.dtx v1.1a		
General: (ASAJ) Split from		
ltinit.dtx.	49	
1994/05/16 ltcntrl.dtx v1.0a		
General: (ASAJ) Split from		
ltinit.dtx.	51	
1994/05/16 ltdefns.dtx v1.1a		
General: (ASAJ) Split from		
ltinit.dtx.	34	
1994/05/16 lterror.dtx v1.1a		
General: (ASAJ) Completely new		
error interface.	55	
(ASAJ) Split from ltinit.dtx. . .	55	
1994/05/16 ltfinal.dtx v1.0i		
General: moved output enc stuff to		
lfonts	518	

1994/05/16 ltssbas.dtx v2.1p	Remove \@acci and friends	
\fontsize: Pass \baselinestretch	again	28
not \f@linespread	Remove unnecessary def for	
\linespread: Remove surplus	\item	27
braces	\loop: Use Kabelschacht method	26
1994/05/16 ltssini.dtx v2.1m	\m@th: Remove unnecessary space	27
\@acciii: Define saved versions of	1994/05/16 ltsspace.dtx v1.1a	
accents	General: (ASAJ) Split from	
1994/05/16 ltlogos.dtx v1.1a	ltinit.dtx.	65
General: (ASAJ) Split from	1994/05/17 ltclass.dtx v1.0e	
ltinit.dtx.	\@use@option: Execute option after	
1994/05/16 ltmath.dtx v1.0k	removing from list, not before	473
\ensuremath: Use	1994/05/17 ltdefs.dtx 1.1b	
\DeclareRobustCommand and	General: (ASAJ) Added the	
add extra braces in math	\@protect@... commands. . .	43
mode	1994/05/17 ltdefs.dtx v1.1b	
1994/05/16 ltoutenc.dtx 1.5h	General: (ASAJ) Added definitions	
General: \pounds was still using u	for protect.	34
rather than ui shape.	(ASAJ) Removed warnings and	
1994/05/16 ltoutenc.dtx v1.5f	logging to lterror.dtx.	34
General: enc files now have uc	Added the discussion of	
encoding name parts (FMi) . .	protected commands, defined	
Revert code so that the	the values that \protect	
encoding given is used in	should have.	43
\DeclareTextCommand (FMi) .	1994/05/17 ltdefs.dtx v1.1c	
1994/05/16 ltoutenc.dtx v1.5g	General: (ASAJ) Redid definitions	
General: Made fontenc.sty use the	for protect.	34
new mixed-case encoding files.	1994/05/17 lterror.dtx v1.1b	
Removed the lowercasing of the	General: (ASAJ) Moved error stuff	
filename.	from ltdefs.dtx.	55
1994/05/16 ltoutenc.dtx v1.5h	1994/05/17 ltssini.dtx v2.1n	
General: Added \NG, \ng, \TH, \th,	\copyright: Really add extra	
\DH, \dh, \DJ and \dj.	braces	220
Added \r (ring accent) and \k	\nfss@text: Added braces to allow	
(ogonek) accents.	use in subscripts	220
Fixed a bug with \pounds. . . .	1994/05/17 ltmath.dtx v1.0i	
Removed \P from the OT1	General: Replaced \let by \gdef,	
definitions file.	for indirect definition.	271
1994/05/16 ltoutenc.dtx v1.5i	1994/05/17 ltoutenc.dtx v1.5j	
General: Fixed a bug with \d. . .	General: Added braces to \pounds	
1994/05/16 ltoutput.dtx v1.0q	so it works as a subscript. . . .	90
\@writsetup: Changed setting of	1994/05/18 ltdefs.dtx 1.1c	
accents (FMi): with the new	General: (ASAJ) Renamed the	
encoding setup they can use	commands, and removed one	
\let. It could also use the new	which is no longer needed. . . .	43
internal commands?	1994/05/18 ltdefs.dtx v1.1c	
General: Changed setting of	General: Redid the discussion and	
accents (FMi).	definitions, in line with the	
1994/05/16 ltpar.dtx v1.1a	proposed new setting of	
General: (ASAJ) Split from	\protect in the output	
ltinit.dtx.	routine.	43
1994/05/16 ltplain.dtx v1.0h	1994/05/18 ltfinal.dtx v0.1j	
General: Comment out encoding	General: Corrected the lccode for	
specific commands	d-bar.	510

1994/05/18 ltlogos.dtx v1.1b	1994/05/20 ltdefs.dtx v1.1e
General: (ASAJ) Added the \TeX	General: Changed command name
logo. 79	from \@checkcommand to
(ASAJ) Made the \LaTeX 2 ϵ logo	\CheckCommand 34
use the text font ‘2’ rather	\CheckCommand : Changed name
than the math font ‘2’. 79	from \@checkcommand to
1994/05/18 ltoutenc.dtx v1.5k	\CheckCommand 41
General: Made dotted-i produce ‘i’. 90	1994/05/20 lterror.dtx v1.1c
Removed braces from \pounds	General: (ASAJ) Added
and \dollar 90	$\text{\@latexinfo@no@line}$ 55
Replaced \defaultencoding	(ASAJ) Added missing full
with \encodingdefault 90	stops. 55
1994/05/19 ltbibl.dtx v1.1a	(ASAJ) Fixed a bug with
General: Initial version of	\@inmatherr 55
ltbibl.dtx, split from	1994/05/20 ltfinal.dtx v0.1l
ltxbib.dtx 386	General: Use new font warning
1994/05/19 ltcounts.dtx v1.1a	commands 515
General: Extracted file from	1994/05/20 ltfloat.dtx v1.0h
ltcntlen. 140	\@endfloatbox : Restore outer
1994/05/19 ltdefs.dtx v1.1d	value of \@nobreak switch. . . 373
General: (RmS) Added definitions	1994/05/20 ltfncmd.dtx v3.3h
for \@namedef and \@nameuse	General: Use new error commands 245
again. 34	1994/05/20 ltfssbas.dtx v2.1q
1994/05/19 ltfinal.dtx v0.1k	General: Use new error commands 147
General: Removed \makeat . . . 510	1994/05/20 ltfsstrc.dtx v2.3i
1994/05/19 ltxglo.dtx v1.1a	General: Use new error command
General: Initial version of	names 168
ltxglo.dtx, split from	1994/05/20 ltmiscen.dtx v1.0l
ltxbib.dtx 384	\@writefile : Added correct
1994/05/19 ltlength.dtx v1.1a	setting of \protect 260
General: Extract file ltlength from	1994/05/20 ltmiscen.dtx v1.0m
ltcntlen. 146	General: Use new warning
1994/05/19 ltpageno.dtx v1.1a	commands 258
General: Extract file ltpageno from	1994/05/20 ltoutput.dtx v1.0s
ltcntlen. 253	\@writesetup : Added setting of
1994/05/19 ltplain.dtx v0.1k ltfinal	\protect during \shipout . . . 419
\showoutput : used \maxdimen not	General: Added setting of
99999 29	\protect during \shipout . . . 393
\showoverfull : used \@one not 1 . 29	1994/05/20 ltpage.dtx v1.0d
1994/05/19 ltxref.dtx v1.1a	\markright : Changed setting for
General: Extract file ltxref from	\protect 391
ltcntlen. 254	1994/05/20 ltsect.dtx v1.0c
1994/05/1g fontdef.dtx v2.1g	General: Correct setting of
General: Removed	\protect 362
$\text{\DeclareFontEncoding}$ for ot1	\addcontentsline : Correct setting
and t1 and input .def files	of \protect 362
instead 225	1994/05/21 ltbibl.dtx v1.1b
1994/05/2 ltdefs.dtx v1.1f	General: Use new warning
\renewcommand : Removed surplus	commands 386
\space in error 39	1994/05/21 lterror.dtx v1.1d
\renewenvironment : Removed	General: (ASAJ) Made the error
surplus \space in error 40	commands robust. 55
	1994/05/21 ltfiles.dtx v1.0h
	General: Use new error commands 80

1994/05/21 ltlists.dtx v1.0f		1994/05/23 ltclass.dtx v1.0h	
General: Use new error commands	279	<code>\NeedsTeXFormat</code> : Don't stop	
1994/05/21 ltmiscen.dtx v1.0n		completely when format is	
General: Use new error commands	258	wrong	475
1994/05/21 ltsect.dtx v1.0d		<code>\usepackage</code> : Remove argument if	
General: Use new error commands	354	possible	474
1994/05/21 lttab.dtx v1.0f		1994/05/23 ltdirchk.dtx v1.0f	
General: Use new error commands	306	General: Document <code>\TeXversion</code>	1
1994/05/21 ltxref.dtx v1.1b		1994/05/23 ltfstsrc.dtx v2.3j	
General: Use new warning		General: Removed def of	
commands	254	<code>\f@warn@break</code>	185
<code>\newlabel</code> : Use new warning		1994/05/23 ltoutput.dtx v1.0u	
commands	255	<code>\@activechar@info</code> : Added	
1994/05/22 ltclass.dtx v1.0f		<code>\MessageBreak</code>	419
General: Use new warning and		<code>\@writersetup</code> : Changed resetting	
error commands	463	of <code>\protect</code> after shipout to	
1994/05/22 ltdefns.dtx v1.1f		use <code>\aftergroup</code>	419
General: Use new warning and		General: Added <code>\MessageBreak</code> .	393
error cmds	34	Changed resetting of <code>\protect</code>	
1994/05/22 lterror.dtx v1.1e		after shipout.	393
General: (ASAJ) Replaced bgroup		1994/05/24 lterror.dtx v1.2e	
by begingroup in error		<code>\@latex@info@no@oline</code> : Macro	
messages, to stop extra		added	58
mathords creeping into math		1994/05/24 lterror.dtx v1.2f	
mode.	55	General: (DPC) wrap long lines	55
1994/05/22 lterror.dtx v1.2a		1994/05/24 ltfntcmd.dtx v3.3i	
General: (ASAJ) Made		General: Tidying and typos fixed	245
<code>\GenericError</code> ,		1994/05/24 ltmiscen.dtx v1.0q	
<code>\GenericWarning</code> and		<code>\@currentvline</code> : Use <code>\@empty</code> as	
<code>\GenericInfo</code> robust.	55	outer default	262
(ASAJ) Replaced		1994/05/25 ltdirchk.dtx v1.0g	
<code>\@generic@message</code> and		<code>\filename@parse</code> : Mac parser had	
<code>\@generic@error</code> by		" typo for :	12
<code>\GenericError</code> ,		1994/05/25 ltfntcmd.dtx v3.3j	
<code>\GenericWarning</code> and		General: Insertion of <code>\aftergroups</code>	
<code>\GenericInfo</code> .	55	to implement <code>\nocorr</code> moved	
(ASAJ) Replaced <code>\</code> and tilde		to the end of the group	245
by <code>\MessageBreak</code> and <code>\space</code> .	55	<code>\check@icr</code> : Macros added	248
(ASAJ) Replaces <code>\string</code> by		<code>\check@nocorr@</code> : Insertion of	
<code>\protect</code> in some messages.	55	<code>\aftergroups</code> moved and	
1994/05/22 lterror.dtx v1.2d		defaults set up for efficiency	248
<code>\GenericError</code> : (DPC) Alternative		<code>\DeclareTextFontCommand</code> :	
version added for old TeXs	55	<code>\expandafter</code> inserted	247
(DPC) New version using long		Insertion of <code>\aftergroups</code>	
command name.	55	moved	247
1994/05/22 ltfloat.dtx v1.0i		1994/05/25 ltoutput.dtx v1.0v	
General: Use new warning		General: Extra documentation.	393
commands	364	1994/05/25 ltsect.dtx v1.0e	
1994/05/22 ltoutput.dtx v1.0t		<code>\@dottedtocline</code> : Put braces	
General: Changed warnings and		around argument 4 (the actual	
infos to new commands.	393	toc entry) to avoid font (and	
1994/05/22 ltpictur.dtx v0.1e		possibly other) changes leaking	
General: Use new warning cmds	328	out to the leaders.	363

1994/05/25 ltthm.dtx v1.0c			
General: Modify documentation .	350		
1994/05/25 ltvers.dtx v1.0d			
General: Remove PRELIMINARY			
TEST RELEASE from startup			
banner (spring is here)	32		
1994/05/25 ltxref.dtx v1.1c			
General: Modify documentation .	254		
1994/05/26 ltfiles.dtx LaTeX2e			
\@missingfileerror: Modify			
message format	87		
1994/05/26 ltlogos.dtx v1.1c			
General: Remove \SLiTeX logo . .	79		
1994/05/26 ltplain.dtx v1.1m			
\iterate: (CAR) added \long . .	26		
\underbar: (CAR/FMi) changed			
to use box \tw@	27		
1994/05/26 ltplain.dtx v1.1p			
\underbar: (DPC) changed to use			
\sbox	27		
1994/05/26/16 ltmiscen.dtx v1.0r			
General: \literal removed	266		
1994/05/29 ltssdcl.dtx v2.1j			
General: Use new error commands	194		
1994/05/31 ltfinal.dtx v1.0n			
General: Renamed lthyphen.* to			
lthyphen.*.	510		
1994/06/01 ltboxes.dtx v1.0i			
\@frameb@x: Macro added.	300		
\@ifframebox: New version, so			
\width is correct in			
\framebox	300		
\fbbox: New version, using			
\@frameb@x	299		
\framebox: New version, so \width			
is correct in \framebox	299		
1994/06/01 ltlogos.dtx v1.1d			
\LaTeX: Add \m@th to force math			
size calculations	79		
1994/06/01 ltoutput.dtx v1.0w			
General: Tidied up typesetting. .	393		
1994/06/08 ltfinal.dtx v1.0m			
General: Add patch file system . .	518		
1994/06/09 ltfinal.dtx v1.0n			
General: For T _E X2, do not set			
codes for higher half of			
character table.	514, 517		
1994/06/09 ltfmtcmd.dtx v3.3k			
General: Tidying and typos fixed			
in documentation	245		
1994/06/18 ltfmtcmd.dtx v3.3l			
General: Added check for empty			
text	245		
		\check@nocorr@: Added check for	
		empty text	248
		1994/06/22 ltfmtcmd.dtx v3.3m	
		General: Removed space from	
		\nfss@text	245
		Renamed \check@nocorr	245
		\check@nocorr@: Renamed	
		\check@nocorr to	
		\text@command to improve	
		\long error message	248
		\DeclareTextFontCommand:	
		Removed space from	
		\nfss@text	247
		1994/06/22 ltmath.dtx v1.2t classes	
		\mathindent: Set \mathindent at	
		the end of the class instead of	
		at begin document	276
		1994/07/20 ltlogos.dtx v1.1e	
		\LaTeX: Save a few tokens	79
		\LaTeXe: Save a few tokens	79
		1994/07/20 ltpage.dtx v1.0h	
		\sloppy: Save a few tokens	392
		1994/09/16 ltssbas.dtx v2.1s	
		\nfss@catcodes: Reset [and] as	
		well, just in case	159
		1994/10/07 ltoutenc.dtx v1.5l	
		General: Moved the ogonek accent.	90
		1994/10/11 ltdirchk.dtx v1.0h	
		\@TeXversion: Check for TeX3.14	13
		General: Modify all of ltxcheck	
		again	13
		1994/10/12 ltsect.dtx v1.0f	
		General: Doc. typos	354
		1994/10/14 fontdef.dtx v2.2a	
		General: New coding	223
		1994/10/14 ltssini.dtx v2.2a	
		General: New coding for cfg files .	217
		1994/10/14 ltmiscen.dtx v1.0s	
		General: Move math to other file	258
		1994/10/14 ltplain.dtx v1.1a	
		General: Moved code to other files.	14
		1994/10/15 ltssbas.dtx v2.1t	
		\extract@alph@from@version:	
		Warn if math alpha is used	
		outside math	164
		1994/10/18 ltboxes.dtx v1.0j	
		\@frameb@x: \leavevmode added	300
		\@ifframebox: \leavevmode moved	
		to \@frameb@x	300
		\@parboxto: Macro added to	
		remove misuse of \@empty . .	301
		General: stuff from ltpatch done .	295
		\fbbox: \long added	299
		\mbox: \long added	296

<code>\sbox: \long</code> added	298	<code>\textsterling,</code>	
1994/10/18 ltclass.dtx v1.0j		<code>\textunderline.</code>	107
General: Move <code>\listfiles</code> to		Removed <code>\textlbrace,</code>	
ltfiles.dtx	482	<code>\textrbrace, \textunderline</code>	
1994/10/18 ltdefs.dtx v1.2a		to give them their proper	
<code>\@star@or@long:</code> macro added . .	37	names.	107
General: Add extra test for		1994/10/25 ltoutenc.dtx v1.6a	
<code>\endgraf</code>	34	General: Added	
Add star-forms for all commands	34	<code>\ProvideTextCommand,</code>	
<code>\renew@environment:</code> reset end		<code>\UseTextSymbol,</code>	
command	40	<code>\UseTextAccent,</code>	
1994/10/18 ltfiles.dtx v1.0i		<code>\DeclareTextSymbolDefault,</code>	
<code>\listfiles:</code> code moved here from		<code>\DeclareTextAccentDefault,</code>	
ltclass	88	<code>\DeclareTextCommandDefault,</code>	
1994/10/18 ltoutenc.dtx v1.5l		and	
General: Added new definitions of		<code>\ProvideTextCommandDefault.</code>	90
<code>\patterns</code> and <code>\hyphenation.</code>	100	Added the <code>\Provide</code> commands,	
1994/10/18 ltoutenc.dtx v1.5m		and the default definitions. . .	94
General: Added new definitions of		Added the defaults.	101
<code>\patterns</code> and <code>\hyphenation.</code>	90	Added the files OT1enc.def,	
1994/10/18 ltsect.dtx v1.0g		T1enc.def and OMSenc.def. .	101
<code>\@dottedtocline:</code> Added		Added the OMS encoding. . .	112
<code>\normalcolor</code> for page		1994/10/27 ltoutenc.dtx 1.6b	
number	363	General: Added <code>\textasciicircum</code>	
General: Added <code>\normalcolor</code> . .	354	<code>\textasciitilde</code>	
1994/10/19 ltfssbas.dtx v2.1t		<code>\textbackslash \textbar</code>	
<code>\DeclareFontEncoding:</code> Add		<code>\textbraceleft</code>	
missing <code>\relax.</code>	149	<code>\textbraceright</code>	
1994/10/23 ltfstrc.dtx v23.k		<code>\textcompwordmark</code>	
<code>\every@math@size:</code> Renamed to		<code>\textemdash \textendash</code>	
<code>\every@math@size</code>	175	<code>\textexclamdown</code>	
1994/10/23 ltmath.dtx v1.0l		<code>\textgreater</code>	
<code>\@eqnnum:</code> Added <code>\normalcolor</code>		<code>\textthyphenchar \texthyphen</code>	
since <code>\eqno</code> introduces a		<code>\textless \textquestiondown</code>	
subgroup of the displayed math		<code>\textquotedblleft</code>	
group	273	<code>\textquotedblright</code>	
<code>\ensuremath:</code> Remove extra		<code>\textquotedbl</code>	
braces: but see p 168 of		<code>\textquoteleft</code>	
Leslie's book	275	<code>\textquoteright</code>	
1994/10/24 ltboxes.dtx v1.0k		<code>\textunderscore</code>	
<code>\fbox:</code> Inner braces added (to fix		<code>\textvisiblespace</code>	107
latex/1061)	299	Added: <code>\textemdash</code>	
1994/10/25 fontdef.dtx v2.2c		<code>\textendash \textexclamdown</code>	
General: Added OMSenc.def . . .	225	<code>\textthyphenchar \texthyphen</code>	
1994/10/25 ltboxes.dtx v1.0l		<code>\textquestiondown</code>	
<code>\@isavepicbox:</code> missing percent		<code>\textquotedblleft</code>	
(moved from ltpatch)	298	<code>\textquotedblright</code>	
1994/10/25 ltdefs.dtx v1.2b		<code>\textquoteleft</code>	
General: Documentation		<code>\textquoteright</code>	105
improvements	34	1994/10/27 ltoutenc.dtx v1.5d	
1994/10/25 ltoutenc.dtx 1.6a		General: Rewrote	
General: Added <code>\textdollar,</code>		<code>\DeclareTextSymbol</code> to define	
<code>\textlbrace, \textrbrace,</code>		its argument to use the current	
		encoding by default, to fit with	

- `\DeclareTextCommand`. 94
- 1994/10/27 ltoutenc.dtx v1.6b
 - General: Added `\textbackslash`. 112
 - Added more defaults for OT1. 101
 - Removed the enc.def files 90
 - Removed the files OT1enc.def, Tlenc.def and OMSenc.def. . 101
 - Renamed `\textlbrace` to `\textbraceleft` and `\textrbrace` to `\textbraceright`. 112
- 1994/10/29 ltmath.dtx 1.0m
 - General: ASAJ: Added `\DeclareMathOperator`. . . . 267
 - ASAJ: Tidied up documentation. 271
- 1994/10/29 ltmath.dtx v1.0m
 - General: ASAJ: Added `\mathellipsis`, `\mathdollar` and `\mathsterling`. 271
 - ASAJ: Removed `\dag`, `\ddag`. . 271
 - ASAJ: Renamed `\S` and `\P` to `\mathsection` and `\mathparagraph` and made them `\mathchardefs`. 271
- 1994/10/29 ltoutenc.dtx v1.6c
 - General: Added commands like `\dots` for use in text and math. 101
 - Renamed `\P`, `\S`, `\dag` and `\ddag` to `\textparagraph`, `\textsection`, `\textdagger` and `\textdaggerdbl`. 90
- 1994/10/30 ltdefs.dtx v1.2c
 - `\@onelevel@sanitize`: Macro added 47
 - General: (CAR)`\@onelevel@sanitize` added 34
- 1994/10/30 ltdefs.dtx v1.2f
 - General: (DPC)`\newwrite`'s moved to ltfiles 34
- 1994/10/30 ltmath.dtx v1.0n
 - General: ASAJ: Moved the new commands to ltoutenc. 271
- 1994/10/30 ltoutenc.dtx v1.6d
 - General: Added `\DeclareTextCom-`
`positeCommand`. 90
 - Added `\textcircled`. 90, 102, 112
 - Added `\t`. 102
 - Added math commands. 90
 - Added OML encoding. . . . 90, 102
 - Added the OML encoding. . . . 112
- Made `\textless` and `\textgreater` come from OML. 102
- Moved math commands here from ltmath. 104
- Removed `\textregistered`. . . 102
- Rewrote `\copyright` to use `\textcircled`. 102
- 1994/10/31 fontdef.dtx v2.2d
 - General: Added OMLenc.def 225
- 1994/10/31 fontdef.dtx v2.2e
 - General: ... and moved further down 225
- 1994/10/31 ltfloat.dtx v1.1a
 - `\@dblfloat`: Major changes since two-column and one-column cases merged 368
 - `\@dblflset`: Macro added 367
 - Major changes to parameter parsing, setting of local variables, etc; two-column and one-column cases merged; space hacks moved 367
 - `\@endfloatbox`: (DPC/CAR) Extra box added to remove colour resetting from vmode . 373
 - `\@floatboxreset`: Macro added . 371
 - `\@footnotetext`: (DPC/CAR) Move colour setting to output routine 382
 - `\@savemarbox`: (DPC/CAR) Extra box added for colour 376
 - `\@setfps`: Macro added 368
 - `\@xdblfloat`: Macros removed: `\@dbflt`, `\@xdblfloat` 373
 - `\@xfloat`: (DPC/CAR) Extra box added to remove colour resetting from vmode 369
 - Major changes, removing setting of local variables, space hacks etc; two-column and one-column cases merged . . . 368
 - Reset hook added 369
 - `\@xympar`: (DPC/CAR) Extra box added since needed for floats . 377
 - `\fps@dbl`: Macro added 368
- 1994/10/31 ltoutput.dtx v1.1a
 - `\@makecol`: (DPC/CAR) Colour resetting moved to here 416
 - `\@topnewpage`: (DPC/CAR) Extra box added to remove colour resetting from vmode 408
 - (DPC/CAR) Use `\color@begingroup` for colour . 408

(DPC/CAR) Use	\makeglossary: Removed
\normalcolor 408	\if@files from
1994/11/02 ltoutenc.dtx v1.6d	\makeglossary. 385
General: Wrapped lines longer	1994/11/04 ltmiscen.dtx v1.0t
than 70 characters. 90	\@writefile: Removed setting of
1994/11/03 ltclass.dtx v1.0k	\protect. ASAJ. 260
General: Move	1994/11/04 ltoutenc.dtx v1.6f
\@missingfileerror to ltfiles 467	General: Added _. 103
1994/11/03 ltdirchk.dtx v1.0i	Added \mathunderscore. . . . 104
General: Generate an error if	1994/11/04 ltpage.dtx v1.0e
latex.ltx not used with clean	\markright: Added
initex 1	\@unexpandable@protect.
1994/11/03 ltfiles.dtx v1.0j	ASAJ. 391
\@missingfileerror: Move here	1994/11/04 ltsect.dtx 1.0h
from ltclass 87	\@sect: (ASAJ) Added
1994/11/04 ltboxes.dtx v1.0m	\protected@edef. 357
\@mpfootnotetext: Added	General: (ASAJ) Added
\protected@edef. ASAJ. . . 303	\protected@xdef to \thanks. 354
1994/11/04 ltdefs.dtx v1.2e	1994/11/04 ltsect.dtx v1.0h
General: Added	General: Added \protected@write
\set@display@protect to	to \addtocontents. ASAJ. . 362
\typeout. ASAJ. 34	\addcontentsline: Added
Added commands for setting	\protected@write to
and restoring \protect. ASAJ. 44	\addcontentsline. ASAJ. . 362
Rewrote protected short	1994/11/04 lttab.dtx v1.0h
commands using \x@protect.	\@mkpream: (ASAJ) Added
ASAJ. 43	\@unexpandable@protect to
1994/11/04 lterror.dtx v1.2g	\@mkpream. 323
General: Added	\multicolumn: (ASAJ) added
\set@display@protect to	\set@typeset@protect. . . . 319
\Generic* commands. ASAJ. 55	1994/11/04 ltxref.dtx v1.1d
1994/11/04 ltfiles.dtx v1.0k	\label: (ASAJ)Added
\nofiles: Added setting of	\protected@write 256
\protected@write,	\refstepcounter: (ASAJ)Added
\makeindex and	\protected@edef 256
\makeglossary to \nofiles.	1994/11/05 ltboxes.dtx v1.0n
ASAJ. 84	\@mpfootnotetext: Colour
\protected@write: Macro added	resetting for footnotes moved
ASAJ. 84	to endminipage: as for main
1994/11/04 ltfloat.dtx v1.1b	page. 303
\@footnotetext: (ASAJ) Added	\color@endbox: macro added for
\protected@edef. 382	colour support 297
\footnotemark: Added	\color@hbox: macro added for
\protected@xdef to	colour support 297
\footnotemark. 382	\endminipage: Colour resetting for
1994/11/04 ltidxglo.dtx v1.1b	footnotes moved to here: as for
\@wrglossary: Added	main page. 303
\protected@write to	1994/11/05 ltboxes.dtx v1.0o
\@wrglossary. 385	\@mpfootnotetext: Colour groups
\@wrindex: Added	restored here. 303
\protected@write to	1994/11/05 ltfloat.dtx v1.1c
\@wrindex. 385	\@dblflset: Add compatibility
General: Removed \if@files	with old version of \@xfloat. 367
from \makeindex. 384	

<code>\@endfloatbox</code> : Use new	(DPC) Updated to use
<code>\color@hbox</code> concept. 373	<code>\ProvidesFile</code> 225
<code>\@footnotetext</code> : Removed	1994/11/07 ltfiles.dtx v1.0l
<code>\normalcolor</code> (again) 382	<code>\@unused</code> : move here from ltdefs, remove duplicate <code>\mainaux</code> . 82
<code>\@savemarbox</code> : Use new	1994/11/07 ltfiles.dtx v1.0m
<code>\color@hbox</code> concept. 376	<code>\document</code> : Renamed <code>\every@size</code> to <code>\every@math@size</code> 83
<code>\@setfps</code> : Add compatibility with old version of <code>\@xfloat</code> 368	1994/11/07 preload.dtx v2.1e
<code>\@xfloat</code> : Add compatibility with old version of <code>\@xfloat</code> : but the arguments, provided at exorbitant cost, are now completely ignored 368	General: (DPC) Updated to use <code>\ProvidesFile</code> 241
Use new <code>\color@hbox</code> concept. 369	1994/11/09 ltboxes.dtx v1.0p
<code>\@xympar</code> : Use new <code>\color@hbox</code> concept. 377	<code>\@finalstrut</code> : Revert <code>\finalstrut</code> to 2.09 equivalent (from ltpatch) 305
1994/11/05 ltoutenc.dtx v1.6g	General: more colour changes... 295
General: Added setting of <code>\@typeset@protect</code> to <code>\patterns</code> and <code>\hyphenation</code> . 100	1994/11/09 ltffsbas.dtx v2.1v
1994/11/05 ltoutput.dtx v1.1b	<code>\@vpt</code> : (DPC) macros added, from setsize.dtx 167
<code>\@topnewpage</code> : Use new <code>\color@hbox</code> concept. 408	(DPC) reduce save stack usage latex/1742 167
<code>\@writesetup</code> : Change protect settings for new-style, protect-free aux-files. 419	1994/11/10 ltbibl.dtx v1.1c
Use new <code>\color@hbox</code> concept. 419	General: Fix <code>\nocite{*}</code> 386
1994/11/05 ltoutput.dtx v1.1c	<code>\nocite</code> : Fix <code>\nocite{*}</code> 388
<code>\@beginDvi</code> : Added macro 422	1994/11/10 ltmath.dtx v1.2v classes
<code>\@beginDvibox</code> : Added macro .. 405	<code>eqnarray</code> : Added value of <code>\parskip</code> to <code>\abovedisplayskip</code> to compensate for negative <code>\topsep</code> 277
<code>\@writesetup</code> : Add new <code>\AtBeginDvi</code> concept 419	1994/11/10 ltoutput.dtx v1.1e
<code>\AtBeginDvi</code> : Added macro 405	<code>\@writesetup</code> : Modify <code>\protect</code> setting 419
1994/11/06 ltffsbas.dtx v2.1u	1994/11/10 ltplain.dtx v1.1b
<code>\cf@encoding</code> : New macro 155	General: (CAR) added patch to <code>\loop</code> 14
<code>\DeclareFixedFont</code> : Renamed <code>\every@size</code> to <code>\every@math@size</code> 148	<code>\iterate</code> : (CAR) added extra <code>\relax</code> 26
1994/11/06 ltffsini.dtx v2.2b	1994/11/11 ltspaced.dtx v1.2a
<code>\@setsize</code> : Use <code>\@typeset@protect</code> 219	<code>\:</code> (DPC) Make robust 69
1994/11/06 ltffsstrc.dtx v2.3k	1994/11/12 ltfntcmd.dtx v3.3o
<code>\glb@currsz</code> : New implementation 174	<code>\normalsize</code> : Added <code>\MessageBreak</code> 252
<code>\try@simples</code> : New implementation 185	1994/11/12 ltlists.dtx v1.2b ltspaced
<code>\try@size@substitution</code> : New implementation 185	<code>\endtrivlist</code> : Changed order of tests to make <code>\@noitemerror</code> correct: end of an era. 288
<code>\tryis@simple</code> : New implementation 185	1994/11/12 ltmiscen.dtx v1.0u
1994/11/07 fontdef.dtx v2.2f	<code>center</code> : Changed end macro to <code>\def</code> : safer and consistent .. 263
General: (DPC) Add <code>\DeclareMathSizes</code> declarations 229	<code>flushleft</code> : Changed end macro to <code>\def</code> : safer and consistent .. 263
	<code>flushright</code> : Changed end macro to <code>\def</code> : safer and consistent 263

1994/11/12 ltplain.dtx v1.1c	1994/11/17 ltfsstrc.dtx v2.3l
General: Comment out more	General: \@tempa to \reserved@a 168
encoding specific commands . 27	1994/11/17 ltmath.dtx v1.0o
1994/11/12 ltspc.dtx v1.2b	General: \@tempa to \reserved@a 267
\addpenalty: Corrected error	1994/11/17 ltmiscen.dtx v1.0v
message 74	General: \@tempa to \reserved@a 258
\advspace: Corrected error	1994/11/17 ltoutenc.dtx v1.6h
message 74	General: (DPC) \@tempa to
1994/11/13 ltspc.dtx v1.2c	\reserved@a 90
\addpenalty: Recorrected error	1994/11/17 ltoutput.dtx v1.1h
message 74	General: \@tempa to \reserved@a. 393
\advspace: Recorrected error	1994/11/17 ltpictur.dtx v1.0f
message 74	General: \@tempa to \reserved@a 328
1994/11/14 ltoutput.dtx v1.1f	1994/11/17 ltsect.dtx v1.0i
\@beginvbox: Use normal box	General: \@tempa to \reserved@a 354
register: why a box? 422	1994/11/17 lttab.dtx v1.0j
\@beginvbox: Use normal box	General: \@tempa to \reserved@a 306
register: why a box? 405	1994/11/18 ltboxes.dtx v1.0r
\@writsetup: Modify new	\color@vbox: macro added for
\AtBeginDvi concept 419	colour support 297
General: Removed old definition of	1994/11/18 ltfinal.dtx v1.0n
\@testfp. 393	General: re-allow slots 127–255 . . 516
1994/11/14 ltspc.dtx v1.2d	1994/11/18 ltfsbas.dtx v2.1x
\: (DPC) Macro modified 69	General: (DPC) use \reserved@f
1994/11/14 lttab.dtx v1.0i	not \next 147
\tabularnewline: (DPC) Macro	1994/11/18 ltfsdcl.dtx v2.1m
added 318	\DeclareMathDelimiter: (DPC)
1994/11/16 fontdef.dtx v2.2h	\expandafter instead of
General: (DPC) Removed \{ and	\next 210
\} 225	1994/11/18 ltfsstrc.dtx v2.3m
1994/11/17 ltboxes.dtx v1.0q	General: \next to \reserved@f . 168
General: \@tempa to \reserved@a 295	1994/11/18 ltmath.dtx v1.0p
1994/11/17 ltclass.dtx v1.0l	\phantom: (DPC) colour support 269
General: \@tempa to \reserved@a 463	(DPC) use \expandafter
1994/11/17 ltcntrl.dtx v1.0b	instead of \next 269
General: \@tempa to \reserved@a 51	\prime@s: (DPC) use \@let@token
1994/11/17 ltdefs.dtx v1.0g	instead of \next and
General: \@tempa to \reserved@a 34	\expandafter instead of \nxt 271
1994/11/17 ltdirchk.dtx v1.0j	\smash: (DPC) colour support . . 269
General: \@tempa to \reserved@a . 1	(DPC) use \expandafter
1994/11/17 lterror.dtx v1.2h	instead of \next 269
General: \@tempa to \reserved@a 55	1994/11/21 ltfloat.dtx v1.1f
1994/11/17 ltfiles.dtx v1.0n	\@endfloatbox: Added reset of
General: \@tempa to \reserved@a 80	minipage flag 373
1994/11/17 ltfinal.dtx v1.0o	Corrected position of
General: \@tempa to \reserved@a 510	\outer@nobreak 373
1994/11/17 ltfloat.dtx v1.1e	\@marginparreset: Macro added 376
General: \@tempa to \reserved@a 364	\@savemarbox: Added
1994/11/17 ltfntcmd.dtx v3.3p	\@setminipage etc 376
General: \@tempa to \reserved@a 245	Added resetting of size and font 376
1994/11/17 ltfsbas.dtx v2.1w	Changed to \color@vbox 376
General: \@tempa to \reserved@a 147	Use \@setnobreak etc 376
1994/11/17 ltfsdcl.dtx v2.1m	\@setminipage: Macro added . . . 371
General: \@tempa to \reserved@a 194	\@setnobreak: Macro added . . . 371

<code>\xfloat</code> : Added <code>\setminipage</code>	369	1994/11/30 ltoutenc.dtx 1.7a	
Added resetting of size and font	369	General: Redefined <code>\a</code> for the new	
Changed to <code>\color@vbox</code> so		scheme.	101
that large floats overflow at the		1994/11/30 ltoutenc.dtx v1.6g	
bottom	369	General: Removed new definitions	
Missing percents reinserted after		of <code>\patterns</code> and	
4, 8: these are not numbers.	368	<code>\hyphenation</code> , since	
Use <code>\setnobreak</code>	369	encoding-specific commands	
<code>\xympar</code> : Changed to		now expand in the mouth.	100
<code>\color@vbox</code>	377	1994/11/30 ltoutenc.dtx v1.7a	
1994/11/21 ltoutput.dtx v1.1i		General: Added new code for	
<code>\addtocurcol</code> : Added		encoding-specific commands.	
<code>\if@nobreak</code> test before float		These now expand in the	
box	431, 435	mouth, which means that	
<code>\specialoutput</code> : Added		ligaturing and kerning can	
<code>\if@nobreak</code> test	412	happen.	90
<code>\topnewpage</code> : Changed to		Always load the enc.def file, so	
<code>\color@vbox</code>	408	that the default encoding for	
1994/11/22 ltssdcl.dtx v2.1o		the commands will change.	127
General: wrap long lines	194	Redefined <code>\@changed@cmd</code> to	
1994/11/22 ltoutenc.dtx v1.6i		expand in the mouth.	94
General: Corrected <code>\dots</code> so that		Removed <code>\@changed@x@mouth</code>	
there's no kerning in		since <code>\@changed@x</code> now	
monowidth fonts.	90	expands in the mouth.	94
Corrected typo with		Rewrote <code>\@text@composite</code> so it	
<code>\mathunderscore</code>	90	allows an empty argument, or	
Fixed empty accents. Again.	90	an argument containing lots of	
1994/11/24 ltdefs.dtx v1.2h		commands.	96
<code>\newenv</code> : Added test for <code>\endgraf</code>	40	1994/12/01 ltfinal.dtx v1.0p	
1994/11/25 ltplain.dtx v1.1f		General: Renamed <code>lthyphen.*</code> to	
General: (DPC) Comment out lots		<code>hyphen.*</code>	510
of obsolete code	14	1994/12/01 lthyphen.dtx v1.0g	
1994/11/26 ltfloat.dtx v1.1b		General: Rename <code>lthyphen.ltx/cfg</code>	
<code>\footnote</code> : (ASAJ) Added		to <code>hyphen.ltx/cfg</code>	483
<code>\protected@xdef</code>	381	1994/12/01 ltplain.dtx v1.1g	
1994/11/28 ltcntrl.dtx v1.0c		General: (DPC) More doc changes	14
General: Documentation		1994/12/02 fontdef.dtx v2.2i	
improvements	51	General: Commented out <code>\ldots</code> .	
1994/11/30 ltfiles.dtx v1.0o		ASAJ.	223
<code>\dofilelist</code> : Macro added	89	1994/12/02 ltssini.dtx v2.2c	
<code>\listfiles</code> : Use <code>\dofilelist</code>	88	<code>\copyright</code> : <code>\copyright</code> is now in	
<code>\nofiles</code> : There is no		ltoutenc. ASAJ	220
<code>\gobblethree</code>	84	1994/12/02 ltlists.dtx v1.0e	
1994/11/30 ltssbas.dtx v2.1y		<code>\@trivlist</code> : RmS: Added check	
<code>\fontshape</code> : Use <code>\@current@cmd</code> in		for looping	287
<code>\@enc@update</code> . ASAJ.	154	1994/12/02 ltoutenc.dtx 1.7b	
1994/11/30 ltmath.dtx 1.0q		General: Redefined <code>\a</code> properly.	101
General: ASAJ:		1994/12/02 ltoutenc.dtx v1.7b	
<code>\DeclareMathOperator</code> moved		General: Fixed a bug with <code>\a</code>	90
to AMS $\mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$	267	1994/12/04 lthyphen.dtx v1.0h	
1994/11/30 ltmiscen.dtx v1.0w		General: Documentation edits for	
<code>\enddocument</code> : (DPC) Do		/1989	483
warnings even for <code>\nofiles</code>	260		
(DPC) Use <code>\dofilelist</code>	260		

1994/12/05 ltoutenc.dtx v1.7c	1994/12/14 ltoutenc.dtx v1.7f
General: Added braces to	General: Added braces to
<code>\textcircled.</code> 90	<code>\copyright</code> so it works
1994/12/06 ltfssbas.dtx v2.1z	unbraced in subscripts. 90
<code>\DeclareFontEncoding:</code> use	Added check for math mode in
<code>\nfss@catcodes</code> 149	<code>\@changed@cmd.</code> 90
<code>\nfss@catcodes:</code> Added tab char	Commented out
as well 159	<code>\textasciicircum,</code>
1994/12/08 ltoutenc.dtx v1.7d	<code>\textasciitilde,</code>
General: Added <code>\null</code> and <code>\sh@ft</code>	<code>\textbackslash,</code> <code>\textbar,</code>
to <code>\b</code> and <code>\d.</code> 90	<code>\textgreater,</code>
1994/12/08 lttab.dtx v1.0k	<code>\textthyphenchar,</code>
<code>\array:</code> Add <code>\tabularnewline</code> . 318	<code>\textthyphen</code> and <code>\textless</code> to
<code>\tabularnewline:</code> (DPC) Made it	save memory. 90
<code>\relax</code> 318	1995/01/12 ltmath.dtx v1.2y classes
1994/12/09 ltbibl.dtx v1.1d	<code>\@eqnnum:</code> Added <code>\normalcolor</code> . 275
<code>\bibliographystyle:</code> (DPC)	1995/03/03 ltoutenc.dtx 1.7g
Allow use in preamble. 388	General: Corrected an error in
1994/12/10 ltfloat.dtx v1.1g	documentation referring to the
<code>\@dblfloat:</code> Old version reinstated	tabular rather than the
temporarily 368	tabbing environment. 101
<code>\@dblflset:</code> Macro removed	1995/04/02 ltfntcmd.dtx v3.3r
temporarily 367	<code>\@math@egroup:</code> Read them again
Old version reinstated	to be able to add <code>\relax.</code> . . 252
temporarily 367	1995/04/02 ltfssdcl.dtx v2.1q
<code>\@setfps:</code> Macro removed	<code>\document@select@group:</code> fix
temporarily 368	problem for pr/1275 198
<code>\@xdblfloat:</code> Macros reinserted	<code>\select@group:</code> fix problem for
temporarily 373	pr/1275 196
<code>\@xfloat:</code> Old version reinstated	<code>\set@mathdelimiter:</code> fix pr/1329 213
temporarily 368	1995/04/02 ltfssini.dtx v2.2d
Sanitisation added temporarily 368	<code>\not@math@alphabet:</code> add
General: Some temps reinserted	<code>\noexpand</code> to second part of
temporarily 364	message 218
<code>\fps@dbl:</code> Macro removed	1995/04/21 ltclass.dtx v1.0m
temporarily 368	<code>\DeclareOption*:</code> Made long
1994/12/10 ltfntcmd.dtx v3.3q	/1498 471
<code>\@math@egroup:</code> Don't read	<code>\endfilecontents:</code> Close input
arguments 252	check stream: latex/1487 . . . 480
<code>\check@nocorr@:</code> Use <code>\space</code>	1995/04/21 ltfinal.dtx v1.0q
command for comparison . . . 248	General: Allow initial patch level
1994/12/10 ltfssdcl.dtx v2.1p	0 519
<code>\document@select@group:</code>	1995/04/21 ltoutenc.dtx v1.7h
Surround with braces (add	General: Added <code>\null</code> <code>\k</code>
fourth arg) 198	latex/1274 90
<code>\select@group:</code> Surround with	1995/04/22 ltfiles.dtx v1.0p
braces (add fourth arg) 196	<code>\includeonly:</code> Allow blanks in
1994/12/10 ltoutenc.dtx v1.7e	argument 84
General: Added documentation for	1995/04/22 ltmiscen.dtx v1.0x
the OML encoding. 90	General: Removed extra def of
Replaced width with <code>\@width</code>	<code>\@gobble</code> 258
and ditto height in vrules. . . . 90	1995/04/23 ltsect.dtx v1.0j
	<code>\addcontentsline:</code> Use
	<code>\contentsline</code> internally. . . 362

1995/04/24 ltbibl.dtx v1.1e	1995/04/27 ltfiles.dtx v1.0r
\@citex: Add \mbox to undefined	\document: Added \global to
case: latex/1239. 387	support groups in hook 83
1995/04/24 ltbibl.dtx v1.1f	1995/04/27 ltmiscen.dtx v1.0y
\bibcite: Make \@onlypreamble	\enddocument: \@checkend moved
/1388. 387	after hook 259
1995/04/24 ltcntrl.dtx v1.0d	1995/04/27 ltplain.dtx v1.1i
\@for: Dont expand second	General: Move \hang and
argument with \edef: /1317	\textindent to latex209.def . 27
(DPC) 53	1995/04/29 ltcntrl.dtx v1.0e
1995/04/24 ltoutput.dtx v1.1j	General: Moved init of \protect
\fl@tracemessage: Do not add to	to ltdefns.dtx 54
kernel unless ‘trace’ specified 448	Removed unused defs for
1995/04/24 ltoutput.dtx v1.1l	\@setprotect and
\@begindvibox: Add \vbox	\@resetprotect 54
latex/1392 405	1995/04/29 ltdefns.dtx v1.2j
\@writsetup: Reset \	\protect: Init \protect here ... 45
latex/1451 (DPC) 420	1995/04/29 ltpar.dtx v1.1b
1995/04/24 ltpage.dtx v1.0f	General: (TO) Comments
\fussy: reset \emergencystretch	clean-up. 63
latex/1344 392	1995/05/02 ltsect.dtx v1.0l
1995/04/24 ltplain.dtx v1.1h	\@dottedtocline: Don’t reset to
\newlanguage: Remove remaining	\rmfamily 363
\outer declarations. 16	1995/05/03 ltsect.dtx v1.0m
1995/04/24 ltxref.dtx v1.1e	General: TO: Promoted
\newlabel: Make \@onlypreamble	documentation to doc.sty
for /1388. 255	standard 354
1995/04/25 ltdefns.dtx v1.2i	1995/05/06 ltsect.dtx 1.0n
\@check@c: Make \long for	\@seccntformat: Use \quad
latex/1346 42	instead of \hskip 359
\new@environment: Parse	\@sect: Added \relax after
arguments slowly but safely	\@seccntformat just in case 357
/1507 40	1995/05/07 ltboxes.dtx v1.0t
1995/04/25 ltfiles.dtx v1.0q	General: Use \hb@xt@ 295
\document: Removed execution of	1995/05/07 ltdefns.dtx v1.2k
\every@size latex/1407 83	\hb@xt@: Macro added 35
1995/04/25 ltsect.dtx v1.0k	1995/05/07 ltmath.dtx v1.0r
\@dottedtocline: Added \hbox	General: Use \hb@xt@ 267
around dots. 363	1995/05/07 ltoutput.dtx v1.1m
1995/04/27 ltboxes.dtx v1.0s	General: Use \hb@xt@. 393
\@frameb@x: Move \leavevmode	1995/05/07 ltpictur.dtx v1.0g
for graphics/1512 300	General: Use \hb@xt@ 328
\@ifframebox: Move \leavevmode	1995/05/07 ltplain.dtx v1.1j
for graphics/1512 300	General: Use \hb@xt@ 14
\@iirsbox: Move \leavevmode for	1995/05/07 ltsect.dtx v1.0o
graphics/1512 305	General: Use \hb@xt@ 354
\@irsbox: Move \leavevmode for	1995/05/07 lttab.dtx v1.0l
graphics/1512 305	General: Use \hb@xt@ 306
\fbbox: Move \leavevmode for	1995/05/08 ltbibl.dtx v1.1g
graphics/1512 299	\@citex: Use \@firstofone 387
\raisebox: Move \leavevmode for	\bibitem: Removed unnecessary
graphics/1512 304	braces 387
	\nocite: Use \@firstofone 388

1995/05/08 ltdefs.dtx v1.2k	1995/05/19 ltpictur.dtx v1.1a
\typein: Use \@firstofone 36	General: Support autoloading
1995/05/08 ltdefs.dtx v1.2l	feature 328
\typein: Remove unnecessary	1995/05/20 ltcounts.dtx v1.1b
braces 36	\@definecounter: Streamlined
Replace \def by \let 36	code 142
1995/05/08 ltfsstrc.dtx v2.3n	\@fnsymbol: Allowing both text
\ifnot@nil: Use \@firstofone . 180	and math 143
1995/05/11 fontdef.dtx v2.2j	\fnsymbol: Streamlined code . . . 142
General: Updates to some plain	1995/05/20 ltcounts.dtx v1.1c
macros 223	\@definecounter: And do it right 142
1995/05/12 ltclass.dtx v1.0n	1995/05/20 ltfloat.dtx v1.1k
\DeclareOption*: Use \toks@ to	\@makefnmark: Moved
remove need to double hash	\normalfont back and use
/1557 471	\@textsuperscript 380
1995/05/12 ltfloat.dtx v1.1h	Moved \normalfont to
\@footnotemark: Add \nobreak to	\textsuperscript 380
allow hyphenation. latex/1605 382	\textsuperscript: Use
1995/05/12 ltpictur.dtx v1.0h	\normalfont. 381
\pictur@: Macro added for	1995/05/21 ltfsdcl.dtx v2.1t
latex/1355 329	\DeclareMathRadical: Allow for
1995/05/12 ltvers.dtx v1.0e	undefined cs names 213
General: Add autoload docstrip	1995/05/21 ltlists.dtx v1.0f
guards 32	General: Moved to doc.sty
Check for format older than 1	standard 279
year 32	1995/05/21 ltmath.dtx v1.0r
1995/05/13 ltfsstrc.dtx v2.3o	\@sqrt: Use \sqrtsign 273
General: Use single hash mark in	General: Remove \mathhexbox
\DeclareOption 169	from this file 270
1995/05/16 ltfloat.dtx v1.1i	Update some plain macros . . . 267
\@makefnmark: Now use	\lefteqn: Use \rlap 275
\textsuperscript. 380	\r@t: Use \sqrtsign instead of
\textsuperscript: Command	\sqrt 269
added./pr1503 381	1995/05/21 ltoutenc.dtx v1.7h
\thefootnote: Streamlined parts	\@inmathwarn: Added several
of code. 380	\@onlypreamble 94
1995/05/17 ltboxes.dtx v1.0u	1995/05/21 ltoutenc.dtx v1.7j
\@irsbox: Removed surplus	General: Updated some plain
braces 305	macros 105
1995/05/17 ltclass.dtx v1.0o	1995/05/21 ltplain.dtx v1.1j
\g@addto@macro: Make long for	General: Moved some code to
latex/1522 479	other files 14
1995/05/17 ltlists.dtx v1.0g	1995/05/22 ltplain.dtx v1.1k
\@item: Removed surplus braces . 291	General: Definitions of \footins
\@nitem: Removed surplus	and \footnoterule moved to
braces 291	ltfloat. 29
enumerate: Use \thr@@ and	1995/05/22 lttab.dtx v1.1a
remove surplus braces 292	General: Support autoloading
itemize: Use \thr@@ 293	feature 306
1995/05/18 ltfloat.dtx v1.1j	1995/05/23 ltssini.dtx v2.2e
\@makefnmark: Added	\newfont: Font assignment made
\normalfont. 380	local again. 219
\thempfootnote: Added	
\itshape. 380	

1995/05/24 ltdefs.dtx v1.1l		<code>\InputIfFileExists:</code> (CAR)	
<code>\newif:</code> (DPC) New		added <code>\long</code>	87
implementation	41	<code>\nofiles:</code> (CAR) added <code>\long</code> ..	84
1995/05/24 ltdefs.dtx v1.2m		<code>\protected@write:</code> (CAR) added	
<code>\typein:</code> (DPC) New		<code>\long</code>	84
implementation	36	1995/05/25 ltfloat.dtx v1.1m	
1995/05/24 ltfloat.dtx v1.1l		<code>\@savemarbox:</code> (CAR) Resettings	
<code>\@textsuperscript:</code> Command		moved to hook	376
added.	381	<code>\@xfloat:</code> (CAR) Resettings	
General: Moved definition of		moved to hook	369
<code>\footins</code> and <code>\footnoterule</code>		1995/05/25 ltlists.dtx v1.0i	
from <code>ltplain</code>	380	<code>\endtrivlist:</code> Macros moved from	
<code>\textsuperscript:</code> Use		<code>ltspace.dtx</code>	288
<code>\@textsuperscript</code>	381	1995/05/25 ltmath.dtx v1.3c classes	
1995/05/24 ltssbas.dtx v3.0a		<code>\@eqnnum:</code> replace	
General: (DPC) Make file from		<code>\reset@font\rmfamily</code> with	
previous file, <code>fam.dtx</code>		<code>\normalfont</code> (PR 1578) . . .	275
1995/05/20 v2.2d	147	1995/05/25 ltspace.dtx v1.2f	
<code>\mathgroup:</code> (DPC) No need to		<code>\vbsphack:</code> (CAR) not used so	
redefine <code>\newfam</code> as not outer	147	‘removed’.	73
1995/05/24 ltsscmp.dtx v3.0a		<code>\vspacer:</code> (CAR) <code>\@restorepar</code>	
General: (DPC) Make file from		added to avoid possible infinite	
previous file, <code>fam.dtx</code>		tail recursion caused by a typo	
1995/05/20 v2.2d	190	in the argument.	75
1995/05/24 ltssdcl.dtx v3.0a		(CAR) macros modified to be	
General: (DPC) Make file from		more efficient	75
previous file, <code>latint.dtx</code>		General: Macros moved to	
1995/05/21 v2.1t	194	<code>ltlists.dtx</code>	65
1995/05/24 ltssini.dtx v3.0a		1995/05/26 ltdefs.dtx v1.2n	
General: (DPC) Make file from		<code>\gobblefour:</code> (CAR) Added	
previous file, <code>lfonts.dtx</code>		<code>\longs</code>	42
1995/05/23 v2.2e	217	1995/05/26 ltmath.dtx v1.0s	
<code>\cal:</code> (DPC) Remove definition .	222	<code>\@eqnnum:</code> Removed <code>\rmfamily</code>	
<code>\mit:</code> (DPC) Remove definition .	222	(PR 1578), replaced	
1995/05/24 ltssstrc.dtx v3.0a		<code>\reset@font</code> with	
General: (DPC) Make file from		<code>\normalfont</code>	273
previous file, <code>tracefnt</code>		1995/05/26 ltpage.dtx v1.0g	
1995/05/16 v2.3o	168	<code>\ps@plain:</code> removed <code>\rmfamily</code>	
1995/05/24 ltssstrc.dtx v3.0b		(PR 1578)	391
General: (DPC) Fix		1995/05/27 ltssbas.dtx v3.0b	
<code>\ProvidesFile</code> usage	168	<code>\mathgroup:</code> (FMi) But a need to	
1995/05/25 ltclass.dtx v1.0p		define <code>\new@mathgroup</code>	147
<code>\endfilecontents:</code> Delete		1995/06/05 fontdef.dtx v2.2k	
<code>\filec@ntents</code> after preamble	480	General: Moved math commands	
1995/05/25 ltfiles.dtx v1.0s		from <code>ltoutenc.dtx</code>	239
<code>\document:</code> Added check for		1995/06/05 ltfinal.dtx v1.0r	
<code>\topskip</code> zero	83	General: Added <code>\MakeUppercase</code>	
1995/05/25 ltfiles.dtx v1.0t		and <code>\MakeLowercase</code>	510
<code>\iffileonpath:</code> (CAR) added		1995/06/05 ltoutenc.dtx v1.7k	
<code>\long</code>	86	<code>\@inmathwarn:</code> Removed	
<code>\document:</code> Corrected typo	83	<code>\protected@cmd</code> and replaced	
<code>\IfFileExists:</code> (CAR) added		with explicit <code>\noexpand</code>	94
<code>\long</code>	86		

General: Allowed	1995/06/28 ltssini.dtx v3.0b
<code>\ProvideTextCommandDefault</code>	General: (DPC) Fix
after the preamble. 96	documentation typos 217
Commented out <code>\textless</code> and	1995/06/28 ltmath.dtx v1.0t
<code>\textgreater</code> 102	General: minor doc edits 267
Moved math commands to	1995/07/02 ltplain.dtx v1.1n
fontdef.dtx. 104	General: Removed surplus ‘by’ and
Save some tokens in	‘=’ in various places 14
<code>\textvisiblespace</code> and	<code>\offinterlineskip</code> : Replaced
<code>\textunderscore</code> 102	1000 by <code>\@m</code> 26
1995/06/06 ltfinal.dtx v1.0s	<code>\showoutput</code> : Use <code>\showoverfull</code>
General: Made <code>\MakeUppercase</code>	to save space 29
and <code>\MakeLowercase</code> brace	<code>\tracingall</code> : Use <code>\showoutput</code> to
their argument. 510	save space 29
1995/06/09 ltoutenc.dtx v1.7l	1995/07/03 ltdefns.dtx v1.2o
<code>\DeclareTextComposite</code> : Rewrote	<code>\set@typeset@protect</code> : Use
<code>\DeclareTextComposite</code> to	<code>\@typeset@protect</code> for init . . 45
define the composite as a	1995/07/03 ltfnctcmd.dtx v3.3s
no-argument command rather	<code>\t@st@ic</code> : Use clean interface for
than a two-argument	jump 250
command. 97	1995/07/05 ltfnctcmd.dtx v3.3s
1995/06/11 ltspac.dtx v1.2g	<code>\t@st@ic</code> : Renamed from
<code>\restorecr</code> : (CAR) <code>\relax</code> added	<code>\test@next</code> 250
to stop silent eating of *. . . . 78	1995/07/05 ltspac.dtx v1.2h
1995/06/13 ltfinal.dtx v1.0t	<code>\@gnewline</code> : Use <code>\break</code> 69
General: Add patch level string	<code>\@no@pgbk</code> : Macro replaces <code>\@pgbk</code>
more carefully 519	and <code>\@nopgbk</code> 68
Call <code>\errorstopmode</code> 520	<code>\nopagebreak</code> : Reimplemented
1995/06/13 ltpictur.dtx v1.1b	both using <code>\@no@pgbk</code> 68
General: Use <code>\ProvidesFile</code> in	1995/07/09 ltcntrl.dtx v1.0f
autoload 328	<code>\@iforloop</code> : Reimplemented using
1995/06/14 lttab.dtx v1.1b	Kabelschacht method 53
General: Use <code>\ProvidesFile</code> in	<code>\@iwhiledim</code> : Reimplemented
autoload 306	using Kabelschacht method . . 52
1995/06/15 ltssbas.dtx v3.0c	<code>\@iwhilenum</code> : Reimplemented
General: (DPC) minor	using Kabelschacht method . . 52
documentation changes 147	<code>\@iwhilesw</code> : Reimplemented using
1995/06/15 ltsscmp.dtx v3.0b	Kabelschacht method 52
General: (DPC) minor	<code>\tfor</code> : Reimplemented using
documentation edits 190	Kabelschacht method 54
1995/06/15 ltssdcl.dtx v3.0b	1995/07/09 ltlists.dtx v1.0j
General: (DPC) minor	<code>enumerate</code> : Use <code>\expandafter</code> . . 292
documentation changes 194	<code>itemize</code> : Use <code>\expandafter</code> . . . 293
1995/06/19 ltbibl.dtx v1.1h	1995/07/12 ltpictur.dtx v1.1d
<code>\bibcite</code> : Call <code>\@newl@bel</code> so	General: allow 2e commands in 209
repeated keys produce better	mode. latex/1737 328
warning. 387	1995/07/13 ltdefns.dtx v1.0p
1995/06/19 ltclass.dtx v1.0q	General: Updates to
<code>\documentclass</code> : Dont redefine	documentation 34
<code>\usepackage</code> in compat mode	1995/07/13 ltfiles.dtx v1.0u
for /1634 474	General: Updates to docu 80
1995/06/19 ltxref.dtx v1.1e	1995/07/13 ltssbas.dtx v3.0d
<code>\newlabel</code> : Use <code>\@newl@bel</code> to	<code>\@defaultsbs</code> : macro added . . 162
share code with <code>\bibcite</code> . . 255	<code>\@defaultsbs</code> : macro added . . 162

General: minor documentation changes	147	1995/08/16 ltfiles.dtx v1.0v	
\wrong@fontshape: Change a macro not a switch to flag default font substitutions . . .	161	\document: set \@maxdepth	83
1995/07/13 ltmiscen.dtx v1.0z		set \do globally	83
\@centercr: Use \nobreak	263	set \topskip globally	83
\@writefile: Added missing percent and use \relax in the THEN case	260	1995/08/24 ltfssbas.dtx v3.0f	
\@xobeysp: Use \nobreak	264	General: Added autoload code . .	147
General: Improve Documentation	258	1995/08/24 ltfssstrc.dtx v3.0c	
\enddocument: Set \@setckpt to \gobble@font@spec removed	180	General: Macro	
\@gobbletwo instead of defining it by hand	259	\tryis@simple:	187
Shorten redefinition of \bibtex and \newlabel	259	1995/08/25 ltoutput.dtx v1.1p	
Use \@defaultsubs instead of switch	260	General: Support autoloading feature (FMI).	393
1995/07/14 ltbibl.dtx v1.1i		1995/09/01 lterror.dtx v1.2i	
\bibtex: Remove \@onlypreamble so still defined in new \enddocument	387	General: Add autoload support . .	55
1995/07/14 ltxref.dtx v1.1g		1995/09/01 ltplain.dtx v1.1m	
\newlabel: Remove \@onlypreamble so still defined in new \enddocument	255	\empty: Use \let to save space . .	26
1995/07/19 ltfssini.dtx v3.0d		\I: Use \let to save space	25
General: (DPC) TeX2 support . .	221	1995/09/14 ltplain.dtx v1.1o	
1995/07/20 ltboxes.dtx v1.0v		General: Moved \multispan to lttab.dtx	14
\@isavebox: Use \sbox	298	1995/09/14 lttab.dtx v1.1c	
\@isavepicbox: Use \sbox	298	\cline: (DPC) New implementation	326
1995/07/21 ltoutput.dtx v1.1o		1995/09/15 ltfssini.dtx v3.0e	
\@writesetup: Command added .	419	General: (DPC) Modify TeX2 message	221
New, experimental, versions: need in-lining	419	1995/09/19 ltmiscen.dtx v1.1a	
1995/08/09 ltmath.dtx v1.0u		\verb: Put \@noligs after \verbatim@font where it belongs.	265
General: Added code for class options leqno and fleqn	275	1995/10/01 ltfiles.dtx LaTeX2e	
1995/08/11 ltlength.dtx v1.1b		\@addtofilelist: Macro added . .	88
General: Doc typos fixed for latex/753	146	1995/10/02 ltdefs.dtx v1.2q	
1995/08/16 ltcntrl.dtx v1.0g		\@ifnch: Use \@let@token for internal/924, save \reserved@e	47
\@break@tfor: Made long	54	\@ifnextchar: Use \@let@token	46
\@forloop: Made defs long	53	\@protected@testopt: Macro added	38
\@fornoop: Made defs long	53	\@testopt: Macro added	38
\@iforloop: Made defs long	53	\@xargdef: New implementation, using \@test@opt	37
\@iwhiledim: Made defs long . . .	52	1995/10/03 fontdef.dtx v2.2l	
Removed \@whilenoop	52	General: \@@sqrt from patch file for /1701	223
\@iwhilenum: Made defs long . . .	52	1995/10/03 ltdefs.dtx v1.2r	
Removed \@whilenoop	52	\typein: Add missing \@typein for /1710 (from patch file) . . .	36
\@iwhiles: Removed		1995/10/03 ltpictur.dtx v1.1e	
\@whilesnoop	52	General: New autoload code	328
\@tfor: Made defs long	54	1995/10/04 ltfssbas.dtx v3.0g	
		General: Modify autoload code . .	147

1995/10/04 ltfsstrc.dtx v3.0d		<code>\nopagebreak</code> : (DPC) Use	
General: (DPC) Modify autoload code	168	<code>\@testopt /1911</code>	68
1995/10/04 lttab.dtx v1.1d		1995/10/16 ltthm.dtx v1.0g	
General: Modify autoload support	306	General: Revert to previous	
1995/10/06 ltfiles.dtx v1.0w		<code>\newtheorem</code> behaviour	350
<code>\@missingfileerror</code> : Autoload error	87	1995/10/17 ltclass.dtx v1.0r	
1995/10/09 lterror.dtx v1.2j		<code>\@providesfile</code> : Delay definition of <code>\ProvidesFile</code> till <code>ltfinal</code>	470
General: Modify autoload support	55	<code>\ProcessOptions*</code> : Reset <code>\CurrentOption</code> for graphics/1873	473
1995/10/09 ltoutenc.dtx v1.7m		1995/10/17 ltdirchk.dtx v1.0l	
<code>\@inmathwarn</code> : Autoload error	95	General: Modify initex version of <code>\ProvidesFile</code>	4
1995/10/10 ltfsbas.dtx v3.0h		1995/10/17 ltfinal.dtx v1.0v	
<code>\showhyphens</code> : Use <code>\normalfont</code> and make colour safe, and autoloadable	165	<code>\@providesfile</code> : reset macro	520
1995/10/10 ltfsdcl.dtx v3.0c		<code>\reserved@b</code> : reset here after the <code>\input</code> above	519
<code>\non@alpherr</code> : (DPC) autoload error message	198	1995/10/17 ltplain.dtx v1.1s	
1995/10/10 ltplain.dtx v1.1r		<code>\eject</code> : Move <code>\supereject</code> to compat file	27
General: Autoload tracing code	14	1995/10/17 lttab.dtx v1.1e	
1995/10/10 ltthm.dtx v1.0f		<code>\@cline</code> : (DPC) Use <code>\@multicnt</code>	326
General: Make <code>\newtheorem</code> ‘only preamble’	350	<code>\@multispan</code> : (DPC) Macro added.	326
1995/10/11 ltoutput.dtx v1.1r		1995/10/19 ltfinal.dtx v1.0w	
<code>\clearpage</code> : Added a check so that it does not lose the argument of <code>\twocolumn[...]</code>	407	<code>\@filelist</code> : Move after <code>\reserved@a</code> setting:-)	520
1995/10/16 ltbibl.dtx v1.1j		1995/10/20 ltbibl.dtx v1.1k	
<code>\cite</code> : (DPC) Make robust	387	<code>\@citex</code> : Removed redefined flag	387
1995/10/16 ltboxes.dtx v1.0w		<code>\nocite</code> : Removed redefined flag	388
General: Clarify makebox description	295	1995/10/20 ltclass.dtx v1.0s	
1995/10/16 ltdefs.dtx v1.2u		<code>\@begindocumenthook</code> : Make setting conditional, for autoload version	479
<code>\@ifstar</code> : (DPC) New implementation, for /1910	47	1995/10/20 ltfsbas.dtx v3.0i	
<code>\new@command</code> : (DPC) Use <code>\@testopt /1911</code>	37	General: (DPC) Modify autoload code, change <code>\undefined</code>	147
<code>\new@environment</code> : (DPC) Use <code>\@testopt /1911</code>	40	1995/10/20 ltfsstrc.dtx v3.0e	
<code>\typein</code> : (DPC) Use <code>\@testopt /1911</code>	36	General: (DPC) Modify autoload code	168
1995/10/16 ltfsini.dtx v3.0f		1995/10/22 ltfsbas.dtx v3.0j	
<code>\p@reset@font</code> : Added <code>\relax</code> after <code>\usefont</code> , as the latter eats up spaces.	220	General: (RmS) New size function macro <code>\genb@sfcnt</code> needs to be disabled at <code>\document.</code>	147
1995/10/16 ltmath.dtx v1.0y		1995/10/22 ltfsstrc.dtx v3.0f	
<code>\@yeqncr</code> : (DPC) Use <code>\@testopt /1911</code>	274	General: Added ‘genb’ and ‘sgenb’ size functions to support new DC font naming scheme.	168
<code>\sqrt</code> : (DPC) Make robust /1808	273	1995/10/23 lttab.dtx v1.1f	
1995/10/16 ltspc.dtx v1.2j		<code>\@settab</code> : (CAR)Ensure that <code>\@hightab</code> increases by at most	
<code>\nolinebreak</code> : (DPC) Use <code>\@testopt /1911</code>	68		

one	313	1995/10/27 ltpictur.dtx v1.1f	
\@startline: (CAR)Ensure that		General: Move initialisation to	
\@nxttabmar is never larger		kernel from autoload file . . .	347
than \@hightab	311	1995/10/31 ltboxes.dtx v1.0x	
\poptabs: (CAR)Ensure that		\@finalstrut: Add \nobreak in	
\@curtab is never larger than		horiz mode to allow	
\@hightab	314	hyphenation. internal/1931 .	305
\tabbing: (CAR)Make \@hightab		1995/11/01 fontdef.dtx v2.2m	
consistently a local variable .	312	General: add \nfss@catcodes for	
1995/10/24 ltfiles.dtx v1.1a		internal/1932	226
\document: Removed		1995/11/01 ltdirchk.dtx v1.0n	
multiplelabels switch	82	General: Initialise	
Removed refundefined switch .	83	\@addtofilelist to \@gobble .	4
1995/10/24 ltssbas.dtx v3.0k		1995/11/01 ltfinal.dtx v1.0x	
\@@defaultsubs: macro removed	162	General: (DPC) Switch meaning of	
\wrong@fontshape: Make this code		\@addtofilelist for cfg files	515
inline since it happens only		1995/11/01 ltssbas.dtx v3.0m	
here	161	\DeclareFontShape: (DPC) Test	
1995/10/24 ltmiscen.dtx v1.1b		for \relax not \undefined,	
\enddocument: Changed logic for		internal/1933	148
producing warning messages		1995/11/01 ltssini.dtx v3.0g	
and removed switch	260	General: (DPC) Switch meaning of	
Use \@refunddefined instead of		\@addtofilelist for cfg files	221
switch	260	1995/11/02 ltssbas.dtx v3.0n	
1995/10/24 ltxref.dtx v1.1h		\wrong@fontshape: (DPC)	
\@multiplelabels: Switch for		Remove extra space with	
multiplelabels removed	256	\string for latex/1676	160
\@newl@bel: Switch for		1995/11/02 ltoutenc.dtx v1.7n	
multiplelabels replaced by		General: Changed internal name	
inline code	255	\a to \@tabacckludge to	
\@refunddefined: Switch for		protect against redefinition by	
refunddefined replaced	255	malicious users.	101
\@setref: Switch for refunddefined		1995/11/07 ltlists.dtx v1.0k	
renamed	255	\@doendpe: Enclosed \setbox0	
\if@multiplelabels: Macro		assignment by a group so that	
removed	256	it leaves the contents of box 0	
1995/10/25 ltalloc.dtx v1.1b		intact.	289
General: General doc		1995/11/07 ltoutenc.dtx v1.7o	
improvements	49	General: Added \leavevmode at	
1995/10/25 ltfloat.dtx v1.1n		start of \c, otherwise the	
\@endfloatbox: (CAR) macro		output routine might be	
added: to unify code for double		invoked within the macro. . .	105
and single versions	373	Changed \char32 to \xxxii	
\@enddblfloat: (CAR) unify code		(two tokens less).	106
for double and single versions	372	Replaced octal number 27 by	
\@endfloat: (CAR) unify code for		decimal number 23 to protect	
double and single versions . .	371	against the quote character	
1995/10/25 ltxglo.dtx v1.1d		being active.	106
General: Doc cleanup	384	Replaced some 0's by \z@	
1995/10/25 ltsect.dtx v1.0q		(faster).	106
\subparagraphmark: Use \let not		1995/11/10 ltoutput.dtx v1.1s	
\def to save space.	361	\@shipoutsetup: Command	
		removed	419

<code>\@writsetup</code> : Command removed	419	Added <code>\textless</code> and <code>\textgreater</code>	102, 112
In-lined	419	1995/12/01 ltoutenc.dtx v1.7u	
1995/11/14 ltclass.dtx v1.0t		General: Made <code>\SS</code> a Default, rather than having the default point to the OT1 definition.	102
<code>\@unprocessedoptions</code> : Allow empty option	479	1995/12/04 ltspc.dtx v1.2k	
<code>\loadwithoptions</code> : macro added	474	<code>\nobreakspace</code> : (Macro added	77
<code>\LoadClassWithOptions</code> : macro added	474	1995/12/04 ltspc.dtx v1.2l	
<code>\RequirePackageWithOptions</code> : macro added	474	<code>\xobeysp</code> : (braces added to definition of tilde	77
1995/11/17 ltfssbas.dtx v3.0m		1995/12/04 preload.dtx v2.4e	
<code>\@wrong@font@char</code> : (DPC) Macro added. latex/1676	162	General: Ulrik Vieth. added 12pt OMS and OML preloads /1989	243
<code>\define@newfont</code> : Redefine <code>\typeout</code> latex/1676	157	1995/12/05 ltdefns.dtx 1.2w	
<code>\wrong@fontshape</code> : Support <code>\@wrong@font@char</code> latex/1676	160	<code>\@unexpandable@noexpand</code> : Removed as never used. internal/1733	43
1995/11/17 ltoutenc.dtx v1.7p		1995/12/05 ltfiles.dtx v1.1c	
<code>\UseTextSymbol</code> : Support <code>\@wrong@font@char</code> latex/1676	98	<code>\document</code> : <code>\ignorespaces</code> added for latex/1933	84
1995/11/18 ltoutenc.dtx v1.7q		1995/12/05 ltfloat.dtx v1.1n	
<code>\UseTextSymbol</code> : Modify message slightly	98	<code>\@textsuperscript</code> : Use <code>\ensuremath</code> for latex/1984.	381
1995/11/21 fontdef.dtx v2.2n		1995/12/05 ltoutenc.dtx v1.7v	
General: Incorporate changed figures, as in plain.tex	238	<code>\@inmathwarn</code> : Changed <code>\TextSymbolUnavailable</code> text	95
1995/11/27 ltfssbas.dtx v3.0n		1995/12/06 ltfssbas.dtx v3.00	
<code>\nfss@catcodes</code> : Reset hash, for definitions in fd files	159	<code>\nfss@catcodes</code> : Reset hat, for typeouts etc in fd files	159
1995/11/28 ltfloat.dtx v1.1n		1995/12/07 ltbibl.dtx v1.1l	
General: documentation fixes	364	<code>\@citex</code> : Restored name of <code>\G@refundefinedtrue</code>	387
1995/11/28 ltfssstrc.dtx v3.0g		1995/12/07 ltfloat.dtx v1.1m	
General: documentation fixes	168	<code>\@textsuperscript</code> : Move <code>\m@th</code> out of the <code>\ensuremath</code> for latex/1984.	381
1995/11/28 ltoutenc.dtx v1.7r		1995/12/07 ltxref.dtx v1.1i	
General: Added math mode checks to text commands.	94	<code>\@setref</code> : Switch for refundefined restored	255
doc fixes	90	<code>\G@refundefinedtrue</code> : Renamed (back) from <code>\G@refundefined</code>	255
Renamed <code>\@changed@x@err</code> to <code>\TextSymbolUnavailable</code>	94	1995/12/11 ltoutenc.dtx v1.7w	
1995/11/29 ltoutenc.dtx v1.7t		General: Modified <code>\copyright</code>	102
General: Added <code>\textasciicircum</code> , <code>\textasciitilde</code> , <code>\textbackslash</code> , <code>\textbar</code> , <code>\textgreater</code> and <code>\textless</code>	108	1995/12/13 ltdefns.dtx 1.2x	
Added <code>\textasciicircum</code> , <code>\textasciitilde</code> , <code>\textregistered</code> and <code>\texttrademark</code>	102	<code>\-</code> : Documentation changed.	34
Added <code>\textbackslash</code> and <code>\textbar</code>	102, 112	1996/01/10 ltfiles.dtx v1.1d	
		<code>\@iffilenamepath</code> : Change argument handling to not require doubled hash. latex/2024	86

1996/01/20 ltidxglo.dtx v1.1e	(DPC) Moved brace to allow commands like
\makeglossary: Make no-op after use pr/2048 385	\MakeUppercase in 6th argument. Changed \par to
\makeindex: Make no-op after use pr/2048 385	\endgraf to allow non-long commands. internal/2148 . . 357
1996/01/20 ltspace.dtx v1.2m	\@ssect: (DPC) Added extra braces for internal/2148 . . . 360
\vspace: Made robust 75	(DPC) Moved brace to allow commands like
1996/03/25 ltmath.dtx v1.1a	\MakeUppercase in 4th argument. Changed \par to
\@ensuredmath: Macro added for amslatex/2104 275	\endgraf to allow non-long commands. internal/2148 . . 360
\ensuremath: Reimplement for amslatex/2104 275	1996/05/23 ltoutenc.dtx v1.7z
1996/04/18 ltpage.dtx v1.0i	\@strip@args: \expandafter added to match other changes for latex/2133 98
General: Improve documentation 390	\add@accent: macro added. latex/2133 96
1996/04/22 ltmiscen.dtx v1.1c	\DeclareTextAccent: Reimplemented using \add@accent to save space latex/2133 96
General: Improve Documentation 258	\DeclareTextCompositeCommand: Modified to cope with new \add@accent command: required removal of check for one argument-command 97
1996/04/22 ltspace.dtx v1.2n	1996/05/24 ltoutput.dtx v1.1t
General: Documentation	\@specialoutput: Check that \@colroom is less than \vsize, indicating that a float has been added 410
Improvements 65	Cut-off point changed to 1.5\baselineskip 410
1996/04/22 lttab.dtx v1.1g	\@topnewpage: Cut-off point changed to 2.5\baselineskip 409
\@tabclassz: (DPC) Extra \hskip keeps tabcolsep in empty columns internal/2122 324	1996/05/25 ltoutput.dtx v1.1u
1996/04/23 ltcounsts.dtx v1.1d	\@specialoutput: Correct the above check 410
General: Documentation improvements 140	1996/06/03 ltmiscen.dtx v1.1d
1996/04/24 ltfiles.dtx v1.1e	\@verbatim: Exchanged the following two code lines so that \dospecials cannot reset the category code of characters handled by \@noligs. 264
\document: (DPC) Reset \AtBeginDocument eg for latex/1297 83	General: Move setting of verbatim font and \@noligs. 258
1996/05/08 ltfstrc.dtx v3.0h	\verb: Put setting of verbatim font after \dospecials so that \dospecials cannot reset the category code of characters handled by \@noligs. 265
\math@egroup: Use \bgroup instead of \begingroup to match a kernel change made in 1994!! 178	
1996/05/09 ltfntcmd.dtx v3.3t	
\check@icr: Default definitions added 248	
1996/05/17 fontdef.dtx v2.2o	
General: \@@sqrt removed, at last 223, 237	
1996/05/17 ltfiles.dtx v1.1f	
\nofiles: added \write to \protected@write for latex/2146 84	
1996/05/18 ltoutenc.dtx v1.7x	
General: Produce error if encoding not found. pr/2054 127	
1996/05/21 ltoutenc.dtx v1.7y	
General: Corrected error message (CAR) 127	
1996/05/21 ltsect.dtx v1.0s	
\@sect: (DPC) Added extra braces for internal/2148 358	

1996/06/10 ltboxes.dtx v1.0y	1996/07/26 ltssbas.dtx v3.0p
\@parboxto: (DPC) Changed	\@DeclareMathSizes: use faster
\endgraf to \@@par 301	\if test 152
1996/06/10 ltsect.dtx v1.0t	\nfss@catcodes: omit \relax as
\@sect: (DPC) Changed \endgraf	not needed 159
to \@@par 357	1996/07/26 ltssdcl.dtx v3.0e
\@ssect: (DPC) Changed	\init@restore@version: Removed
\endgraf to \@@par 360	\ifrestore@version switch
1996/06/13 ltdirchk.dtx v1.0r	and replaced by
General: documentation	\init@restore@version . . . 198
improvements mainly from	1996/07/26 ltfsstrc.dtx v3.0i
internal/2174 1	\init@restore@glb@settings:
1996/06/14 lttab.dtx v1.1h	macro added replacing
\@tabclassz: (DPC) Change	\if@inmath switch 177
both\z@skip to lsp for	1996/07/26 ltlists.dtx v1.0l
latex/2160 324	\@item: Remove unnecessary
1996/06/22 ltspace.dtx v1.2o	\global before
General: Documentation of	\@minipage... 290
problems added 65	Remove unnecessary \global
1996/07/10 ltfinal.dtx v1.0y	before \@nobreak... 291
\toks: Free up memory from	1996/07/26 ltmath.dtx v1.1b
scratch registers /2213 519	General: Removed \global before
1996/07/19 ltoutenc.dtx v1.8a	\@ignoretrue in various
\@strip@args: Use char 0 not @ as	places. 267
carrier for \lowercase /2197 . . 98	1996/07/26 ltmiscen.dtx v1.1e
1996/07/26 ltboxes.dtx v1.0z	\@ignorefalse: put \global into
\if@minipage: put \global into	definition 259
definition 302	\begin: remove \global before
1996/07/26 ltclass.dtx v1.0u	\@ignore... 262
\@classoptionslist: made only	\end: remove \global before
preamble 467	\@ignore... 262
\@unusedoptionlist: made only	\ignorespacesafterend: user level
preamble 467	macro added 259
1996/07/26 ltdefs.dtx v1.2y	1996/07/26 ltoutput.dtx v1.1v
\@reargdef: third arg picked up	\@testfp: remove \global before
by \@yargdef 39	\@test... 451
\renew@command: use \noexpand	\@xtryfc: remove \global before
instead of \string 39	\@test... 425
use \relax in place of empty arg 39	\@ztryfc: remove \global before
\renew@environment: use \relax	\@test... 427
in place of empty arg 40	\clearpage: add number of
1996/07/26 ltfloat.dtx v1.1n	missing percents 407
\@endfloatbox: remove unnecessary	1996/07/26 ltplain.dtx v1.1t
\global before	\sh@ft: replace \dimen\z@ by
\@minipage... 373	\dimen@ 28
\@savemarbox: remove unnecessary	1996/07/26 ltsect.dtx v1.0u
\global before	\@starttoc: removed \global
\@minipage... 376	before \@nobreak... 362
\@setminipage: remove unnecessary	\@xsect: Removed \global before
\global before	\@nobreak... 359
\@minipage... 371	1996/07/26 ltspace.dtx v1.2p
\@setnobreak: remove unnecessary	\if@nobreak: put \global inside
\global before \@nobreak... 371	definition 70

1996/07/27 ltssbas.dtx v3.0q	1996/10/05 ltfiles.dtx v1.1h
General: <code>\if@inmath</code> switch removed	<code>\clubpenalty</code> : Added setting its value
1996/07/27 ltspc.dtx v1.2q	1996/10/08 ltfontcmd.dtx v3.3u
General: Further documentation of problems	<code>\DeclareTextFontCommand</code> : Removed <code>\check@icr</code> when in vmode since it causes various errors (see pr/2157)
1996/07/27 ltspc.dtx v1.2r	1996/10/21 lttab.dtx v1.1i
General: Correct documentation of problems	<code>\@array</code> : Use <code>\set@typeset@protect</code>
1996/08/02 ltfloat.dtx v1.1o	General: Moved the code associated with <code>\mkpream</code> into the group provided by the box, for robustness (latex/2183)
<code>\xympar</code> : Remove <code>\global</code> before <code>\@ignore</code>	<code>\multicolumn</code> : Make <code>\multicolumn</code> long (latex/2180)
1996/08/02 ltsect.dtx v1.0v	<code>\tabbing</code> : Moved the <code>\indent</code> so that the <code>\everypar</code> can remove it when necessary; this is needed because the code for items in lists has changed (see pr/22111)
<code>\@afterheading</code> : Removed <code>\global</code> before <code>\@nolbreak</code>	1996/10/23 ltlists.dtx v1.0m
1996/08/02 ltspc.dtx v1.2s	<code>\@item</code> : <code>\@nolbreak</code> moved into the <code>\everypar</code> and not executed unconditionally, see above
<code>\@Esphack</code> : Remove <code>\global</code> before <code>\@ignore</code>	<code>\kern</code> changed to <code>\setbox</code>
1996/08/25 ltssbas.dtx v3.0r	Added setting of <code>\clubpenalty</code> and set <code>\@nolbreakfalse</code> only when necessary
<code>\nfss@catcodes</code> : Reset the acute, grave and double quote chars as well	1996/10/23 ltsect.dtx v1.0x
1996/09/21 ltoutput.dtx v1.1w	<code>\xsect</code> : Replaced <code>\hskip</code> with <code>\setbox</code> as used in <code>\@afterheading</code>
<code>\@writesetup</code> : Added <code>\@parboxrestore</code> and made consequent deletions: wait for the howls of protest	1996/10/24 ltboxes.dtx v1.1a
1996/09/25 ltdirchk.dtx v1.0t	<code>\@arrayparboxrestore</code> : Added local settings of flags: dangerous!
General: Move <code>ltxcheck</code> to separate file	<code>\@iiiminipage</code> : Use it or lose it (<code>@setminpage</code>): Frank will want to lose it
1996/09/28 ltmiscen.dtx v1.1f	1996/10/24 ltfloat.dtx v1.1p
<code>\xobeysp</code> : Moved to <code>ltspc.dtx</code>	<code>\floatboxreset</code> : Added local settings of flags: dangerous!
1996/09/28 ltspc.dtx v1.2t	<code>\marginparreset</code> : Added local settings of flags: dangerous!
<code>\xobeysp</code> : Moved from <code>ltmiscen.dtx</code> and redefined to use <code>\nolbreakspace</code>	<code>\xfloat</code> : Added <code>\@nodocument</code> to trap floats in the preamble
1996/09/29 ltfiles.dtx v1.1g	
<code>\document</code> : Added disabling of <code>\@nodocument</code>	
1996/09/29 ltoutput.dtx v1.1x	
<code>\newpage</code> : Checks for <code>noskipsec</code> and <code>inlabel</code> added	
1996/09/29 ltsect.dtx 1.0w	
<code>\@noskipsectrue</code> : Added documentation	
1996/09/30 ltoutput.dtx v1.1y	
<code>\newpage</code> : Checks for <code>noskipsec</code> and <code>inlabel</code> removed pending further tests	
1996/10/04 ltclass.dtx v1.0v	
<code>\RequirePackageWithOptions</code> : Reset <code>\@unprocessedoptions</code> for /2269	

- 1996/10/24 ltoutput.dtx v1.1z
`\@addtocurcol`: Added `\nobreak`,
 etc as appropriate 431, 435
`\@specialoutput`: Added
`\nobreak` as appropriate . . . 412
`\@topnewpage`: Added
`\@nodocument` to trap
`\twocolumn` in the preamble 408
`\newpage`: Better checks for
 noskipsec and inlabel added,
 plus nobreak 407
- 1996/10/25 ltlists.dtx v1.0n
`\endtrivlist`: Change `\indent` to
`\leavevmode` 288
 Reset flags explicitly 288
- 1996/10/25 ltoutput.dtx v1.2a
`\newpage`: Reset all flags
 explicitly 407
- 1996/10/26 ltlists.dtx v1.0o
`\endtrivlist`: Correct typo . . . 288
- 1996/10/27 ltoutenc.dtx v1.8c
`\@strip@args`: Removed macro . 97
 General: Added `\r A` 106
 Added
`\textasteriskcentered` 102, 112
 Corrected syntax descriptions . 91
 Removed `\aa` and `\AA` 101, 106, 108
- 1996/10/28 ltplain.dtx v1.1u
 General: (CAR) More doc changes 14
`\dotfill`: Removed math mode . 28
- 1996/10/29 ltplain.dtx v1.1v
`\dotfill`: Got arithmetic correct
 (CAR) 28
- 1996/10/29 ltspaced.dtx v1.2u
`\@gnewline`: Added macro 69
`\@no@lnbk`: Macro replaces `\@lnbk`
 and `\@no@lnbk` 68
`\:`: Corrected and rationalised code 69
`\nolinebreak`: Reimplemented
 both using `\@no@lnbk` 68
- 1996/10/31 ltfinal.dtx v1.0z
 General: Added extra `\lcode`,
 hoping it does no harm in T1
 (pr/1969) 514, 517
- 1996/10/31 ltlists.dtx v1.0p
`\@trivlist`: Added check for
 missing item in outer list . . . 287
- 1996/10/31 ltsect.dtx v1.0y
 General: Corrected and tidied
 documentation; removed long
 lines 354
- 1996/11/03 ltplain.dtx v1.1w
`\dotfill`: Saved tokens by using
`\hb@xt@` 28
- 1996/11/04 lterror.dtx v1.2m
`\@nodocument`: Always define
`\@nodocument` in kernel, so that
 it can be cleared by `\document`. 61
- 1996/11/04 ltlists.dtx v1.0q
`\@trivlist`: Moved check for
 missing item: only checked
 when not inlabel flag is false 287
- 1996/11/05 ltfiles.dtx v1.1i
`\nofiles`: Standard `\if@nobreak`
 test added 84
- 1996/11/09 ltmath.dtx v1.1c
`\@ensuredmath`: Made long, as it
 was before. /2104 275
- 1996/11/18 ltfssbas.dtx v3.0s
`\define@newfont`: (DPC)
 lowercase fd file names.
 internal/1044 158
- 1996/11/18 ltoutenc.dtx v1.8d
 General: (DPC) lowercase external
 file names. internal/1044 . . . 127
- 1996/11/20 fontdef.dtx v2.2p
 General: lowercase fd and enc.def
 file names /1044 223
- 1996/11/20 ltvers.dtx v1.0f
 General: Check for old format
 modified /2319 32
- 1996/11/23 ltoutenc.dtx v1.8e
 General: Corrected description . . 91
 Extended description 92
- 1996/11/28 ltvers.dtx v1.0g
 General: Check for old format
 modified /2319 32
- 1996/12/06 ltdirchk.dtx v1.0u
`\IfFileExists`: *** removed from
 various messages for GNU
 Make. internal/2338 10
- 1996/12/06 ltfloat.dtx v1.1r
`\@caption`: Call `\@setminpage` if
 needed. latex/2318 367
- 1996/12/06 ltfssini.dtx v3.0h
 General: (DPC) Remove *** from
 messages internal/2338 221
- 1996/12/17 ltclass.dtx v1.0w
`\g@addto@macro`: Use `\begingroup`
 to save making a mathord . . 479
- 1996/12/20 ltsect.dtx v1.0z
`\@dottedtocline`: Added
`\nobreak` for latex/2343 . . . 363
- 1997/01/08 fontdef.dtx v2.2q
 General: Use
`\DeclareMathDelimiter` to set
 delimiter codes 231

<code>\mathparagraph</code> : Define using	1997/05/07 ltspacedx v1.2v
<code>\DeclareMathSymbol</code> 239	<code>\newline</code> : Made completely
1997/01/08 ltfiles.dtx v1.1j	robust. 69
<code>\@include</code> : reset <code>\deadcycles</code>	1997/05/29 ltfssrtdx v3.0j
latex/2365 85	General: Replaced <code>\</code> by
1997/01/08 ltmath.dtx v1.1d	<code>\MessageBreak</code> , as suggested
<code>\root</code> : (DPC) Remove spurious	by Donald Arseneau. 170
space tokens from plain \TeX	1997/05/29 ltlogos.dtx v1.1f
definition /2359 269	<code>\LaTeXe</code> : Added <code>\m@th</code> so that the
1997/02/05 ltclass.dtx v1.0x	\LaTeX 2 _ε logo works with
<code>\g@addto@macro</code> : missing percent	non-zero values of
/2402 479	<code>\mathsurround</code> 79
1997/02/21 ltlsts.dtx v1.0r	1997/06/16 ltdirchk.dtx v1.0v
<code>\@item</code> : <code>\ifvoid</code> check added for	General: documentation
<code>\noindent</code> . latex/2414 290	improvements mainly from
1997/03/21 ltcounts.dtx v1.1e	internal/2520 1
<code>\fnsymbol</code> : Use <code>\mathsection</code> and	1997/06/16 ltfloat.dtx v1.1s
<code>\mathparagraph</code> . latex/2445 142	General: documentation fixes . . . 364
1997/04/14 ltfiles.dtx v1.1k	1997/06/16 ltfntcmd.dtx v3.3v
<code>\document</code> : Set the document	General: Fix typo in
space factor defaults.	documentation. 245
latex/2404 83	1997/08/05 ltoutenc.dtx v1.9e
<code>\normalsfcodes</code> : Macro added	General: Corrected order of
(from patch file) latex/2404 . . 84	arguments in <code>\UseTextSymbol</code>
1997/04/14 ltoutput.dtx v1.2b	example. 91
<code>\@writsetup</code> : Call	1997/08/29 ltoutenc.dtx v1.9f
<code>\normalsfcodes</code> (from patch	General: Added OT4 encoding,
file) latex/2404 421	provided by Marcin Woliński. 90
Move <code>\label</code> and <code>\index</code> (from	1997/09/09 ltdefns.dtx v1.2z
patch file) 421	<code>\providecommand</code> : Use
1997/04/24 ltbibl.dtx v1.1m	<code>\begingroup</code> to avoid
<code>\@citex</code> : <code>\@empty</code> to avoid	generating math ords if used in
primitive error on empty cite	math mode. pr/2573 41
keys. latex/2432 387	1997/09/15 ltpictur.dtx v1.1g
1997/04/30 ltoutenc.dtx v1.9a	<code>\@getcerc</code> : Warn if lines become
General: Changed <code>\textsc</code> to	invisible pr/2524 344
<code>\scshape</code> 103	<code>\@picture@warn</code> : Macro added
Introduced <code>\textcopyright</code> and	pr/2524 344
modified <code>\copyright</code> 102	<code>\@sline</code> : Warn if lines become
Introduced <code>\textcopyright</code> and	invisible pr/2524 335
modify <code>\copyright</code> 103	1997/10/06 ltcounts.dtx v1.1f
Modified <code>\textunderscore</code> ,	<code>\@Roman</code> : Change <code>\@Roman</code> to be
removing <code>\mathunderscore</code> . 102	fully expandable, so that the
Modified <code>\underscore</code> ,	result is written properly to
removing <code>\mathunderscore</code> . 103	files. 143
1997/04/30 ltoutenc.dtx v1.9b	<code>\@slowromancap</code> : Macro added. . 143
General: Added <code>\leavevmode</code> to	1997/10/08 ltlogos.dtx v1.1h
<code>\textunderscore</code> 102	<code>\LaTeX</code> : Simplify macro (force
1997/05/04 ltoutenc.dtx v1.9c	loading of suitable math fonts
General: Added ‘hex index tabs’ . 109	once). 79
Added TS1 encoding v2.2.beta 114	1997/10/10 ltclass.dtx v1.0y
1997/05/07 ltoutenc.dtx v1.9d	<code>\endfilecontents</code> : <code>\@currenenv</code>
General: Added <code>\leavevmode</code> to	in banner 481
<code>\textcompwordmark</code> 102	

- `\reserved@c` not `\verbatim@out`
to save a `cname` 480
- Check for text before or after
`\end environment`. latex/2636 481
- Use `\@gobbletwo` 480
- 1997/10/17 ltfontcmd.dtx v3.3w
 - `\check@nocorr@`: Check for
vertical mode moved here, from
`\DeclareTextFontCommand` (see
PR/2646). 249
 - `\DeclareTextFontCommand`:
Reinstalled `\check@icr` as
check is now done in
`\check@nocorr@` (see
PR/2646). 247
- 1997/10/20 ltfinal.dtx v1.1a
 - `\@uclclist`: Removed `\aa` and `\AA`
from `\uclclist` as these are
macros. 518
- 1997/10/21 ltdefns.dtx v1.2z1
 - `\renew@command`: Use
`\begingroup/\endgroup` rather
than braces for grouping, to
avoid generating empty math
atom. 39
- 1997/10/21 ltffssbas.dtx v3.0t
 - `\define@newfont`: Move
`\makeatletter` to
`\nfss@catcodes`. 158
 - `\nfss@catcodes`: Moved
`\makeatletter` from
`\try@load@font@shape`. . . . 159
- 1997/11/09 ltoutput.dtx v1.2c
 - `\@specialoutput`: Remove
incorrect code: only one
`\@emptycol` is needed here . . 410
 - `\@topnewpage`: Documentation of
vsize check enhanced 408
- 1997/11/13 ltffssdcl.dtx v3.0f
 - `\DeclareSymbolFont`: (DPC)
Really update `\group@list`
dont leave new version in
`\toks@`. latex/2661 202
 - `\stepcounter`: (DPC) Remove as
never used. (Re)defined in
ltcounts 196
- 1997/11/19 ltfloat.dtx v1.1t
 - `\@footnotetext`: Missing percent,
again 382
- 1997/11/19 ltoutput.dtx v1.2d
 - `\@vtryfc`: Reindent code, to be
understandable(DPC). 425
- 1997/11/20 ltffssdcl.dtx v3.0g
 - `\document@select@group`: (DPC)
inline use of `\stepcounter`
(faster, and saves a `cname` per
math version as no reset list) 198
 - `\select@group`: (DPC) inline use
of `\stepcounter` (faster, and
saves a `cname` per math
version as no reset list) 196
- 1997/11/23 ltoutenc.dtx v1.9g
 - General: Use `\textperthousand`,
`\textpertenthousand` and
`\textfractionsolidus` not
`\textpermill`,
`\textpertenmill` and
`\textfraction`. /2673 114
- 1997/12/17 ltoutenc.dtx v1.9h
 - General: Added `\textperthousand`
and `\textpertenthousand` . . 107
 - Added code for textcomp.sty. . 127
 - Added section. 127
 - Added textcomp.sty. 90
 - As in OT1, Added `\leavevmode`
at start of `\c`, otherwise the
output routine might be
invoked within the macro. . . 107
 - Changed to decimal codes in
`\oalign`. 116
 - Changed to decimal codes. . . 112
 - Documentation changes and
additions. 90
 - Example corrected, braces
removed. 90
 - Removed default settings, see
next section. 114
- 1997/12/19 ltoutenc.dtx v1.9i
 - General: Documentation
corrections. 90
- 1997/12/20 fontdef.dtx v2.2s
 - General: Added documentation . 225
- 1997/12/31 ltoutenc.dtx v1.9k
 - General: Further correction . . . 91
- 1998/01/12 ltoutenc.dtx v1.9k
 - General: Added `\ProvidesPackage`
for textcomp.sty 90
 - Adding missing braces and
`\ushape`. 116
- 1998/01/16 ltoutenc.dtx v1.9m
 - General: fixed decimal codes.
latex/2734 112
- 1998/03/04 ltdefns.dtx v1.2z2
 - `\@xargdef`: Unnecessary
`\expandafter` removed:
pr/2758 38

1998/03/05 ltoutenc.dtx v1.9n	1998/05/20 ltfinal.dtx v1.1b
General: Added masc/fem ords as in pr/2579	General: Set up lccodes before loading hyphenation files: pr/2639
1998/03/20 ltdefs.dtx v1.2z3	Set up uc/lccodes after loading hyphenation files: pr/2639 . .
\@thirdofthree: Macro added . .	1998/05/28 lterror.dtx v1.2n
1998/03/20 ltoutenc.dtx v1.9o	\@notdefinable: Added message re ‘end...’ pr/1555
General: Added various \UndeclareTextCommand declarations for pr/2783 . . .	1998/06/04 ltboxes.dtx v1.1c
Documentation added about order of decls	\@rule: Support calc-expressions
Documentation added for pr/2783	1998/06/12 ltoutenc.dtx v1.9p
Load decls after defaults for speed.	General: Corrected 130 and 131, see pr/2834
\UndeclareTextCommand: Macro added for pr/2783	Renamed \textmacron pr/2840
1998/03/21 ltclass.dtx v1.0z	1998/06/12 ltoutenc.dtx v1.9q
General: Added to documentation of filecontents	\add@accent: Explicitly set \spacefactor after \accent (pr/2877)
1998/03/21 ltclass.dtx v1.1a	1998/06/18 lttab.dtx v1.1k
\@providesfile: Allow &. Internal/2702	General: Small addition to documentation
General: Correct to new onlypreamble command list .	1998/07/06 lttab.dtx v1.1l
1998/03/25 ltssbas.dtx v3.0u	General: Small correction to documentation
\showhyphens: Suppress unnecessary error when used in preamble	1998/08/17 ltboxes.dtx v1.1e
1998/04/11 fontdef.dtx v2.2t	General: (RmS) Minor Documentation fixes.
General: Added \mathring accent (pr/2785)	1998/08/17 ltclass.dtx v1.1c
1998/04/15 fontdef.dtx v2.2u	General: (RmS) Minor documentation fixes.
General: Use new syntax for \DeclareMathDelimiter . . .	1998/08/17 ltdirchk.dtx v1.0w
1998/04/15 ltssdcl.dtx v3.0h	General: (RmS) Documentation improvements.
\@xxDeclareMathDelimiter: Macro added (pr/2662)	1998/08/17 ltfntcmd.dtx v3.3x
1998/04/17 fontdef.dtx v2.2v	General: (RmS) Minor documentation fixes.
General: Reinsert symbol defs for < and > chars.	1998/08/17 ltssbas.dtx v3.0v
1998/04/18 fontdef.dtx v2.2w	General: (RmS) Documentation fixes.
General: Reinsert symbol def for / char.	1998/08/17 ltssdcl.dtx v3.0i
1998/05/07 ltclass.dtx v1.1b	General: (RmS) Corrected minor glitches in changes entries. . .
\@fileswithoptions: Modify help message for latex/2805	1998/08/17 ltfssini.dtx v3.0i
1998/05/18 lttab.dtx v1.1j	General: (RmS) Minor documentation fixes.
\@endpbox: Use \setlength to set \hsize, so that the changes in the calc package apply here. .	1998/08/17 ltlogos.dtx v1.1i
\@tabular*: Use \setlength, so that calc extensions apply. . .	General: (RmS) Minor documentation fixes.
	1998/08/17 ltmath.dtx v1.1c
	General: (RmS) Minor documentation fixes.

1998/08/17 ltmiscen.dtx v1.1g		1999/01/18 ltdefs.dtx v1.3c	
General: (RmS) Minor		<code>\@yargd@f</code> : New implementation	
documentation fixes.	258	DPC /2942	38
1998/08/17 ltspc.dtx v1.2w		1999/02/09 ltdefs.dtx v1.3d	
General: Documentation fixes. . .	65	<code>\@yargd@f</code> : catch bad argument	
1998/08/17 preload.dtx v2.1g		forms by re-inserting #3	38
General: (RmS) Minor		1999/02/12 ltssini.dtx v3.0j	
documentation fixes.	241	<code>\oldstylenums</code> : Use <code>\rmdefault</code>	
1998/09/19 ltoutenc.dtx v1.9r		instead of <code>cmm</code> (pr/2954) . . .	219
<code>\a</code> : Added <code>\string</code> (pr/2878) . . .	101	1999/02/24 ltoutenc.dtx v1.9t	
1998/11/13 ltab.dtx v1.1m		General: Corrected hackery cyrillic	
<code>\@array</code> : Check for hmode to see if		uc/lc list	127
something went wrong during		1999/03/01 ltdefs.dtx v1.3e	
parsing (pr/2884)	318	<code>\@ifnextchar</code> : remove extra	
1999/01/05 fontdef.dtx v2.2x		<code>\long</code> . internal/2967	46
General: Need special protection		1999/04/15 ltpictur.dtx v1.1h	
for character > in <code>\changes</code>		<code>\@getlarrow</code> : Replaced octal	
entry.	223	number, CAR	336
1999/01/06 ltssbas.dtx v3.0w		<code>\@upvector</code> : Replaced octal	
<code>\DeclareFontEncoding</code> : Added		number, CAR	337
<code>\LastDeclaredEncoding</code> to		General: Replaced octal number,	
support cyrillic integration		CAR	336, 337
(pr/2988)	150	Replaced octal numbers, CAR	328
<code>\LastDeclaredEncoding</code> : Added		1999/04/19 ltfloat.dtx v1.1u	
<code>\LastDeclaredEncoding</code> to		<code>\caption</code> : Made caption an error	
support cyrillic integration		outside a float: latex/2815 . .	367
(pr/2988)	150	1999/04/27 ltboxes.dtx v1.1f	
1999/01/06 ltoutenc.dtx v1.9r		<code>\@parboxto</code> : (CAR) Changed	
<code>\@strip@args</code> : New impl for		<code>\@empty</code> to <code>\relax</code> as flag for	
latex/2930	98	natural width: pr/2975	301
General: Minor documentation		1999/04/29 ltdefs.dtx v1.3f	
fix.	116	<code>\@yargd@f</code> : Full expansion and	
1999/01/06 ltoutput.dtx v1.2e		conversion needed for digit in	
<code>\@makecol</code> : Added negative vskip,		new version, see pr/3013	38
as when processing outputbox		New macro added	38
below: suggested by Fred		1999/06/10 ltoutenc.dtx v1.9u	
Bartlett pr/2892	416	General: Ensure that we also	
1999/01/07 ltdefs.dtx v1.3a		forget old options (pr/2888) .	129
<code>\@ifnextchar</code> : made long	46	1999/06/12 ltoutenc.dtx v1.9v	
<code>\@newenvb</code> : made long and brace		General: Extend <code>\@uclclist</code> only	
optional arg. latex/2896	40	once	128
<code>\@testopt</code> : made long and brace		1999/10/09 ltmath.dtx v1.1e	
optional arg. latex/2896	38	<code>\active@math@prime</code> : Macro	
1999/01/07 ltdefs.dtx v1.3b		added, see PR 3104.	271
<code>\@ifnextchar</code> : extra <code>\long</code> .		<code>\prime@s</code> : Introduce	
latex/2902	46	<code>\active@math@prime</code>	271
1999/01/07 ltoutenc.dtx v1.9r		1999/10/09 ltoutput.dtx 1.2f	
General: Hackery to allow using		<code>\@activechar@info</code> : Reset	
fontenc several times	129	definition of active prime	
Hackery to temp support cyrillic		character (used in math	
uc/lc	127	mode)	419
1999/01/13 ltoutenc.dtx v1.9s		1999/10/28 ltoutenc.dtx v1.9w	
<code>\@strip@args</code> : Simplified solution		<code>\add@accent</code> : Give	
for latex/2930	98	<code>\accent@spacefactor</code> a	

default definition (pr/3084) . . .	97	2000/07/11 ltmiscen.dtx v1.1j	
1999/12/08 ltoutenc.dtx v1.9x		\enddocument: Fix typo in	
General: Changed \CYRRHOOK and		warning	260
\cyrhook to \CYRRHK and		2000/07/12 ltoutput.dtx 1.2g	
\cyrhk as name changed in		General: Ensure that rule is in	
the cyrillic bundle for naming		\normalcolor	457
consistency with other “hook”		2000/07/12 ltoutput.dtx 1.2i	
glyphs.	127	\@makecol: Removed negative	
2000/01/07 ltmiscen.dtx v1.1h		vskip, as it gives unacceptable	
\@verbatim: Disable hyphenation		results when the depth is large:	
even if the font allows it. . . .	264	pr/3189	416
2000/01/15 ltpictur.dtx v1.1i		2000/07/19 ltoutput.dtx v1.2h	
\@upvector: Removed space at		\@writsetup: Reset and restore	
end-of-line, CAR	337	\@ifnewlist for	
2000/01/30 ltfntcmd.dtx v3.3y		internal/3231	420
\DeclareTextFontCommand: Use		2000/08/30 ltoutenc.dtx v1.91	
\hmode@bgroup now (pr/3160) . . .	247	\@use@text@encoding: Rearranged	
2000/01/30 ltoutenc.dtx v1.9y		but no change to final code,	
General: Use \hmode@bgroup		CAR (pr/3160)	98
where applicable		\add@accent: Rearranged but no	
(pr/3160)	105–107, 112–116	change to final code, CAR	
\add@accent: Use \hmode@bgroup		(pr/3160)	96
where applicable (pr/3160) . . .	96	2000/09/01 ltfinal.dtx v1.1d	
\hmode@bgroup: Macro added . . .	97	\errhelp: Set error help empty at	
2000/01/30 ltoutenc.dtx v1.9z		very end (pr/449 done	
\@use@text@encoding: Macro		correctly).	520
reimplemented (pr/3160)	99	2000/09/24 ltfloat.dtx v1.2b	
\add@accent: Macro		\end@dblfloat: FMI: use output	
reimplemented (pr/3160)	96	routine to defer float	372
\hmode@start@before@group:		2000/09/24 ltoutput.dtx v1.2b	
Macro added (pr/3160)	99	\@docclearpage: FMI: ensure	
2000/05/19 ltmiscen.dtx v1.1i		\docclearpage is called again	
\enddocument: Reset		until all floats are output. . .	414
\AtEndDocument for		2000/09/24 ltoutput.dtx v1.2n	
latex/3060	259	\@addtocurcol: FMI: test for wide	
2000/05/26 ltpage.dtx v1.0j		float was in wrong place . . .	430
\@markright: Reimplementation to		2001/01/07 ltoutput.dtx v1.2j	
fix expansion error (pr/3203). . .	391	\@writsetup: And do it in the	
\leftmark: Use \@empty instead of		right macro (pr/3286)	420
brace group (pr/3203).	391	2001/02/16 ltxref.dtx v1.1k	
\markright: Reimplementation to		\@newl@bel: Added an extra	
fix expansion error (pr/3203). . .	391	grouplevel (PR3250), jlb . . .	255
\rightmark: Use \@empty instead		2001/05/25 ltclass.dtx v1.1d	
of brace group (pr/3203). . . .	391	\@providesfile: Explicitly set	
2000/06/02 ltpage.dtx v1.0k		catcode of \endlinechar to 10	
\@markright: Small adjustment to		(pr/3334)	470
give slightly less expansion,		2001/05/25 ltdirchk.dtx v1.0x	
CAR	391	General: Explicitly set catcode of	
\markright: Small adjustment to		\endlinechar to 10 (pr/3334) . .	4
give slightly less expansion,		2001/05/28 ltoutenc.dtx v1.93	
CAR	391	General: Added composites for	
Tidied 1.0j reimplementation,		compatibility with T1,	
CAR	391	pr/3295	106

Changed the effect of <code>\.i</code> , pr/3295	109	2002/10/01 ltfloat.dtx v1.1v <code>\thempfootnote</code> : Use braces around <code>\itshape</code> to keep font change local (pr/3460).	380
2001/06/02 fontdef.dtx v2.2y General: Provide default cfg files (pr/3264)	240	2002/10/02 ltfsbas.dtx v3.0x <code>\DeclareFontSubstitution</code> : Adding <code>\LastDeclaredEncoding</code> introduced a bug as on some occasions that macro name was stored in the internal lists instead of the actual encoding. (pr/3459)	150
2001/06/04 fontdef.dtx v2.2z General: Guard against math active equal and pipe sign in <code>\models</code> (pr/3333)	236	2002/10/28 ltlists.dtx v1.0s <code>\endtrivlist</code> : Check for math mode (pr/3437)	288
Guard against math active equal sign in <code>\Relbar</code> (pr/3333) . .	236	2002/10/28 ltoutenc.dtx v1.96 General: coding change, to follow bug fix by DEK in plain.tex (pr/3469)	106, 114
2001/06/04 ltclass.dtx v1.1e <code>\@providesfile</code> : But only if it is a char (pr/3334)	470	2002/12/13 ltbibl.dtx v1.1n <code>\@citex</code> : Added <code>\leavevmode</code> in case citation is at start of paragraph (pr/3486)	387
2001/06/04 ltdirchk.dtx v1.0y General: But only if it is a char (pr/3334)	4	2003/01/01 ltfntcmd.dtx v3.3z General: Code checked and documentation extended by Chris	247
2001/06/04 ltpictur.dtx v1.1j <code>\@sline</code> : Don't warn for exactly zero pr/3318	335	2003/05/18 ltbibl.dtx v1.1o <code>\nocite</code> : Check if we are after <code>\document</code>	388
2001/06/04 ltvers.dtx v1.0i General: Check for old format disabled	32	2003/08/27 ltpictur.dtx v1.1k <code>\@bezier</code> : added missing displacement pr/3566	349
2001/06/05 ltoutenc.dtx v1.94 General: Text composite Commands need kludges for ‘,’ – see tlb1903.lvt	106	<code>\@sline</code> : check for <code>\@linechar</code> being empty pr/3570	335
2001/08/26 ltclass.dtx v1.1f <code>\@providesfile</code> : Readded setting of space char (pr/3353)	470	2003/10/13 ltfinal.dtx v1.1e General: Added extra <code>\lccode</code> for <code>\-</code> and <code>\textcompwordmark</code> .	515
2002/02/24 ltplain.dtx v1.1x <code>\loggingall</code> : Macro added	29	2003/12/16 ltoutput.dtx v1.2k <code>\@makecol</code> : Ensure that <code>\@elt</code> has a defined state (pr/3586) . . .	416
<code>\loggingoutput</code> : Macro added . .	29	2003/12/30 ltpictur.dtx v1.1j <code>\@getcirc</code> : issue warning if circle size can't be met pr/3473 . .	344
<code>\showoutput</code> : Use newly added <code>\loggingoutput</code>	29	2004/01/03 ltoutenc.dtx v1.99b General: Added <code>\textogonekcentered</code> (pr/3532)	107
<code>\tracingall</code> : Use newly added <code>\loggingoutput</code>	29	Added composites for <code>\k</code> (pr/3532)	111
2002/06/16 ltoutenc.dtx v1.95 General: Added <code>\textbardbl</code> (pr/3400)	112	Use <code>\ooalign</code> for <code>\k</code> (pr/3532)	107
Added default for <code>\textbardbl</code> (pr/3400)	102	2004/01/04 ltbibl.dtx v1.1p <code>\nocite</code> : Changed error message	388
2002/06/17 ltoutenc.dtx v1.95 General: Corrected <code>\c</code> for T1 (pr/3442)	107		
Definition of <code>\textexclamdown</code> changed (pr/3368)	105		
Definition of <code>\textquestiondown</code> changed (pr/3368)	105		
2002/06/18 ltoutenc.dtx v1.95 General: Changed def for <code>\textregistered</code> to avoid small caps (pr/3420)	103		

2004/01/04 ltoutenc.dtx v1.99c		<code>\DeclareSymbolFontAlphabet:</code>	
General: More adjustments for		(MH) Make document	
ogonek (pr/3532)	107	commands robust	214
2004/01/23 ltdefs.dtx v1.1g		<code>\new@mathalphabet:</code> (MH) Make	
<code>\@newenva:</code> Use kernel version of		document commands robust	205
<code>\@ifnextchar</code> (pr/3501)	40	<code>\non@alpherr:</code> (MH) Change	
<code>\@testopt:</code> Use kernel version of		because command is now	
<code>\@ifnextchar</code> (pr/3501)	38	properly robust	198
<code>\@xargdef:</code> Use kernel version of		<code>\SetMathAlphabet:</code> (MH) Make	
<code>\@ifnextchar</code> (pr/3501)	37	document commands robust	206
<code>\@xdblarg:</code> Use kernel version of		2005/09/27 ltoutenc.dtx v1.99g	
<code>\@ifnextchar</code> (pr/3501)	47	General: Replace <code>\sh@ft</code> by	
2004/01/23 ltdefs.dtx v1.3g		<code>\ltx@sh@ft</code>	105, 107, 113
<code>\kernel@ifnextchar:</code> Added		2005/09/27 ltplain.dtx v1.1y	
macro (pr/3501)	46	<code>\ltx@sh@ft:</code> New macro	28
2004/01/28 ltclass.dtx v1.1g		<code>\sh@ft:</code> Macro no longer used but	
<code>\@providesfile:</code> Use kernel		left for compatibility	28
version of <code>\@ifnextchar</code>		2005/11/08 ltoutenc.dtx v1.99h	
(pr/3501)	470	General: Added <code>\ij</code> and <code>\IJ</code> from	
2004/01/28 ltvers.dtx v1.0k		babel. (pr/3771)	102, 106, 108
General: Check for old format		2005/11/10 ltmath.dtx v1.1g	
made 5 years (pr/3601)	32	<code>\l:</code> (MH) Fixed potential problem	
2004/02/02 fontdef.dtx v2.3		in <code>\l</code> (pr/3399).	272
General: Many things from here on		General: (MH) Minor	
made robust	236	documentation fixes.	267
2004/02/04 fontdef.dtx v2.3a		2006/05/18 ltboxes.dtx v1.1g	
General: Added bigtriangle		<code>\@parboxto:</code> Ensure <code>\@parboxto</code>	
synonyms for <code>stmaryrd</code>	234	holds the value of <code>\@tempdimb</code>	
2004/02/04 ltspc.dtx v1.3		not the register itself	
<code>\nobreakdashes:</code> (Macro added . .	76	(pr/3867)	301
2004/02/06 ltoutenc.dtx v1.99d		2006/09/13 ltoutput.dtx v1.1m	
<code>\@inmathwarn:</code> New command		General: Ensure that rule is in	
added to fix severe bug:		<code>\normalcolor</code>	458
pr/3563	94	2007/08/05 ltclass.dtx v1.1h	
2004/02/07 ltoutput.dtx v1.2l		<code>\@fileswithoptions:</code> Prevent loss	
<code>\@doclearpage:</code> Empty kludgeins		of brackets PR/3965	475, 476
box if necessary, pr/3528 . . .	414	2007/08/06 ltcntrl.dtx v1.0h	
2004/02/13 ltoutenc.dtx v1.99e		<code>\@fornoop:</code> Really make defs long	53
General: Documentation fixes:		2007/08/31 ltssdcl.dtx v3.0l	
typos	90	<code>\SetSymbolFont@:</code> Font warning	
2004/02/15 ltbibl.dtx v1.1q		changed to info for encoding	
<code>\@cite@ofmt:</code> Added hook with		change (pr/3975)	203
default value <code>\hbox</code>	389	2009/09/24 ltvers.dtx v1.0l	
<code>\@citex:</code> Changed to use a hook		General: Stop checking for old	
with default value <code>\hbox</code> . . .	388	format	32
2004/02/15 ltspc.dtx v1.3a		2009/10/20 ltssdcl.dtx v3.0m	
<code>\nobreakdashes:</code> (Added		<code>\in@:</code> More robust thanks to	
spacefactor setting	76	Heiko.	194
2004/10/20 ltoutput.dtx v1.2m		2009/10/28 ltoutenc.dtx v1.99k	
<code>\@makecol:</code> Removed dead code .	416	General: Added Latin Modern and	
2005/07/27 ltssdcl.dtx v3.0j		TeX Gyre subsets	138
<code>\DeclareMathAlphabet:</code> (MH)		2009/11/04 ltoutenc.dtx v1.99l	
Make document commands		General: Added more Latin	
robust	204	Modern and TeX Gyre subsets	138

2009/12/14 ltfntcmd.dtx v3.4a		<code>\textsubscript</code> : Command added (latexrelease)	381
<code>\ifmaybe@ic</code> : Macro added	249		
<code>\maybe@ic@</code> : Use switch <code>\ifmaybe@ic</code> instead of <code>\if@tempswa</code>	249	2014/12/30 ltfsbas.dtx v3.0y <code>\mathgroup</code> : move allocation to lplain.	147
<code>\t@st@ic</code> : Use switch <code>\ifmaybe@ic</code> instead of <code>\if@tempswa</code>	250	2014/12/30 ltoutput.dtx v1.2m General: Command updated (latexrelease)	457
2010/08/17 ltmiscen.dtx v1.1k <code>\enddocument</code> : Use braces around <code>\input</code> arg (pr/4124)	260	2014/12/30 ltplain.dtx v2.0a <code>\e@alloc</code> : macro added	19
2010/08/17 ltmiscen.dtx v1.1l <code>\enddocument</code> : Change of plan: use <code>\@@input</code> instead (pr/4124)	260	<code>\e@alloc@chardef</code> : macro added	18
2011/05/08 ltfsdcl.dtx v3.0n <code>\in@</code> : Simplified thanks to Bruno.	194	<code>\e@alloc@top</code> : macro added	18
2011/08/19 ltclass.dtx v1.1i <code>\@ifclasswith</code> : Re-jig definition after more stringent <code>\in@</code> test.	469	<code>\e@ch@ck</code> : macro added	19
2011/09/03 ltfsdcl.dtx v3.0o <code>\new@mathversion</code> : (Will) Remove <code>\global</code> before <code>\newcount</code> (unnecessary and caused etex bug).	201	<code>\extrafloats</code> : macro added	19
2012/01/20 ltplain.dtx v2.0b <code>\loggingall</code> : etex tracing if available	29	<code>\newlanguage</code> : New engine-specific allocation scheme (latexrelease)	17
2013/07/07 ltclass.dtx v1.1i General: Correctly describe how the date in <code>\@ifpackagelater</code> is used	466	2014/12/30 ltspc.dtx v1.3b <code>\@</code> : <code>\@</code> discards spaces when moving (pr3039)(latexrelease)	77
2014/04/18 ltoutput.dtx v1.1o General: Handle infinite glue from <code>\enlargethispage</code> (pr/4023)	458	2015/01/03 ltdefns.dtx v1.4a <code>\typein</code> : use modified definition in luatex	36
2014/04/24 ltoutput.dtx v1.2n <code>\fl@tracemessage</code> : Renamed internal trace commands; provide as package	448	2015/01/03 ltdirchk.dtx v1.1 General: Enable extra primitives when LuaTeX is used	3
2014/04/27 ltfloat.dtx v1.2b <code>\end@dblfloat</code> : Inline the code to allow some coexistence with packages that hook into <code>\end@float</code> and do not know about the algorithm change	372	2015/01/03 ltfinal.dtx v2.0a General: Skip resetting codes with Unicode engines	517
2014/06/10 ltfloat.dtx v1.2b <code>\end@dblfloat</code> : missing <code>\fi</code> added	372	Unicode data loading added	512
2014/12/30 ltfinal.dtx v2.0a <code>\newmarks</code> : macro added	510	2015/01/07 ltvers.dtx v1.0n <code>\IncludeInRelease</code> : macro added	33
<code>\newXeTeXintercharclass</code> : macro added	510	2015/01/08 ltboxes.dtx v1.1h <code>\framebox</code> : Make Robust (latexrelease)	299
2014/12/30 ltfloat.dtx v1.2a <code>\textsubscript</code> : Command added (latexrelease)	381	<code>\makebox</code> : Make Robust (latexrelease)	295
		<code>\parbox</code> : Make Robust (latexrelease)	300
		<code>\raisebox</code> : Make Robust (latexrelease)	304
		<code>\rule</code> : Make Robust (latexrelease)	303
		<code>\savebox</code> : Make Robust (latexrelease)	297
		2015/01/08 ltdefns.dtx v1.4a <code>\MakeRobust</code> : Added macro	45
		2015/01/08 ltlength.dtx v1.1c <code>\setlength</code> : to ensure first length argument is terminated. (latexrelease)	146
		2015/01/08 ltmath.dtx v1.1h <code>\)</code> : Make Robust (latexrelease)	271
		<code>\]</code> : Make Robust (latexrelease)	272

2015/01/09 ltfssini.dtx v3.1a	2015/01/14 ltspacedtx v1.3e
<code>\em</code> : Allow <code>\emph</code> to produce small caps (latexrelease)	<code>\addpenalty</code> : Avoid adding redundant skips (DPC)
<code>\emminnershape</code> : macro added (latexrelease)	2015/01/17 ltvers.dtx v1.0m
2015/01/09 ltspacedtx v1.1h	<code>\IncludeInRelease</code> : modified with <code>\@currname</code>
<code>\addpenalty</code> : Donald Arseneau's fix from PR/377703 (latexrelease)	2015/01/19 ltvers.dtx v1.0o
2015/01/10 ltcountsdtx v1.1h	<code>\IncludeInRelease</code> : Optional argument
<code>\fnsymbol</code> : Unse <code>\TextOrMath</code> (latexrelease)	2015/01/20 ltoutput.dtx v1.2m
<code>\@stpelt</code> : Reset all within counters in one go (latexrelease)	<code>\fl@tracemessage</code> : Reset <code>\IncludeInRelease</code> flags
2015/01/11 ltcountsdtx v1.1h	2015/01/22 ltvers.dtx v1.0p
<code>\TextOrMath</code> : Add command to solve robustness issues (pr/3752) (latexrelease)	General: Preserve any <code>\everyjob</code> material inserted by a loader (.ini file)
2015/01/11 ltfloat.dtx v1.2b	2015/01/23 ltfinal.dtx v2.0b
<code>\@dblfloatplacement</code> : float order in 2-column (latexrelease)	<code>\newmarks</code> : use reserved count 256
<code>\@xfloat</code> : Check for valid option (latexrelease)	<code>\newXeTeXintercharclass</code> : use reserved count 257
<code>\end@dblfloat</code> : float order in 2-column (latexrelease)	2015/01/23 ltplain.dtx v2.0c
2015/01/11 ltfssbas.dtx v3.0y	<code>\extrafloats</code> : reserve counts 256–265
<code>\@DeclareMathSizes</code> : Allow arbitrary units (latexrelease)	2015/01/24 ltfinal.dtx v2.0c
2015/01/11 ltspacedtx v1.3d	General: Skip T1-code entirely with Unicode engines
<code>\@Esphack</code> : Allow hyphenation (Donald Arseneau pr/3498) (latexrelease)	2015/02/03 ltfinal.dtx v2.0d
<code>\@esphack</code> : Allow hyphenation (Donald Arseneau pr/3498) (latexrelease)	General: Set <code>\lccode</code> for – with Unicode engines
2015/01/14 ltoutput.dtx v1.2n	2015/02/16 ltoutenc.dtx v1.99m
<code>\@addtocurcol</code> : float order in 2-column (latexrelease)	General: Added <code>\textcommabelow</code> latex/4414
<code>\@addtodblcol</code> : float order in 2-column (latexrelease)	Added lmtt (Heiko Oberdiek) latex/4415
<code>\@addtonextcol</code> : float order in 2-column (latexrelease)	2015/02/16 ltoutenc.dtx v1.99n
<code>\@docclearpage</code> : Empty kludgeins box if necessary, pr/3528	General: Added <code>\textcommababove</code>
float order in 2-column (latexrelease)	Added composites for ç
<code>\@startdblcolumn</code> : float order in 2-column (latexrelease)	Added composites for \c
<code>\@xtryfc</code> : float order in 2-column (latexrelease)	2015/02/19 ltvers.dtx v1.0q
<code>\@ztryfc</code> : float order in 2-column (latexrelease)	<code>\IncludeInRelease</code> : Swap argument order
	2015/02/20 ltplain.dtx v2.0d
	<code>\loggingall</code> : Spell commands correctly :-).
	2015/02/21 ltdefns.dtx v1.4b
	General: Removed autoloading support
	2015/02/21 lterror.dtx v1.2o
	General: Removed autoloading support
	2015/02/21 ltfiles.dtx v1.1m
	General: Removed autoloading support

2015/02/21 ltssbas.dtx v3.0z		2015/04/07 ltssbas.dtx v3.1a	
General: Removed autoload code	147	<code>\wrong@fontshape</code> : Try loading fd	
2015/02/21 ltsscmp.dtx v3.0d		file if family has changed . . .	160
General: Removed autoload code	190	2015/04/28 ltfinal.dtx v2.0f	
2015/02/21 ltssdcl.dtx v3.0p		<code>\newXeTeXintercharclass</code> : define	
General: Removed autoload code	194	<code>\xe@alloc@intercharclass</code> for	
2015/02/21 ltssstrc.dtx v3.0k		compatibility with older	
General: Removed autoload code	168	xelatex initialisation	510
2015/02/21 ltoutenc.dtx v1.99m		2015/05/10 ltlists.dtx v1.0t	
General: Removed autoload code	90	<code>\@doendpe</code> : Explicitly reset	
2015/02/21 ltoutput.dtx v1.2n		<code>\clubpenalty</code> before clearing	
General: Removed autoload code	393	<code>\everypar</code> ; see also pr/0462	
<code>\f@depth</code> : macro		and pr/4065	289
added(latexrelease)	412	2015/06/19 ltfinal.dtx v2.0g	
2015/02/21 ltpictur.dtx v1.1k		<code>\e@alloc@intercharclass@top</code> :	
General: Removed autoload code	328	Use <code>-1</code> for first range to get	
2015/02/21 ltplain.dtx v2.0e		contiguous allocation	510
General: Removed autoload code	14	<code>\newmarks</code> : Use <code>-1</code> for first range	
2015/02/21 lttab.dtx v1.1n		to get contiguous allocation .	510
General: Removed autoload code	306	2015/06/19 ltplain.dtx v2.0h	
2015/02/21 ltvers.dtx v1.0r		General: delete spurious old	
General: Removed autoload code	32	definition of <code>\newtoks</code>	22
2015/02/21 ltvers.dtx v1.0w		<code>\e@alloc</code> : extra braces in case	
<code>\IncludeInRelease</code> : set		arguments not single token . .	19
<code>\@currname</code> empty here (in		<code>\newlanguage</code> : Use <code>-1</code> for first	
case <code>\IncludeInRelease</code> input		range to get contiguous	
early)	33	allocation	17
2015/02/22 ltsscmp.dtx v3.0e		2015/06/23 ltfinal.dtx v2.0h	
General: Moved all code into		General: set <code>\patch@level</code> in	
latexrelease - obsolete		ltvers rather than in	
commands are no longer		ltfinal/ltpatch	518
automatically part of the		2015/06/23 ltvers.dtx v1.0t	
kernel	190	General: set <code>\patch@level</code> in	
2015/03/02 ltplain.dtx v2.0f		ltvers rather than in	
<code>\e@mathgroup@top</code> : macro added	18	ltfinal/ltpatch	32
<code>\newlanguage</code> : allow 255 math		2015/08/06 ltplain.dtx v2.0i	
groups in Unicode engines . . .	17	<code>\extrafloats</code> : Add <code>\string</code> in	
2015/03/10 ltplain.dtx v2.0g		case argument is not an	
<code>\hideoutput</code> : macro added	30	unexpandable primitive	19
<code>\loggingall</code> : Reorganise to be less		2015/08/23 ltdirchk.dtx v1.2	
noisy	29	General: Do not use luatex prefix .	3
<code>\tracingnone</code> : macro added	30	2015/08/23 ltvers.dtx v1.0v	
2015/03/18 ltssdcl.dtx v3.0q		General: Allow negative patchlevel	
<code>\DeclareSymbolFont</code> : Restrict		for pre-release	33
Symbol fonts to 0-15	202	2015/08/30 ltplain.dtx v2.1a	
<code>\document@select@group</code> :		<code>\newinsert</code> : new <code>\newinsert</code>	
Introduce <code>\e@mathgroup@top</code>	198	implementation	21
<code>\select@group</code> : Introduce		2015/09/24 ltluatex.dtx v1.0a	
<code>\e@mathgroup@top</code>	196	<code>call_callback</code> : Function added	505
2015/03/26 ltfinal.dtx v2.0d		<code>callback.register</code> : Function	
General: Use renamed		modified	503
<code>unicode-letters.def</code>	512	<code>callback_descriptions</code> :	
		Function added	508

<code>\catcodetable@atletter</code> : Macro added	492	2015/11/19 ltplain.dtx v2.2b	
<code>\catcodetable@initex</code> : Macro added	492	<code>\newlanguage</code> : Only extend allocation of write streams (see luatex list)	17
<code>\catcodetable@latex</code> : Macro added	492	2015/11/27 ltluatex.dtx v1.0h	
<code>\catcodetable@string</code> : Macro added	492	<code>callback_descriptions</code> : Match test in in-callback latex/4445	508
<code>add_to_callback</code> : Function added	506	<code>in_callback</code> : Guard against undefined list latex/4445	507
<code>remove_from_callback</code> : Function added	506	2015/11/29 ltluatex.dtx v1.0i	
<code>new_attribute</code> : Function added	499	General: Declare this as local before used in the module error definitions (PHG)	496
<code>disable_callback</code> : Function added	508	<code>call_callback</code> : Check name is not nil in error message (PHG)	505
<code>in_callback</code> : Function added	507	<code>create_callback</code> : Check name is not nil in error message (PHG)	505
<code>\newattribute</code> : Macro added	491	2015/12/02 ltluatex.dtx v1.0j	
<code>\newcatcodetable</code> : Macro added	491	General: Adjust hashtokens to store the result of <code>tex.hashtokens()</code> , not the function (PHG)	498
<code>\newluabytecode</code> : Macro added	494	Assorted typos fixed (PHG)	489
<code>\newluachunkname</code> : Macro added	494	Declaration/use of <code>first.head</code> fixed (PHG)	497
<code>\newluafunction</code> : Macro added	493	Remove nonlocal iteration variables (PHG)	489
<code>\newwhatsit</code> : Macro added	494	Remove unreachable code after calls to <code>error()</code> (PHG)	489
<code>module_error</code> : Function added	498	2015/12/02 ltluatex.dtx v1.0k	
<code>module_info</code> : Function added	498	General: resolve name and <code>i.description</code> (PHG)	504
<code>module_warning</code> : Function added	498	<code>call_callback</code> : Give more specific error messages (PHG)	505
<code>modules</code> : Function modified	496	<code>add_to_callback</code> : Give more specific error messages (PHG)	506
<code>create_callback</code> : Function added	505	<code>remove_from_callback</code> : adjust initialisation of cb local (PHG)	506
<code>provides_module</code> : Function added	496	Give more specific error messages (PHG)	506
<code>luatexbase</code> : Table added	496	<code>create_callback</code> : Give more specific error messages (PHG)	505
2015/10/02 ltdirchk.dtx v1.2a		2015/12/10 ltfinal.dtx v2.0i	
General: Allow backing out of unprefix names	3	General: Use new common Unicode data loaders	512
2015/10/02 ltluatex.dtx v1.0e		2015/12/18 ltluatex.dtx v1.0l	
<code>uninstall</code> : Function added	508	General: Load Unicode data from source	492
2015/10/03 ltluatex.dtx v1.0f		2016/01/04 ltfinal.dtx v2.0j	
<code>provides_module</code> : use <code>luatexbase_log</code>	496	General: Do not set up inter character classes for XeTeX	512
2015/10/27 ltplain.dtx v2.1b			
<code>\extrafloats</code> : Use global assignment when switching to extended range	19		
2015/11/07 ltspacex.dtx v1.3f			
<code>\@esphack</code> : Only space if there is no space at the end of the hlist latex/4443	71		
2015/11/14 ltluatex.dtx v1.0g			
General: Track LuaTeX changes for <code>(new)token.create</code>	498		
2015/11/18 ltplain.dtx v2.2a			
<code>\newlanguage</code> : Extended stream allocation in luatex (0.85)	17		

<code>\e@alloc@intercharclass@top:</code>	classes not 256	510
Start allocation at one not		
three		510
2016/01/05 ltfinal.dtx v2.0k		
<code>\e@alloc@intercharclass@top:</code>		
Remove duplicated code . . .		510
2016/01/05 ltfinal.dtx v2.0l		
General: Correct latexrelease		
guards		512
Ensure old definitions for		
inter-character class toks are		
available using latexrelease . .		512
Missing brace		512
2016/01/05 ltfinal.dtx v2.0m		
General: Undefine XeTeX classes		
when using patching an older		
kernel		512
2016/01/05 ltfinal.dtx v2.0p		
General: Only apply XeTeX		
change if XeTeX is in use . .		512
2016/02/11 ltluatex.dtx v1.0m		
General: pdf_stream_filter_callback		
removed		503
process_rule, [hv]pack_quality		
append_to_vlist_filter added .		502
read_cidmap_file added		502
show_warning_message added .		502
token_filter removed		502
2016/02/18 ltffsdcl.dtx v3.0r		
<code>\DeclareMathDelimiter:</code> Check		
for delimiter not <code>\delimiter</code>		211
<code>\DeclareMathAlphabet:</code> Check for		
mathaccent not <code>\mathaccent</code>		208
<code>\DeclareMathRadical:</code> Check for		
radical not <code>\radical</code>		213
<code>\DeclareMathSymbol:</code> Check for		
mathchar not <code>\mathchar</code> . . .		209
2016/03/13 ltluatex.dtx v1.0n		
General: contribute_filter added .		502
insert_local_par added		502
2016/03/29 ltpictur.dtx v.1l		
<code>\@oval:</code> add setting of line tests .		345
initialise tests		344
<code>\@ovhorz:</code> use glue not leaders if		
horizontal line not required .		345
<code>\@ovvert:</code> use glue not leaders if		
vertical line not required . . .		345
<code>\if@ovhline:</code> macro added		
(latex/4452)		344
<code>\if@ovvline:</code> macro added		
(latex/4452)		344
2016/04/22 ltfinal.dtx v2.0q		
<code>\e@alloc@intercharclass@top:</code>		
XeTeX 0.99996 has 4096 char		
2016/06/19 ltoutenc.dtx v1.99m		
General: OT1 definition (was		
duplicate T1 definition)		107
2016/06/20 ltclass.dtx v1.1j		
<code>\@ifclasslater:</code> don't declare as		
<code>\@onlypreamble</code>		469
2016/07/29 ltplain.dtx v2.2c		
<code>\extrafloats:</code> use <code>\global</code>		
<code>\chardef</code>		20
<code>\newinsert:</code> fix for		
tlb-newinsert-001		21
2016/10/02 ltclass.dtx v1.2a		
<code>\@ifclasswith:</code> Ignore spaces		
while checking for option clash		469
<code>\ExecuteOptions:</code> Ignore spaces in		
argument		473
2016/10/15 ltdirchk.dtx v1.2b		
General: Require eTeX		4
2016/10/15 lterror.dtx v1.2p		
General: Require eTeX		55
2016/10/15 ltfinal.dtx v2.0r		
General: Require eTeX		510
2016/10/15 ltfinal.dtx v2.0s		
General: Tidy up status of char		
127		510
2016/10/15 ltffssini.dtx v3.1b		
General: Require eTeX		217
2016/10/15 ltplain.dtx v2.2d		
General: Require eTeX		14
2016/10/16 ltplain.dtx v2.3a		
<code>\newlanguage:</code> Allow languages up		
to 16383 in luatex		17
2016/10/19 ltcounts.dtx v1.1j		
<code>\TextOrMath:</code> Test directly for		
<code>\protected</code>		144
2016/11/06 ltplain.dtx v2.3b		
General: Drop <code>\outer</code> entirely . .		14
2016/11/09 ltclass.dtx v2.1b		
<code>\@fileswithoptions:</code> Improve		
<code>\ifx</code> tests PR/4497		476
2016/11/17 ltluatex.dtx v1.0p		
General: call_edit added		502
2016/12/03 fontdef.dtx v3.0a		
General: (DPC) Default to TU		
encoding for Unicode TeX		
engines		225
<code>\shapedefault:</code> (DPC) Default to		
TU encoding for Unicode TeX		
engines		228
2016/12/04 ltoutenc.dtx v2.0a		
General: Added TU encoding . . .		119

2017/01/01 ltoutput.dtx v1.3b			
General: make fpmin negative so			
ignored even if float height is			
negative	457		
2017/01/10 ltssbas.dtx v3.2a			
\showhyphens: Add version of			
\showhyphens that works with			
XeTeX.	165		
2017/01/23 ltoutenc.dtx v2.0b			
General: Added TU specific			
commands in ASCII range			
pr/4500	119		
2017/01/24 ltoutenc.dtx v2.0c			
General: Declare TU composites			
for i and j	119		
Make \textasteriskcentered			
U+2217 not U+204E	119		
TeX ligature syntax for xetex			
and luatex reversed	119		
2017/01/24 ltoutenc.dtx v2.0d			
General: Declare macron			
composites for YyGg	119		
2017/02/12 ltoutenc.dtx v2.0e			
General: Declare fallback code for			
\textasteriskcentered	119		
2017/02/18 ltluatex.dtx v1.1c			
new_attribute: Parameterise			
count used in tracking	499		
new_bytecode: Parameterise			
count used in tracking	500		
new_chunkname: Parameterise			
count used in tracking	500		
new_whatsit: Parameterise count			
used in tracking	500		
2017/02/19 ltoutenc.dtx v2.0f			
General: add \@empty to guard			
against 3rd argument being			
empty	106		
declare composites with empty			
base for hat and tilde, use same			
slots for \textasciicircum ans			
\textasciitilde	119		
declare straight quotes using			
new \remove@tlig command	119		
2017/02/22 ltoutenc.dtx v2.0g			
General: Fix typo introduced at			
2.0f	119		

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
\! b350, b352, <u>z144</u> , O257
\" l176, l327, l365, l403, l414, l487, l519, l546, l554, l560, l564, l570, l574, l580, l586, l593, l594, l600, l604, l658, l701, l1071, l1088, l1094, l1098, l1104, l1108, l1114, l1120, l1127, l1128, l1134, l1138, l1140, l1247, o350, O258
\# a62, a75, b6, b14, b417, d314, o337, O241
\\$ a74, b4, b13, d313, l256, l390, l397, l476, l713, l720, O242
\% a75, a105, a107, a127, b14, b415, d314, l437, l439, o339, L573, L574, O243
\&	a74, b5, b13, b416, d313, L141, O244
\' b437, l177, l328, l367, l401, l411, l489, l499, l505, l507, l510, l512, l520, l526, l532, l534, l537, l539, l547, l551, l558, l562, l567, l572, l575, l577, l584, l589, l590, l597, l602, l605, l659, l703, l722, l724, l725, l726, l729, l731, l732, l733, l735, l736, l1068, l1085, l1092, l1096, l1101, l1106, l1109, l1111, l1118, l1123, l1124, l1131, l1136, l1139, l1147, l1148, l1195, l1196, l1201, l1202, l1213, l1214, l1219, l1220, l1248, l1249, l1273, l1274, o349, s148, t216, y145, z151, B240, C61, K558, O259
\(..... <u>z168</u> , z242
\) b437, <u>z168</u> , z243
* o342, <u>z148</u> , L507, L575
\+ C61
\, b351, b353, <u>i281</u> , t458, y145, z7, z8, z40, z108, z110, z113, z127, z144
\- b319, <u>d9</u> , d11, i272, l362, l363, l482, l697, l698, o344, y145, B239, C61, O157, O197
\. b350, b352, k39, l178, l329, l398, l399, l420, l495, l496, l522, l523, l549, l660, l727, l734, l1077, l1151, l1152, l1161, l1162, l1171, l1172, l1189, l1250, l1251, l1279, l1280, o343
\/ a97, d12, o291, o345, L140
\: b351, b353, d306, d307, <u>z149</u>
\; b351, b353, t452, z128, <u>z144</u>
\< l483, l651, o340, y145, C60, C98
\= l179, l330, l419, l661, 1988, 1989, 1997, 1998, l1076, l1141, l1142, l1157, l1158, l1180, l1181, l1182, l1207, l1208, l1233, l1234, l1263, l1264, s148, B240, C60
\>	l480, l652, o341, y145, <u>z144</u> , z149, C60
\? b350, b352, O259
\@ a65, d308, d309, g19, <u>i284</u> , j2, L24, L32, N18, N774, O251
\@@ a307, a308, f15, f19, f20, f21, f22, f24, f27, f28, f30, f31, k203, k219, p464, p466, p467, C199, C200, C201, C211, K10, K11
\@@defaultsubs <u>o440</u>
\@@enc@update l133, o224, <u>o228</u>
\@@end a69, a222, d8, k183, k184, y39, y49, M18, O336, O357
\@@endpbox C166, C197, <u>C345</u>
\@@eqnocr z277, z295, <u>z298</u> , z403
\@@fileswith@pti@ns L214, <u>L435</u>
\@@hyph <u>d9</u>
\@@hyphenation <u>l155</u>
\@@if@newlist K568, K615
\@@if@definable <u>d109</u> , l17
\@@input	a68, d7, k162, k163, k172, y19
\@@italiccorr <u>d12</u> , v96, v100
\@@line <u>B374</u>
\@@math@bgroup v114, v121
\@@math@egroup <u>v111</u> , v111
\@@par 63, <u>d6</u> , h4, y49, y104, y108, y111, A82, A85, B221, B238, C172, F50, F101, K231
\@@patterns <u>l155</u>
\@@protect d231, d237, d246
\@@startpbox C166, C197, <u>C345</u>
\@@underline <u>B330</u> , B333, B334
\@@unprocessedoptions	... L417, <u>L479</u>
\@@warning <u>g166</u>
\@Alpha m49, <u>m65</u>
\@DeclareMathDelimiter	... r679, <u>r698</u>
\@DeclareMathSizes	.. o171, o172, <u>o174</u>
\@Esphack	... <u>i110</u> , G201, G223, G241
\@IncludeInRelease c58, c59

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

- \@IncludeInRelease [c56](#), [c57](#), [c58](#)
- \@M [b21](#),
 b394, **b395**, **d24**, **d26**, **i27**, **i28**,
 i29, **i30**, **i31**, **i32**, **i33**, **i34**, **i57**,
 o509, **o516**, **p393**, **p406**, **z287**,
 A194, **C56**, **F50**, **F83**, **F101**,
 F113, **F154**, **K171**, **K172**, **K232**
- \@MM [b21](#), [G418](#), [K273](#)
- \@Mi [e3](#), [K143](#)
- \@Mii .. [e3](#), [G53](#), [G122](#), [G194](#), [G216](#),
 G241, **G315**, **K269**, **K1069**, **K1236**
- \@Miii [e3](#), [G55](#), [G124](#), [G317](#), [K272](#)
- \@Miv [e6](#), [G195](#), [G201](#), [G217](#), [G223](#), [K246](#)
- \@Roman [m47](#), [m53](#)
- \@TeXversion [1](#), [6](#), [a302](#), [g28](#)
- \@acci [s148](#), [B240](#)
- \@accii [s148](#), [B240](#)
- \@acciii [s148](#), [B240](#)
- \@acol [C141](#),
 C151, **C221**, **C222**, **C234**, **C235**,
 C238, **C255**, **C268**, **C276**, **C286**
- \@acolampacol [C219](#), [C236](#),
 C238, **C245**, **C253**, **C285**, **C288**
- \@activechar@info [K549](#)
- \@addamp [C212](#), [C221](#),
 C222, **C237**, **C251**, **C286**, **C287**
- \@addfield [C43](#),
 C53, **C75**, **C82**, **C114**, **C125**, [C127](#)
- \@addmarginpar [K305](#), [K1721](#)
- \@addtobot [K885](#), [K972](#),
 K1039, **K1091**, **K1200**, **K1259**
- \@addtocurcol [K302](#), [K976](#), [K1875](#)
- \@addtodblcol [K764](#), [K1472](#)
- \@addtofilelist .. [a101](#), [a103](#), [k54](#),
 k162, [k200](#), [s124](#), [s127](#), [s134](#),
 s137, [s144](#), [s147](#), [O210](#), [O213](#), [O377](#)
- \@addtonextcol .. [K763](#), [K1296](#), [K1876](#)
- \@addtopreamble [C270](#), [C283](#),
 C289, **C290**, **C291**, [C293](#), [C305](#)
- \@addtoreset [m16](#), [m39](#), [m44](#)
- \@addtotoporbot [K922](#),
 K1085, **K1253**, **K1345**, **K1434**
- \@afterheading [F75](#), [F108](#)
- \@afterindentfalse [F28](#)
- \@afterindenttrue .. [F26](#), [F107](#), [F153](#)
- \@alph [m48](#), [m61](#), [G379](#)
- \@ampacol [C219](#), [C236](#), [C247](#), [C288](#)
- \@arabic [m43](#), [m45](#), [m51](#), [G377](#)
- \@argarraycr [C176](#), [C177](#)
- \@argdef [d57](#)
- \@argsbox [B354](#)
- \@argtabularcr [C183](#), [C184](#)
- \@array [C154](#), [C155](#)
- \@arrayacol [C141](#), [C219](#)
- File Key: [a=ltdirchk.dtx](#), [b=ltplain.dtx](#), [c=ltvers.dtx](#), [d=ltdefs.dtx](#),
[e=ltalloc.dtx](#), [f=ltcntrl.dtx](#), [g=lterror.dtx](#), [h=ltpar.dtx](#), [i=ltspace.dtx](#),
[j=ltlogos.dtx](#), [k=ltfiles.dtx](#), [l=ltoutenc.dtx](#), [m=ltcounts.dtx](#), [n=ltlength.dtx](#),
[o=ltfssbas.dtx](#), [p=ltfssstrc.dtx](#), [q=ltfsscmp.dtx](#), [r=ltfssdcl.dtx](#), [s=ltfssini.dtx](#),
[t=fontdef.dtx](#), [u=preload.dtx](#), [v=ltfntcmd.dtx](#), [w=ltpageno.dtx](#), [x=ltxref.dtx](#),
[y=ltmiscen.dtx](#), [z=ltmath.dtx](#), [A=ltlists.dtx](#), [B=ltboxes.dtx](#), [C=lttab.dtx](#),
[D=ltpictur.dtx](#), [E=ltthm.dtx](#), [F=ltsect.dtx](#), [G=ltfloat.dtx](#), [H=ltidxglo.dtx](#),
[I=ltbibl.dtx](#), [J=ltpage.dtx](#), [K=ltoutput.dtx](#), [L=ltclass.dtx](#), [M=lthyphen.dtx](#),
[N=ltluatex.dtx](#), [O=ltfinal.dtx](#)
- \@arrayclassiv [C142](#), [C290](#)
- \@arrayclassz [C141](#), [C236](#)
- \@arraycr [C143](#), [C174](#), [C176](#)
- \@arrayparboxrestore [B235](#), [B249](#), [C343](#)
- \@arrayrule [C268](#),
 C270, **C274**, **C276**, **C278**, [C305](#)
- \@arstrut [C165](#), [C198](#), [C302](#)
- \@arstrutbox . [C158](#), [C191](#), [C302](#), [C344](#)
- \@author [F5](#)
- \@auxout [k81](#), [k87](#), [k103](#), [k118](#),
 x33, **F145**, **I7**, **I8**, **I19**, **I29**, **I37**, **I43**
- \@backslashchar
 [d195](#), [g185](#), [g187](#), [t229](#), [L540](#)
- \@badcrrr [g227](#)
- \@badend [g198](#), [y65](#)
- \@badlinearg [g217](#), [D58](#),
 D67, **D68**, **D72**, **D116**, **D121**, **D132**
- \@badmath .. [g201](#), [z172](#), [z174](#), [z179](#),
 z182, **z191**, **z203**, **z208**, **z217**,
 z230, **z235**, **z327**, **z339**, **z355**, **z364**
- \@badpoptabs [g205](#), [C74](#), [C136](#)
- \@badrequireerror [L154](#), [L487](#)
- \@badtab [g208](#),
 C22, **C76**, **C97**, **C103**, **C110**, [C133](#)
- \@begin@tempboxa
 B27, **B42**, **B158**, **B221**, **B355**, **B363**
- \@begindocumenthook
 [k48](#), [k51](#), [L446](#), [L460](#), [I33](#)
- \@beginndvi [K594](#), [K620](#)
- \@beginndvibox [K93](#), [K621](#)
- \@beginparpenalty
 . [i30](#), [z330](#), [z342](#), [z368](#), [A23](#), [A170](#)
- \@begintheorem [E30](#), [E35](#)
- \@bezier [D368](#), [D369](#)
- \@bibitem [I3](#), [I8](#)
- \@biblabel [I4](#), [I54](#)
- \@bitor [K15](#),
 K791, **K811**, **K847**, **K870**, **K937**,
 K1021, **K1031**, **K1179**, **K1190**,
 K1332, **K1419**, **K1537**, [K1662](#)
- \@botlist [K65](#),
 K358, **K360**, **K405**, **K407**, **K627**,
 K648, **K657**, **K658**, **K899**, **K902**,
 K937, **K939**, **K1031**, **K1033**,
 K1190, **K1192**, **K1832**, **K1859**
- \@botnum [G278](#),
 K116, **K896**, **K897**, **K902**, **K906**,
 K913, **K1368**, **K1373**, **K1461**,
 K1468, **K1824**, **K1851**, **K1893**
- \@botroom [G279](#),
 K117, **K899**, **K902**, **K1825**, [K1852](#)
- \@boxfpsbit [K1941](#), [K1943](#), [K1948](#)
- \@break@tfor [f31](#), [k157](#), [v81](#)

- \@bsphack i9, [i63](#), [i232](#),
i248, [x32](#), [G52](#), [G121](#), [G314](#),
H6, H18, H23, H35, K1792, I39
 - \@caption [G12](#), [G14](#)
 - \@capttype [G5](#), [G9](#),
[G12](#), [G40](#), [G88](#), [G109](#), [G157](#), [K1905](#)
 - \@car [36](#), [d40](#), [j14](#), [l77](#)
 - \@carcube [d42](#), [d112](#)
 - \@cclv [b16](#), [K274](#), [K278](#),
[K356](#), [K357](#), [K386](#), [K403](#), [K404](#),
[K433](#), [K457](#), [K461](#), [K462](#), [O53](#)
 - \@cclvi [b21](#), [b57](#), [b79](#), [b90](#),
[b92](#), [b96](#), [b156](#), [b170](#), [N30](#), [N58](#)
 - \@cdr [36](#), [d40](#), [d287](#), [d288](#)
 - \@centercr [y68](#), [y76](#), [y83](#), [y89](#)
 - \@centering [z257](#),
[z258](#), [z265](#), [z268](#), [z271](#), [z396](#), [z400](#)
 - \@cflb [K624](#)
 - \@cflt [K624](#)
 - \@changed@cmd .. [l3](#), [l63](#), [l173](#), [o96](#), [o232](#)
 - \@changed@x [l3](#), [l161](#), [l169](#)
 - \@changed@x@mouth [l161](#), [l169](#)
 - \@charlb [k121](#), [k129](#)
 - \@charrb [k123](#), [k129](#)
 - \@chclass [C232](#), [C233](#), [C294](#), [C307](#), [C312](#)
 - \@check@c [d166](#), [d168](#)
 - \@check@eq [d172](#), [d173](#), [d177](#)
 - \@checkend [y11](#), [y61](#), [y64](#)
 - \@chnum [C240](#),
[C259](#), [C294](#), [C309](#), [C310](#), [C311](#)
 - \@circ [D340](#), [D341](#), [D342](#)
 - \@circle [D328](#), [D329](#)
 - \@circlefnt [D37](#), [D39](#), [D232](#),
[D261](#), [D303](#), [D333](#), [D348](#), [D363](#)
 - \@cite [I16](#), [I52](#)
 - \@cite@ofmt [I24](#), [I53](#)
 - \@citea [I15](#), [I17](#)
 - \@citeb [I16](#), [I18](#), [I19](#),
[I20](#), [I23](#), [I24](#), [I41](#), [I42](#), [I43](#), [I44](#), [I45](#)
 - \@citex [I13](#), [I14](#)
 - \@classi [C232](#), [C266](#)
 - \@classii [C232](#), [C280](#)
 - \@classiii [C232](#), [C285](#)
 - \@classiv [C142](#), [C153](#), [C233](#)
 - \@classoptionslist [L9](#), [L183](#),
[L194](#), [L332](#), [L333](#), [L360](#), [L361](#), [L598](#)
 - \@classv [C233](#), [C291](#)
 - \@classz [C141](#), [C152](#), [C232](#)
 - \@cline [C326](#)
 - \@clnht [D74](#), [D75](#), [D83](#),
[D85](#), [D87](#), [D97](#), [D104](#), [D130](#), [D357](#)
 - \@clnwd [D76](#), [D82](#), [D86](#), [D88](#), [D89](#), [D357](#)
 - \@cls@pkg [L117](#), [L118](#),
[L397](#), [L426](#), [L463](#), [L472](#), [L474](#), [L491](#)
 - \@clsextension [L16](#),
[L41](#), [L52](#), [L69](#), [L124](#), [L150](#),
[L167](#), [L183](#), [L193](#), [L250](#), [L265](#),
[L273](#), [L331](#), [L359](#), [L430](#), [L438](#), [L464](#)
 - \@clubpenalty
.. [k9](#), [k19](#), [A128](#), [A196](#), [F89](#), [F118](#)
 - \@colht [k16](#), [G277](#),
[G279](#), [G282](#), [G288](#), [G289](#),
[G302](#), [G303](#), [K121](#), [K205](#), [K216](#),
[K225](#), [K226](#), [K361](#), [K373](#), [K408](#),
[K421](#), [K448](#), [K479](#), [K509](#), [K515](#),
[K519](#), [K529](#), [K534](#), [K616](#), [K687](#),
[K725](#), [K769](#), [K794](#), [K813](#), [K853](#),
[K875](#), [K1552](#), [K1678](#), [K2006](#), [O88](#)
 - \@colnum [G280](#), [K118](#),
[K905](#), [K950](#), [K1019](#), [K1020](#),
[K1048](#), [K1056](#), [K1098](#), [K1177](#),
[K1178](#), [K1210](#), [K1222](#), [K1266](#),
[K1330](#), [K1331](#), [K1368](#), [K1373](#),
[K1417](#), [K1418](#), [K1460](#), [K1467](#),
[K1820](#), [K1847](#), [K1886](#), [K2061](#)
 - \@colroom [k17](#),
[K122](#), [K226](#), [K247](#), [K248](#), [K259](#),
[K262](#), [K361](#), [K408](#), [K687](#), [K904](#),
[K949](#), [K1015](#), [K1018](#), [K1047](#),
[K1172](#), [K1176](#), [K1209](#), [K1326](#),
[K1329](#), [K1412](#), [K1416](#), [K1821](#),
[K1848](#), [K2016](#), [K2021](#), [K2066](#), [O87](#)
 - \@combinedblfloats [K660](#), [K2140](#), [K2179](#)
 - \@combinefloats [K475](#), [K624](#)
 - \@comdblflelt [K660](#)
 - \@comflelt [K630](#), [K646](#), [K660](#)
 - \@cons [36](#), [b193](#), [b210](#), [d39](#),
[m44](#), [G193](#), [G215](#), [G239](#), [G359](#),
[K211](#), [K798](#), [K817](#), [K833](#), [K857](#),
[K859](#), [K879](#), [K881](#), [K1051](#),
[K1119](#), [K1215](#), [K1288](#), [K1361](#),
[K1451](#), [K1554](#), [K1577](#), [K1680](#),
[K1705](#), [K1722](#), [K1723](#), [K2067](#)
 - \@contfield [C50](#), [C126](#), [C138](#)
 - \@ctrerr .. [g194](#), [m64](#), [m68](#), [m82](#), [m90](#)
 - \@curfield [C16](#), [C41](#),
[C47](#), [C51](#), [C52](#), [C54](#), [C119](#), [C120](#)
 - \@curline
.. [C16](#), [C27](#), [C39](#), [C44](#), [C53](#), [C54](#),
[C55](#), [C79](#), [C80](#), [C92](#), [C117](#), [C118](#)
 - \@curr@enc [I114](#), [I116](#)
 - \@currbox [b261](#), [b262](#), [b263](#),
[G60](#), [G91](#), [G95](#), [G129](#), [G160](#),
[G164](#), [G193](#), [G214](#), [G215](#),
[G239](#), [G261](#), [G263](#), [G265](#),
[G323](#), [G326](#), [G331](#), [G335](#), [K187](#),
[K188](#), [K199](#), [K200](#), [K202](#), [K203](#),
[K211](#), [K285](#), [K286](#), [K763](#), [K764](#)
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=ltterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

- K1012, K1014, K1022, K1045,
 K1049, K1051, K1066, K1107,
 K1119, K1167, K1170, K1207,
 K1212, K1215, K1232, K1277,
 K1288, K1320, K1336, K1350,
 K1361, K1403, K1440, K1451,
 K1491, K1495, K1506, K1512,
 K1514, K1518, K1523, K1532,
 K1541, K1547, K1554, K1577,
 K1612, K1616, K1628, K1635,
 K1637, K1641, K1647, K1657,
 K1672, K1680, K1705, K1723,
 K1732, K1911, K1912, K1941,
 K1971, K1976, K2022, K2025,
 K2037, K2045, K2062, K2067
 \@currdir 1, 6, a108, a130, a132, a138,
 a140, a146, a148, a153, a155,
 a165, a178, a243, a256, a269, L517
 \@current@cmd l25, o236
 \@currentlabel x34,
 x37, x40, z261, z381, B302, G420
 \@currenvir
 g199, y3, y55, y65, A112, B104,
 L534, L540, L548, L552, L558
 \@currenvline ... g199, y56, y66, B105
 \@currxt L15, L23, L31, L123, L124,
 L167, L176, L183, L193, L260,
 L269, L388, L389, L394, L395,
 L400, L406, L410, L412, L414,
 L416, L418, L419, L422, L428,
 L430, L438, L456, L464, L480, L481
 \@currlist
 G193, G215, G359, K67, K285,
 K362, K365, K409, K412, K1722
 \@currname ... c53, c61, c68, k211,
 k212, L14, L22, L30, L115,
 L117, L123, L176, L269, L387,
 L389, L412, L414, L416, L418,
 L419, L456, L472, L474, L481, L491
 \@currnamestack L20
 \@curroptions
 ... L176, L184, L206, L481, L482
 \@currsize s72
 \@currtype K126,
 K788, K789, K790, K791, K808,
 K809, K810, K811, K937,
 K1021, K1031, K1179, K1190,
 K1332, K1419, K1537, K1662,
 K1911, K1913, K1914, K1917
 \@curtab C11,
 C26, C75, C76, C77, C83, C84,
 C87, C91, C92, C96, C131, C132
 \@curtabmar C11, C25,
 C26, C38, C44, C78, C91, C95, C96
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=ltterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
 \@d@r a161, a162
 \@dashbox D175, D176,
 D177, D178, D179, D182, D185,
 D187, D196, D198, D199, D200,
 D201, D204, D207, D210, D359
 \@dashcnt D169, D170,
 D171, D172, D173, D174, D184,
 D186, D189, D190, D191, D192,
 D194, D195, D206, D209, D359
 \@dashdim D168, D169, D170,
 D171, D173, D176, D178, D179,
 D180, D184, D186, D188, D189,
 D190, D191, D194, D198, D200,
 D201, D202, D208, D211, D359
 \@date F7
 \@dbflt G32, G268
 \@dblarg 35, d311, F37, F125, G12
 \@dbldeferlist G239,
 K74, K419, K424, K426, K726,
 K733, K734, K1662, K1665,
 K1705, K1707, K1836, K1864
 \@dblfloat G31
 \@dblfloatplacement
 k25, G275, G284, K375, K423,
 K1817, K1844, K2145, K2185
 \@dblflset G26
 \@dblpfbot G294, G308, K2229
 \@dblpfsep G293, G307, K2229
 \@dblpftop G292, G306, K2229
 \@dbltoplist
 K69, K206, K209, K211, K371,
 K372, K419, K420, K665, K669,
 K671, K672, K1549, K1554,
 K1674, K1680, K1835, K1862
 \@dbltopnum G287, G301,
 K114, K134, K212, K214, K676,
 K1488, K1489, K1553, K1556,
 K1564, K1584, K1589, K1609,
 K1610, K1679, K1683, K1691,
 K1712, K1717, K1828, K1855
 \@dbltoproom .. G288, G290, G302,
 G304, K115, K1491, K1494,
 K1495, K1504, K1505, K1508,
 K1511, K1514, K1518, K1522,
 K1526, K1531, K1551, K1612,
 K1615, K1616, K1625, K1626,
 K1627, K1630, K1634, K1637,
 K1641, K1646, K1650, K1655,
 K1656, K1677, K1829, K1856
 \@dec@text@cmd l3
 \@declaredoptions
 L8, L157, L180, L196, L211, L444
 \@declareoption ... L155, L156, L164
 \@defaultsubs .. o394, o428, o440, y26

- \@defaultunits o179, o183,
o184, o185, o200, o262, p133, p135
 - \@defdefault@ds ... L155, L160, L165
 - \@deferlist K68,
K74, K358, K367, K368, K371,
K376, K378, K384, K405, K414,
K416, K688, K696, K697, K708,
K713, K714, K1021, K1024,
K1119, K1121, K1179, K1182,
K1288, K1290, K1332, K1334,
K1361, K1363, K1419, K1421,
K1451, K1453, K1537, K1539,
K1577, K1579, K1834, K1861
 - \@definecounter
. m12, m36, z246, A227, A228,
A229, A230, E8, E16, G376, G378
 - \@depth d13, p145,
t508, t509, t511, t512, B329,
B373, C160, C192, D106, D157,
D160, D175, D182, D402, K1761
 - \@dir a160, a163, a165, a167, a168
 - \@dischyph d11, B239
 - \@docclearpage K270, K345
 - \@documentclasshook .. L3, L336, L364
 - \@doendpe y62, A123
 - \@dofilelist k209, k225, y21
 - \@donoparitem A144, A158
 - \@dot D328, D341
 - \@dotsep F160
 - \@dottedtocline F149
 - \@downline D154, D158, D163
 - \@downvector D125, D163
 - \@eha d255, g170, g188,
g190, g192, g200, g202, g232,
k88, l52, l1411, l1421, o25, o67,
o109, o152, o218, o273, p106,
r25, r70, r99, r161, r192, r293,
r314, r346, r387, r432, r437,
r492, r601, r605, r609, r645,
r655, r740, r745, r748, r780,
r783, r838, r841, r844, r911,
r917, v129, y54, K1786, K1802, I47
 - \@ehb g170, g195, g220,
g222, g224, K208, K364, K411
 - \@ehc d105,
d132, g170, g227, g230, g236,
g238, y130, y141, z302, A220, F4
 - \@ehd . g170, g197, g204, g207, g209,
g215, r118, C89, C98, G6, L298
 - \@elt d39, k122, m20, m35, K8,
K11, K15, K27, K30, K31, K32,
K33, K38, K39, K40, K41, K42,
K43, K44, K45, K47, K51, K57,
K58, K59, K60, K472, K630,
K641, K646, K656, K668, K670,
K698, K715, K735, K754, K767,
K774, K825, K828, K837, K1808
 - \@empty f14
 - \@emptycol
.. K172, K219, K222, K251, K255
 - \@end@tempboxa
B36, B45, B163, B234, B361, B371
 - \@enddocumenthook .. y10, L446, L461
 - \@endfloatbox G190, G211, G236, G248
 - \@endparenv A120, A123
 - \@endparpenalty
. i31, z331, z343, z369, A23, A124
 - \@endpbox C166,
C197, C227, C292, C343, C346
 - \@endpfalse y59, A129,
A131, A135, A136, A138, B107
 - \@endpeltrue A138
 - \@endpetrue A124, A126, A134
 - \@endtheorem E13, E19, E25, E35
 - \@enlargepage .. K1771, K1776, K1778
 - \@ensuredmath z313, z315
 - \@enumctr A234, A237, A238
 - \@enumdepth .. A226, A232, A233, A234
 - \@eqcnt z254,
z299, z304, z383, z398, z399, z401
 - \@eqncr ... z266, z284, z305, z306, z385
 - \@eqnnum .. z248, z249, z303, z317, z376
 - \@eqnset z254, z397
 - \@eqnswfalse z283
 - \@eqnswtrue z256, z262, z304, z382
 - \@eqpen z254, z287, z289, z296
 - \@err@ g37,
g41, g44, g52, g64, g68, g71, g79
 - \@esphack . i11, i69, i237, i254, x35,
G365, H17, H19, H34, K1794, I50
 - \@evenfoot J12, J15, K584
 - \@evenhead J12, J15, K583
 - \@expandtwoargs
.... d193, L73, L182, L196, L220
 - \@expast C200, C228
 - \@failedlist
... K752, K775, K791, K798,
K811, K817, K833, K847, K870
 - \@fcolmadefalse K743
 - \@fcolmadetrue K831
 - \@filef@und ... k144, k154, k162, k172
 - \@filelist . k53, k199, k200, k211,
s124, s134, s144, O210, O361, O377
 - \@filesfalse k64
 - \@fileswith@ptions
.... L154, L214, L323, L324,
L328, L330, L357, L358, L384, L435
- File Key:** a=ltltdirchk.dtx, b=ltlplain.dtx, c=ltlvers.dtx, d=ltldefs.dtx,
e=ltlalloc.dtx, f=ltlcntrl.dtx, g=ltlerror.dtx, h=ltlpar.dtx, i=ltltspace.dtx,
j=ltllogos.dtx, k=ltlfiles.dtx, l=ltloutenc.dtx, m=ltlcounts.dtx, n=ltllength.dtx,
o=ltlssbas.dtx, p=ltlssstrc.dtx, q=ltlssscmp.dtx, r=ltlssdcl.dtx, s=ltlssini.dtx,
t=fontdef.dtx, u=ltlpreload.dtx, v=ltlfontcmd.dtx, w=ltlpageno.dtx, x=ltltxref.dtx,
y=ltlmiscen.dtx, z=ltlmath.dtx, A=ltllists.dtx, B=ltlboxes.dtx, C=ltltab.dtx,
D=ltlpictur.dtx, E=ltlthm.dtx, F=ltlsect.dtx, G=ltlfloat.dtx, H=ltlidxglo.dtx,
I=ltlbibl.dtx, J=ltlpage.dtx, K=ltloutput.dtx, L=ltlclass.dtx, M=ltlthyphen.dtx,
N=ltl luatex.dtx, O=ltlfinal.dtx

- \@fileswithoptions p281, p445, p457, p462, p469, p494, p502, r202, r217, r251, r297, r366, r372, r416, r429, r512, r592, r636, r730, r879, r908
- \@fileswithoptions L318, L319, L321, L325
- \@fileswtrue k7
- \@finalstrut . B306, B372, C344, G425
- \@firstampfalse ... C215, C238, C255
- \@firstamptrue C223
- \@firstcolfirstmark \font@warning o4, o390, o395, o422, o429, p19, p33, p41, p49, p61, p77, p430, p444, p456, p461, p468, p493, p501, q30, y23, O216
- \@firstcolfirstmark K2122, K2123, K2127
- \@firstcoltopmark G407, G413, G431, G437, G438
- \@firstcolumnfalse \footnotemark \footnotetext B276, G407, G413, G414, G447, G453
- \@firstcolumntrue \@for f16, k99, k211, L82, L99, L180, L194, L206, L211, L231, L241, L482, I16, I41
- \@firstofone d188, k47, l68, l113, p300, r53, r81, r142, r172, r690, y9, z311, C331, G10, N67, N103, N111, N169, I18, I42
- \@firstoftwo \@forloop f19, f20
- \@firstoftwo a87, d188, d283, d310, k155, l97, l1383, l1399, m100, m105, r694, x19, J16, L48, L64, L80, L98
- \@firstoftwo \@fornoop f15, f23, f29
- \@firstoftwo \@fortmp f17, f18, f26, L229, L231
- \@firsttab C2, C63, C64, C65, C95, C107
- \@flcheckspace ... K899, K935, K2012
- \@flfail G282, G291, G305, K120, K830, K1826, K1853, K2075, K2092
- \@flfail K775, K826, K847, K857, K870, K879
- \@float \@fps G41, G42, G44, G47, G64, G110, G111, G113, G116, G133, K1903, K1905, K1908
- \@float G26, G32
- \@floatboxreset ... G101, G170, G174
- \@floatpenalty \@fpsadddefault G45, G48, G114, G117, K1900
- \@floatpenalty G3, G53, G55, G58, G122, G124, G127, G191, G194, G199, G201, G212, G216, G221, G223, G237, G241, G315, G317, G321, G325, G359
- \@floatplacement k25, G275, K156, K183, K227, K451, K1818, K1845
- \@flsetnum K896, K932, K1019, K1177, K1330, K1417, K1488, K1609, K1980
- \@flsettextmin K995, K1147, K1316, K1399, K1996
- \@flstop K1882
- \@flsucceed K768, K776, K825, K859, K881
- \@fltovf g223, G93, G162, G326
- \@flupdates K902, K947, K2058
- \@flushglue e17, y77, y83, y90, y103, A76, B246
- \@fnsymbol m50, m69
- \@font@info o98, o136, o142, o300, o317, o476, p30, p38, p46, p74, p87, p126, p154, p168, p179, p193, p209, p215, p228, p235, p242, p247, p257, p269, p281, p445, p457, p462, p469, p494, p502, r202, r217, r251, r297, r366, r372, r416, r429, r512, r592, r636, r730, r879, r908
- \@font@info \font@warning o4, o390, o395, o422, o429, p19, p33, p41, p49, p61, p77, p430, p444, p456, p461, p468, p493, p501, q30, y23, O216
- \@font@info \fontswitch v109, v111
- \@font@info \footnotemark \footnotetext B276, G407, G413, G414, G447, G453
- \@font@info \@for f16, k99, k211, L82, L99, L180, L194, L206, L211, L231, L241, L482, I16, I41
- \@font@info \@forloop f19, f20
- \@font@info \@fornoop f15, f23, f29
- \@font@info \@fortmp f17, f18, f26, L229, L231
- \@font@info \@fpbot G294, G308, K773, K2223
- \@font@info \@fpmin G282, G291, G305, K120, K830, K1826, K1853, K2075, K2092
- \@font@info \@fps G41, G42, G44, G47, G64, G110, G111, G113, G116, G133, K1903, K1905, K1908
- \@font@info \@fpsadddefault G45, G48, G114, G117, K1900
- \@font@info \@fpsep G293, G307, K771, K780, K852, K874, K2223
- \@font@info \@fpstype K893, K914, K915, K929, K960, K961, K985, K987, K990, K992, K1043, K1099, K1100, K1135, K1138, K1141, K1144, K1205, K1267, K1268, K1306, K1308, K1311, K1313, K1387, K1390, K1393, K1396, K1485, K1500, K1502, K1520, K1529, K1565, K1566, K1606, K1621, K1623, K1643, K1653, K1692, K1693, K1896, K1912, K1914, K1916, K1919, K1920, K1921, K1923, K1924, K1928, K1929, K1931, K1932, K1966, K1968, K1970, K1982, K1984, K1998, K2000, K2030, K2033, K2044
- \@font@info \@fptop G292, G306, K770, K2223
- \@font@info \@frameb@x B134, B162, B164
- \@font@info \@framebox B141, B148, B152
- \@font@info \@framepicbox B141, B148, B185
- \@font@info \@freelist . b193, b210, b261, G60, G129, G323, G324, K29, K34, K48, K56, K187, K473, K642, K657, K671, K776, K1722, K1723
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx, e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx, j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx, o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx, t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx, y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx, D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx, I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx, N=ltluatex.dtx, O=ltfinal.dtx

- \@getcirc ... [D222](#), [D255](#), [D299](#), [D331](#)
- \@getfypsbit [K890](#), [K926](#), [K1482](#), [K1603](#), [K1939](#)
- \@getllarrow [D123](#), [D131](#), [D133](#)
- \@getlinechar [D69](#), [D108](#)
- \@getpen [i7](#), [i10](#), [i21](#), [i55](#)
- \@getrarrow [D124](#), [D131](#), [D140](#)
- \@glossaryfile [H21](#), [H22](#), [H31](#)
- \@gnewline [i46](#), [i48](#), [i49](#)
- \@gobble [d88](#), [d110](#),
[d185](#), [d195](#), [d213](#), [d217](#), [d252](#),
[d258](#), [d261](#), [d270](#), [f6](#), [f9](#), [g101](#),
[g127](#), [g153](#), [g162](#), [i42](#), [i312](#), [k54](#),
[k199](#), [l29](#), [l1361](#), [o391](#), [o424](#),
[p299](#), [q26](#), [r28](#), [r30](#), [r255](#), [r266](#),
[r330](#), [r377](#), [r378](#), [r407](#), [r413](#),
[r421](#), [r426](#), [r444](#), [r458](#), [r468](#),
[r477](#), [r490](#), [r507](#), [r516](#), [r586](#),
[r595](#), [r629](#), [r639](#), [r723](#), [r733](#),
[r796](#), [r801](#), [r870](#), [r901](#), [s127](#),
[s137](#), [s147](#), [F126](#), [F127](#), [F128](#),
[F129](#), [F130](#), [F146](#), [G7](#), [K590](#),
[K591](#), [K592](#), [K837](#), [K1810](#),
[K2076](#), [K2093](#), [L286](#), [L503](#),
[L527](#), [L532](#), [N66](#), [N101](#), [O213](#),
[O306](#), [O312](#), [O377](#), [I11](#), [I25](#), [I26](#)
- \@gobble@IncludeInRelease [c65](#), [c72](#), [c75](#)
- \@gobblecr [i310](#), [i311](#)
- \@gobblefour [d185](#),
[r24](#), [r252](#), [r368](#), [r370](#), [r374](#),
[r376](#), [r386](#), [r390](#), [r514](#), [r566](#), [L534](#)
- \@gobbletwo [d152](#), [d153](#),
[d185](#), [f12](#), [k26](#), [o396](#), [o430](#), [r132](#),
[y16](#), [y24](#), [J11](#), [J13](#), [L526](#), [O222](#)
- \@gtempa [d103](#),
[d104](#), [d158](#), [d160](#), [k180](#), [k181](#),
[k183](#), [k184](#), [k185](#), [C3](#), [C5](#), [C6](#),
[C7](#), [C8](#), [L114](#), [L115](#), [L125](#), [L127](#)
- \@halfwidth [D2](#), [D38](#),
[D40](#), [D41](#), [D106](#), [D156](#), [D159](#),
[D175](#), [D182](#), [D196](#), [D206](#), [D209](#),
[D365](#), [D387](#), [D400](#), [D401](#), [D402](#)
- \@halignto .. [C143](#), [C147](#), [C150](#), [C164](#)
- \@hangfrom [F49](#), [F100](#), [F121](#)
- \@height [b388](#), [d13](#), [i242](#),
[i250](#), [l242](#), [l244](#), [p144](#), [t290](#),
[t508](#), [t509](#), [t511](#), [t512](#), [B118](#),
[B123](#), [B171](#), [B181](#), [B329](#), [B373](#),
[C159](#), [C192](#), [C318](#), [C335](#), [D106](#),
[D157](#), [D160](#), [D175](#), [D182](#), [D198](#),
[D205](#), [D280](#), [D323](#), [D401](#), [K1761](#)
- \@highpenalty [i56](#), [O3](#)
- \@hightab ... [C11](#), [C21](#), [C23](#), [C63](#),
[C75](#), [C84](#), [C85](#), [C100](#), [C131](#), [C132](#)
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
- \@hline [D60](#), [D105](#), [D122](#)
- \@holdpg [K129](#), [K274](#),
[K276](#), [K277](#), [K282](#), [K283](#), [K284](#)
- \@hspace [i296](#), [i297](#)
- \@hspacer [i296](#), [i298](#)
- \@hvector [D118](#), [D122](#)
- \@icentercr [y71](#), [y72](#)
- \@iden [d191](#)
- \@if [d148](#), [d149](#), [d151](#)
- \@if@pti@ns [L73](#), [L77](#),
[L79](#), [L96](#), [L97](#), [L112](#), [L226](#), [L238](#)
- \@if@ptions .. [L68](#), [L69](#), [L72](#), [L74](#), [L395](#)
- \@ifatmargin [C55](#), [C95](#)
- \@ifclasslater [466](#), [L51](#)
- \@ifclassloaded [466](#), [L40](#)
- \@ifclasswith [466](#), [L68](#)
- \@ifdefinable [35](#), [d61](#),
[d63](#), [d107](#), [d109](#), [d215](#), [l14](#), [l17](#),
[m11](#), [n3](#), [s68](#), [B70](#), [E7](#), [E15](#), [E22](#)
- \@iffileonpath [k140](#), [k148](#)
- \@ifl@aded .. [L40](#), [L41](#), [L44](#), [L50](#), [L394](#)
- \@ifl@t@r [L56](#), [L59](#), [L66](#), [L307](#)
- \@ifl@ter [l1344](#),
[l1345](#), [L51](#), [L52](#), [L55](#), [L58](#), [L422](#)
- \@ifl@ter@@ [l1344](#), [l1345](#)
- \@ifnch [d293](#), [d295](#), [d307](#)
- \@ifnextchar
... [35](#), [a98](#), [d289](#), [d294](#), [d310](#),
[i44](#), [i311](#), [k163](#), [m13](#), [p365](#),
[y70](#), [z252](#), [A143](#), [B9](#), [B11](#), [B18](#),
[B20](#), [B26](#), [B47](#), [B76](#), [B77](#), [B83](#),
[B84](#), [B91](#), [B95](#), [B140](#), [B141](#),
[B147](#), [B148](#), [B153](#), [B186](#), [B194](#),
[B202](#), [B209](#), [B213](#), [B254](#), [B258](#),
[B262](#), [B313](#), [B318](#), [B341](#), [B348](#),
[B353](#), [C57](#), [C154](#), [C176](#), [C183](#),
[D10](#), [D42](#), [D53](#), [D238](#), [E3](#), [E5](#),
[E28](#), [G27](#), [G268](#), [G328](#), [G405](#),
[G428](#), [G445](#), [K183](#), [K1884](#),
[L120](#), [L302](#), [L317](#), [L322](#), [I3](#), [I13](#)
- \@iforloop [f21](#), [f22](#)
- \@ifpackagelater [466](#), [L51](#)
- \@ifpackageloaded .. [466](#), [K1868](#), [L40](#)
- \@ifpackagewith [466](#), [L68](#)
- \@ifframebox [B154](#), [B155](#), [B156](#)
- \@ifframepicbox [B186](#), [B187](#)
- \@ifstar [35](#), [d50](#), [d310](#), [i38](#), [i226](#), [i296](#),
[o171](#), [q121](#), [y69](#), [y136](#), [z286](#),
[C56](#), [C175](#), [C182](#), [D52](#), [D328](#),
[F35](#), [F125](#), [K1766](#), [L155](#), [L177](#)
- \@ifundefined [35](#), [d104](#),
[d111](#), [d131](#), [d138](#), [d160](#), [d171](#),
[d252](#), [d258](#), [d281](#), [l1363](#), [m3](#),
[m7](#), [m16](#), [o65](#), [o151](#), [p378](#), [r287](#),

- [x23, y44, y53, E21, J3, J7, L38,](#)
- [L145, L207, L564, L567, I20, I44](#)
- [\@ignorefalse y4, y58, y63, G364](#)
- [\@ignoretrue i120,](#)
- [i133, y4, y7, z245, z248, z280, z406](#)
- [\@iiminipage](#)
- [. B256, B260, B263, B264, B265](#)
- [\@iiparbox B196, B204,](#)
- [B211, B214, B215, B216, B293](#)
- [\@iiminipage B259, B261](#)
- [\@iinput k163, k164](#)
- [\@iiparbox B210, B212](#)
- [\@iirsbox B353, B362](#)
- [\@imakebox B26, B41, B93](#)
- [\@imakepicbox B47, B48, B98, B188](#)
- [\@iminipage B255, B257](#)
- [\@include k89, k90](#)
- [\@index H18, H19, H35](#)
- [\@indexfile H4, H5, H14](#)
- [\@inlabelfalse A28, A104, A184, K166](#)
- [\@inlabeltrue A28, A178](#)
- [\@inmatherr g233, A112, A142, D328](#)
- [\@inmathwarn l3](#)
- [\@input k28, k93, k171, F135](#)
- [\@input@ k108, k173, o327, I31](#)
- [\@inputcheck](#)
- [. a70, a191, a192, a195, a203,](#)
- [d25, d32, k3, k135, k136, k143,](#)
- [k152, k153, k156, L514, L515, L522](#)
- [\@insertfalse K983, K1133,](#)
- [K1304, K1385, K1480, K1601](#)
- [\@inserttrue K909, K954,](#)
- [K1071, K1239, K1559, K1686](#)
- [\@invalidchar g238](#)
- [\@iparbox B195, B203, B208](#)
- [\@irsbox B341, B348, B353, B354](#)
- [\@isavebox B91, B92](#)
- [\@isavepicbox B96, B97](#)
- [\@ishortstack D43, D51](#)
- [\@istackcr D53, D54](#)
- [\@itabcr C57, C58](#)
- [\@item A143, A156](#)
- [\@itemdepth A241, A243, A244, A245](#)
- [\@itemfudge C38, C44, C71](#)
- [\@itemitem A245, A248](#)
- [\@itemlabel A44, A96, A143](#)
- [\@itempenalty i32, A23, A175](#)
- [\@iwhiledim f7](#)
- [\@iwhilenum f3](#)
- [\@iwhilesw f10](#)
- [\@ixpt o572](#)
- [\@ixstackcr D52](#)
- [\@killglue D22, D30, D36](#)
- [File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,](#)
- [e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,](#)
- [j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,](#)
- [o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,](#)
- [t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,](#)
- [y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,](#)
- [D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,](#)
- [I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,](#)
- [N=ltluatex.dtx, O=ltfinal.dtx](#)
- [\@kludgeins K293,](#)
- [K294, K295, K297, K350, K351,](#)
- [K397, K398, K476, K492, K493,](#)
- [K499, K500, K501, K510,](#)
- [K526, K530, K540, K1762, K1793](#)
- [\@labels A27,](#)
- [A146, A147, A189, A206, A207](#)
- [\@largefloatcheck](#)
- [. G192, G213, G238, G260](#)
- [\@lastchclass C223,](#)
- [C233, C234, C236, C244, C267,](#)
- [C281, C285, C294, C307, C308](#)
- [\@latex@error d105,](#)
- [d132, d253, g136, g168, g184,](#)
- [g190, g192, g195, g197, g199,](#)
- [g202, g204, g206, g209, g213,](#)
- [g218, g222, g224, g226, g227,](#)
- [g229, g232, g236, g238, k88, l50,](#)
- [o6, o25, o67, o109, o152, o218,](#)
- [o273, p105, q100, q111, r23,](#)
- [r68, r97, r117, r159, r190, r213,](#)
- [r229, r293, r314, r346, r386,](#)
- [r390, r432, r437, r492, r560,](#)
- [r566, r601, r605, r609, r645,](#)
- [r655, r740, r745, r748, r780,](#)
- [r783, r838, r841, r844, r911,](#)
- [r917, s50, s100, v126, y54, y129,](#)
- [y141, z302, A219, C89, C98,](#)
- [F4, G6, G83, L261, L280, L293,](#)
- [L396, L471, L488, L496, L501, I47](#)
- [\@latex@info d201, d272, g136](#)
- [\@latex@info@no@line g136, K550](#)
- [\@latex@warning](#)
- [. g136, g166, l55, x14, D234,](#)
- [G264, K1906, L551, L557, I22, I45](#)
- [\@latex@warning@no@line](#)
- [. d179, g136, g167,](#)
- [k13, k197, x8, x26, x27, y31,](#)
- [F6, K217, K249, K1737, K1972,](#)
- [L116, L308, L423, L516, L523, L581](#)
- [\@latexbug g225, K307, K1723](#)
- [\@latexerr g166,](#)
- [K208, K364, K411, K1784, K1801](#)
- [\@lbibitem I3, I4](#)
- [\@ldots t456, t458](#)
- [\@leftcolumn K128,](#)
- [K2113, K2134, K2158, K2167](#)
- [\@leftmark J16, J36](#)
- [\@let@token d293,](#)
- [d296, d299, d307, i266, i267,](#)
- [i274, v66, v79, z153, z155, z158](#)
- [\@lign z138, z140](#)
- [\@linechar D69,](#)
- [D70, D71, D75, D76, D78, D83,](#)

- D85, D86, D87, D88, D90, D94,
D95, D98, D99, D104, D129, [D355](#)
- `\@linefmt` D37, D39, D69,
D122, D130, D161, D164, [D362](#)
- `\@linelen` D57,
D58, D82, D89, D98, D100,
D105, D106, D107, D115, D116,
D157, D160, D162, D163, [D356](#)
- `\@listctr` A202, A225, I9
- `\@listdepth`
. [A23](#), A35, A38, A43, A99, B277
- `\@listfiles` k52, k203, k218
- `\@loadwithoptions` . [L267](#), L273, L277
- `\@lowpenalty` i55, [O3](#)
- `\@ltab` C60, [C95](#)
- `\@m` b21, b348,
b350, b351, b384, b385, i184,
i288, i293, k39, A80, D92, D96, I17
- `\@mainaux`
. [k5](#), k31, k32, k81, k93, k118, y15
- `\@makebox` B11, B20, [B25](#)
- `\@makecaption` G24
- `\@makecol` ... K235, K387, K434, [K454](#)
- `\@makefcolumn` . K367, K368, K376,
K378, K414, K416, K424, K426,
K2071, K2073, K2089, K2090
- `\@makefnmark` [G380](#), G441
- `\@makefntext` B305, G424
- `\@makeother` a76,
a97, a126, d313, d314, o340,
o341, o342, o343, o344, o345,
o346, o347, o348, o349, o350,
y113, [y123](#), y134, L140, L141, L539
- `\@makepicbox` B10, B19, [B46](#), D211
- `\@makespecialcolbox` K477, [K496](#)
- `\@marbox` . G324, G326, G330, G334,
G335, G359, K1722, K1732,
K1735, K1743, K1745, K1746,
K1748, K1749, K1750, K1759
- `\@marginparreset` G343, [G350](#)
- `\@markright` J29, [J34](#)
- `\@maxdepth` k50, [K98](#), K460, K488, O85
- `\@maxtab` C2, C83
- `\@medpenalty` i56, [O3](#)
- `\@midlist`
K66, K473, K474, K937, K939,
K1051, K1215, K1833, K1860
- `\@minipagefalse` A181, B250,
B252, B290, G187, G250, G345
- `\@minipagerestore` B278, [B280](#)
- `\@minipagetrue` B251, G186
- `\@minus` [d13](#), K2216,
K2217, K2218, K2221, K2222
- File Key: a=lt`dirchk`.dtx, b=lt`plain`.dtx, c=lt`vers`.dtx, d=lt`defs`.dtx,
e=lt`alloc`.dtx, f=lt`cntrl`.dtx, g=lt`error`.dtx, h=lt`par`.dtx, i=lt`space`.dtx,
j=lt`logos`.dtx, k=lt`files`.dtx, l=lt`outenc`.dtx, m=lt`counts`.dtx, n=lt`length`.dtx,
o=lt`fssbas`.dtx, p=lt`fssstrc`.dtx, q=lt`fsscmp`.dtx, r=lt`fssdcl`.dtx, s=lt`fssini`.dtx,
t=lt`fontdef`.dtx, u=lt`preload`.dtx, v=lt`fntcmd`.dtx, w=lt`pageno`.dtx, x=lt`xref`.dtx,
y=lt`miscen`.dtx, z=lt`math`.dtx, A=lt`lists`.dtx, B=lt`boxes`.dtx, C=lt`ttab`.dtx,
D=lt`pictur`.dtx, E=lt`thm`.dtx, F=lt`tsect`.dtx, G=lt`float`.dtx, H=lt`tidxglo`.dtx,
I=lt`bibl`.dtx, J=lt`page`.dtx, K=lt`output`.dtx, L=lt`class`.dtx, M=lt`hyphen`.dtx,
N=lt`luatex`.dtx, O=lt`final`.dtx
- `\@missingfileerror`
..... 467, k167, [k174](#), L416
- `\@miv` [e3](#)
- `\@mkboth` J11, J13
- `\@mklab` A45, [A140](#)
- `\@mkpream` C162, C195, [C223](#)
- `\@mparbottom` G367,
G368, K125, K450, K1733,
K1741, K1742, K1743, K1744
- `\@mpargs` B269, B293
- `\@mparswitchfalse` K109
- `\@mpfn` . B275, G405, G410, G450, [G454](#)
- `\@mpfootins` B284,
B285, B288, [B294](#), B297, B298
- `\@mpfootnotetext` B276, [B296](#)
- `\@mplistdepth` B277, [B294](#)
- `\@multicnt`
C329, C331, C332, C333, C340,
C341, C342, D30, D31, D33,
[D352](#), D385, D387, D388, D389,
D390, D394, D398, D409, D413
- `\@multiplelabels` k27, x25, [x31](#), y29, y35
- `\@multiput` D28, D29
- `\@multispan` C330, C334, [C338](#)
- `\@namedef` 35, [d37](#), k128,
l1366, o100, o101, o125, p372,
x28, y121, z306, z307, C148,
E12, E13, E18, E19, E23, E24, E25
- `\@nameuse`
35, [d38](#), k116, k127, E23, J5, K578
- `\@nbitem` A168, [A221](#)
- `\@ne` [b16](#)
- `\@needsf@rmat` L303, L306, L311
- `\@needsformat` L291, L301, L305
- `\@negargfalse` D65
- `\@negargtrue` D64
- `\@newcommand` d56, [d57](#)
- `\@newctr` m13, [m15](#), E8
- `\@newenv` d127, d128, [d137](#)
- `\@newenva` d125, [d126](#)
- `\@newenvb` d127, [d128](#)
- `\@newl@bel` [x22](#), y17, I10
- `\@newline` i45, [i47](#)
- `\@newlistfalse`
... [A29](#), [A33](#), A108, A182, K569
- `\@newlisttrue` [A29](#), [A33](#), A87
- `\@next` b261,
G60, G129, G323, G324, K9,
K187, K285, K787, K807, K1722
- `\@nextchar`
.. C230, C231, C289, C290, C291
- `\@nil` a161, a162,
c12, c18, c62, c63, d40, d41,
d42, d112, d287, d288, f13, f19,

- f27, j14, l77, l893, l897, o292, o303, o356, o459, o462, o463, o471, p304, p305, p307, p320, p326, p330, p331, p367, p388, p393, p473, p487, q26, q44, q53, q57, r40, r356, r364, r397, r922, r924, v41, v45, C326, C327, L27, L29, L60, L61, L67, L230, L234, L240, L244, L371, L380
- \@nmbrlistfalse A33, A46, A91
- \@nmbrlisttrue A225
- \@nnil f13, f20, f21, f22, f28, o179, o183, o184, o185, o200, p133, p135, p299, p301, p313, p315, p320, p334, p336, p343, p354, p355, p357, p388, p393, L343, L344, L351
- \@nofontoptfalse q17, q129
- \@no@lnbk i13, i14, i15
- \@no@pgbk i3, i4, i5
- \@nobreakfalse i58, i60, A193, F77, F112, F140, G182, K168, K1060, K1226
- \@nobreaktrue i59, F109, G181
- \@nocnterr g191
- \@nocounterr g191, m4, m8, m16, E21
- \@nodocument g196, k58, y50, G39, G108, K159, K186
- \@noitemargfalse A32, A200
- \@noitemargtrue A32, A143
- \@noitemerr g228, i164, i199, i222, A69, A81, A107
- \@noligs y114, y135, y151
- \@nolnerr g189, i17, i51, y68
- \@nomath o2, o271, s35, s42, s63, s65, s70
- \@noparitemfalse A30, A145
- \@noparitemtrue A30, A66
- \@noparlistfalse A31, A70
- \@noparlisttrue A31, A67
- \@normalcr i35, i43, B249
- \@normalsize L4, L5
- \@noskipsecfalse k45, F81, K161
- \@noskipsectrue F21, F78
- \@notdefinable d113, d114, d118, g183
- \@notprerr g231, k56
- \@nthm E3, E4
- \@nxttabmar C11, C21, C23, C25, C64, C100, C101, C107, C108
- \@obsoletefile k196
- \@oddfoot J11, J14, J15, K131, K581
- \@oddhead J11, J14, K130, K581
- \@onefilewithoptions L335, L339, L345, L363, L367, L373, L385, L434
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx, e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx, j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx, o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx, t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx, y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx, D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx, I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx, N=ltluatex.dtx, O=ltfinal.dtx
- \@onelevel@sanitise d315, G42, G111
- \@onlypreamble d43, d165, d167, d176, d184, k61, k70, k85, k198, k224, l23, l24, l61, l62, l66, l89, l109, l139, l140, l154, l1367, o18, o80, o82, o88, o104, o132, o147, o168, o173, o215, o367, p373, q28, q36, q42, q79, q83, q88, q93, q98, q108, q126, q127, q128, q134, q138, q142, r17, r19, r44, r46, r107, r116, r136, r243, r244, r247, r279, r317, r319, r321, r334, r349, r396, r398, r440, r479, r495, r572, r612, r615, r658, r661, r664, r684, r697, r751, r786, r790, r793, r847, r867, r871, r935, v123, v124, x30, H12, H29, L10, L12, L18, L19, L26, L28, L34, L36, L39, L42, L43, L50, L53, L54, L58, L66, L70, L71, L74, L112, L121, L129, L131, L148, L151, L152, L163, L164, L165, L172, L178, L191, L204, L216, L218, L223, L246, L251, L255, L258, L266, L271, L274, L278, L287, L300, L305, L311, L320, L325, L384, L434, L436, L445, L458, L459, L462, L469, L478, L485, L486, L494, L499, L504, L587, L588, L589, L590, L592, I40
- \@opargbegintheorem E32, E35
- \@opcol K236, K244, K368, K387, K416, K434, K439
- \@options L217
- \@othm E3, E20
- \@outerparskip A8, A88, A117, A152, A222
- \@outputbox K127, K457, K459, K479, K482, K483, K503, K505, K506, K511, K514, K519, K521, K528, K534, K536, K607, K633, K639, K649, K650, K673, K680, K766, K769, K772, K778, K779, K2113, K2117, K2118, K2132, K2138, K2158, K2164, K2173
- \@outputdblcol K442, K2108, K2110, K2154, K2155
- \@outputpage K377, K426, K444, K564, K2142, K2147, K2180, K2188
- \@oval D238, D246, D291
- \@ovbtrue D247, D292
- \@ovdx D216,

- D257, D259, D265, D267, D279,
 D282, D301, D309, D311, D322,
 D324, D374, D375, D376,
 D377, D391, D392, D394, D408
 \@ovdy D216,
 D258, D260, D266, D267, D272,
 D277, D302, D310, D311, D316,
 D320, D381, D382, D383,
 D384, D395, D396, D398, D412
 \@ovhlinefalse D248
 \@ovhlinetrue
 .. D241, D245, D253, D259, D287
 \@ovhorz D264,
 D265, D278, D308, D309, D321
 \@ovltrtrue D247, D292
 \@ovvri B33, D216, D256,
 D272, D283, D300, D316, D325
 \@ovvro D216,
 D256, D265, D266, D271, D277,
 D278, D300, D309, D310,
 D315, D320, D321, D332, D339
 \@ovrtrue D247, D292
 \@ovttrue D247, D292
 \@ovvert D262,
 D263, D269, D304, D306, D313
 \@ovvlinefalse D248
 \@ovvlinetrue D244, D252, D260
 \@ovvxx D216, D250, D252,
 D253, D257, D263, D264, D278,
 D295, D297, D301, D306, D308,
 D321, D371, D372, D373, D377,
 D386, D387, D393, D394, D407
 \@ovvy D216,
 D251, D252, D253, D258, D265,
 D269, D296, D297, D302, D309,
 D313, D378, D379, D380,
 D384, D386, D397, D398, D411
 \@p@pfilename L27, L29, L34
 \@pagedp K124, K282, K287,
 K1001, K1154, K1751, K1761
 \@pageht K123, K283,
 K287, K289, K290, K291, K295,
 K1000, K1153, K1734, K1741
 \@par h3, h6
 \@parboxrestore B221,
 B249, B274, B301, G19, G100,
 G169, G342, G419, K193, K570
 \@parboxto B216
 \@parmoderr g221, G58, G127, G320
 \@parse@version c62, c63, L60, L61, L67
 \@partaux k5, k87, k103,
 k105, k106, k112, k121, k123, k126
 \@partlist k84, k99
 \@partswfalse k8
 \File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
 \@partswtrue k83
 \@pass@options
 ... L143, L148, L149, L150, L410
 \@pboxswfalse B219, B267
 \@pboxswtrue B229
 \@penup z129, z130
 \@percentchar a106,
 L531, L533, L535, L537, L576
 \@picbox D6, D13, D19, D20
 \@picht D6, D12, D19
 \@picture D10, D11
 \@picture@warn D102, D226, D230, D234
 \@pkgextension
 ... L16, L40, L51, L68, L149,
 L257, L260, L277, L346, L374, L480
 \@plus d13, i302, F16, F151,
 J40, K2216, K2217, K2218,
 K2221, K2222, K2226, K2227,
 K2228, K2232, K2233, K2234
 \@pnumwidth F163
 \@popfilename L20, L431
 \@pr@videpackage .. L120, L122, L129
 \@preamble C163, C165,
 C173, C198, C217, C219, C220,
 C224, C239, C257, C258, C293
 \@preamblecmds .. d43, k57, L599, L600
 \@preamerr ... g210, C172, C235, C314
 \@process@pti@ns
 L190, L203, L205, L216
 \@process@ptions .. L177, L179, L191
 \@protected@testopt d66, d78
 \@providesfile .. a98, a99, L132, O373
 \@optionlist
 L37, L73, L176, L400, L406, L481
 \@pushfilename L20, L386
 \@put D237, D267, D311, D339
 \@qend d113, d287, g187
 \@qrelax d114, d287
 \@rc@ifdefinable d107, d109, d215, l14
 \@reargdef d99
 \@refundefined k46, x3, y27
 \@reinserts K301, K304, K490
 \@remove@tlig l893, l901
 \@remove@tlig@ l893, l894
 \@remove@tlig@@ l894, l897
 \@removeelement f32, L220
 \@reqcolroom K1000, K1001,
 K1004, K1006, K1007, K1012,
 K1016, K1018, K1046, K1047,
 K1153, K1154, K1158, K1161,
 K1162, K1167, K1174, K1176,
 K1208, K1209, K1320, K1322,
 K1324, K1327, K1329, K1403,

- [K1406](#), [K1409](#), [K1414](#), [K1416](#),
[K1896](#), [K2013](#), [K2018](#), [K2021](#)
\@reset@ptions [L391](#), [L432](#), [L437](#)
\@resetactivechars [K549](#), [K567](#)
\@resethfps [K1115](#), [K1284](#), [K1963](#)
\@restorepar
. [63](#), [h6](#), [i233](#), [i249](#), [A127](#), [A135](#)
\@reversemarginfalse [G368](#), [K108](#)
\@reversemargintrue [G367](#)
\@rightmark [J16](#), [J37](#)
\@rightskip [y79](#), [y83](#), [A75](#), [B245](#)
\@rjfieldfalse [C34](#), [C66](#)
\@rjfieldtrue [C114](#)
\@roman [m46](#), [m52](#)
\@rsbox [B341](#), [B348](#), [B352](#)
\@rtab [C60](#), [C75](#)
\@rule [B313](#), [B318](#), [B322](#)
\@sanitize [d313](#), [H7](#), [H18](#), [H24](#), [H35](#)
\@savebox [B77](#), [B84](#), [B90](#)
\@savemarbox [G330](#), [G331](#), [G334](#), [G337](#)
\@savepicbox [B77](#), [B84](#), [B94](#)
\@savsf [i61](#), [i67](#), [i76](#), [i91](#), [i103](#), [i117](#), [i131](#)
\@savsk [i61](#), [i66](#), [i77](#), [i92](#), [i104](#), [i118](#), [i132](#)
\@scolelt [K698](#), [K763](#)
\@sdblcrolelt [K715](#), [K735](#), [K764](#)
\@seccntformat [F43](#), [F94](#)
\@secondoftwo [a88](#), [d188](#), [d285](#), [k149](#),
[l95](#), [l1385](#), [l1401](#), [m99](#), [m104](#),
[x21](#), [J17](#), [L46](#), [L62](#), [L88](#), [L106](#)
\@secpenalty [i33](#), [F19](#), [F33](#)
\@sect [F37](#), [F38](#)
\@seqncr [z305](#)
\@setckpt [k121](#), [k128](#), [y16](#)
\@setfloattyperecounts
. [K984](#), [K1134](#), [K1305](#),
[K1386](#), [K1481](#), [K1602](#), [K1910](#)
\@setfontsize [s70](#)
\@setfps [G34](#)
\@setfpsbit [G73](#), [G75](#), [G77](#),
[G85](#), [G143](#), [G146](#), [G149](#), [K1954](#)
\@setmarks [K2124](#), [K2126](#), [K2141](#)
\@setminipage
. [B279](#), [G21](#), [G177](#), [G185](#), [G356](#)
\@setnobreak [G179](#), [G355](#)
\@setpar [63](#), [h3](#), [A78](#)
\@setref [x10](#)
\@setsize [s70](#)
\@settab [C60](#), [C82](#)
\@settodim [n17](#)
\@settopoint [n22](#)
\@sharp [C169](#), [C196](#), [C226](#), [C241](#),
[C242](#), [C260](#), [C262](#), [C264](#), [C292](#)
\@shipoutsetup [K564](#)
\@shortstack [D42](#), [D43](#)
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
\@sline [D60](#), [D63](#), [D126](#)
\@slowromancap [m53](#), [m54](#)
\@spaces [g169](#)
\@specialoutput [K230](#)
\@specialpagefalse [K104](#), [K578](#)
\@specialpagetrue [J9](#)
\@specialstyle [J9](#), [K578](#)
\@sptoken [d296](#), [d306](#)
\@sqrt [z252](#)
\@ssect [F36](#), [F95](#)
\@stackcr [D49](#), [D52](#)
\@star@or@long [d49](#), [d54](#),
[d101](#), [d123](#), [d129](#), [d155](#), [d164](#), [d198](#)
\@startcolumn [K237](#), [K244](#), [K685](#)
\@startdblcolumn [K685](#),
[K2146](#), [K2149](#), [K2186](#), [K2192](#)
\@startfield
. [C28](#), [C46](#), [C81](#), [C93](#), [C114](#), [C122](#)
\@startline [C20](#), [C57](#), [C58](#), [C59](#), [C72](#)
\@startpbox [C166](#),
[C197](#), [C227](#), [C291](#), [C343](#), [C345](#)
\@startsection [F22](#)
\@starttoc [F132](#)
\@stopfield [C32](#), [C48](#), [C59](#),
[C75](#), [C82](#), [C114](#), [C116](#), [C125](#), [C127](#)
\@stopline [C30](#), [C56](#), [C74](#)
\@stpelt [m20](#), [m23](#)
\@strip@args [l74](#)
\@svector [D118](#), [D126](#)
\@sverb [y136](#), [y137](#), [y144](#)
\@svsec [F40](#), [F43](#), [F49](#), [F61](#)
\@svsechd [F59](#), [F84](#), [F104](#)
\@sxverbatim [y95](#), [y121](#)
\@tabacckludge [l173](#), [l175](#), [l400](#), [l401](#)
\@tabacol [C151](#), [C219](#)
\@tabarray [C143](#), [C153](#), [C154](#)
\@tabclassiv [C153](#), [C289](#)
\@tabclassz [C152](#), [C243](#)
\@tabcr [C56](#), [C62](#)
\@tabfbbox [C16](#), [C69](#), [C71](#)
\@tablab [C61](#), [C115](#)
\@tabminus [C61](#), [C106](#)
\@tabplus [C61](#), [C99](#)
\@tabpush
[C11](#), [C66](#), [C74](#), [C125](#), [C128](#), [C130](#)
\@tabrj [C61](#), [C113](#)
\@tabular [C147](#), [C150](#), [C151](#)
\@tabularcr [C153](#), [C181](#)
\@tempboxa
[e13](#), [l69](#), [n17](#), [n18](#), [A205](#), [A211](#),
[A212](#), [A214](#), [B29](#), [B30](#), [B31](#),
[B32](#), [B37](#), [B38](#), [B39](#), [B40](#), [B130](#),
[B160](#), [B167](#), [B177](#), [B270](#), [B293](#),
[B358](#), [B359](#), [B360](#), [B367](#), [B368](#),

B369, B370, D161, D162, D232,
 D233, D256, D261, D266, D267,
 D300, D303, D310, D311, D332,
 D333, D338, D339, D399, D417,
 F121, F122, G326, G360, K279,
 K351, K356, K357, K398, K403,
 K404, K540, K597, K604, K605,
 K631, K635, K647, K653, K660,
 K661, K662, K663, K667, K675
 \@tempcnta . . . [e7](#), r666, r667, r668,
 r669, r673, C203, C204, C205,
 C206, D66, D67, D93, D94,
 D95, D108, D109, D110, D111,
 D113, D114, D127, D128, D133,
 D135, D136, D137, D138, D139,
 D142, D144, D145, D146, D147,
 D148, D149, D150, D151, D152,
 D153, D183, D184, D185, D186,
 D187, D205, D206, D207, D208,
 D209, D210, D223, D224, D225,
 D227, D229, D231, D233, D270,
 D275, D314, D318, D334, D335,
 D336, D337, D343, D344, D345,
 D346, D347, D348, D390, D406,
 G62, G68, G70, G79, G80,
 G90, G91, G131, G137, G139,
 G152, G153, G159, G160,
 K16, K18, K20, K844, K845,
 K846, K847, K867, K868, K869,
 K870, K892, K895, K928, K931,
 K1042, K1204, K1484, K1487,
 K1605, K1608, K1723, K1725,
 K1728, K1730, K1732, K1754,
 K1944, K1945, K1949, K1955,
 K1959, O160, O165, O166,
 O167, O229, O234, O235, O236
 \@tempcntb . . . [e7](#), r667, r671, r673,
 D136, D137, D138, D140, D141,
 D142, D270, D271, D275, D276,
 D314, D315, D318, D319, G88,
 G89, G90, G157, G158, G159,
 K17, K20, K21, K1955, K1956,
 K1957, O161, O165, O230, O234
 \@tempdima . [e10](#), [o184](#), [o189](#), [z116](#),
[z119](#), [z125](#), B43, B44, B159,
 B160, B165, B166, B167, B169,
 B220, B221, B268, B272, B325,
 B328, B329, B356, B358, B364,
 B367, C35, C36, C37, C77,
 C78, C79, C80, C191, C192,
 D89, D90, D92, D93, D94,
 D95, D96, D97, D222, D223,
 D224, D233, D257, D258, D262,
 D263, D301, D302, D304, D306,
 D335, D337, D342, D343, D344,
 F156, F157, F166, G196, G198,
 G218, G220, G262, G263,
 G264, K203, K204, K205, K461,
 K463, K509, K511, K512, K517,
 K522, K526, K531, K535, K827,
 K830, K850, K860, K872, K882,
 K1547, K1548, K1551, K1552,
 K1672, K1673, K1677, K1678,
 K1733, K1734, K1735, K1736,
 K1739, K1742, K1745, K1747,
 K2062, K2063, K2065, K2066
 \@tempdimb [e10](#), [o185](#),
[o190](#), [o479](#), [o483](#), p133, p134,
 p391, p414, p415, p424, p425,
 p429, p447, p450, p453, p455,
 B223, B224, B326, B329, B357,
 B359, B365, B368, D90, D91,
 D252, D254, D255, D297, D298,
 D299, D330, D331, D340, D341,
 K850, K851, K852, K853, K860,
 K872, K873, K874, K875, K882
 \@tempdimc . [e10](#), p408, p409, p411,
 p412, p414, p415, B327, B328, B329
 \@tempskipa . [e14](#), i19, i22, i23, i181,
 i188, i190, i193, p135, p136,
 A116, A117, A118, A150, A152,
 A153, A154, A222, A223, A224,
 F25, F27, F28, F33, F45, F46,
 F71, F72, F74, F86, F87, F96,
 F97, K1782, K1783, K1785, K1793
 \@tempskipb . . . [e14](#), i140, i142, i144,
 i147, i149, i159, i179, i181, i182,
 i186, i188, i190, i191, i214, i217
 \@tempswafalse [a78](#), [b248](#), [k97](#), [o59](#),
[o528](#), [r281](#), [r336](#), [r400](#), [r481](#),
[r910](#), [r916](#), [y18](#), [y105](#), K898,
 K934, K1490, K1611, L512, I13
 \@tempwatrue
 . . . [a79](#), [b254](#), [k95](#), [k100](#), [o62](#),
[o529](#), [o530](#), [o533](#), [o536](#), [r284](#),
[r339](#), [r403](#), [r484](#), [r873](#), [y42](#),
[y110](#), K1492, K1515, K1613,
 K1638, K2023, K2040, L511, I13
 \@temptokena [e16](#), [y45](#),
[y46](#), J22, J23, J30, J31, J34, J35
 \@testdef [y17](#), [y40](#)
 \@testfalse K12, K14, K15
 \@testfp K792, K812,
 K848, K871, K1947, K2076, K2093
 \@testopt d20, d56,
[d76](#), d80, d125, i3, i4, i13, i14, z292
 \@testpach C231, C307
 \@testpatch [C307](#)
 File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

- \@testtrue [K13](#), [K21](#), [K330](#),
[K795](#), [K814](#), [K854](#), [K876](#), [K1951](#)
- \@testwrongwidth [K319](#),
[K793](#), [K849](#), [K1022](#), [K1336](#), [K1541](#)
- \@text@composite [I74](#)
- \@text@composite@x [I74](#)
- \@textbottom
[J40](#), [J42](#), [K485](#), [K523](#), [K537](#), [K546](#)
- \@textfloatsheight
.. [K450](#), [K997](#), [K999](#), [K1049](#),
[K1050](#), [K1055](#), [K1150](#), [K1152](#),
[K1212](#), [K1214](#), [K1220](#), [K1896](#)
- \@textmin [G289](#), [G290](#), [G303](#), [G304](#),
[K119](#), [K999](#), [K1003](#), [K1006](#),
[K1007](#), [K1152](#), [K1157](#), [K1161](#),
[K1162](#), [K1324](#), [K1409](#), [K1508](#),
[K1510](#), [K1526](#), [K1630](#), [K1632](#),
[K1650](#), [K2004](#), [K2006](#), [K2008](#)
- \@textsubscript
..... [G391](#), [G392](#), [G399](#), [G402](#)
- \@textsuperscript . [G381](#), [G383](#), [G384](#)
- \@texttop . [J40](#), [J42](#), [K481](#), [K504](#), [K546](#)
- \@tf@r [f25](#), [f26](#)
- \@tfor [f25](#), [k150](#), [k205](#), [v71](#),
[B52](#), [C229](#), [D249](#), [D293](#), [G63](#), [G132](#)
- \@tforloop [f27](#), [f28](#), [f30](#)
- \@thanks [F10](#), [F13](#)
- \@thefnmark [B303](#),
[G380](#), [G381](#), [G406](#), [G411](#),
[G421](#), [G430](#), [G435](#), [G446](#), [G451](#)
- \@thefoot ... [K131](#), [K581](#), [K584](#), [K611](#)
- \@thehead ... [K130](#), [K581](#), [K583](#), [K601](#)
- \@themargin ... [K81](#), [K582](#), [K584](#), [K596](#)
- \@themark . [J21](#), [J22](#), [J29](#), [J30](#), [J35](#), [J38](#)
- \@thirdofthree [d192](#), [l147](#)
- \@thm [E12](#), [E18](#), [E24](#), [E26](#)
- \@thmcounter [E11](#), [E17](#), [E33](#)
- \@thmcountersep [E10](#), [E33](#)
- \@title [F3](#)
- \@tocrmarg [F152](#)
- \@toodeep [g203](#), [A36](#), [A232](#), [A243](#)
- \@toplist [K64](#), [K358](#), [K359](#),
[K405](#), [K406](#), [K626](#), [K632](#), [K642](#),
[K643](#), [K935](#), [K947](#), [K1831](#), [K1858](#)
- \@topnewpage [K173](#)
- \@topnum [G275](#),
[K112](#), [K932](#), [K933](#), [K947](#), [K951](#),
[K959](#), [K1368](#), [K1373](#), [K1461](#),
[K1468](#), [K1822](#), [K1849](#), [K1890](#)
- \@toproom [G277](#),
[K113](#), [K935](#), [K947](#), [K1823](#), [K1850](#)
- \@topsep [A1](#), [A71](#), [A73](#), [A171](#)
- \@topsepadd . [A1](#), [A59](#), [A61](#), [A71](#), [A124](#)
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
- \@totalleftmargin [y102](#),
[A9](#), [A53](#), [A54](#), [B244](#), [C35](#), [C65](#), [C70](#)
- \@trivlist [A48](#), [A57](#), [A92](#)
- \@tryfcolumn [K688](#),
[K708](#), [K726](#), [K742](#), [K2077](#), [K2094](#)
- \@trylist [K751](#), [K754](#), [K787](#), [K807](#), [K829](#)
- \@twoclasseserror [L248](#), [L500](#)
- \@twocolumnfalse [K106](#), [K154](#)
- \@twocolumntrue [K180](#)
- \@twoloadclasserror [L430](#), [L495](#)
- \@twosidefalse [K107](#)
- \@typein [d19](#), [d20](#), [d27](#), [d35](#)
- \@typeset@protect [d79](#), [d220](#),
[d227](#), [d229](#), [l26](#), [l32](#), [l160](#), [l168](#), [s71](#)
- \@uclclist .. [l1284](#), [l1285](#), [l1332](#), [O303](#)
- \@undefined .. [a68](#), [a69](#), [a108](#), [a109](#),
[a110](#), [a131](#), [a139](#), [a147](#), [a154](#),
[a205](#), [a209](#), [a235](#), [a242](#), [a302](#),
[a303](#), [b65](#), [b78](#), [b102](#), [b103](#),
[b118](#), [b119](#), [b124](#), [b133](#), [b146](#),
[b181](#), [b186](#), [b219](#), [b220](#), [b232](#),
[b242](#), [b277](#), [b445](#), [b488](#), [b534](#),
[b535](#), [d21](#), [d200](#), [d278](#), [g28](#), [k51](#),
[k52](#), [k137](#), [l145](#), [l147](#), [l282](#), [l284](#),
[l286](#), [l288](#), [l290](#), [l292](#), [l294](#), [l296](#),
[l298](#), [l300](#), [l319](#), [l321](#), [l323](#), [l404](#),
[l608](#), [l611](#), [m113](#), [o391](#), [o424](#),
[o488](#), [o495](#), [q4](#), [q5](#), [q6](#), [q7](#), [q8](#),
[q9](#), [q10](#), [q11](#), [q12](#), [q13](#), [q14](#), [q15](#),
[q16](#), [q17](#), [q18](#), [q19](#), [q20](#), [s44](#),
[t14](#), [t44](#), [t57](#), [v105](#), [z180](#), [z183](#),
[z226](#), [z239](#), [B21](#), [B85](#), [B149](#),
[B205](#), [B319](#), [B349](#), [D289](#), [D290](#),
[G5](#), [G398](#), [G399](#), [K36](#), [K342](#),
[K343](#), [L4](#), [L420](#), [L446](#), [L563](#),
[L566](#), [L580](#), [N2](#), [N13](#), [N14](#), [N15](#),
[N28](#), [N30](#), [N77](#), [N87](#), [N176](#),
[N184](#), [N192](#), [N200](#), [N229](#), [N230](#),
[N231](#), [N232](#), [N233](#), [N234](#), [N235](#),
[N236](#), [N237](#), [N238](#), [N239](#), [N240](#),
[N241](#), [N242](#), [N243](#), [N244](#), [N245](#),
[N246](#), [N247](#), [N253](#), [O10](#), [O18](#),
[O25](#), [O40](#), [O59](#), [O68](#), [O75](#), [O93](#),
[O94](#), [O201](#), [O272](#), [O273](#), [O327](#),
[O362](#), [O363](#), [O364](#), [O365](#), [O366](#), [I33](#)
- \@unexpandable@noexpand [d196](#)
- \@unexpandable@protect
[d196](#), [d232](#), [d238](#), [d243](#), [k75](#), [C225](#)
- \@unknownoptionerror [L441](#), [L470](#), [L483](#)
- \@unprocessedoptions
... [L215](#), [L276](#), [L417](#), [L421](#), [L485](#)
- \@unused .. [d4](#), [g15](#), [g32](#), [g59](#), [k3](#), [L585](#)
- \@unusedoptionlist
.. [k12](#), [k14](#), [L11](#), [L168](#), [L169](#), [L221](#)

- `\@upline` [D154](#), [D155](#), [D161](#)
- `\@upordown` [D74](#), [D75](#), [D83](#), [D104](#), [D130](#)
- `\@upvector` [D125](#), [D161](#)
- `\@use@option`
... [L186](#), [L198](#), [L208](#), [L210](#), [L219](#)
- `\@use@text@encoding` [l110](#), [l1638](#)
- `\@vbspack` [i139](#)
- `\@verb` [y136](#), [y144](#)
- `\@verbatim` [y100](#), [y118](#), [y121](#)
- `\@verreq` [t409](#), [t410](#)
- `\@viipt` [o571](#)
- `\@viipt` [o570](#)
- `\@vipt` [o569](#)
- `\@vline` [D59](#), [D154](#)
- `\@vobeyspaces` [y93](#), [y118](#), [y144](#)
- `\@vpt` [o568](#)
- `\@vspace` [i226](#)
- `\@vspacer` [i226](#)
- `\@vtryfc` [K757](#), [K765](#)
- `\@vvector` [D117](#), [D125](#)
- `\@warning` [g166](#)
- `\@wckptelt` [k122](#), [k125](#)
- `\@whiledim` [f7](#), [D36](#), [D82](#)
- `\@whilenoop` [f3](#)
- `\@whilenum` [f3](#), [C205](#), [D31](#),
[D184](#), [D186](#), [D206](#), [D209](#), [D406](#)
- `\@whilesw` [f10](#), [K238](#), [K368](#),
[K377](#), [K415](#), [K425](#), [K2147](#), [K2187](#)
- `\@whileswnoop` [f10](#)
- `\@wholewidth` ... [B115](#), [B117](#), [B118](#),
[B120](#), [B122](#), [B123](#), [B124](#), [B125](#),
[D2](#), [D38](#), [D40](#), [D41](#), [D156](#),
[D159](#), [D197](#), [D204](#), [D273](#), [D280](#),
[D317](#), [D323](#), [D364](#), [D365](#), [D403](#)
- `\@width` [b391](#),
[d13](#), [i298](#), [l240](#), [l243](#), [p146](#),
[t566](#), [B120](#), [B122](#), [B173](#), [B180](#),
[B329](#), [B373](#), [C161](#), [C192](#), [C306](#),
[C325](#), [D106](#), [D156](#), [D159](#), [D176](#),
[D183](#), [D197](#), [D204](#), [D273](#), [D317](#),
[D403](#), [G375](#), [K1761](#), [K2136](#), [K2170](#)
- `\@wrglossary` [H25](#), [H30](#)
- `\@wrindex` [H8](#), [H13](#)
- `\@writeckpt` [k110](#), [k119](#)
- `\@writefile` [k26](#), [y43](#), [F147](#)
- `\@writesetup` [K564](#)
- `\@wrong@font@char` [l121](#), [o392](#), [o426](#), [o439](#)
- `\@wtryfc` [K767](#), [K777](#)
- `\@x@protect` [d82](#), [d219](#)
- `\@x@sf` [G440](#), [G442](#)
- `\@xDeclareMathDelimiter` .. [r696](#), [r752](#)
- `\@xaddvskip` [i139](#), [i160](#)
- File Key:** `a=ltldirchk.dtx`, `b=ltplain.dtx`, `c=ltvers.dtx`, `d=ltdefns.dtx`,
`e=ltalloc.dtx`, `f=ltcntrl.dtx`, `g=lterror.dtx`, `h=ltpar.dtx`, `i=ltspace.dtx`,
`j=ltlogos.dtx`, `k=ltfiles.dtx`, `l=ltoutenc.dtx`, `m=ltcounts.dtx`, `n=ltlength.dtx`,
`o=ltfssbas.dtx`, `p=ltfssstrc.dtx`, `q=ltfsscmp.dtx`, `r=ltfssdcl.dtx`, `s=ltfssini.dtx`,
`t=fontdef.dtx`, `u=preload.dtx`, `v=ltfntcmd.dtx`, `w=ltpageno.dtx`, `x=ltxref.dtx`,
`y=ltmiscen.dtx`, `z=ltmath.dtx`, `A=ltlists.dtx`, `B=ltboxes.dtx`, `C=lttab.dtx`,
`D=ltpictur.dtx`, `E=ltthm.dtx`, `F=ltsect.dtx`, `G=ltfloat.dtx`, `H=ltidxglo.dtx`,
`I=ltbibl.dtx`, `J=ltpage.dtx`, `K=ltoutput.dtx`, `L=ltclass.dtx`, `M=lthyphen.dtx`,
`N=ltluatex.dtx`, `O=ltfinal.dtx`
- `\@xarg` [D56](#), [D59](#), [D64](#),
[D68](#), [D69](#), [D105](#), [D107](#), [D112](#),
[D113](#), [D117](#), [D123](#), [D131](#), [D349](#)
- `\@xargarraycr` [C178](#), [C187](#), [C191](#)
- `\@xargdef` [d57](#)
- `\@xarraycr` [C175](#), [C176](#)
- `\@xbitor` [K15](#), [K17](#)
- `\@xcentercr` [y69](#), [y70](#)
- `\@xdblarg` [d311](#)
- `\@xdblfloat` [G268](#)
- `\@xdim` [D26](#), [D32](#), [D34](#), [D353](#),
[D407](#), [D408](#), [D409](#), [D410](#), [D416](#)
- `\@xeqncr` [z284](#)
- `\@exnoop` [C199](#), [C209](#)
- `\@expast` [C200](#), [C201](#)
- `\@xfloat` [G28](#), [G29](#), [G34](#), [G270](#)
- `\@xfootnote` [G405](#), [G408](#)
- `\@xfootnotemark` [G428](#), [G432](#)
- `\@xfootnotenext` [G445](#), [G448](#)
- `\@xhline` [C319](#), [C320](#)
- `\@xifnch` [d297](#), [d307](#)
- `\@xipt` [o575](#), [t127](#), [t129](#), [t130](#)
- `\@xipt` [o574](#), [t126](#)
- `\@xivpt` [o576](#), [t128](#), [t130](#)
- `\@xmpar` [G328](#), [G329](#)
- `\@xnewline` [i39](#), [i40](#), [i44](#)
- `\@xnext` [K10](#), [K11](#)
- `\@xnthm` [E5](#), [E6](#)
- `\@xobeysp` [i276](#), [y94](#), [y95](#)
- `\@xprocess@options` . [L177](#), [L192](#), [L204](#)
- `\@xpt` [o573](#), [t125](#), [t128](#), [t129](#)
- `\@xssect` [F69](#), [F70](#), [F106](#)
- `\@xtabcr` [C56](#), [C57](#)
- `\@xtabularcr` [C182](#), [C183](#)
- `\@xthm` [E28](#), [E29](#)
- `\@xtryfc` [K754](#), [K782](#)
- `\@xtypein` [d20](#), [d22](#), [d29](#)
- `\@xverbatim` [y95](#), [y118](#)
- `\@xvipt` [o577](#), [t129](#), [t131](#)
- `\@xxDeclareMathDelimiter` .. [r681](#), [r685](#)
- `\@xxpt` [o578](#), [t130](#), [t131](#)
- `\@xxvpt` [o579](#), [t131](#)
- `\@xxxii` [e2](#), [l371](#), [l373](#), [G89](#),
[G158](#), [K789](#), [K790](#), [K809](#), [K810](#),
[K845](#), [K846](#), [K868](#), [K869](#), [K1913](#)
- `\@xympar` [G332](#), [G336](#), [G358](#)
- `\@yarg` [D56](#),
[D60](#), [D64](#), [D65](#), [D74](#), [D112](#),
[D118](#), [D125](#), [D127](#), [D154](#), [D349](#)
- `\@yargarraycr` [C179](#), [C189](#), [C193](#)
- `\@yargd@f` [d84](#)
- `\@yargdef` [d61](#), [d71](#), [d84](#), [d100](#)
- `\@ydim` [D27](#), [D32](#), [D34](#), [D354](#),
[D411](#), [D412](#), [D413](#), [D414](#), [D415](#)

- \backslash yeqncr [z284](#)
 \backslash ympar [G328](#), [G333](#)
 \backslash ynthm [E5](#), [E14](#)
 \backslash ythm [E28](#), [E29](#)
 \backslash ytryfc [K800](#), [K819](#), [K823](#)
 \backslash yyarg [D64](#), [D65](#), [D66](#), [D69](#), [D131](#), [D349](#)
 \backslash ztryfc [K828](#), [K839](#)
 \backslash [..... [o346](#), [z186](#), [z244](#), [z325](#), [O260](#)
 \backslash ... [65](#), [a45](#), [a46](#), [a74](#), [a247](#), [a248](#),
[a249](#), [a250](#), [a253](#), [a260](#), [a261](#),
[a262](#), [a263](#), [a266](#), [a273](#), [a274](#),
[a275](#), [a276](#), [a279](#), [a286](#), [a288](#),
[a289](#), [a292](#), [a295](#), [b13](#), [d195](#),
[d313](#), [g227](#), [i35](#), [i309](#), [k204](#),
[k219](#), [l471](#), [o334](#), [t214](#), [y76](#),
[y83](#), [y89](#), [y97](#), [z266](#), [z385](#), [B249](#),
[B357](#), [B359](#), [C62](#), [C143](#), [C153](#),
[C167](#), [D49](#), [N272](#), [N424](#), [O245](#)
 \backslash { [a3](#), [a7](#), [a74](#), [b2](#), [b13](#), [g22](#), [l257](#), [l473](#),
[o335](#), [t212](#), [y96](#), [z59](#), [z108](#), [O248](#)
 \backslash } [a8](#), [a74](#), [b3](#), [b13](#), [g21](#), [l258](#),
[l474](#), [o336](#), [t213](#), [y96](#), [z59](#), [O249](#)
 \backslash] .. [b437](#), [o347](#), [z186](#), [z245](#), [z349](#), [O261](#)
 \backslash ^ [a63](#), [a72](#), [a75](#), [a119](#), [a306](#),
[b7](#), [b9](#), [b11](#), [b14](#), [b356](#), [b357](#),
[b371](#), [b372](#), [d5](#), [d314](#), [i309](#),
[i311](#), [i313](#), [l181](#), [l236](#), [l331](#), [l402](#),
[l412](#), [l469](#), [l552](#), [l559](#), [l563](#), [l568](#),
[l573](#), [l578](#), [l585](#), [l591](#), [l592](#), [l598](#),
[l603](#), [l662](#), [l1069](#), [l1082](#), [l1086](#),
[l1093](#), [l1097](#), [l1102](#), [l1107](#), [l1112](#),
[l1119](#), [l1125](#), [l1126](#), [l1132](#), [l1137](#),
[l1149](#), [l1150](#), [l1167](#), [l1168](#), [l1175](#),
[l1176](#), [l1190](#), [l1191](#), [l1192](#), [l1221](#),
[l1222](#), [l1243](#), [l1244](#), [l1245](#), [l1246](#),
[o332](#), [o333](#), [o338](#), [L508](#), [L509](#),
[L510](#), [L562](#), [L565](#), [L568](#), [O188](#),
[O189](#), [O190](#), [O191](#), [O192](#), [O193](#),
[O194](#), [O195](#), [O196](#), [O246](#), [O252](#),
[O253](#), [O254](#), [O255](#), [O268](#), [O269](#),
[O270](#), [O293](#), [O294](#), [O295](#), [O296](#),
[O297](#), [O298](#), [O299](#), [O300](#), [O301](#)
 \backslash _ [a75](#), [b8](#), [b14](#),
[d314](#), [l263](#), [t217](#), [z166](#), [z167](#), [O247](#)
 \backslash ' [l182](#), [l332](#), [l366](#), [l400](#),
[l410](#), [l488](#), [l550](#), [l557](#), [l561](#), [l566](#),
[l571](#), [l576](#), [l583](#), [l587](#), [l588](#), [l596](#),
[l601](#), [l663](#), [l702](#), [l1067](#), [l1084](#),
[l1091](#), [l1095](#), [l1100](#), [l1105](#), [l1110](#),
[l1117](#), [l1121](#), [l1122](#), [l1130](#), [l1135](#),
[o348](#), [s148](#), [y145](#), [B240](#), [C61](#), [O262](#)
 \backslash | [l472](#), [m78](#), [m89](#), [t523](#), [O263](#)
 \backslash ~ [a75](#), [b10](#),
[b14](#), [d314](#), [g20](#), [i278](#), [l189](#), [l237](#),
[l333](#), [l413](#), [l470](#), [l553](#), [l565](#), [l569](#),
[l579](#), [l595](#), [l599](#), [l664](#), [l1070](#),
[l1083](#), [l1087](#), [l1099](#), [l1103](#), [l1113](#),
[l1129](#), [l1133](#), [l1177](#), [l1178](#), [l1179](#),
[l1231](#), [l1232](#), [y139](#), [y149](#), [O250](#)
 \backslash ␣ . [a74](#), [a91](#), [b13](#), [b356](#), [b374](#), [d313](#),
[g19](#), [g20](#), [g21](#), [g22](#), [g25](#), [i277](#),
[o331](#), [o502](#), [o538](#), [o563](#), [t215](#),
[y93](#), [y94](#), [E36](#), [E38](#), [L134](#), [O240](#), [I17](#)
- ### A
- \backslash A [O185](#), [O265](#), [O290](#)
 \backslash a [l173](#), [C1](#), [O176](#), [O266](#), [O281](#)
 \backslash AA [b362](#), [l190](#), [l374](#), [l440](#)
 \backslash aa [b362](#), [l195](#), [l368](#), [l450](#)
 \backslash abovedisplayshortskip .. [b337](#), [z393](#)
 \backslash abovedisplayskip [b336](#),
[z386](#), [z388](#), [z390](#), [z391](#), [z392](#), [z393](#)
 \backslash accent [l71](#), [l342](#), [l369](#), [l425](#), [l675](#)
 \backslash accent@spacefactor [l70](#), [l71](#), [l72](#)
 \backslash active [a64](#), [a119](#), [a306](#), [b10](#),
[b11](#), [b371](#), [b372](#), [b374](#), [y93](#), [y94](#),
[y138](#), [y147](#), [z151](#), [z166](#), [K558](#),
[L508](#), [L509](#), [L510](#), [L562](#), [L565](#), [L568](#)
 \backslash active@math@prime .. [z150](#), [z151](#), [K562](#)
 \backslash acute [t468](#)
 \backslash add@accent [l65](#), [l67](#)
 \backslash add@unicode@accent [l914](#), [l918](#)
 \backslash add_to_callback [488](#), [N639](#)
 \backslash addcontentsline [F53](#), [F63](#), [F142](#), [G16](#)
 \backslash addpenalty [l166](#), [A124](#), [A170](#),
[A175](#), [F33](#), [K312](#), [K1063](#), [K1229](#)
 \backslash addto@hook
. [o117](#), [o119](#), [o567](#), [r263](#), [r359](#),
[r363](#), [r380](#), [r504](#), [r510](#), [r518](#),
[r534](#), [r537](#), [r540](#), [r882](#), [r889](#), [r892](#)
 \backslash addtocontents [F143](#), [F144](#)
 \backslash addtocounter [l40](#), [m6](#), [m18](#)
 \backslash addtolength [l46](#), [n16](#), [z388](#), [z390](#)
 \backslash addtoversion [q20](#), [q139](#)
 \backslash addvspace [i153](#), [y70](#), [A124](#),
[A171](#), [A172](#), [A176](#), [A224](#), [F33](#)
 \backslash adjdemerits [b316](#)
 \backslash AE [l191](#),
[l347](#), [l441](#), [l680](#), [l965](#), [l1263](#), [O316](#)
 \backslash ae [l196](#),
[l350](#), [l451](#), [l684](#), [l971](#), [l1264](#), [O316](#)
 \backslash afterassignment [b387](#), [b390](#),
[d233](#), [d239](#), [l162](#), [l170](#), [o262](#), [z129](#)
 \backslash aftergroup [o56](#), [o276](#),
[p156](#), [p222](#), [r114](#), [r121](#), [r129](#),
[v47](#), [y142](#), [B103](#), [K565](#), [K573](#), [K574](#)
 \backslash aleph [t271](#)
- File Key:** a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

`\alloc@` b87, b88,
 b89, b90, b91, b92, b93, b94,
 b95, b96, b223, o15, N20, N24, N38
`\allocationnumber`
 b37, b57, b69, b140,
 b141, b142, b192, b193, b225,
 b226, b227, b238, b239, b240,
 b257, b263, b269, b270, b283,
 b284, b285, C4, C9, N52, N53,
 N54, N93, N207, O44, O45, O46
`\allowbreak` b394, z40
`\Alph` 140, m49
`\alph` 140, m48
`\alpha` t231
`\alpha@elt`
 . r45, r267, r454, r556, r881, r882
`\alpha@list` r41, r43, r276, r442, r454,
 r499, r554, r555, r877, r883, r884
`\amalg` t337
`\and` 354, F14
`\angle` t287
`\approx` t377
`\arabic` 140, m45, E33
`\arccos` z13
`\arcsin` z10
`\arctan` z16
`\arg` z26
`\array` C141
`\arraycolsep`
 z269, z270, z398, z399, C219, C297
`\arrayrulewidth`
 C283, C297, C305, C306,
 C318, C322, C325, C335, C337
`\arraystretch` C159, C160, C301
`\Arrowvert` t519
`\arrowvert` t517
`\ast` t195, t353
`\asympt` t401
`\AtBeginDocument` . k47, L455, I34, I48
`\AtBeginDvi` K93
`\AtEndDocument` y9, L455
`\AtEndOfClass` z324, L455
`\AtEndOfPackage` ... L215, L276, L455
`\atopwithdelims` z57, z58, z59
`\attribute` N81
`\attributedef` N81, N213
`\attributezero` N213
`\author` 354, F5
`\baselineskip` b355, b385,
 b421, p140, p141, p142, p144,
 p145, t462, z112, z113, z121,
 z127, z131, B247, C171, D46,
 D166, K216, K247, K593, K608
`\baselinestretch`
 o253, p118, p119, p138, p199
`\batchmode` k183, k184, q106, O336, O357
`\begin` g197, g199, l628, p7, t4,
 u4, y51, y52, z329, z341, F14,
 F17, G256, G258, K70, L285, M3
`\belowdisplayshortskip` .. b339, z392
`\belowdisplayskip` b338, z391
`\best@size` ... p392, p416, p422, p428
`\beta` t232
`\bezier` 328, D367, D368
`\bfdefault` s15, t77
`\bfseries`
 . s13, s14, v19, x13, E36, E38, I20
`\bgroup` b369
`\bibcite` I7, I9, I10
`\bibdata` I25, I29
`\bibitem` I3
`\bibliography` 386, I27
`\bibliographystyle` 386, I32
`\bibstyle` I25, I37
`\Big` t569, z44, z45, z46
`\big` t568, z41
`\bigbreak` b401
`\bigcap` t307
`\bigcirc` t350
`\bigcup` t308
`\Bigg` t571, z50, z51, z52
`\bigg` t570, z47, z48, z49
`\Biggl` z50
`\biggl` z47
`\Biggm` z51
`\biggm` z48
`\Biggr` z52
`\biggr` z49
`\Bigl` z44
`\bigl` z41
`\Bigm` z45
`\bigm` z42
`\bigodot` t315
`\bigoplus` t314
`\bigotimes` t313
`\Bigr` z46
`\bigr` z43
`\bigskip` b406, i256
`\bigskipamount` . b405, i258, i259, G371
`\bigsqcup` t318
`\bigtriangledown` t323, t324
`\bigtriangleup` t322, t325

B

`\b` 1183, 1338, 1421, 1671, 11078
`\backslash` t214, t538
`\bar` t472
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

- \backslash biguplus t306
 \backslash bigvee t304
 \backslash bigwedge t305
 \backslash binoppenalty b307
 \backslash bm@b B37
 \backslash bm@c B37
 \backslash bm@l B37
 \backslash bm@r B37
 \backslash bm@s B37
 \backslash bm@t B37
 \backslash bmod z35
 \backslash boldmath j14, s63
 \backslash bordermatrix z115
 \backslash bot t286
 \backslash botfigrule K652, K2235
 \backslash botmark J36, K618
 \backslash bottomfraction G279, K2204
 \backslash bowtie t434
 \backslash Box s106
 \backslash boxmaxdepth
 b330, D246, D291, D330, K460,
 K480, K520, K625, K634, K674
 \backslash brace z59
 \backslash braceld .. t503, t507, t508, t510, t512
 \backslash bracelu t505, t509, t511
 \backslash bracerd t504, t509, t511
 \backslash braceru t506, t508, t512
 \backslash bracevert t556
 \backslash brack z58
 \backslash break b394, b399, i53
 \backslash breve t473
 \backslash brokenpenalty b312, o521
 \backslash buildrel t421, z107
 \backslash bullet t339
 \backslash bx@A K30, K57
 \backslash bx@AA K40
 \backslash bx@B K30, K57
 \backslash bx@BB K40
 \backslash bx@C K30, K57
 \backslash bx@CC K40
 \backslash bx@D K30, K57
 \backslash bx@DD K40
 \backslash bx@E K30, K57
 \backslash bx@EE K40
 \backslash bx@F K31, K58
 \backslash bx@FF K41
 \backslash bx@G K31, K58
 \backslash bx@GG K41
 \backslash bx@H K31, K58
 \backslash bx@HH K41
 \backslash bx@I K31, K58
 \backslash bx@II K41
 \backslash bx@J K31, K58
 \backslash bx@JJ K41
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
 \backslash bx@K K32, K59
 \backslash bx@KK K42
 \backslash bx@L K32, K59
 \backslash bx@LL K42
 \backslash bx@M K32, K59
 \backslash bx@MM K42
 \backslash bx@N K32, K59
 \backslash bx@NN K42
 \backslash bx@O K33, K60
 \backslash bx@OO K43
 \backslash bx@P K33, K60
 \backslash bx@PP K43
 \backslash bx@Q K33, K60
 \backslash bx@QQ K43
 \backslash bx@R K33, K60
 \backslash bx@RR K43
 \backslash bx@S K38
 \backslash bx@SS K44
 \backslash bx@T K38
 \backslash bx@TT K44
 \backslash bx@U K38
 \backslash bx@UU K44
 \backslash bx@V K38
 \backslash bx@VV K44
 \backslash bx@W K39
 \backslash bx@WW K45
 \backslash bx@X K39
 \backslash bx@XX K45
 \backslash bx@Y K39
 \backslash bx@YY K45
 \backslash bx@Z K39
 \backslash bx@ZZ K25, K45, K55
- ### C
- \backslash c i184, i284, i286, i288, i290,
 i292, i294, i296, i298, i300, i321,
 i323, i341, i405, i424, i514, i516,
 i541, i543, i556, i582, i609, i612,
 i613, i614, i615, i616, i617, i618,
 i619, i620, i674, i1079, i1090,
 i1116, i1173, i1174, i1193, i1194,
 i1197, i1198, i1203, i1204, i1215,
 i1216, i1223, i1224, i1227, i1228
 \backslash c@bottomnumber .. G273, G278, K2202
 \backslash c@dbltopnumber
 G272, G287, G301, K2209
 \backslash c@enumi A227
 \backslash c@enumii A227, A227
 \backslash c@enumiv A227
 \backslash c@equation z246, z279, z405
 \backslash c@errorcontextlines g163
 \backslash c@footnote F11, G377, G434
 \backslash c@mpfootnote B275, G379
 \backslash c@ncel t413, t414

- \c@page [w3](#), [w6](#), [w7](#), [K145](#), [K1728](#)
- \c@secnumdepth [F39](#), [F54](#), [F64](#), [F123](#)
- \c@tocdepth [F123](#), [F150](#)
- \c@topnumber [G271](#), [G275](#), [K2198](#)
- \c@totalnumber [G274](#), [G280](#), [K2205](#)
- \cal [s149](#)
- \calculate@math@sizes [o475](#), [p173](#)
- \call_callback [489](#), [N617](#)
- \callback.register [N546](#)
- \callback_descriptions [489](#), [N748](#)
- \cap [t330](#)
- \capitalacute [l748](#), [l1440](#)
- \capitalbreve [l755](#), [l1447](#)
- \capitalcaron [l754](#), [l1446](#)
- \capitalcedilla [l741](#), [l1437](#)
- \capitalcircumflex [l749](#), [l1441](#)
- \capitaldieresis [l751](#), [l1443](#)
- \capitaldotaccent [l757](#), [l1449](#)
- \capitalgrave [l747](#), [l1439](#)
- \capitalhungarumlaut [l752](#), [l1444](#)
- \capitalmacron [l756](#), [l1448](#)
- \capitalnewtie [l761](#), [l1514](#), [l1515](#)
- \capitalogonek [l744](#), [l1438](#)
- \capitalring [l753](#), [l1445](#)
- \capitaltie [l759](#), [l1510](#), [l1511](#)
- \capitaltilde [l750](#), [l1442](#)
- \caption [G4](#)
- \cases [z108](#)
- \catcodetable [N91](#), [N112](#)
- \catcodetable@atletter [486](#), [N96](#), [N238](#)
- \catcodetable@initex [486](#), [N96](#), [N235](#)
- \catcodetable@latex [486](#), [N96](#), [N237](#)
- \catcodetable@string [486](#), [N96](#), [N236](#)
- \cdot [t352](#)
- \cdotp [t454](#), [t460](#)
- \cdots [t460](#)
- \cdp@elt [o61](#), [o81](#), [o92](#), [o93](#), [o114](#), [o117](#),
[o119](#), [r201](#), [r283](#), [r338](#), [r402](#), [r483](#)
- \cdp@list [o63](#), [o79](#), [o93](#), [o121](#),
[o122](#), [r219](#), [r285](#), [r340](#), [r404](#), [r485](#)
- \center [y73](#)
- center (environment) [y73](#)
- \centering [y73](#), [y75](#)
- \centerline [B374](#)
- \cf@encoding [l34](#), [l41](#), [l44](#),
[l51](#), [l114](#), [o221](#), [o231](#), [o241](#), [o260](#)
- \ch@ck [b203](#),
[b204](#), [b205](#), [b206](#), [b224](#), [b234](#),
[b235](#), [b236](#), [b237](#), [b265](#), [b267](#),
[b279](#), [b280](#), [b281](#), [b282](#), [b288](#), [L519](#)
- \changes [l625](#),
[G257](#), [K71](#), [N225](#), [N226](#), [O214](#)
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
- \char [l340](#), [l343](#), [l376](#),
[l379](#), [l390](#), [l397](#), [l423](#), [l427](#), [l432](#),
[l435](#), [l437](#), [l439](#), [l645](#), [l673](#), [l676](#),
[l706](#), [l713](#), [l720](#), [l743](#), [l746](#), [l794](#),
[l903](#), [l916](#), [l1046](#), [s69](#), [y150](#),
[z148](#), [D111](#), [D139](#), [D153](#), [D161](#),
[D164](#), [D233](#), [D271](#), [D276](#), [D315](#),
[D319](#), [D334](#), [D335](#), [D337](#), [D348](#)
- \chardef [a64](#), [a70](#), [a71](#), [b10](#), [b16](#),
[b17](#), [b18](#), [b19](#), [b20](#), [b58](#), [b64](#),
[b66](#), [b70](#), [b76](#), [b79](#), [b81](#), [b91](#),
[b93](#), [b94](#), [b95](#), [b96](#), [b105](#), [b111](#),
[b112](#), [b125](#), [b127](#), [b191](#), [b239](#),
[b243](#), [b245](#), [b269](#), [b284](#), [b415](#),
[b416](#), [b417](#), [e2](#), [l18](#), [o15](#), [C4](#),
[C9](#), [L518](#), [N20](#), [N24](#), [N38](#), [N47](#),
[N48](#), [N91](#), [N160](#), [N214](#), [O28](#),
[O30](#), [O34](#), [O53](#), [O104](#), [O105](#),
[O106](#), [O107](#), [O108](#), [O109](#), [O110](#)
- \chardef@text@cmd [l3](#)
- \charzero [N214](#)
- \check [t474](#)
- \check@command [d164](#), [d166](#)
- \check@icl
. [v9](#), [v27](#), [v32](#), [v38](#), [v46](#), [v53](#), [v55](#)
- \check@icr
. [v9](#), [v27](#), [v33](#), [v39](#), [v47](#), [v56](#), [v61](#)
- \check@mathfonts [j5](#),
[l251](#), [l277](#), [l309](#), [o282](#), [o284](#), [p204](#)
- \check@nocorr@ [v29](#)
- \check@range [p333](#), [p334](#)
- \check@single [p332](#), [p354](#)
- \CheckCommand [d164](#)
- \CheckEncodingSubset [l1378](#), [l1435](#),
[l1436](#), [l1504](#), [l1621](#), [l1624](#), [l1638](#)
- \chi [t251](#)
- \choose [z57](#)
- \circ [t349](#)
- \circle [D235](#), [D328](#)
- \citation [l11](#), [l19](#), [l43](#)
- \cite [386](#), [l12](#)
- \cl@ckpt [k122](#), [m35](#)
- \cl@page [w4](#)
- \ClassError [g84](#)
- \ClassInfo [g84](#)
- \ClassWarning [g84](#)
- \ClassWarningNoLine [g84](#)
- \cleaders [b435](#), [t498](#), [t501](#)
- \cleardoublepage [K145](#)
- \clearpage [k91](#), [k109](#), [y12](#), [y49](#), [K132](#),
[K145](#), [K150](#), [K174](#), [K381](#), [K384](#),
[K388](#), [K429](#), [K435](#), [K2081](#), [K2098](#)
- \cline [C326](#)

- `\clubpenalty`
 ... [b309](#), [k10](#), [k19](#), [o519](#), [A128](#),
 [A194](#), [A196](#), [F83](#), [F89](#), [F113](#), [F118](#)
`\clubsuit` [t299](#)
`\col@number` .. [K102](#), [K155](#), [K182](#), [K194](#)
`\colon` [t455](#)
`\color@begingroup` ... [o498](#), [o558](#),
 [z87](#), [z103](#), [B29](#), [B63](#), [B131](#),
 [B271](#), [B304](#), [C47](#), [C51](#), [G423](#), [K465](#)
`\color@endbox` [B63](#),
 [G253](#), [G348](#), [K198](#), [K602](#), [K612](#)
`\color@endgroup`
 ... [o503](#), [o564](#), [z87](#), [z103](#),
 [B29](#), [B63](#), [B89](#), [B110](#), [B133](#),
 [B291](#), [B307](#), [C49](#), [G426](#), [K469](#)
`\color@hbox` [B63](#), [K599](#), [K609](#)
`\color@setgroup` [B63](#), [B89](#), [B108](#)
`\color@vbox` [B63](#),
 [G96](#), [G165](#), [G339](#), [G361](#), [K189](#)
`\columnsep` [k21](#), [K88](#), [K176](#)
`\columnseprule` ... [K89](#), [K2136](#), [K2170](#)
`\columnwidth`
 [k18](#), [k21](#), [k22](#), [k24](#), [B273](#), [B300](#),
 [G99](#), [G168](#), [G419](#), [K87](#), [K151](#),
 [K152](#), [K153](#), [K175](#), [K176](#), [K177](#),
 [K178](#), [K179](#), [K1753](#), [K1755](#),
 [K2134](#), [K2138](#), [K2166](#), [K2172](#)
`\cong` [t409](#)
`\contentsline` [F143](#), [F148](#)
`\coprod` [t303](#)
`\copyright` [l235](#), [l265](#), [s89](#)
`\cos` [z12](#)
`\cosh` [z14](#)
`\cot` [z18](#)
`\coth` [z19](#)
`\count@` [a66](#), [a179](#), [a180](#), [a181](#), [a186](#),
 [b41](#), [b188](#), [b189](#), [b194](#), [b196](#),
 [b202](#), [b203](#), [b204](#), [b205](#), [b206](#),
 [b207](#), [b391](#), [b392](#), [c13](#), [c14](#),
 [c15](#), [c16](#), [c17](#), [c19](#), [d146](#), [d150](#),
 [o532](#), [o538](#), [o540](#), [p22](#), [p256](#),
 [p258](#), [p280](#), [p281](#), [r260](#), [r262](#),
 [r266](#), [r581](#), [r582](#), [r583](#), [r624](#),
 [r625](#), [r626](#), [r669](#), [r670](#), [r671](#),
 [r709](#), [r710](#), [r711](#), [r717](#), [r718](#),
 [r719](#), [r763](#), [r764](#), [r765](#), [r771](#),
 [r772](#), [r773](#), [r814](#), [r815](#), [r816](#),
 [r822](#), [r823](#), [r824](#), [v98](#), [v101](#),
 [D405](#), [D406](#), [D407](#), [D410](#), [D411](#),
 [D414](#), [D418](#), [O172](#), [O173](#), [O180](#),
 [O182](#), [O277](#), [O278](#), [O285](#), [O287](#)
`\countdef` . [a66](#), [b37](#), [b38](#), [b39](#), [b41](#),
 [b51](#), [b87](#), [w3](#), [N78](#), [N88](#), [N177](#),
 [N185](#), [N193](#), [N201](#), [N215](#), [O61](#)
File Key: [a=ltldirchk.dtx](#), [b=ltplain.dtx](#), [c=ltvers.dtx](#), [d=ltdefns.dtx](#),
[e=ltalloc.dtx](#), [f=ltcntrl.dtx](#), [g=lterror.dtx](#), [h=ltpar.dtx](#), [i=ltspace.dtx](#),
[j=ltlogos.dtx](#), [k=ltfiles.dtx](#), [l=ltoutenc.dtx](#), [m=ltcounts.dtx](#), [n=ltlength.dtx](#),
[o=ltfssbas.dtx](#), [p=ltfssstrc.dtx](#), [q=ltfsscmp.dtx](#), [r=ltfssdcl.dtx](#), [s=ltfssini.dtx](#),
[t=fontdef.dtx](#), [u=preload.dtx](#), [v=ltfntcmd.dtx](#), [w=ltpageno.dtx](#), [x=ltxref.dtx](#),
[y=ltmiscen.dtx](#), [z=ltmath.dtx](#), [A=ltlists.dtx](#), [B=ltboxes.dtx](#), [C=lttab.dtx](#),
[D=ltpictur.dtx](#), [E=ltthm.dtx](#), [F=ltsect.dtx](#), [G=ltfloat.dtx](#), [H=ltidxglo.dtx](#),
[I=ltbibl.dtx](#), [J=ltpage.dtx](#), [K=ltoutput.dtx](#), [L=ltclass.dtx](#), [M=ltthyphen.dtx](#),
[N=ltluatex.dtx](#), [O=ltfinal.dtx](#)
- `\CountZero` [N215](#)
`\cr` [b365](#),
 [l1427](#), [l1431](#), [z118](#), [z122](#), [z274](#),
 [z304](#), [z402](#), [C165](#), [C176](#), [C183](#),
 [C192](#), [C193](#), [C336](#), [D51](#), [D53](#), [D54](#)
`\crrcr` [b422](#), [l276](#), [l311](#),
 [l312](#), [l339](#), [l343](#), [l346](#), [l422](#), [l426](#),
 [l430](#), [l432](#), [l435](#), [l644](#), [l672](#), [l676](#),
 [l679](#), [l743](#), [l746](#), [l793](#), [l1432](#), [s91](#),
 [t287](#), [t288](#), [t290](#), [t411](#), [t414](#),
 [t418](#), [t482](#), [t483](#), [t484](#), [t485](#),
 [t486](#), [t487](#), [t488](#), [t489](#), [t490](#),
 [t491](#), [t492](#), [t494](#), [z109](#), [z111](#),
 [z112](#), [z113](#), [z118](#), [z120](#), [z121](#),
 [z122](#), [z140](#), [z141](#), [C144](#), [C145](#), [D51](#)
`\create\callback` [489](#), [N598](#)
`\cs` [l625](#), [K72](#)
`\csc` [z21](#)
`\cup` [t331](#)
`\curr@fontshape` [l130](#),
 [o53](#), [o297](#), [o305](#), [o309](#), [o311](#),
 [o374](#), [o380](#), [o383](#), [o392](#), [o399](#),
 [o401](#), [o409](#), [o415](#), [o418](#), [o426](#),
 [o433](#), [o435](#), [p92](#), [p100](#), [p121](#),
 [p431](#), [p451](#), [p483](#), [p496](#), [r223](#), [r228](#)
`\curr@math@size`
 ... [o286](#), [p210](#), [p216](#), [p221](#), [p238](#)
`\CurrentOption` [l1314](#), [l1316](#),
 [l1328](#), [L13](#), [L170](#), [L180](#), [L181](#),
 [L182](#), [L187](#), [L194](#), [L195](#), [L196](#),
 [L199](#), [L206](#), [L207](#), [L211](#), [L212](#),
 [L213](#), [L220](#), [L222](#), [L231](#), [L232](#),
 [L233](#), [L234](#), [L241](#), [L242](#), [L243](#),
 [L244](#), [L390](#), [L472](#), [L473](#), [L482](#), [L483](#)
`\CYRA` [l1286](#)
`\cyra` [l1286](#), [l1331](#)
`\CYRABHCH` [l1286](#)
`\cyrabhch` [l1286](#)
`\CYRABHCHDSC` [l1286](#)
`\cyrabhchdsc` [l1286](#)
`\CYRABHDZE` [l1287](#)
`\cyrabhdze` [l1286](#)
`\CYRABHHA` [l1287](#)
`\cyrabhha` [l1287](#)
`\CYRAE` [l1287](#)
`\cyrae` [l1287](#)
`\CYRB` [l1287](#)
`\cyrb` [l1287](#)
`\CYRBYUS` [l1288](#)
`\cyrbyus` [l1287](#)
`\CYRC` [l1288](#)
`\cyrc` [l1288](#)
`\CYRCH` [l1288](#)
`\cyrch` [l1288](#)

\CYRCHLDSC	11288	\CYRII	11295
\cyrchldsc	11288	\cyrii	11295
\CYRCHRDSC	11289	\CYRISHRT	11295
\cyrchrdsc	11288	\cyrishrt	11295
\CYRCHVCRS	11289	\CYRISHRTDSC	11296
\cyrchvcrs	11289	\cyrishrtdsc	11296
\CYRD	11289	\CYRIZH	11296
\cyrd	11289	\cyrizh	11296
\CYRDELTA	11289	\CYRJE	11296
\cyrdelta	11289	\cyrje	11296
\CYRDJE	11290	\CYRK	11296
\cyrdje	11290	\cyrk	11296
\CYRDZE	11290	\CYRKBEAK	11297
\cyrdze	11290	\cyrkbeak	11297
\CYRDZHE	11290	\CYRKDSC	11297
\cyrdzhe	11290	\cyrkdsc	11297
\CYRE	11290	\CYRKHCRS	11297
\cyre	11290	\cyrkhcrs	11297
\CYREPS	11291	\CYRKHK	11298
\cyreps	11290	\cyrkhk	11297
\CYREREV	11291	\CYRKVCRS	11298
\cyrerev	11291	\cyrkvcrs	11298
\CYRERY	11291	\CYRL	11298
\cyrery	11291	\cyrl	11298
\CYRF	11291	\CYRLDSC	11298
\cyrf	11291	\cyrlldsc	11298
\CYRFITA	11292	\CYRLHK	11299
\cyrfita	11291	\cyrlhk	11298
\CYRG	11292	\CYRLJE	11299
\cyrg	11292	\cyrlje	11299
\CYRGDSC	11292	\CYRM	11299
\cyrgdsc	11292	\cyrm	11299
\CYRGDSCHCRS	11292	\CYRMDSC	11299
\cyrgdschcrs	11292	\cyrmdsc	11299
\CYRGHCRS	11293	\CYRMHK	11299
\cyrghcrs	11293	\cyrmhk	11299
\CYRGHK	11293	\CYRN	11300
\cyrghk	11293	\cyrn	11300
\CYRGUP	11293	\CYRNDSC	11300
\cyrgup	11293	\cyrndsc	11300
\CYRH	11293	\CYRNG	11300
\cyrh	11293	\cyrng	11300
\CYRHDSC	11294	\CYRNHK	11300
\cyrhdsc	11294	\cyrnhk	11300
\CYRHHCRS	11294	\CYRNJE	11301
\cyrhcrs	11294	\cyrnje	11300
\CYRHHK	11294	\CYRNLHK	11301
\cyrhhk	11294	\cyrnlnhk	11301
\CYRHSDSN	11295	\CYRO	11301
\cyrhdsn	11294	\cyro	11301
\CYRI	11295	\CYROTLD	11301
\cyri	11295	\cyrotld	11301
\CYRIE	11295	\CYRP	11301
\cyrie	11295	\cyrp	11301

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfontcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=ltthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

\CYRPHK	11302	\CYRYI	11308
\cyrphk	11302	\cyr yi	11308
\CYRQ	11302	\CYRYO	11309
\cyrq	11302	\cyr yo	11308
\CYRR	11302	\CYRYU	11309
\cyr r	11302	\cyr yu	11309
\CYRRDSC	11302	\CYRZ	11309
\cyr rdsc	11302	\cyr z	11309
\CYRRHK	11303	\CYRZDSC	11309
\cyr rhk	11302	\cyr zdsc	11309
\CYRRTICK	11303	\CYRZH	11309
\cyr rtick	11303	\cyr zh	11309
\CYRS	11303	\CYRZHDSC	11310
\cyr s	11303	\cyr zhdsc	11310
\CYRSACRS	11303		
\cyr sacrs	11303		
\CYRSCHWA	11304		
\cyr schwa	11304		
\CYRSDSC	11304		
\cyr sdsc	11304		
\CYRSEMISFTSN	11304		
\cyr semisftsn	11304		
\CYRSFTSN	11305		
\cyr sftsn	11305		
\CYRSH	11305		
\cyr sh	11305		
\CYRSHCH	11305		
\cyr shch	11305		
\CYRSHHA	11305		
\cyr shha	11305		
\CYRT	11306		
\cyr t	11306		
\CYRTDSC	11306		
\cyr tdsc	11306		
\CYRTETSE	11306		
\cyr tetse	11306		
\CYRTSHE	11306		
\cyr tshe	11306		
\CYRU	11307		
\cyr u	11307		
\CYRUSHRT	11307		
\cyr ushrt	11307		
\CYRV	11307		
\cyr v	11307		
\CYRW	11307		
\cyr w	11307		
\CYRY	11307		
\cyr y	11307		
\CYRYA	11308		
\cyr ya	11308		
\CYRYAT	11308		
\cyr yat	11308		
\CYRYHCRS	11308		
\cyr yhcrs	11308		
File Key:	a=lt dirchk.dtx, b=lt plain.dtx, c=lt vers.dtx, d=lt defs.dtx, e=lt alloc.dtx, f=lt cntrl.dtx, g=lt error.dtx, h=lt par.dtx, i=lt space.dtx, j=lt logos.dtx, k=lt files.dtx, l=lt outenc.dtx, m=lt counts.dtx, n=lt length.dtx, o=lt fssbas.dtx, p=lt fssstrc.dtx, q=lt fsscmp.dtx, r=lt fssdcl.dtx, s=lt fssini.dtx, t=fontdef.dtx, u=lt preload.dtx, v=lt fntcmd.dtx, w=lt pageno.dtx, x=lt xref.dtx, y=lt miscen.dtx, z=lt math.dtx, A=lt lists.dtx, B=lt boxes.dtx, C=lt tab.dtx, D=lt pictur.dtx, E=lt thm.dtx, F=lt sect.dtx, G=lt float.dtx, H=lt idxglo.dtx, I=lt bibl.dtx, J=lt page.dtx, K=lt output.dtx, L=lt class.dtx, M=lt hyphen.dtx, N=lt luatex.dtx, O=lt final.dtx		
		D	
		\d	1185, 1344, 1428, 1677, 11080
		\dag	1261
		\dagger	1261, m74, m80, m88, m89, t333
		\dashbox	D166
		\dashv	t361
		\date	354, F7
		\day	a185, L536
		\dblfigrule	K677, K2235
		\dblfloatpagefraction	
			G291, G305, K2212
		\dblfloatsep	
			K663, K675, K1550, K1676, K2219
		\dbltextfloatsep	K196,
			K204, K679, K1549, K1675, K2219
		\dbltopfraction	G288, G302, K2211
		\ddag	1262
		\ddagger	1262, m75, m81, m88, m90, t332
		\ddot	t470
		\ddots	t465
		\deadcycles	k115, y39, y49, K273
		\declare@robustcommand	d198
		\DeclareEncodingSubset	11362,
			11369, 11370, 11371, 11372, 11648,
			11649, 11650, 11651, 11652, 11653,
			11654, 11655, 11656, 11657, 11658,
			11659, 11660, 11661, 11662, 11663,
			11664, 11665, 11666, 11667, 11668,
			11669, 11670, 11671, 11672, 11673,
			11674, 11675, 11676, 11677, 11678,
			11679, 11680, 11681, 11682, 11683,
			11684, 11685, 11686, 11687, 11688,
			11689, 11690, 11691, 11692, 11693,
			11694, 11695, 11696, 11697, 11698,
			11699, 11700, 11701, 11702, 11703,
			11704, 11705, 11706, 11707, 11708
		\DeclareErrorFont	o352, r232, s115, t41
		\DeclareFixedFont	o40

`\DeclareFontEncoding`
 . . . l326, l409, l624, l650, l656,
 l739, l913, o83, t89, t90, t91, t92
`\DeclareFontEncoding@` . . o87, o89, o104
`\DeclareFontEncodingDefaults` . . .
 o133, q90, q91, t28
`\DeclareFontFamily` o58, q85, q86
`\DeclareFontShape`
 o19, o21, q25, q27, q81, q82
`\DeclareFontShape@` o22, o23
`\DeclareFontSubstitution`
 l657, l740, o106,
 t19, t26, t29, t30, t93, t94, t95, t96
`\DeclareMathAccent`
 r573, r612, t468, t469,
 t470, t471, t472, t473, t474,
 t475, t476, t477, t478, t479, t480
`\DeclareMathAlphabet`
 . . . q119, q123, q125, q132, r399,
 r562, r573, t114, t115, t116, t117
`\DeclareMathAlphabetCharacter` . . r675
`\DeclareMathDelimiter`
 r677, t218, t219,
 t220, t221, t222, t223, t226,
 t228, t229, t513, t515, t517,
 t519, t521, t524, t526, t528,
 t530, t532, t534, t536, t538,
 t540, t542, t544, t546, t548,
 t550, t552, t554, t556, t558, t560
`\DeclareMathRadical` r794, t481
`\DeclareMathSizes`
 o170, o176, o198, t120,
 t121, t122, t123, t124, t125,
 t126, t127, t128, t129, t130, t131
`\DeclareMathSizes*` o170
`\DeclareMathSymbol` r616, r676,
 r693, t132, t133, t134, t135,
 t136, t137, t138, t139, t140,
 t141, t142, t143, t144, t145,
 t146, t147, t148, t149, t150,
 t151, t152, t153, t154, t155,
 t156, t157, t158, t159, t160,
 t161, t162, t163, t164, t165,
 t166, t167, t168, t169, t170,
 t171, t172, t173, t174, t175,
 t176, t177, t178, t179, t180,
 t181, t182, t183, t184, t185,
 t186, t187, t188, t189, t190,
 t191, t192, t193, t194, t195,
 t196, t197, t198, t199, t200,
 t201, t202, t203, t204, t205,
 t206, t207, t208, t209, t210,
 t211, t212, t213, t214, t224,
 t225, t227, t231, t232, t233,
 t234, t235, t236, t237, t238,
 t239, t240, t241, t242, t243,
 t244, t245, t246, t247, t248,
 t249, t250, t251, t252, t253,
 t254, t255, t256, t257, t258,
 t259, t260, t261, t262, t263,
 t264, t265, t266, t267, t268,
 t269, t270, t271, t273, t274,
 t275, t276, t277, t278, t279,
 t280, t281, t282, t283, t285,
 t286, t291, t292, t293, t294,
 t296, t297, t298, t299, t300,
 t301, t302, t303, t304, t305,
 t306, t307, t308, t309, t311,
 t312, t313, t314, t315, t316,
 t318, t319, t320, t321, t322,
 t323, t326, t328, t330, t331,
 t332, t333, t334, t335, t336,
 t337, t338, t339, t340, t341,
 t342, t343, t344, t345, t346,
 t347, t348, t349, t350, t351,
 t352, t353, t354, t355, t356,
 t357, t358, t359, t360, t361,
 t362, t363, t364, t365, t366,
 t367, t368, t369, t371, t373,
 t375, t376, t377, t378, t379,
 t380, t381, t382, t383, t384,
 t385, t387, t388, t389, t390,
 t391, t393, t395, t397, t398,
 t399, t400, t401, t402, t403,
 t404, t405, t406, t407, t429,
 t431, t453, t454, t455, t503,
 t504, t505, t506, t562, t563, t564
`\DeclareMathVersion` r245, s2, s3
`\DeclareOldFontCommand` . . . v108, v124
`\DeclareOption`
 466, l1313, l1369, l1370,
 l1371, l1372, l1373, l1375, p29,
 p37, p45, p53, p56, p60, L153, L493
`\DeclareOption*` 466, L153
`\DeclarePreloadSizes`
 o150, q95, q96, u19, u21,
 u22, u23, u25, u26, u27, u28,
 u29, u30, u34, u38, u43, u45,
 u49, u50, u53, u54, u57, u58, u64
`\DeclareRobustCommand`
 d198, g4, g11, g30, g57,
 i35, i43, i226, i262, i276, i281,
 i296, j3, j13, l256, l257, l258,
 l259, l260, l261, l262, l263, l265,
 l267, l269, l1633, m98, o216,
 o244, o245, o246, o250, o252,
 o270, p113, s4, s7, s10, s13, s16,
 s19, s22, s25, s28, s34, s41, s89,
 t234, t235, t236, t237, t238,
 t239, t240, t241, t242, t243,
 t244, t245, t246, t247, t248,
 t249, t250, t251, t252, t253,
 t254, t255, t256, t257, t258,
 t259, t260, t261, t262, t263,
 t264, t265, t266, t267, t268,
 t269, t270, t271, t273, t274,
 t275, t276, t277, t278, t279,
 t280, t281, t282, t283, t285,
 t286, t291, t292, t293, t294,
 t296, t297, t298, t299, t300,
 t301, t302, t303, t304, t305,
 t306, t307, t308, t309, t311,
 t312, t313, t314, t315, t316,
 t318, t319, t320, t321, t322,
 t323, t326, t328, t330, t331,
 t332, t333, t334, t335, t336,
 t337, t338, t339, t340, t341,
 t342, t343, t344, t345, t346,
 t347, t348, t349, t350, t351,
 t352, t353, t354, t355, t356,
 t357, t358, t359, t360, t361,
 t362, t363, t364, t365, t366,
 t367, t368, t369, t371, t373,
 t375, t376, t377, t378, t379,
 t380, t381, t382, t383, t384,
 t385, t387, t388, t389, t390,
 t391, t393, t395, t397, t398,
 t399, t400, t401, t402, t403,
 t404, t405, t406, t407, t429,
 t431, t453, t454, t455, t503,
 t504, t505, t506, t562, t563, t564

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

s93, t408, t412, t415, t420, t422,
 t424, t427, t433, t435, t437,
 t439, t441, t443, t445, t447,
 t449, t451, t457, t459, t461,
 t464, v3, v109, z171, z173, z189,
 z200, z252, z309, z326, z350,
 B7, B75, B139, B193, B313,
 B339, G382, G390, O303, O310, I12
 \DeclareSizeFunction . p371, p444,
 p445, p456, p457, p461, p462,
 p468, p469, p493, p494, p501, p502
 \DeclareSymbolFont
 q136, r280, t104, t105, t106, t107
 \DeclareSymbolFontAlphabet
 r868, t111, t112, t113
 \DeclareSymbolFontAlphabet@ r869, r872
 \DeclareTextAccent l64, l327,
 l328, l329, l330, l331, l332, l333,
 l334, l335, l336, l337, l410, l411,
 l412, l413, l414, l415, l416, l417,
 l418, l419, l420, l653, l658, l659,
 l660, l661, l662, l663, l664, l665,
 l666, l667, l668, l747, l748, l749,
 l750, l751, l752, l753, l754, l755,
 l756, l757, l758, l759, l760, l761
 \DeclareTextAccentDefault
 l135, l176, l177,
 l178, l179, l180, l181, l182, l183,
 l184, l185, l186, l187, l188, l189,
 l229, l232, l1437, l1438, l1439,
 l1440, l1441, l1442, l1443, l1444,
 l1445, l1446, l1447, l1448, l1449
 \DeclareTextCommand l3, l58,
 l65, l338, l341, l344, l360, l361,
 l368, l370, l372, l374, l380, l382,
 l384, l391, l421, l424, l428, l431,
 l433, l436, l438, l642, l669, l671,
 l674, l677, l707, l714, l741, l744,
 l791, l918, l920, l922, l924, l1045
 \DeclareTextCommandDefault
 l57, l136,
 l138, l233, l236, l237, l238, l239,
 l241, l245, l249, l250, l252, l253,
 l254, l255, l275, l304, l1503,
 l1505, l1506, l1508, l1510, l1512,
 l1514, l1516, l1518, l1520, l1522,
 l1524, l1526, l1528, l1530, l1532,
 l1534, l1536, l1538, l1540, l1542,
 l1544, l1546, l1548, l1550, l1552,
 l1554, l1556, l1558, l1560, l1562,
 l1564, l1566, l1568, l1570, l1572,
 l1574, l1576, l1578, l1580, l1582,
 l1584, l1586, l1588, l1590, l1592,
 l1594, l1596, l1598, l1600, l1602,
 l1604, l1606, l1608, l1610, l1612,
 l1614, l1616, l1618, l1620, l1623
 \DeclareTextComposite l74,
 l398, l399, l495, l496, l497, l498,
 l499, l500, l501, l502, l503, l504,
 l505, l506, l507, l508, l509, l510,
 l511, l512, l513, l514, l515, l516,
 l517, l518, l519, l520, l521, l522,
 l523, l524, l525, l526, l527, l528,
 l529, l530, l531, l532, l533, l534,
 l535, l536, l537, l538, l539, l540,
 l541, l542, l543, l544, l545, l546,
 l547, l548, l549, l550, l551, l552,
 l553, l554, l555, l556, l557, l558,
 l559, l560, l561, l562, l563, l564,
 l565, l566, l567, l568, l569, l570,
 l571, l572, l573, l574, l575, l576,
 l577, l578, l579, l580, l581, l582,
 l583, l584, l585, l586, l587, l588,
 l589, l590, l591, l592, l593, l594,
 l595, l596, l597, l598, l599, l600,
 l601, l602, l603, l604, l605, l721,
 l722, l723, l724, l725, l726, l727,
 l728, l729, l730, l731, l732, l733,
 l734, l735, l736, l988, l989, l997,
 l998, l1082, l1083, l1084, l1085,
 l1086, l1087, l1088, l1089, l1090,
 l1091, l1092, l1093, l1094, l1095,
 l1096, l1097, l1098, l1099, l1100,
 l1101, l1102, l1103, l1104, l1105,
 l1106, l1107, l1108, l1109, l1110,
 l1111, l1112, l1113, l1114, l1115,
 l1116, l1117, l1118, l1119, l1120,
 l1121, l1122, l1123, l1124, l1125,
 l1126, l1127, l1128, l1129, l1130,
 l1131, l1132, l1133, l1134, l1135,
 l1136, l1137, l1138, l1139, l1140,
 l1141, l1142, l1143, l1144, l1145,
 l1146, l1147, l1148, l1149, l1150,
 l1151, l1152, l1153, l1154, l1155,
 l1156, l1157, l1158, l1159, l1160,
 l1161, l1162, l1163, l1164, l1165,
 l1166, l1167, l1168, l1169, l1170,
 l1171, l1172, l1173, l1174, l1175,
 l1176, l1177, l1178, l1179, l1180,
 l1181, l1182, l1183, l1184, l1185,
 l1186, l1187, l1188, l1189, l1190,
 l1191, l1192, l1193, l1194, l1195,
 l1196, l1197, l1198, l1199, l1200,
 l1201, l1202, l1203, l1204, l1205,
 l1206, l1207, l1208, l1209, l1210,
 l1211, l1212, l1213, l1214, l1215,
 l1216, l1217, l1218, l1219, l1220,
 l1221, l1222, l1223, l1224, l1225,
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

11226, 11227, 11228, 11229, 11230,
 11231, 11232, 11233, 11234, 11235,
 11236, 11237, 11238, 11239, 11240,
 11241, 11242, 11243, 11244, 11245,
 11246, 11247, 11248, 11249, 11250,
 11251, 11252, 11253, 11254, 11255,
 11256, 11257, 11258, 11259, 11260,
 11261, 11262, 11263, 11264, 11265,
 11266, 11267, 11268, 11269, 11270,
 11271, 11272, 11273, 11274, 11275,
 11276, 11277, 11278, 11279, 11280
 \DeclareTextCompositeCommand ...
 174, 1377,
 1400, 1401, 1402, 1403, 1405, 1606,
 1607, 1609, 1612, 1613, 1614, 1615,
 1616, 1617, 1618, 1619, 1620, 1704
 \DeclareTextFontCommand
 .. v1, v15, v16, v17, v18, v19,
 v20, v21, v22, v23, v24, v25, v123
 \DeclareTextSymbol 13,
 1347, 1348, 1349, 1350, 1351, 1352,
 1353, 1354, 1355, 1356, 1357, 1358,
 1359, 1362, 1363, 1364, 1365, 1366,
 1367, 1440, 1441, 1442, 1443, 1444,
 1445, 1446, 1447, 1448, 1449, 1450,
 1451, 1452, 1453, 1454, 1455, 1456,
 1457, 1458, 1459, 1460, 1461, 1462,
 1463, 1464, 1465, 1466, 1467, 1468,
 1469, 1470, 1471, 1472, 1473, 1474,
 1475, 1476, 1477, 1478, 1479, 1480,
 1481, 1482, 1483, 1484, 1485, 1486,
 1487, 1488, 1489, 1490, 1491, 1492,
 1493, 1494, 1629, 1630, 1631, 1632,
 1633, 1634, 1635, 1636, 1637, 1638,
 1639, 1640, 1641, 1651, 1652, 1680,
 1681, 1682, 1683, 1684, 1685, 1686,
 1687, 1688, 1689, 1690, 1691, 1692,
 1693, 1694, 1695, 1696, 1697, 1698,
 1699, 1700, 1701, 1702, 1703, 1762,
 1763, 1764, 1765, 1766, 1767, 1768,
 1769, 1770, 1771, 1772, 1773, 1774,
 1775, 1776, 1777, 1778, 1779, 1780,
 1781, 1782, 1783, 1784, 1785, 1786,
 1787, 1788, 1789, 1790, 1797, 1798,
 1799, 1800, 1801, 1802, 1803, 1804,
 1805, 1806, 1807, 1808, 1809, 1810,
 1811, 1812, 1813, 1814, 1815, 1816,
 1817, 1818, 1819, 1820, 1821, 1822,
 1823, 1824, 1825, 1826, 1827, 1828,
 1829, 1830, 1831, 1832, 1833, 1834,
 1835, 1836, 1837, 1838, 1839, 1840,
 1841, 1842, 1843, 1844, 1845, 1846,
 1847, 1848, 1849, 1850, 1851, 1852,
 1853, 1854, 1855, 1856, 1857, 1858,
 1859, 1860, 1861, 1862, 1863, 1864,
 1865, 1866, 1867, 1868, 1869, 1870,
 1871, 1872, 1873, 1874, 1875, 1876,
 1926, 1927, 1928, 1929, 1930, 1931,
 1932, 1933, 1934, 1935, 1936, 1937,
 1938, 1939, 1940, 1941, 1942, 1943,
 1944, 1945, 1946, 1947, 1948, 1949,
 1950, 1951, 1952, 1953, 1954, 1955,
 1956, 1957, 1958, 1959, 1960, 1961,
 1962, 1963, 1964, 1965, 1966, 1967,
 1968, 1969, 1970, 1971, 1972, 1973,
 1974, 1975, 1976, 1977, 1978, 1979,
 1980, 1981, 1982, 1983, 1984, 1985,
 1986, 1987, 1990, 1991, 1992, 1993,
 1994, 1995, 1996, 1999, 11000,
 11001, 11002, 11003, 11004, 11005,
 11006, 11007, 11008, 11009, 11010,
 11011, 11012, 11013, 11014, 11015,
 11016, 11017, 11018, 11019, 11020,
 11021, 11022, 11023, 11024, 11025,
 11026, 11027, 11028, 11029, 11030,
 11031, 11032, 11033, 11034, 11035,
 11036, 11037, 11038, 11039, 11040,
 11041, 11042, 11043, 11044, 11056,
 11057, 11058, 11059, 11060, 11061,
 11062, 11063, 11064, 11065, 11066
 \DeclareTextSymbolDefault
 1135, 1190, 1191, 1192,
 1193, 1194, 1195, 1196, 1197, 1198,
 1199, 1200, 1201, 1202, 1203, 1204,
 1205, 1206, 1207, 1208, 1209, 1210,
 1211, 1212, 1213, 1214, 1215, 1216,
 1217, 1218, 1219, 1220, 1221, 1222,
 1223, 1224, 1225, 1226, 1227, 1228,
 1230, 1231, 11450, 11451, 11452,
 11453, 11454, 11455, 11456, 11457,
 11458, 11459, 11460, 11461, 11462,
 11463, 11464, 11465, 11466, 11467,
 11468, 11469, 11470, 11471, 11472,
 11473, 11474, 11475, 11476, 11477,
 11478, 11479, 11480, 11481, 11482,
 11483, 11484, 11485, 11486, 11487,
 11488, 11489, 11490, 11491, 11492,
 11493, 11494, 11495, 11496, 11497,
 11498, 11499, 11500, 11501, 11502
 \DeclareUnicodeAccent 1917,
 11067, 11068, 11069, 11070, 11071,
 11072, 11073, 11074, 11075, 11076,
 11077, 11078, 11079, 11080, 11081
 \default@ds
 ... 1162, 1173, L209, L439, L441
 \default@family
 o94, o126, o358, o361, o384, o419
 \default@M o101, o141, o144, o148
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

- \default@mextra [q10](#), [q89](#)
 - \default@series
 - [o94](#), [o127](#), [o359](#), [o362](#), [o381](#), [o416](#)
 - \default@shape
 - [o95](#), [o128](#), [o360](#), [o363](#), [o379](#), [o414](#)
 - \default@T [o135](#), [o138](#), [o148](#), [o237](#)
 - \defaultthyphenchar [b319](#)
 - \defaultscriptratio [o479](#), [o486](#)
 - \defaultscriptscriptratio [o480](#), [o486](#)
 - \defaultskewchar [b320](#)
 - \define@mathalphabet [q18](#), [q131](#)
 - \define@mathgroup [q19](#), [q135](#)
 - \define@newfont [o289](#), [o298](#)
 - \deg [z34](#)
 - \delcode [r792](#)
 - \delimiter [r723](#), [r788](#)
 - \delimiterfactor [b321](#)
 - \delimitershortfall [b331](#)
 - \Delta [t261](#)
 - \delta [t234](#)
 - \depth [B32](#), [B35](#)
 - \det [z30](#)
 - \detokenize [l895](#), [l915](#)
 - \DH [l442](#), [l966](#), [O317](#)
 - \dh [l452](#), [l972](#), [O317](#)
 - \Diamond [s107](#)
 - \diamond [t338](#)
 - \diamondsuit [t300](#)
 - \dim [z28](#)
 - \dimen@ [b41](#), [b388](#), [b389](#), [b425](#), [b426](#),
 - [b428](#), [b430](#), [g28](#), [g29](#), [i241](#), [i246](#),
[l375](#), [l376](#), [l378](#), [l379](#), [l705](#), [l706](#),
[l1428](#), [l1430](#), [o179](#), [o181](#), [o187](#),
[o200](#), [o203](#), [o207](#), [o478](#), [o479](#),
[o480](#), [o484](#), [p405](#), [p406](#), [p407](#),
[p408](#), [p412](#), [z72](#), [z73](#), [z129](#), [z130](#),
[z131](#), [z132](#), [B366](#), [B369](#), [C149](#),
[C150](#), [K482](#), [K484](#), [K505](#), [K507](#)
 - \dimen@i [b41](#)
 - \dimen@ii [b41](#), [o183](#), [o188](#)
 - \dimendef [b42](#), [b43](#), [b44](#), [b52](#), [b88](#), [N216](#)
 - \dimenzero [N216](#)
 - \dimexpr [l1049](#), [l1052](#)
 - \directlua [a9](#),
 - [a12](#), [a17](#), [a20](#), [a25](#), [b65](#), [b78](#),
[b102](#), [b242](#), [d21](#), [N2](#), [N12](#), [N28](#),
[N207](#), [N221](#), [N248](#), [N253](#), [N257](#)
 - \disable_callback [489](#), [N740](#)
 - \discretionary [d10](#), [z148](#)
 - \displ@y [z134](#), [z138](#), [z139](#)
 - \displaylines [z133](#)
 - \displaymath [z244](#)
 - displaymath (environment) [z242](#)
 - File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
 - \displaystyle ... [t484](#), [t487](#), [t490](#),
[t492](#), [z62](#), [z140](#), [z268](#), [z271](#),
[z308](#), [z333](#), [z345](#), [z373](#), [z397](#), [z400](#)
 - \displaywidowpenalty [b311](#)
 - \displaywidth .. [z140](#), [z267](#), [z320](#), [z376](#)
 - \div [t341](#)
 - \DJ [l443](#), [l976](#), [O317](#)
 - \dj [l453](#), [l977](#), [O317](#)
 - \do .. [a74](#), [a75](#), [a126](#), [b13](#), [b14](#), [d46](#),
[f3](#), [f7](#), [f16](#), [f26](#), [k56](#), [k59](#), [k99](#),
[k151](#), [k205](#), [k211](#), [v73](#), [y113](#),
[y134](#), [y145](#), [y151](#), [B52](#), [C205](#),
[C230](#), [D31](#), [D36](#), [D82](#), [D185](#),
[D187](#), [D207](#), [D210](#), [D249](#), [D293](#),
[D406](#), [G65](#), [G134](#), [L82](#), [L99](#),
[L180](#), [L194](#), [L206](#), [L211](#), [L231](#),
[L241](#), [L482](#), [L539](#), [L598](#), [I16](#), [I41](#)
 - \do@noligs [y146](#), [y151](#)
 - \do@subst@correction . [o49](#), [p436](#), [p491](#)
 - \DocInput [p8](#), [t5](#), [u5](#), [M4](#)
 - \document [80](#), [k11](#), [I40](#)
 - \document@select@group ... [r137](#), [r236](#)
 - \documentclass
 - [p2](#), [t2](#), [u2](#), [L247](#), [L254](#),
[L281](#), [L284](#), [L407](#), [L502](#), [M2](#), [N14](#)
 - \documentstyle [L252](#), [L502](#)
 - \dorestore@version [r114](#), [r119](#)
 - \dospecials
 - [a74](#), [a126](#), [b13](#), [y113](#), [y134](#), [L539](#)
 - \dot [t477](#)
 - \doteq [t421](#)
 - \dotfill [b432](#)
 - \dots [l269](#), [l271](#)
 - \doublehyphendemerits [b314](#)
 - \doublerulesep [C270](#), [C297](#), [C321](#)
 - \Downarrow [t534](#)
 - \downarrow [t528](#)
 - \downbracefill [t489](#), [t507](#)
 - \ds@ [L175](#), [L443](#)
 - \dt@pfalse [z135](#)
 - \dt@ptrue [z134](#)
 - \dump [O381](#)
- ## E
- \E [L540](#), [L543](#), [L570](#)
 - \e@alloc .. [b51](#), [b52](#), [b53](#), [b55](#), [b56](#),
[b63](#), [b64](#), [b66](#), [b68](#), [b76](#), [b79](#),
[b81](#), [b135](#), [N13](#), [N49](#), [N81](#), [N91](#),
[N180](#), [N188](#), [N196](#), [N204](#), [O12](#), [O33](#)
 - \e@alloc@attribute@count
 - [N69](#), [N77](#), [N78](#), [N82](#), [N84](#), [N229](#)
 - \e@alloc@bytecode@count ... [N73](#),
[N192](#), [N193](#), [N197](#), [N199](#), [N245](#)

- `\e@alloc@ccodetable@count`
 . [N70](#), [N87](#), [N88](#), [N92](#), [N95](#), [N233](#)
`\e@alloc@chardef`
 [b60](#), [b99](#), [b207](#), [b208](#),
 [N48](#), [N180](#), [N188](#), [N196](#), [N204](#), [O12](#)
`\e@alloc@intercharclass@top` ... [O21](#)
`\e@alloc@luachunk@count` ... [N74](#),
 [N200](#), [N201](#), [N205](#), [N209](#), [N247](#)
`\e@alloc@luafunction@count`
 [N71](#), [N176](#),
 [N177](#), [N181](#), [N183](#), [N239](#), [N241](#)
`\e@alloc@top`
 [b55](#), [b63](#), [b99](#), [b185](#), [b245](#), [N47](#),
 [N82](#), [N181](#), [N189](#), [N197](#), [N205](#), [O12](#)
`\e@alloc@whatsit@count` [N72](#),
 [N184](#), [N185](#), [N189](#), [N191](#), [N243](#)
`\e@ch@ck` [b139](#), [b149](#), [N51](#), [N55](#)
`\e@insert@top` . [b243](#), [b245](#), [b262](#), [b277](#)
`\e@mathgroup@top` [b76](#), [b121](#), [r56](#), [r145](#)
`\egroup` [b369](#)
`\eject` [b399](#)
`\ell` [t275](#)
`\em` [s31](#), [v25](#)
`\emergencystretch` [J45](#), [J51](#)
`\eminnershape` [s31](#)
`\emph` [v25](#)
`\empty` [b367](#)
`\empty@sfcnt`
 [p444](#), [p445](#), [p446](#), [p460](#), [p465](#), [p499](#)
`\emptyset` [t282](#)
`\enc@update` [o222](#), [o224](#), [o240](#), [o243](#), [p129](#)
`\encodingdefault` [l888](#), [l1314](#), [l1340](#),
 [r237](#), [s94](#), [t42](#), [N252](#), [N276](#), [N284](#)
`\end` . [a69](#), [d8](#), [d287](#), [g200](#), [p9](#), [t6](#), [u6](#),
 [y60](#), [y97](#), [y98](#), [z354](#), [z363](#), [A112](#),
 [F15](#), [F17](#), [L548](#), [L552](#), [L558](#), [M5](#)
`\end@dblfloat` [G205](#)
`\end@float` .. [G189](#), [G227](#), [G243](#), [G363](#)
`\endarray` [C144](#)
`\endcenter` [y74](#)
`\enddisplaymath` [z245](#)
`\enddocument` [y8](#)
`\endenumerate` [A240](#)
`\endeqnarray` [z276](#), [z307](#)
`\endequation` [z248](#)
`\endfilecontents` [L506](#)
`\endflushleft` [y81](#)
`\endflushright` [y87](#)
`\endgraf` [b364](#)
`\EndIncludeInRelease` [a22](#),
 [a50](#), [b84](#), [b98](#), [b115](#), [b120](#), [b130](#),
 [b134](#), [b144](#), [b147](#), [b164](#), [b178](#),
 [b182](#), [b216](#), [b221](#), [b274](#), [b286](#),
 [b477](#), [b484](#), [b531](#), [b536](#), [c75](#),
 [c76](#), [d276](#), [d279](#), [i85](#), [i97](#), [i108](#),
 [i125](#), [i137](#), [i202](#), [i224](#), [i290](#), [i294](#),
 [l279](#), [l301](#), [l316](#), [l324](#), [m28](#), [m33](#),
 [m85](#), [m91](#), [m111](#), [m114](#), [n10](#),
 [n14](#), [o196](#), [o213](#), [o404](#), [o437](#),
 [o553](#), [o565](#), [q21](#), [q143](#), [r77](#),
 [r105](#), [r168](#), [r198](#), [s39](#), [s45](#), [t68](#),
 [z176](#), [z184](#), [z213](#), [z240](#), [z336](#),
 [z348](#), [z357](#), [z366](#), [A132](#), [A137](#),
 [B13](#), [B22](#), [B79](#), [B86](#), [B143](#),
 [B150](#), [B198](#), [B206](#), [B315](#), [B320](#),
 [B343](#), [B350](#), [D285](#), [D326](#), [G104](#),
 [G172](#), [G231](#), [G246](#), [G297](#),
 [G310](#), [G395](#), [G400](#), [K53](#), [K62](#),
 [K339](#), [K344](#), [K392](#), [K438](#), [K721](#),
 [K740](#), [K803](#), [K821](#), [K863](#), [K884](#),
 [K1126](#), [K1295](#), [K1377](#), [K1471](#),
 [K1593](#), [K1720](#), [K1839](#), [K1867](#),
 [K2087](#), [K2105](#), [K2152](#), [K2196](#),
 [L94](#), [L236](#), [L355](#), [N224](#), [N249](#),
 [N281](#), [N285](#), [O15](#), [O19](#), [O37](#),
 [O55](#), [O65](#), [O72](#), [O80](#), [O131](#), [O155](#)
`\enditemize` [A251](#)
`\endline` [b364](#), [z118](#)
`\endlinechar` [a92](#), [a93](#), [a94](#), [a204](#), [d24](#),
 [d26](#), [d31](#), [k179](#), [L135](#), [L136](#), [L137](#)
`\endlist` [A98](#), [A240](#), [A251](#)
`\endlrbox` [B110](#)
`\endmath` [z243](#)
`\endminipage` [B281](#)
`\endpicture` [D17](#)
`\endsloppypar` [J49](#)
`\endtabbing` [C73](#)
`\endtabular` [C144](#)
`\endtabular*` [C144](#)
`\endtrivlist` [y74](#), [y81](#), [y87](#),
 [y119](#), [z378](#), [A100](#), [A101](#), [C74](#), [E39](#)
`\endverbatim` [y118](#), [y122](#)
`\enlargethispage` [K1765](#)
`\enlargethispage*` [K1765](#)
`\enskip` [i306](#)
`\enspace` [i303](#)
`\ensuremath`
 ... [m87](#), [z309](#), [G385](#), [G393](#), [G403](#)
`\enumerate` [A231](#)
`enumerate (environment)` [A231](#)
environments:
 center [y73](#)
 displaymath [z242](#)
 enumerate [A231](#)
 eqnarray [z254](#), [z379](#)
 eqnarray* [z305](#)
 equation [z246](#), [z367](#)
 filecontents [464](#)
- File Key:** a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

- flushleft [y80](#)
 - flushright [y86](#)
 - itemize [A242](#)
 - lrbox [294](#)
 - math [z242](#)
 - minipage [295](#)
 - sloppypar [J48](#)
 - thebibliography [386](#)
 - verbatim* [y121](#)
 - \epsilon [t235](#)
 - \eqnarray [z259](#), [z306](#)
 - eqnarray (environment) [z254](#), [z379](#)
 - eqnarray* (environment) [z305](#)
 - \eqno [z248](#)
 - \equation [z247](#)
 - equation (environment) [z246](#), [z367](#)
 - \equiv [t400](#)
 - \err@rel@i [q12](#), [q99](#), [q132](#), [q136](#)
 - \errhelp [a217](#),
[c30](#), [g39](#), [g66](#), [M12](#), [O223](#), [O372](#)
 - \errmessage [a4](#),
[a58](#), [a222](#), [b161](#), [b175](#), [b290](#),
[c31](#), [g47](#), [g72](#), [o376](#), [o411](#), [p379](#),
[p479](#), [q65](#), [M16](#), [N63](#), [O49](#), [O225](#)
 - \error@fontshape
[o353](#), [o377](#), [o412](#), [p107](#), [p481](#), [r222](#)
 - \errorcontextlines [b324](#),
[b451](#), [b467](#), [b482](#), [b495](#), [b512](#), [g163](#)
 - \errorstopmode [b440](#), [O380](#)
 - \escapechar [d103](#), [d146](#),
[d150](#), [d158](#), [o301](#), [o446](#), [p183](#),
[r58](#), [r86](#), [r147](#), [r177](#), [r221](#), [N206](#)
 - \et@xmaxfam [N20](#), [N24](#), [N30](#), [N38](#)
 - \et@xmaxregs [N28](#),
[N31](#), [N32](#), [N33](#), [N34](#), [N35](#), [N36](#), [N37](#)
 - \eta [t237](#)
 - \etatcatcode [N774](#)
 - \eTeXversion [a57](#)
 - \evensidemargin [K80](#), [K584](#)
 - \every@math@size [o43](#), [p189](#), [p201](#)
 - \everycr .. [b420](#), [z135](#), [z138](#), [z267](#), [z394](#)
 - \everydisplay [o279](#), [o280](#), [o285](#)
 - \everyjob [c36](#),
[c41](#), [c46](#), [r241](#), [N210](#), [N211](#),
[N254](#), [N255](#), [O342](#), [O343](#), [O345](#)
 - \everymath [o278](#), [o280](#), [o283](#)
 - \everypar [63](#), [k37](#), [o499](#), [o512](#),
[o559](#), [y50](#), [y116](#), [A129](#), [A131](#),
[A135](#), [A136](#), [A180](#), [A197](#), [B242](#),
[C70](#), [F31](#), [F79](#), [F90](#), [F110](#),
[F119](#), [G187](#), [K168](#), [K1061](#), [K1227](#)
 - \execute@size@function
[p316](#), [p344](#), [p358](#), [p375](#)
 - File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=lt pictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
 - \ExecuteOptions [l1376](#), [p57](#), [p70](#), [L224](#)
 - \exhyphenpenalty [b306](#), [b393](#)
 - \exists [t293](#)
 - \exp [z31](#)
 - \external@font [p84](#),
[p87](#), [p98](#), [p102](#), [p104](#), [p345](#),
[p359](#), [p421](#), [p455](#), [p505](#), [p507](#), [p509](#)
 - \extra@def [q9](#), [q84](#)
 - \extracolsep [C140](#)
 - \extract@alph@from@version
[o452](#), [o458](#), [r151](#), [r182](#)
 - \extract@font [o312](#), [p81](#)
 - \extract@fontinfo [p312](#), [p319](#)
 - \extract@range@fontinfo
[p329](#), [p336](#), [p355](#), [p388](#)
 - \extract@size@fn [p304](#), [p326](#)
 - \extrafloats [b149](#), [b186](#), [b260](#)
- ## F
- \f@baselineskip
[l1050](#), [o251](#), [o258](#), [o365](#), [p119](#),
[p136](#), [p140](#), [p155](#), [p169](#), [p180](#), [p194](#)
 - \f@depth [G295](#), [K319](#)
 - \f@encoding [l128](#), [o216](#), [o235](#),
[o238](#), [o239](#), [o241](#), [o260](#), [o292](#),
[o297](#), [o316](#), [o318](#), [o320](#), [o325](#),
[o327](#), [o357](#), [o373](#), [o408](#), [p91](#),
[p261](#), [p471](#), [r207](#), [N252](#), [N276](#), [N284](#)
 - \f@family [l1393](#), [l1396](#), [l1410](#), [l1420](#),
[l1426](#), [l1641](#), [o244](#), [o254](#), [o293](#),
[o297](#), [o316](#), [o318](#), [o320](#), [o325](#),
[o327](#), [o361](#), [o384](#), [o419](#), [p91](#), [r207](#)
 - \f@linespread ... [o254](#), [p118](#), [p137](#),
[p138](#), [p141](#), [p149](#), [p152](#), [p163](#), [p166](#)
 - \f@series [j14](#), [o244](#), [o255](#),
[o294](#), [o297](#), [o362](#), [o381](#), [o416](#), [s81](#)
 - \f@shape [o244](#),
[o256](#), [o295](#), [o297](#), [o363](#), [o379](#), [o414](#)
 - \f@size [l130](#), [l1049](#), [l1428](#), [o53](#), [o251](#),
[o257](#), [o296](#), [o364](#), [o401](#), [o435](#),
[o477](#), [o478](#), [o481](#), [o482](#), [p119](#),
[p121](#), [p134](#), [p154](#), [p169](#), [p172](#),
[p175](#), [p180](#), [p187](#), [p194](#), [p206](#),
[p209](#), [p215](#), [p221](#), [p238](#), [p239](#),
[p242](#), [p247](#), [p313](#), [p320](#), [p339](#),
[p341](#), [p356](#), [p407](#), [p409](#), [p411](#),
[p427](#), [p428](#), [p433](#), [p447](#), [p459](#),
[p464](#), [p476](#), [p484](#), [p489](#), [p497](#), [p511](#)
 - \f@user@size .. [p427](#), [p432](#), [p476](#), [p489](#)
 - \fam [b95](#), [o16](#), [N20](#), [N24](#), [N38](#)
 - \familydefault [r238](#), [s95](#), [t83](#)
 - \fbox [294](#), [B128](#), [B141](#), [B148](#)
 - \fboxrule [B126](#), [B162](#), [B165](#),
[B171](#), [B173](#), [B180](#), [B181](#), [O84](#)

- \fboxsep [B126](#), [B132](#),
 [B161](#), [B166](#), [B176](#), [B178](#), [O83](#)
- \filbreak [b397](#)
- \filecontents
 ... [L511](#), [L512](#), [L513](#), [L592](#), [L598](#)
- \filecontents [L506](#)
- filecontents (environment) [464](#)
- \filename@area [a246](#), [a252](#),
 [a259](#), [a265](#), [a272](#), [a278](#), [a285](#),
 [k168](#), [k190](#), [k193](#), [k207](#), [k219](#), [k221](#)
- \filename@base
 [a294](#), [k168](#), [k190](#), [k193](#), [k214](#), [k219](#)
- \filename@dot [a292](#), [a295](#)
- \filename@ext [a290](#), [a292](#),
 [k169](#), [k186](#), [k187](#), [k190](#), [k193](#), [k215](#)
- \filename@parse [1](#),
 [6](#), [a110](#), [a242](#), [k166](#), [k185](#), [k212](#)
- \filename@path .. [a247](#), [a248](#), [a253](#),
 [a260](#), [a261](#), [a266](#), [a273](#), [a274](#), [a279](#)
- \filename@simple
 [a250](#), [a263](#), [a276](#), [a286](#), [a288](#)
- \fill [i300](#)
- \finalhyphendemerits [b315](#)
- \finph@nt [z87](#), [z89](#), [z90](#)
- \finsm@sh [z103](#), [z105](#), [z106](#)
- \firstmark [J37](#), [K618](#), [K2127](#)
- \fix@penalty [v84](#)
- \fixed@sfcnt [p501](#), [p502](#), [p503](#)
- \fl@trace [K214](#),
 [K241](#), [K297](#), [K325](#), [K332](#), [K353](#),
 [K400](#), [K446](#), [K499](#), [K514](#), [K515](#),
 [K516](#), [K517](#), [K528](#), [K529](#), [K530](#),
 [K531](#), [K532](#), [K542](#), [K691](#), [K710](#),
 [K729](#), [K747](#), [K749](#), [K888](#), [K892](#),
 [K904](#), [K905](#), [K906](#), [K907](#), [K913](#),
 [K916](#), [K924](#), [K928](#), [K939](#), [K944](#),
 [K949](#), [K950](#), [K951](#), [K952](#), [K959](#),
 [K962](#), [K970](#), [K981](#), [K987](#), [K992](#),
 [K997](#), [K1003](#), [K1004](#), [K1009](#),
 [K1014](#), [K1015](#), [K1016](#), [K1024](#),
 [K1028](#), [K1033](#), [K1037](#), [K1042](#),
 [K1053](#), [K1054](#), [K1056](#), [K1074](#),
 [K1083](#), [K1089](#), [K1098](#), [K1101](#),
 [K1107](#), [K1117](#), [K1121](#), [K1131](#),
 [K1137](#), [K1143](#), [K1149](#), [K1156](#),
 [K1158](#), [K1164](#), [K1169](#), [K1171](#),
 [K1173](#), [K1181](#), [K1186](#), [K1192](#),
 [K1197](#), [K1203](#), [K1217](#), [K1218](#),
 [K1221](#), [K1242](#), [K1251](#), [K1257](#),
 [K1266](#), [K1269](#), [K1276](#), [K1286](#),
 [K1290](#), [K1302](#), [K1308](#), [K1313](#),
 [K1318](#), [K1322](#), [K1326](#), [K1327](#),
 [K1334](#), [K1339](#), [K1343](#), [K1350](#),
 [K1359](#), [K1363](#), [K1367](#), [K1368](#),
 [K1372](#), [K1373](#), [K1383](#), [K1389](#),
 [K1395](#), [K1401](#), [K1405](#), [K1411](#),
 [K1413](#), [K1421](#), [K1426](#), [K1431](#),
 [K1439](#), [K1448](#), [K1453](#), [K1458](#),
 [K1460](#), [K1465](#), [K1467](#), [K1478](#),
 [K1484](#), [K1494](#), [K1500](#), [K1504](#),
 [K1505](#), [K1510](#), [K1511](#), [K1517](#),
 [K1520](#), [K1521](#), [K1522](#), [K1529](#),
 [K1530](#), [K1531](#), [K1539](#), [K1544](#),
 [K1556](#), [K1557](#), [K1564](#), [K1567](#),
 [K1575](#), [K1579](#), [K1583](#), [K1584](#),
 [K1588](#), [K1589](#), [K1599](#), [K1605](#),
 [K1615](#), [K1621](#), [K1625](#), [K1626](#),
 [K1632](#), [K1633](#), [K1640](#), [K1643](#),
 [K1644](#), [K1645](#), [K1653](#), [K1654](#),
 [K1655](#), [K1664](#), [K1669](#), [K1682](#),
 [K1684](#), [K1691](#), [K1694](#), [K1703](#),
 [K1707](#), [K1711](#), [K1712](#), [K1716](#),
 [K1717](#), [K1769](#), [K1774](#), [K1780](#),
 [K1790](#), [K1797](#), [K1807](#), [K1903](#),
 [K1916](#), [K1917](#), [K1921](#), [K1924](#),
 [K1926](#), [K1929](#), [K1932](#), [K1934](#),
 [K1975](#), [K1982](#), [K1987](#), [K1993](#),
 [K1998](#), [K2002](#), [K2008](#), [K2016](#),
 [K2018](#), [K2025](#), [K2030](#), [K2035](#),
 [K2037](#), [K2043](#), [K2045](#), [K2052](#),
 [K2081](#), [K2083](#), [K2098](#), [K2100](#),
 [K2114](#), [K2139](#), [K2143](#), [K2148](#),
 [K2160](#), [K2177](#), [K2182](#), [K2190](#)
- \fl@tracemessage [K1807](#)
- \fl@traceval [K1807](#)
- \flat [t296](#)
- \float@count .. [b51](#), [b52](#), [b53](#), [b62](#),
 [b185](#), [b202](#), [b207](#), [b209](#), [b210](#), [b219](#)
- \floatingpenalty [G418](#)
- \floatpagefraction [G282](#), [K2208](#)
- \floatsep [K636](#),
 [K654](#), [K661](#), [K2014](#), [K2064](#), [K2213](#)
- \flushbottom [J41](#)
- \flushleft [y80](#)
- flushleft (environment) [y80](#)
- \flushright [y86](#)
- flushright (environment) [y86](#)
- \fmtname [c1](#), [c37](#),
 [c39](#), [c42](#), [c44](#), [c47](#), [c49](#), [L290](#), [L294](#)
- \fmtversion
 ... [c1](#), [c18](#), [c37](#), [c39](#), [c42](#), [c44](#),
 [c47](#), [c49](#), [c63](#), [g2](#), [o1](#), [C1](#), [D1](#),
 [K4](#), [L307](#), [L310](#), [N277](#), [O326](#), [O352](#)
- \fmtversion@topatch [O324](#),
 [O326](#), [O338](#), [O339](#), [O351](#), [O359](#)
- \fnsymbol [140](#), [m50](#)
- \font .. [b425](#), [b430](#), [b436](#), [b447](#), [b448](#),
 [b449](#), [b450](#), [b451](#), [b452](#), [b453](#),
 [b454](#), [b455](#), [b456](#), [b457](#), [b458](#),
 [b459](#), [b460](#), [b461](#), [b462](#), [b463](#),
 [b464](#), [b465](#), [b466](#), [b467](#), [b468](#),
 [b469](#), [b470](#), [b471](#), [b472](#), [b473](#),
 [b474](#), [b475](#), [b476](#), [b477](#), [b478](#),
 [b479](#), [b480](#), [b481](#), [b482](#), [b483](#),
 [b484](#), [b485](#), [b486](#), [b487](#), [b488](#),
 [b489](#), [b490](#), [b491](#), [b492](#), [b493](#),
 [b494](#), [b495](#), [b496](#), [b497](#), [b498](#),
 [b499](#), [b500](#), [b501](#), [b502](#), [b503](#),
 [b504](#), [b505](#), [b506](#), [b507](#), [b508](#),
 [b509](#), [b510](#), [b511](#), [b512](#), [b513](#),
 [b514](#), [b515](#), [b516](#), [b517](#), [b518](#),
 [b519](#), [b520](#), [b521](#), [b522](#), [b523](#),
 [b524](#), [b525](#), [b526](#), [b527](#), [b528](#),
 [b529](#), [b530](#), [b531](#), [b532](#), [b533](#),
 [b534](#), [b535](#), [b536](#), [b537](#), [b538](#),
 [b539](#), [b540](#), [b541](#), [b542](#), [b543](#),
 [b544](#), [b545](#), [b546](#), [b547](#), [b548](#),
 [b549](#), [b550](#), [b551](#), [b552](#), [b553](#),
 [b554](#), [b555](#), [b556](#), [b557](#), [b558](#),
 [b559](#), [b560](#), [b561](#), [b562](#), [b563](#),
 [b564](#), [b565](#), [b566](#), [b567](#), [b568](#),
 [b569](#), [b570](#), [b571](#), [b572](#), [b573](#),
 [b574](#), [b575](#), [b576](#), [b577](#), [b578](#),
 [b579](#), [b580](#), [b581](#), [b582](#), [b583](#),
 [b584](#), [b585](#), [b586](#), [b587](#), [b588](#),
 [b589](#), [b590](#), [b591](#), [b592](#), [b593](#),
 [b594](#), [b595](#), [b596](#), [b597](#), [b598](#),
 [b599](#), [b600](#), [b601](#), [b602](#), [b603](#),
 [b604](#), [b605](#), [b606](#), [b607](#), [b608](#),
 [b609](#), [b610](#), [b611](#), [b612](#), [b613](#),
 [b614](#), [b615](#), [b616](#), [b617](#), [b618](#),
 [b619](#), [b620](#), [b621](#), [b622](#), [b623](#),
 [b624](#), [b625](#), [b626](#), [b627](#), [b628](#),
 [b629](#), [b630](#), [b631](#), [b632](#), [b633](#),
 [b634](#), [b635](#), [b636](#), [b637](#), [b638](#),
 [b639](#), [b640](#), [b641](#), [b642](#), [b643](#),
 [b644](#), [b645](#), [b646](#), [b647](#), [b648](#),
 [b649](#), [b650](#), [b651](#), [b652](#), [b653](#),
 [b654](#), [b655](#), [b656](#), [b657](#), [b658](#),
 [b659](#), [b660](#), [b661](#), [b662](#), [b663](#),
 [b664](#), [b665](#), [b666](#), [b667](#), [b668](#),
 [b669](#), [b670](#), [b671](#), [b672](#), [b673](#),
 [b674](#), [b675](#), [b676](#), [b677](#), [b678](#),
 [b679](#), [b680](#), [b681](#), [b682](#), [b683](#),
 [b684](#), [b685](#), [b686](#), [b687](#), [b688](#),
 [b689](#), [b690](#), [b691](#), [b692](#), [b693](#),
 [b694](#), [b695](#), [b696](#), [b697](#), [b698](#),
 [b699](#), [b700](#), [b701](#), [b702](#), [b703](#),
 [b704](#), [b705](#), [b706](#), [b707](#), [b708](#),
 [b709](#), [b710](#), [b711](#), [b712](#), [b713](#),
 [b714](#), [b715](#), [b716](#), [b717](#), [b718](#),
 [b719](#), [b720](#), [b721](#), [b722](#), [b723](#),
 [b724](#), [b725](#), [b726](#), [b727](#), [b728](#),
 [b729](#), [b730](#), [b731](#), [b732](#), [b733](#),
 [b734](#), [b735](#), [b736](#), [b737](#), [b738](#),
 [b739](#), [b740](#), [b741](#), [b742](#), [b743](#),
 [b744](#), [b745](#), [b746](#), [b747](#), [b748](#),
 [b749](#), [b750](#), [b751](#), [b752](#), [b753](#),
 [b754](#), [b755](#), [b756](#), [b757](#), [b758](#),
 [b759](#), [b760](#), [b761](#), [b762](#), [b763](#),
 [b764](#), [b765](#), [b766](#), [b767](#), [b768](#),
 [b769](#), [b770](#), [b771](#), [b772](#), [b773](#),
 [b774](#), [b775](#), [b776](#), [b777](#), [b778](#),
 [b779](#), [b780](#), [b781](#), [b782](#), [b783](#),
 [b784](#), [b785](#), [b786](#), [b787](#), [b788](#),
 [b789](#), [b790](#), [b791](#), [b792](#), [b793](#),
 [b794](#), [b795](#), [b796](#), [b797](#), [b798](#),
 [b799](#), [b800](#), [b801](#), [b802](#), [b803](#),
 [b804](#), [b805](#), [b806](#), [b807](#), [b808](#),
 [b809](#), [b810](#), [b811](#), [b812](#), [b813](#),
 [b814](#), [b815](#), [b816](#), [b817](#), [b818](#),
 [b819](#), [b820](#), [b821](#), [b822](#), [b823](#),
 [b824](#), [b825](#), [b826](#), [b827](#), [b828](#),
 [b829](#), [b830](#), [b831](#), [b832](#), [b833](#),
 [b834](#), [b835](#), [b836](#), [b837](#), [b838](#),
 [b839](#), [b840](#), [b841](#), [b842](#), [b843](#),
 [b844](#), [b845](#), [b846](#), [b847](#), [b848](#),
 [b849](#), [b850](#), [b851](#), [b852](#), [b853](#),
 [b854](#), [b855](#), [b856](#), [b857](#), [b858](#),
 [b859](#), [b860](#), [b861](#), [b862](#), [b863](#),
 [b864](#), [b865](#), [b866](#), [b867](#), [b868](#),
 [b869](#), [b870](#), [b871](#), [b872](#), [b873](#),
 [b874](#), [b875](#), [b876](#), [b877](#), [b878](#),
 [b879](#), [b880](#), [b881](#), [b882](#), [b883](#),
 [b884](#), [b885](#), [b886](#), [b887](#), [b888](#),
 [b889](#), [b890](#), [b891](#), [b892](#), [b893](#),
 [b894](#), [b895](#), [b896](#), [b897](#), [b898](#),
 [b899](#), [b900](#), [b901](#), [b902](#), [b903](#),
 [b904](#), [b905](#), [b906](#), [b907](#), [b908](#),
 [b909](#), [b910](#), [b911](#), [b912](#), [b913](#),
 [b914](#), [b915](#), [b916](#), [b917](#), [b918](#),
 [b919](#), [b920](#), [b921](#), [b922](#), [b923](#),
 [b924](#), [b925](#), [b926](#), [b927](#), [b928](#),
 [b929](#), [b930](#), [b931](#), [b932](#), [b933](#),
 [b934](#), [b935](#), [b936](#), [b937](#), [b938](#),
 [b939](#), [b940](#), [b941](#), [b942](#), [b943](#),
 [b944](#), [b945](#), [b946](#), [b947](#), [b948](#),
 [b949](#), [b950](#), [b951](#), [b952](#), [b953](#),
 [b954](#), [b955](#), [b956](#), [b957](#), [b958](#),
 [b959](#), [b960](#), [b961](#), [b962](#), [b963](#),
 [b964](#), [b965](#), [b966](#), [b967](#), [b968](#),
 [b969](#), [b970](#), [b971](#), [b972](#), [b973](#),
 [b974](#), [b975](#), [b976](#), [b977](#), [b978](#),
 [b979](#), [b980](#), [b981](#), [b982](#), [b983](#),
 [b984](#), [b985](#), [b986](#), [b987](#), [b988](#),
 [b989](#), [b990](#), [b991](#), [b992](#), [b993](#),
 [b994](#), [b995](#), [b996](#), [b997](#), [b998](#),
 [b999](#), [c000](#), [c001](#), [c002](#), [c003](#),
 [c004](#), [c005](#), [c006](#), [c007](#), [c008](#),
 [c009](#), [c010](#), [c011](#), [c012](#), [c013](#),
 [c014](#), [c015](#), [c016](#), [c017](#), [c018](#),
 [c019](#), [c020](#), [c021](#), [c022](#), [c023](#),
 [c024](#), [c025](#), [c026](#), [c027](#), [c028](#),
 [c029](#), [c030](#), [c031](#), [c032](#), [c033](#),
 [c034](#), [c035](#), [c036](#), [c037](#), [c038](#),
 [c039](#), [c040](#), [c041](#), [c042](#), [c043](#),
 [c044](#), [c045](#), [c046](#), [c047](#), [c048](#),
 [c049](#), [c050](#), [c051](#), [c052](#), [c053](#),
 [c054](#), [c055](#), [c056](#), [c057](#), [c058](#),
 [c059](#)

- l1046, o46, o52, o54, p84, s35,
 s42, s68, s80, u8, u9, u10, v68, y115
 \font@info p99, p319, p388, p393
 \font@name l129,
 l132, o51, o159, o161, o288,
 o303, o400, o434, p84, p88,
 p90, p105, p120, p123, p126,
 p284, p285, p286, p287, p288, p293
 \font@submax p395, p424,
 p425, y22, y24, O215, O217, O226
 \fontdimen b425, b430, l246,
 l247, l248, l385, l392, l708, l715,
 s35, s42, s80, v68, D38, D40, D364
 \fontencoding
 l1340, o216, o247, r237,
 t15, t18, N251, N252, N283, N284
 \fontfamily
 . l1412, o244, r238, s6, s9, s12, t51
 \fontname l901, o54
 \fontseries o244, r239, s15, s18
 \fontshape l395,
 l718, o244, r240, s21, s24, s27, s30
 \fontsize j6,
 l251, l277, l309, l1048, l1430,
 o44, o252, s74, G385, G393, G403
 \fontsubfuzz p395, p429, y22
 \footins G370, G414,
 K288, K289, K290, K291, K349,
 K396, K456, K464, K468, K491
 \footnote G405
 \footnotemark F9, G427
 \footnoterule B287, G374, K467
 \footnotesep B306, G404, G417, G425
 \footnotesize B299, G415
 \footnotetext F11, G444
 \footskip K84, K608
 \forall t292
 \fps@dbl G34
 \frac z251
 \frame B112, B188
 \framebox 294, B135
 \frenchspacing b350, k40, y118, y144
 \frown t403
 \frozen@everydisplay o278, o284
 \frozen@everymath o278, o282
 \fussy J50
 \futurelet d293,
 d307, i266, i274, v66, z153, C318
- G**
- \g@addto@macro L450, L456, L460, L461
 \G@refundefinedfalse x5
 \G@refundefinedtrue x3, x12, I21, I44
 \Gamma t260
 File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=lt pictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
- \gamma t233
 \gcd z33
 \ge t374
 \gen@sfcnt p456, p457, p458
 \genb@sfcnt p461, p462, p463
 \genb@x p464, p466
 \genb@y p466
 \GenericError g18, g85, g111, g137, p62
 \GenericInfo c64, c67, c71, g4,
 g104, g130, g155, p31, p34, p39, p75
 \GenericWarning g11,
 g94, g120, g146, p42, p47, p50, p78
 \geq t373, t374
 \get@cdp r356, r364, r397
 \get@external@font p83, p96, p490
 \getanddefine@fonts o447, o465,
 p274, r59, r87, r132, r148, r178,
 r263, r327, r361, r363, r380,
 r503, r504, r536, r537, r888, r889
 \GetFileInfo t3
 \getlinechar D108
 \gets t392
 \gg t387
 \glb@currsiz k35,
 o275, p171, p206, p210, p216, p239
 \glb@settings o276, p171, p218, p249
 \globaldefs
 o448, p185, r60, r89, r149, r180
 \glossary 384,
 F146, H23, H35, J20, J28, K592
 \glossaryentry H32
 \goodbreak b397
 \grave t469
 \group@elt r35,
 r261, r298, r299, r320, r324, r920
 \group@list
 r265, r305, r318, r323, r324,
 r353, r575, r618, r700, r703,
 r754, r757, r805, r808, r875, r926
 \guillemotleft l454, l685, l946
 \guillemotright l455, l686, l960
 \guilsinglleft l456, l1016
 \guilsinglright l457, l1017
- H**
- \H g24, l180, l334,
 l415, l509, l517, l536, l544, l665,
 l1072, l1211, l1212, l1239, l1240
 \h@false z77
 \h@true z78, z79
 \halign b420, z96, z140, z267, z394
 \hangindent F122
 \hat t475

`\hb@xt@` [b435](#), [d16](#), [l371](#),
[z140](#), [z272](#), [z318](#), [z333](#), [z345](#),
[z372](#), [z402](#), [B44](#), [B59](#), [B160](#),
[B374](#), [B378](#), [B379](#), [C37](#), [D13](#),
[D23](#), [D32](#), [D122](#), [D156](#), [D159](#),
[D162](#), [D164](#), [D166](#), [D237](#), [D278](#),
[D321](#), [D416](#), [F163](#), [F166](#), [K601](#),
[K611](#), [K1753](#), [K2133](#), [K2134](#),
[K2138](#), [K2165](#), [K2166](#), [K2172](#)
`\hbadness` [b302](#), [o502](#), [o509](#), [o544](#), [o563](#)
`\hbar` [t272](#)
`\headheight` [K82](#), [K597](#)
`\headsep` [K83](#), [K606](#)
`\heartsuit` [t301](#)
`\height` [l1052](#), [B31](#), [B34](#)
`\hexnumber@` [r591](#),
[r599](#), [r614](#), [r635](#), [r643](#), [r651](#),
[r660](#), [r663](#), [r672](#), [r673](#), [r712](#),
[r720](#), [r766](#), [r774](#), [r788](#), [r789](#),
[r792](#), [r818](#), [r826](#), [r831](#), [r833](#), [s85](#)
`\hfuzz` .. [b325](#), [o510](#), [J46](#), [J47](#), [J53](#), [J54](#)
`\hgl@` [b390](#), [b391](#)
`\hgllue` [b387](#)
`\hideoutput` [b485](#)
`\hideskip` [b293](#), [b411](#)
`\hidewidth` [b411](#), [l276](#), [l278](#),
[l307](#), [l311](#), [l339](#), [l340](#), [l343](#), [l346](#),
[l422](#), [l423](#), [l427](#), [l430](#), [l432](#), [l435](#),
[l672](#), [l673](#), [l676](#), [l679](#), [l743](#), [l746](#)
`\hline` [C317](#), [C320](#)
`\hmode@bgroup` [l67](#), [l73](#), [l276](#),
[l305](#), [l339](#), [l345](#), [l373](#), [l384](#), [l391](#),
[l422](#), [l429](#), [l432](#), [l434](#), [l642](#), [l672](#),
[l678](#), [l707](#), [l714](#), [l742](#), [l745](#), [l791](#), [v7](#)
`\hmode@start@before@group`
..... [l68](#), [l111](#), [l113](#), [l119](#), [l134](#)
`\hom` [z29](#)
`\hookleftarrow` [t432](#)
`\hookrightarrow` [t430](#)
`\hphantom` [z75](#)
`\hrule` [b388](#), [b432](#),
[i242](#), [i250](#), [l240](#), [l243](#), [t290](#),
[t566](#), [B118](#), [B123](#), [B171](#), [B181](#),
[C318](#), [C335](#), [D280](#), [D323](#), [G375](#)
`\hrulefill` [b432](#)
`\hspace` [i296](#)
`\hyphenation` [l155](#)
`\hyphenchar` [y115](#)
`\hyphenpenalty` [b305](#), [o516](#), [o548](#)
[l458](#), [l495](#), [l496](#), [l588](#), [l590](#), [l592](#),
[l594](#), [l687](#), [l978](#), [l1121](#), [l1123](#),
[l1125](#), [l1127](#), [l1178](#), [l1181](#), [l1184](#),
[l1187](#), [l1257](#), [O192](#), [O297](#), [O304](#)
`\ialign` [b420](#), [b422](#),
[t287](#), [t411](#), [t482](#), [t485](#), [t488](#),
[t491](#), [z109](#), [z111](#), [z119](#), [C164](#), [D51](#)
`\if@afterindent` [F107](#), [F114](#)
`\if@compatibility` [L2](#), [L249](#)
`\if@endpe` [y62](#), [A138](#)
`\if@eqnsw` [z254](#), [z303](#)
`\if@fcolmade` [K102](#),
[K238](#), [K368](#), [K377](#), [K415](#), [K425](#),
[K689](#), [K709](#), [K727](#), [K756](#), [K836](#),
[K2080](#), [K2097](#), [K2147](#), [K2187](#)
`\if@files` [k7](#),
[k30](#), [k92](#), [k104](#), [k111](#), [k120](#), [y14](#),
[y28](#), [F136](#), [I4](#), [I8](#), [I19](#), [I28](#), [I36](#), [I43](#)
`\if@firstamp` [C212](#)
`\if@firstcolumn` [K102](#), [K220](#), [K253](#),
[K370](#), [K418](#), [K1725](#), [K2111](#), [K2156](#)
`\if@ignore` [y4](#), [y63](#)
`\if@inlabel`
[A28](#), [A65](#), [A102](#), [A160](#), [A183](#), [K164](#)
`\if@insert` [K102](#), [K967](#),
[K1079](#), [K1113](#), [K1247](#), [K1282](#),
[K1356](#), [K1445](#), [K1572](#), [K1700](#)
`\if@minipage` [i155](#), [i172](#),
[i207](#), [y101](#), [A149](#), [B250](#), [C68](#), [G20](#)
`\if@mparswitch` [K102](#), [K1727](#)
`\if@multiplelabels` [x31](#)
`\if@negarg` [D55](#), [D77](#), [D91](#), [D130](#)
`\if@newlist` [y119](#), [A29](#), [A33](#),
[A69](#), [A78](#), [A106](#), [A166](#), [K568](#), [K615](#)
`\if@nmbrlist` [A33](#), [A201](#)
`\if@no@font@opt` [q16](#), [q110](#), [q129](#)
`\if@nobreak` [i58](#), [i174](#), [i209](#),
[k67](#), [k79](#), [A167](#), [A192](#), [B236](#),
[F30](#), [F111](#), [G180](#), [G353](#), [J25](#),
[J33](#), [K168](#), [K309](#), [K1058](#), [K1224](#)
`\if@noitemarg` [A32](#), [A199](#)
`\if@noparitem` [A30](#), [A157](#)
`\if@noparlist` [A31](#), [A114](#)
`\if@noskipsec` [A58](#),
[B237](#), [F21](#), [F23](#), [F80](#), [G354](#), [K158](#)
`\if@ovb` [D212](#), [D265](#), [D270](#), [D309](#), [D314](#)
`\if@ovhline` [D244](#), [D280](#), [D290](#)
`\if@ovl` [D212](#), [D263](#), [D282](#), [D305](#), [D324](#)
`\if@ovr` [D212](#), [D262](#), [D279](#), [D304](#), [D322](#)
`\if@ovt` [D212](#), [D264](#), [D275](#), [D308](#), [D318](#)
`\if@ovvline` [D244](#), [D273](#), [D289](#)
`\if@partsw` [k7](#), [k96](#)
`\if@pboxsw` [B233](#), [B308](#)
`\if@reversemargin` [K108](#), [K1730](#)

I

`\I` [b356](#), [L566](#), [L584](#), [O188](#), [O293](#)
`\i` [l197](#), [l351](#),
[l398](#), [l399](#), [l400](#), [l401](#), [l402](#), [l403](#),

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

- `\if@reversemarginpar` [K102](#)
- `\if@rjfield` [C19](#), [C33](#)
- `\if@specialpage` [K102](#), [K577](#)
- `\if@tempswa`
 - [a78](#), [a79](#), [a80](#), [b256](#), [e9](#), [k102](#),
 - [o64](#), [o542](#), [r286](#), [r341](#), [r405](#),
 - [r486](#), [r919](#), [y30](#), [y107](#), [K900](#),
 - [K936](#), [K1536](#), [K1661](#), [L529](#), [I52](#)
- `\if@test` [K12](#), [K13](#),
[K797](#), [K816](#), [K856](#), [K878](#), [K942](#),
[K1026](#), [K1035](#), [K1184](#), [K1195](#),
[K1337](#), [K1424](#), [K1542](#), [K1667](#)
- `\if@twocolumn` [k20](#),
[G32](#), [G210](#), [G235](#), [K102](#), [K146](#),
[K241](#), [K252](#), [K369](#), [K417](#), [K441](#),
[K691](#), [K747](#), [K1724](#), [K2082](#), [K2099](#)
- `\if@twoside` [K102](#), [K145](#), [K580](#)
- `\ifdt@p` [z133](#), [z135](#)
- `\iff` [t452](#)
- `\IfFileExists` [80](#),
[466](#), [a178](#), [k134](#), [k161](#), [k172](#), [O320](#)
- `\iffontchar` [l1046](#)
- `\ifG@refundefined` [x3](#), [x4](#), [x5](#)
- `\ifh@` [z76](#), [z93](#)
- `\ifin@` [l1330](#),
[l1333](#), [q50](#), [q52](#), [r1](#), [r22](#), [r250](#),
[r352](#), [r354](#), [r415](#), [r428](#), [r498](#),
[r500](#), [r528](#), [r576](#), [r588](#), [r619](#),
[r632](#), [r701](#), [r704](#), [r725](#), [r755](#),
[r758](#), [r803](#), [r806](#), [r809](#), [r876](#),
[r878](#), [r907](#), [L86](#), [L104](#), [L185](#), [L197](#)
- `\ifinner` [z174](#),
[z182](#), [z202](#), [z229](#), [G57](#), [G126](#), [G319](#)
- `\ifmath@fonts` [o169](#), [p176](#)
- `\ifmaybe@ic` [v65](#), [v74](#)
- `\ifnot@nil` [p297](#), [p314](#), [p335](#)
- `\ifodd` [r850](#),
[D171](#), [D191](#), [G68](#), [G137](#), [K21](#),
[K145](#), [K581](#), [K892](#), [K895](#), [K928](#),
[K931](#), [K1042](#), [K1045](#), [K1204](#),
[K1207](#), [K1484](#), [K1487](#), [K1605](#),
[K1608](#), [K1728](#), [K1949](#), [K1957](#)
- `\iftc@forced` [l1368](#), [l1378](#), [l1647](#)
- `\ifv@` [z75](#), [z92](#)
- `\ifvbox` [K293](#), [K350](#), [K397](#), [K476](#), [K492](#)
- `\ignorespaces` [i24](#),
[i81](#), [i94](#), [i105](#), [i121](#), [i134](#), [i312](#),
[k60](#), [o249](#), [y63](#), [y71](#), [y72](#), [z210](#),
[z237](#), [A55](#), [A217](#), [B109](#), [B306](#),
[C57](#), [C58](#), [C59](#), [C72](#), [C81](#), [C94](#),
[C98](#), [C105](#), [C112](#), [C114](#), [C123](#),
[C198](#), [C260](#), [C262](#), [C264](#), [C291](#),
[D16](#), [D24](#), [D35](#), [D53](#), [D54](#), [E30](#),
[E32](#), [F93](#), [G17](#), [G24](#), [G425](#), [I7](#), [I9](#)
- `\ignorespacesafterend` [y7](#)
- `\IJ` [l200](#), [l382](#), [l461](#), [l979](#)
- `\ij` [l199](#), [l380](#), [l460](#), [l980](#)
- `\Im` [t278](#)
- `\imath` [t273](#)
- `\in` [t384](#), [t413](#)
- `\in@` [l1328](#),
[l1331](#), [q49](#), [q51](#), [r1](#), [r21](#), [r249](#),
[r351](#), [r353](#), [r411](#), [r424](#), [r497](#),
[r499](#), [r526](#), [r574](#), [r585](#), [r617](#),
[r629](#), [r699](#), [r702](#), [r722](#), [r753](#),
[r756](#), [r800](#), [r804](#), [r807](#), [r874](#),
[r877](#), [r905](#), [L85](#), [L102](#), [L182](#), [L196](#)
- `\in@@` [r5](#), [r6](#), [r7](#), [r9](#)
- `\in@false` [r10](#)
- `\in@true` [r12](#)
- `\in_callback` [488](#), [N724](#)
- `\include` [80](#), [k86](#)
- `\IncludeInRelease` . [a18](#), [a23](#), [b49](#),
[b85](#), [b100](#), [b116](#), [b122](#), [b131](#),
[b136](#), [b145](#), [b151](#), [b165](#), [b179](#),
[b183](#), [b217](#), [b230](#), [b275](#), [b443](#),
[b478](#), [b485](#), [b532](#), [c53](#), [d249](#),
[d277](#), [i70](#), [i86](#), [i98](#), [i111](#), [i126](#),
[i167](#), [i203](#), [i285](#), [i291](#), [l273](#), [l281](#),
[l302](#), [l318](#), [m24](#), [m30](#), [m70](#), [m86](#),
[m94](#), [m112](#), [n5](#), [n11](#), [o175](#), [o197](#),
[o369](#), [o405](#), [o492](#), [o554](#), [q2](#),
[q22](#), [r49](#), [r78](#), [r138](#), [r169](#), [s32](#),
[s40](#), [t55](#), [t69](#), [z169](#), [z177](#), [z187](#),
[z214](#), [z325](#), [z337](#), [z349](#), [z358](#),
[A125](#), [A133](#), [B4](#), [B14](#), [B72](#),
[B80](#), [B136](#), [B144](#), [B190](#), [B199](#),
[B310](#), [B316](#), [B336](#), [B344](#), [D240](#),
[D286](#), [G35](#), [G105](#), [G206](#), [G232](#),
[G284](#), [G298](#), [G387](#), [G396](#),
[K24](#), [K54](#), [K319](#), [K340](#), [K345](#),
[K393](#), [K704](#), [K722](#), [K783](#), [K804](#),
[K840](#), [K864](#), [K976](#), [K1127](#),
[K1296](#), [K1378](#), [K1472](#), [K1594](#),
[K1813](#), [K1840](#), [K2070](#), [K2088](#),
[K2107](#), [K2153](#), [L76](#), [L95](#), [L225](#),
[L237](#), [L327](#), [L356](#), [N3](#), [N227](#),
[N250](#), [N282](#), [O8](#), [O16](#), [O23](#),
[O38](#), [O57](#), [O66](#), [O73](#), [O99](#), [O132](#)
- `\includeonly` [80](#), [k82](#)
- `\indent` [A161](#), [C70](#)
- `\index` [384](#), [F146](#), [H6](#), [H18](#), [J20](#), [J28](#), [K591](#)
- `\indexentry` [H15](#)
- `\inf` [z25](#)
- `\infty` [t280](#)
- `\init@restore@glb@settings`
[p219](#), [p222](#), [p224](#)

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

- `\init@restore@version`
 [r62](#), [r91](#), [r108](#), [r123](#), [r124](#)
`\initcatcodetable` [N93](#)
`\input` ... [80](#), [467](#), [a68](#), [a174](#), [a177](#),
 [a234](#), [d7](#), [k163](#), [l1626](#), [p16](#),
 [q106](#), [s126](#), [s136](#), [s146](#), [t10](#), [t11](#),
 [t12](#), [t13](#), [t17](#), [t22](#), [t23](#), [t24](#), [t33](#),
 [t34](#), [t38](#), [t39](#), [t99](#), [t100](#), [t101](#),
 [t102](#), [t584](#), [t585](#), [t586](#), [L253](#),
 [N16](#), [O97](#), [O111](#), [O136](#), [O212](#), [O325](#)
`\input@path` [1](#), [6](#), [a109](#), [a131](#),
 [a133](#), [a139](#), [a141](#), [a147](#), [a149](#),
 [a154](#), [a156](#), [a166](#), [a233](#), [k137](#), [k151](#)
`\InputIfFileExists`
 [80](#), [466](#), [k160](#), [k165](#),
 [k173](#), [k189](#), [l1318](#), [l1709](#), [o325](#),
 [s118](#), [s128](#), [s138](#), [L413](#), [M8](#), [O206](#)
`\inputlineno` [a303](#), [g165](#)
`\insec@unt` [b37](#), [b51](#),
 [b52](#), [b53](#), [b62](#), [b87](#), [b88](#), [b89](#),
 [b91](#), [b233](#), [b234](#), [b235](#), [b236](#),
 [b237](#), [b238](#), [b249](#), [b250](#), [b251](#),
 [b252](#), [b253](#), [b257](#), [b259](#), [b278](#),
 [b279](#), [b280](#), [b281](#), [b282](#), [b283](#), [K61](#)
`\insert` ... [b240](#), [b265](#), [b267](#), [b270](#),
 [b285](#), [G414](#), [K491](#), [K492](#), [K1793](#)
`\install@mathalphabet`
 [o442](#), [o459](#), [o466](#), [r269](#), [r272](#),
 [r358](#), [r359](#), [r456](#), [r508](#), [r511](#),
 [r518](#), [r533](#), [r534](#), [r541](#), [r890](#), [r892](#)
`\int` [t310](#)
`\interdisplaylinepenalty`
 [i29](#), [z55](#), [z137](#), [z289](#)
`\interfootlinepenalty` [b346](#)
`\interfootnotelinepenalty`
 [b346](#), [i34](#), [G416](#)
`\interlinepenalty`
 [i27](#), [o518](#), [y108](#), [y111](#),
 [F50](#), [F101](#), [F154](#), [G416](#), [K312](#),
 [K1063](#), [K1067](#), [K1229](#), [K1233](#)
`\intextsep` . [K1046](#), [K1050](#), [K1065](#),
 [K1068](#), [K1075](#), [K1208](#), [K1214](#),
 [K1231](#), [K1234](#), [K1243](#), [K2213](#)
`\intop` [t309](#), [t310](#)
`\iota` [t239](#)
`\is@range` [p330](#), [p331](#)
`\ishortstack` [D42](#)
`\itdefault` [s30](#), [t79](#)
`\item` [g230](#), [y73](#), [y80](#),
 [y86](#), [y100](#), [z332](#), [z344](#), [z371](#),
 [A141](#), [A219](#), [C67](#), [E36](#), [E38](#), [I4](#), [I8](#)
`\itemindent` . [A9](#), [A42](#), [A95](#), [A187](#), [A208](#)
`\itemize` [A242](#)
`itemize (environment)` [A242](#)
File Key: [a=ltltdirchk.dtx](#), [b=ltlplain.dtx](#), [c=ltlvers.dtx](#), [d=ltldefns.dtx](#),
 [e=ltlalloc.dtx](#), [f=ltlcntrl.dtx](#), [g=ltlerror.dtx](#), [h=ltlpar.dtx](#), [i=ltltspace.dtx](#),
 [j=ltllogos.dtx](#), [k=ltlfiles.dtx](#), [l=ltloutenc.dtx](#), [m=ltlcounts.dtx](#), [n=ltllength.dtx](#),
 [o=ltlfssbas.dtx](#), [p=ltlfssstrc.dtx](#), [q=ltlfsscmp.dtx](#), [r=ltlfssdcl.dtx](#), [s=ltlfssini.dtx](#),
 [t=fontdef.dtx](#), [u=preload.dtx](#), [v=ltlfontcmd.dtx](#), [w=ltlpageno.dtx](#), [x=ltltxref.dtx](#),
 [y=ltlmiscen.dtx](#), [z=ltlmath.dtx](#), [A=ltllists.dtx](#), [B=ltlboxes.dtx](#), [C=ltltab.dtx](#),
 [D=ltlpictur.dtx](#), [E=ltlthm.dtx](#), [F=ltlsect.dtx](#), [G=ltlfloat.dtx](#), [H=ltlidxglo.dtx](#),
 [I=ltlbibl.dtx](#), [J=ltlpage.dtx](#), [K=ltloutput.dtx](#), [L=ltlclass.dtx](#), [M=ltlthyphen.dtx](#),
 [N=ltl luatex.dtx](#), [O=ltlfinal.dtx](#)
- `\itemsep` [A1](#), [A176](#)
`\iterate` [a81](#), [a82](#), [b376](#)
`\itshape` [l393](#), [l716](#), [s28](#),
 [s29](#), [s36](#), [s43](#), [v21](#), [E36](#), [E38](#), [G379](#)
- ### J
- `\J` [O190](#), [O295](#)
`\j` [l198](#), [l352](#),
 [l459](#), [l688](#), [l990](#), [l1191](#), [l1271](#), [O304](#)
`\jmath` [t274](#)
`\Join` [s105](#)
`\joinrel` [t423](#), [t430](#), [t432](#), [t434](#), [t436](#),
 [t438](#), [t440](#), [t442](#), [t444](#), [t448](#), [t450](#)
`\jot` [z53](#), [z134](#), [z296](#)
- ### K
- `\k` [l431](#), [l498](#), [l503](#), [l525](#),
 [l530](#), [l606](#), [l607](#), [l669](#), [l670](#), [l721](#),
 [l723](#), [l728](#), [l730](#), [l1081](#), [l1145](#),
 [l1146](#), [l1163](#), [l1164](#), [l1186](#), [l1187](#),
 [l1188](#), [l1241](#), [l1242](#), [l1269](#), [l1270](#)
`\kappa` [t240](#)
`\ker` [z27](#)
`\kernel@ifnextchar` [c55](#),
 [d58](#), [d77](#), [d127](#), [d294](#), [d311](#), [L142](#)
`\kill` [C59](#)
- ### L
- `\L` [l192](#), [l370](#),
 [l444](#), [l683](#), [l981](#), [L563](#), [L583](#), [O317](#)
`\l` ... [l201](#), [l372](#), [l462](#), [l689](#), [l982](#), [O317](#)
`\l@ngrel@x` .. [d51](#), [d52](#), [d53](#), [d97](#), [d144](#)
`\label` [x32](#), [F146](#), [J20](#), [J28](#), [K590](#)
`\labelsep` .. [A9](#), [A210](#), [A216](#), [E36](#), [E38](#)
`\labelwidth` [A9](#), [A93](#), [A209](#), [A211](#), [A214](#)
`\Lambda` [t263](#)
`\lambda` [t241](#)
`\land` [t327](#)
`\langle` [t542](#)
`\language` ... [b35](#), [b79](#), [b81](#), [b96](#), [M10](#)
`\last@fontshape` [o375](#), [o393](#), [o410](#), [o427](#)
`\lastbox` .. [o536](#), [z123](#), [z124](#), [A130](#),
 [A136](#), [A185](#), [F82](#), [F115](#), [K279](#)
`\LastDeclaredEncoding` ... [o102](#), [o105](#)
`\lastnodetype` .. [o529](#), [o530](#), [o531](#), [o535](#)
`\lastpenalty` [o532](#), [v95](#), [v98](#)
`\lastskip` [b400](#),
 [b401](#), [b403](#), [b405](#), [i19](#), [i66](#), [i78](#),
 [i140](#), [i141](#), [i145](#), [i147](#), [i148](#), [i156](#),
 [i176](#), [i179](#), [i211](#), [i214](#), [i215](#), [v85](#),
 [v88](#), [A115](#), [A116](#), [A150](#), [A151](#), [D36](#)
`\LaTeX` [j3](#), [j15](#), [L532](#)
`\LaTeXe` [j13](#)
`\latexreleaseversion` [c5](#)

- \lbrace 1257, t546
- \lbrack b360
- \lccode g19,
g20, g21, g22, g23, g24, l104,
y139, y149, O157, O174, O182,
O189, O191, O192, O194, O196,
O197, O198, O199, O279, O287,
O294, O296, O297, O299, O301
- \lceil t550
- \ldotp t453, t456, t567
- \ldots 1271, t457
- \le t372
- \leaders b432, t290,
t508, t509, t511, t512, C335,
D273, D280, D317, D323, F159
- \leadsto s108
- \leavevmode b391, b418, b421,
b432, b434, i263, i277, l73,
l134, l238, l240, l342, l371, l375,
l378, l425, l675, l705, l1424,
v106, y108, y119, y132, y150,
z332, z344, z371, A58, A103,
B8, B17, B24, B111, B113,
B129, B157, B218, B266, B323,
B340, B347, C151, D44, D166,
F23, F155, G439, K160, K165, I14
- \left t568,
t569, t570, t571, z108, z114, z125
- \Leftarrow t368, t444, t450
- \leftarrow t391, t392, t432, t442, t448, t500
- \leftarrowfill t486, t500
- \lefteqn z308
- \leftharpoondown t405, t419
- \leftharpoonup t404
- \lefthyphenmin M11
- \leftline B374
- \leftmargin A9, A52, A53, A94, A146, A148
- \leftmargini z324, A17
- \leftmarginii A17
- \leftmarginiii A17
- \leftmarginiv A17
- \leftmarginv A17
- \leftmarginvi A17
- \leftmark J34
- \Leftrightarrow t367
- \leftrightarrow t390
- \leftskip ... b413, o513, y77, y84,
y90, y102, A74, B245, F152, F157
- \leq t371, t372
- \lfloor t554
- \lg z4
- \lgroup t556
- File Key: a=lt`dirchk`.dtx, b=lt`plain`.dtx, c=lt`vers`.dtx, d=lt`defs`.dtx,
e=lt`alloc`.dtx, f=lt`cntrl`.dtx, g=lt`error`.dtx, h=lt`par`.dtx, i=lt`space`.dtx,
j=lt`logos`.dtx, k=lt`files`.dtx, l=lt`outenc`.dtx, m=lt`counts`.dtx, n=lt`length`.dtx,
o=lt`fssbas`.dtx, p=lt`fssstrc`.dtx, q=lt`fsscmp`.dtx, r=lt`fssdcl`.dtx, s=lt`fssini`.dtx,
t=lt`fontdef`.dtx, u=lt`preload`.dtx, v=lt`fntcmd`.dtx, w=lt`pageno`.dtx, x=lt`xref`.dtx,
y=lt`miscen`.dtx, z=lt`math`.dtx, A=lt`lists`.dtx, B=lt`boxes`.dtx, C=lt`tab`.dtx,
D=lt`pictur`.dtx, E=lt`thm`.dtx, F=lt`ssect`.dtx, G=lt`float`.dtx, H=lt`idxglo`.dtx,
I=lt`bibl`.dtx, J=lt`page`.dtx, K=lt`output`.dtx, L=lt`class`.dtx, M=lt`hyphen`.dtx,
N=lt`luatex`.dtx, O=lt`final`.dtx
- \lhd s111
- \lhook t429, t430
- \lim z6
- \liminf z8
- \limits t490, t494, z107, z250
- \limsup z7
- \line g219, D56, D235
- \linebreak 65, i13
- \linepenalty b304
- \lineskip b354, b386, b421, t410, z130,
B246, C60, C171, D46, D167, K593
- \lineskiplimit .. b355, b386, b423,
b424, t410, t462, z132, z136, K593
- \linespread o250
- \linethickness D41
- \linewidth k24,
z195, z221, z333, z345, z372,
z376, z394, A15, A51, A52,
A54, B243, C36, G270, K153, K179
- \list A34, A236, A247
- \listfiles 467, k201
- \listparindent A9, A41, A50
- \ll t388
- \llap A238, A249, B378, B379
- \lmoustache t513
- \ln z5
- \lnot t295
- \LoadClass 465,
L259, L273, L430, L489, L497, L498
- \LoadClassWithOptions 465, L272
- \loccount N15
- \log z3
- \loggingall b443
- \loggingoutput b439, b452, b468, b482
- \Longleftarrow t444
- \longleftarrow t441
- \Longleftrightarrow t450, t452
- \longleftrightarrow t448
- \longmapsto t446
- \longrightarrow t438
- \longrightarrow t439, t446
- \loop a81, b376, o527, C341, N153, N162
- \lor t329
- \lower j2, t410, B169,
D15, D75, D162, D163, D200, D201
- \lower@bound p340, p341, p352
- \lowercase g26, l105,
l1316, o266, o324, y143, y150, O313
- \lq b358
- \lrbox B99
- lrbox (environment) 294
- \ltx@sh@ft b427,
l339, l346, l422, l430, l672, l679

- `\luabytecode` N196
`\luachunk` N204
`\luafunction` N180
`\luatexbase` N289
`\luatexluafunction` a18, a23
`\luatexversion` a11, N5
- M**
- `\M` b356
`\m@ne` b39
`\m@th` b407, b419,
 j13, t287, t411, t413, t414, t417,
 t458, t482, t485, t488, t491,
 t497, t500, t507, t510, t572,
 z68, z71, z89, z105, z108, z110,
 z115, z134, z263, z333, z345,
 z372, z382, B233, B334, C154,
 F159, G380, G385, G393, G403
`\magstep` b347
`\magstephalf` b347
`\makeatletter` d308, k26,
 o330, y19, F134, K2, L253, L392
`\makeatother` d308, L253, O379
`\makebox` 294, z195, z221, B3
`\makeglossary` 384, k69, H20
`\makeindex` 384, k68, H3
`\makelabel`
 A45, A97, A205, A218, A238, A249
`\MakeLowercase` O310, O319
`\makeph@nt` z84, z86
`\MakeRobust` d248
`\makesm@sh` z100, z102
`\maketitle` 354
`\MakeUppercase` O303, O303
`\mandatory@arg` p368, p455,
 p459, p464, p471, p473, p478,
 p480, p485, p487, p498, p505, p507
`\mapsto` t396
`\mapstochar` t395, t396, t446
`\marginpar` G312
`\marginparpush` K92, K1744
`\marginparsep` K91, K1755, K1757
`\marginparwidth` G341, K90, K1757
`\mark` J23, J31, J39
`\markboth` J18
`\markright` J18
`\marks` N37, O10, O12
`\math` z242
`math` (environment) z242
`\math@bgroup` o473, p260, p266, r53,
 r81, r142, r172, v113, v114, v121
`\math@egroup`
 o473, p264, p265, v114, v115, v122
`\math@fonts` o443, o448,
 p186, p290, r60, r89, r149, r180
`\math@fontsfalse` ... j7, l251, l278,
 l309, l1429, o42, o171, o181, o204
`\math@fontstrue` o169, o485
`\math@version` o8, o270, o447,
 o451, o453, o454, o456, p184,
 r56, r59, r64, r65, r69, r84, r88,
 r93, r94, r98, r111, r112, r113,
 r126, r127, r128, r145, r148,
 r152, r154, r156, r160, r175,
 r179, r183, r185, r187, r191, s67
`\mathaccent` r586, r614
`\mathalpha` . r687, r848, t132, t133,
 t134, t135, t136, t137, t138,
 t139, t140, t141, t142, t143,
 t144, t145, t146, t147, t148,
 t149, t150, t151, t152, t153,
 t154, t155, t156, t157, t158,
 t159, t160, t161, t162, t163,
 t164, t165, t166, t167, t168,
 t169, t170, t171, t172, t173,
 t174, t175, t176, t177, t178,
 t179, t180, t181, t182, t183,
 t184, t185, t186, t187, t188,
 t189, t190, t191, t192, t193,
 t260, t261, t262, t263, t264,
 t265, t266, t267, t268, t269,
 t270, t468, t469, t470, t471,
 t472, t473, t474, t475, t477, t480
`\mathbf` s14, t114
`\mathbin` r853,
 t195, t196, t198, t320, t321,
 t322, t323, t326, t328, t330,
 t331, t332, t333, t334, t335,
 t336, t337, t338, t339, t340,
 t341, t342, t343, t344, t345,
 t346, t347, t348, t349, t350,
 t351, t352, t353, t354, t355, z37
`\mathcal` t113
`\mathchar`
 b419, r629, r672, t272, t284, t565
`\mathchar@type` r614,
 r660, r663, r672, r688, r788, r849
`\mathchardef`
 b21, b22, b23, b24, b104, b107,
 b108, e3, e4, e5, e6, l70, r663, N217
`\mathcharzero` N217
`\mathchoice` z61
`\mathclose` r856, t194,
 t203, t205, t208, t213, t219,
 t221, t223, t516, t541, t545,
 t549, t553, t559, z43, z46, z49, z52
`\mathcode` r660, t215, t216, t217
- File Key:** a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=lt pictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

\backslash mathdollar l256, [t562](#)
 \backslash mathellipsis l270, [t567](#)
 \backslash mathgroup . . . b76, l1636, [o15](#), p257,
 p263, p269, p270, p281, s82, t573
 \backslash mathhexbox [b419](#), s92
 \backslash mathindent [z322](#), [z334](#), [z346](#), [z374](#), [z384](#)
 \backslash mathinner t456, t460, t465, t567
 \backslash mathit s29, t116, t119, t565
 \backslash mathnormal t112
 \backslash mathop r852,
 t303, t304, t305, t306, t307,
 t308, t309, t311, t312, t313,
 t314, t315, t316, t318, t319,
 t488, t491, z3, z4, z5, z6, z7, z8,
 z9, z10, z11, z12, z13, z14, z15,
 z16, z17, z18, z19, z20, z21, z22,
 z23, z24, z25, z26, z27, z28, z29,
 z30, z31, z32, z33, z34, z107, z250
 \backslash mathopen r855, t204, t207, t212, t218,
 t220, t222, t514, t543, t547,
 t551, t555, t557, z41, z44, z47, z50
 \backslash mathord r687,
 r851, t199, t206, t209, t214,
 t226, t227, t228, t230, t231,
 t232, t233, t234, t235, t236,
 t237, t238, t239, t240, t241,
 t242, t243, t244, t245, t246,
 t247, t248, t249, t250, t251,
 t252, t253, t254, t255, t256,
 t257, t258, t259, t271, t273,
 t274, t275, t276, t277, t278,
 t279, t280, t281, t282, t283,
 t285, t286, t291, t292, t293,
 t294, t296, t297, t298, t299,
 t300, t301, t302, t476, t478,
 t479, t499, t500, t503, t504,
 t505, t506, t518, t520, t522,
 t525, t539, t561, t562, t563, t564
 \backslash mathpalette
 t409, t413, t416, [z60](#), z69, z82, z98
 \backslash mathparagraph . . l259, m77, m89, [t562](#)
 \backslash mathph@nt z82, z88
 \backslash mathpunct
 . r857, t197, t201, t453, t454, t455
 \backslash mathrel r854, t200, t202,
 t210, t211, t224, t225, t288,
 t356, t357, t358, t359, t360,
 t361, t362, t363, t364, t365,
 t366, t367, t368, t369, t371,
 t373, t375, t376, t377, t378,
 t379, t380, t381, t382, t383,
 t384, t385, t387, t388, t389,
 t390, t391, t393, t395, t397,
 t398, t399, t400, t401, t402,
 t403, t404, t405, t406, t407,
 t409, t413, t416, t423, t425,
 t428, t429, t431, t434, t436,
 t527, t529, t531, t533, t535,
 t537, z42, z45, z48, z51, z107, z250
 \backslash mathring t480
 \backslash mathrm s5, t111
 \backslash mathsection l260, m76, m88, [t562](#)
 \backslash mathsf s8, t115, t118
 \backslash mathsm@sh z98, z104
 \backslash mathsterling l268, t562
 \backslash mathstrut [z94](#), z112, z113
 \backslash mathsurround b407
 \backslash mathsymbol r665
 \backslash mathtt s11, t117
 \backslash mathunderscore [t562](#)
 \backslash mathversion [o270](#), s64, s66
 \backslash matrix [z110](#), z114
 \backslash max z22
 \backslash maxdeadcycles K7
 \backslash maxdepth b328, i183,
 k50, K99, K480, K488, K520,
 K625, K634, K674, K901, O85
 \backslash maxdimen . . b293, b329, b330, b386,
 b424, b440, b451, b467, b482,
 o500, o510, o545, o560, p338,
 p391, t410, D246, D291, D330,
 K265, K1763, K1783, K1788,
 K2075, K2115, K2116, K2118, O89
 \backslash maybe@ic v46, v47, [v66](#)
 \backslash maybe@ic@ [v66](#)
 \backslash maybe@icfalse v80
 \backslash maybe@ictrue v70
 \backslash mb@b B50, B60
 \backslash mb@l B50, B54, B59, D47, D51
 \backslash mb@r B50, B54, B59, D47, D51
 \backslash mb@t B51, B58
 \backslash mbox [294](#),
 b419, j13, l242, s88, t458, B11,
 B20, [B24](#), D20, G385, G393, G403
 \backslash mddefault s18, [t77](#), t84
 \backslash mdseries s16, s17, s91, v20
 \backslash meaning a219, a228, a299,
 d205, d264, d317, r412, r425,
 r526, r586, r630, r723, r801, r905
 \backslash medbreak [b401](#)
 \backslash medmuskip t575, z36, z38, z145
 \backslash medskip b404, [i256](#)
 \backslash medskipamount b403, [i257](#), [i259](#)
 \backslash MessageBreak d181, d254,
 g3, g6, g13, g33, g46, g60, g73,
 g171, g173, g179, g186, i121,
 l886, l1321, l1324, l1348, l1350,
 l1351, l1352, l1354, l1356, l1357,
File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfssscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

- l1358, l1359, l1360, l1409, l1411,
 l1419, l1426, l1641, o391, o425,
 p20, p21, p67, p88, p281, p432,
 p452, p484, p497, p510, q31,
 q33, r367, r376, r514, v127, y23,
 K552, K1870, K1907, L117,
 L283, L294, L296, L298, L309,
 L399, L400, L402, L403, L404,
 L406, L408, L425, L426, L427,
 L428, L474, L491, L492, L524,
 L552, O216, O217, O218, O220
 \mho s104
 \mid t360
 \min z23
 \minipage B253
 minipage (environment) 295
 \mit s149
 \mkern . t272, t288, t290, t414, t423,
 t465, t466, t467, t495, t496,
 t497, t498, t499, t500, t501,
 t502, z36, z37, z40, z73, z74, F160
 \models t436
 \module_error 488, N345
 \module_info 488, N345
 \module_warning 488, N345
 \modules N298
 \month a185, c16, L536
 \moveright K596
 \mp t347
 \mscount C338
 \mskip i282,
 z36, z38, z144, z145, z146, z147
 \mu t242
 \multicolumn C194
 \multiput D25, D29
 \multispan C194, C338
 \muskip . b29, b55, b90, t495, t496, N34
 \muskipdef b55, b90, N218
 \muskipzero N218

 N
 \n N332, N334, N341,
 N343, N467, N548, N571, N602,
 N619, N641, N649, N650, N670,
 N683, N690, N691, N698, N710
 \n@space .. t568, t569, t570, t571, t572
 \nabla t283
 \narrower b412
 \natural t297
 \ncallback N607
 \ndefault N611
 \ne t370
 \nearrow t363
 \NeedsTeXFormat p12, L288, L595
 File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
 \neg t294, t295
 \negthinspace i303
 \neq t370
 \newcommand
 . d54, d55, d108, d142, d161, d216
 \newenvironment ... d123, d124, d136
 \newfontshape q2, q4, q22, q24
 \newmathalphabet ... r409, r430, r441
 \newmathgroup
 b75, b77, b95, b97, o15, r289, N25
 \newmathversion r20, r246, r248
 \newsymbolfont r290, r322
 \new_attribute 486, N411
 \new_bytecode 486, N444
 \new_chunkname 486, N456
 \new_whatsit 486, N432
 \newattribute 485, N77, N230
 \newbox b47, b298,
 b409, e13, z66, A27, B70, C16,
 C17, C18, C302, D6, D355,
 D360, K93, K127, K128, K129
 \newcatcodetable 485,
 N87, N96, N97, N123, N124, N234
 \newcommand 35, d54, l4, t45,
 t46, t47, t48, t50, t51, t52, t53,
 t77, t78, t79, t80, t81, t82, t83,
 t84, t85, D367, K2201, K2204,
 K2207, K2208, K2211, K2212
 \newcount b47, b346, e7,
 e8, i62, k9, m36, p25, r27, r254,
 z55, z254, z255, A23, A24, A25,
 A26, A56, A226, A241, B294,
 C11, C12, C13, C14, C15, C294,
 C295, C296, D349, D350, D351,
 D352, D361, F19, F123, F124,
 G3, G271, G272, G273, G274,
 K110, K112, K114, K116, K118,
 K126, K1896, K2199, K2202,
 K2205, K2209, O3, O4, O5, O77
 \newcounter 140, m10
 \newdimen b47, b293,
 b295, b296, b345, e10, e11, e12,
 i61, p352, p353, z53, z323, A9,
 A10, A11, A12, A13, A14, A15,
 A16, A17, A18, A19, A20, A21,
 A22, B126, B127, C3, C5, C6,
 C7, C8, C139, C297, C298,
 C299, C300, D3, D4, D5, D7,
 D216, D217, D218, D219, D220,
 D221, D353, D354, D356, D357,
 D358, D359, G404, K78, K79,
 K80, K82, K83, K84, K85, K86,
 K87, K88, K89, K90, K91, K92,
 K98, K100, K101, K113, K115,

- [K117](#), [K119](#), [K120](#), [K121](#), [K122](#),
[K123](#), [K124](#), [K125](#), [K1897](#), [K1898](#)
`\newenvironment` [36](#), [d123](#), [L534](#)
`\newfam` [b77](#), [b97](#), [o17](#), [N38](#)
`\newfont` [s68](#)
`\newgroup` [r47](#)
`\newhelp` [b292](#)
`\newif` [d145](#), [e9](#),
[k7](#), [k8](#), [l1368](#), [o169](#), [r15](#), [v65](#), [x3](#),
[z75](#), [z76](#), [z133](#), [z256](#), [A28](#), [A29](#),
[A30](#), [A31](#), [A32](#), [A33](#), [A138](#),
[B308](#), [C19](#), [C212](#), [D55](#), [D212](#),
[D213](#), [D214](#), [D215](#), [D244](#), [D245](#),
[F21](#), [F107](#), [K102](#), [K103](#), [K104](#),
[K105](#), [K106](#), [K107](#), [K108](#), [K109](#), [L2](#)
`\newinsert` [b190](#),
[b228](#), [B295](#), [G370](#), [K27](#), [K1762](#)
`\newlabel` [x22](#), [x34](#)
`\newlanguage` [b47](#)
`\newlength` [146](#), [n3](#)
`\newline` [i43](#)
`\newlinechar` [a72](#), [d5](#)
`\newluabytecode` [485](#), [N192](#), [N244](#)
`\newluachunkname` ... [486](#), [N200](#), [N246](#)
`\newluafunction`
..... [485](#), [N4](#), [N176](#), [N228](#), [N240](#)
`\newmarks` [O6](#)
`\newmathalphabet` [q13](#), [q109](#)
`\newmathalphabet@` [q14](#)
`\newmathalphabet@@` [q109](#)
`\newmathalphabet@@@` [q15](#), [q109](#)
`\newmuskip` [b47](#)
`\newpage` [K140](#), [K146](#), [K157](#)
`\newread` [b47](#), [k3](#)
`\newsavebox` [294](#), [B70](#)
`\newskip` [b47](#), [b294](#),
[b297](#), [b343](#), [b344](#), [e14](#), [e15](#), [e17](#),
[i259](#), [i260](#), [i261](#), [i300](#), [n3](#), [y79](#),
[z257](#), [A2](#), [A3](#), [A4](#), [A5](#), [A6](#),
[A7](#), [A8](#), [K2213](#), [K2214](#), [K2215](#),
[K2219](#), [K2220](#), [K2223](#), [K2224](#),
[K2225](#), [K2229](#), [K2230](#), [K2231](#)
`\newtheorem` [E1](#)
`\newtie` [l760](#), [l1512](#), [l1513](#)
`\newtoks` [b63](#),
[b92](#), [b292](#), [e16](#), [o280](#), [o281](#), [p201](#)
`\newwhatsit` [485](#), [N184](#), [N242](#)
`\newwrite` [b47](#), [k4](#), [k5](#), [k6](#), [F137](#), [H4](#), [H21](#)
`\newXeTeXintercharclass` [O21](#)
`\nfss@catcodes` ... [o20](#), [o85](#), [o321](#),
[o322](#), [o329](#), [t21](#), [t32](#), [t37](#), [t98](#), [K3](#)
`\nfss@text` [l264](#), [l266](#), [s88](#), [v5](#), [v105](#), [x13](#)
`\NG` [l445](#), [l983](#), [O317](#)
`\ng` [l463](#), [l984](#), [O317](#)
File Key: `a=ltldirchk.dtx`, `b=ltplain.dtx`, `c=ltvers.dtx`, `d=ltdefns.dtx`,
`e=ltalloc.dtx`, `f=ltcntrl.dtx`, `g=lterror.dtx`, `h=ltpar.dtx`, `i=ltspace.dtx`,
`j=ltlogos.dtx`, `k=ltfiles.dtx`, `l=ltoutenc.dtx`, `m=ltcounts.dtx`, `n=ltlength.dtx`,
`o=ltfssbas.dtx`, `p=ltfssstrc.dtx`, `q=ltfsscmp.dtx`, `r=ltfssdcl.dtx`, `s=ltfssini.dtx`,
`t=fontdef.dtx`, `u=preload.dtx`, `v=ltfntcmd.dtx`, `w=ltpageno.dtx`, `x=ltxref.dtx`,
`y=ltmiscen.dtx`, `z=ltmath.dtx`, `A=ltlists.dtx`, `B=ltboxes.dtx`, `C=lttab.dtx`,
`D=ltpictur.dtx`, `E=ltthm.dtx`, `F=ltsect.dtx`, `G=ltfloat.dtx`, `H=ltidxglo.dtx`,
`I=ltbibl.dtx`, `J=ltpage.dtx`, `K=ltoutput.dtx`, `L=ltclass.dtx`, `M=lthyphen.dtx`,
`N=ltluatex.dtx`, `O=ltfinal.dtx`
- `\ni` [t385](#), [t386](#)
`\no@alphabet@error` . [o5](#), [r268](#), [r270](#),
[r446](#), [r447](#), [r461](#), [r470](#), [r556](#), [r557](#)
`\noaccents@` [o488](#), [t92](#)
`\noalign` [t289](#),
[t483](#), [t486](#), [t488](#), [t489](#), [t493](#),
[t494](#), [z112](#), [z113](#), [z118](#), [z121](#),
[z135](#), [z296](#), [C193](#), [C318](#), [C337](#), [D54](#)
`\nobreak` ... [b389](#), [b392](#), [b394](#), [i38](#),
[i53](#), [i79](#), [i93](#), [i119](#), [i243](#), [i251](#),
[i270](#), [i277](#), [i298](#), [k67](#), [k79](#), [l381](#),
[l383](#), [y69](#), [B373](#), [F73](#), [F157](#),
[F158](#), [F162](#), [G440](#), [J25](#), [J33](#),
[K310](#), [K1059](#), [K1225](#), [O141](#),
[O143](#), [O147](#), [O148](#), [O149](#), [O153](#)
`\nobreakdashes` [i262](#)
`\nobreakspace` [i276](#)
`\nocite` [386](#), [I39](#)
`\nocorr` [v26](#), [v41](#), [v45](#), [v48](#)
`\nocorrlist` [v72](#), [v104](#)
`\nofiles` [80](#), [k63](#)
`\noindent` [o523](#), [o549](#), [F122](#)
`\nointerlineskip`
..... [b384](#), [t289](#), [t483](#), [t486](#),
[t489](#), [t493](#), [z194](#), [z220](#), [D271](#),
[D274](#), [D315](#), [D317](#), [K1752](#), [K1760](#)
`\nolimits` [t310](#), [t317](#),
[z3](#), [z4](#), [z5](#), [z9](#), [z10](#), [z11](#), [z12](#), [z13](#),
[z14](#), [z15](#), [z16](#), [z17](#), [z18](#), [z19](#), [z20](#),
[z21](#), [z26](#), [z27](#), [z28](#), [z29](#), [z31](#), [z34](#)
`\nolinebreak` [65](#), [i13](#)
`\non@alpherr` [o467](#), [o469](#),
[r72](#), [r101](#), [r117](#), [r163](#), [r194](#), [r927](#)
`\nonfrenchspacing` ... [b350](#), [b538](#), [k42](#)
`\nonscript` [z36](#), [z38](#)
`\nonumber` [z283](#), [z306](#), [z307](#)
`\nopagebreak` [65](#), [i3](#)
`\normalbaselines` ... [b354](#), [z108](#), [z110](#)
`\normalbaselineskip`
..... [b343](#), [b355](#), [p142](#), [B247](#)
`\normalcolor` [z249](#), [z319](#), [B63](#),
[B286](#), [F163](#), [G97](#), [G166](#), [K190](#),
[K466](#), [K600](#), [K610](#), [K2136](#), [K2169](#)
`\normalfont` [o501](#), [o561](#), [s93](#),
[v18](#), [y120](#), [z249](#), [z319](#), [F163](#), [G381](#)
`\normallineskip` ... [b343](#), [b354](#), [B246](#)
`\normallineskiplimit` [b343](#), [b355](#), [z136](#)
`\normalmarginpar` [G367](#)
`\normalsfcodes` [k38](#), [k40](#), [k42](#), [k62](#), [K589](#)
`\normalsize` [k36](#),
[v125](#), [G23](#), [G176](#), [G352](#), [K588](#), [L5](#)
`\not` [t288](#), [t370](#), [t389](#)

`\not@base` s100,
 s104, s105, s106, s107, s108,
 s109, s110, s111, s112, s113, s114
`\not@math@alphabet` s5, s8,
 s11, s14, s17, s20, s23, s26, s29, s47
`\notin` t413
`\nu` t243
`\null` b368, l276,
 l312, l432, l435, l743, l746, x17,
 y108, y132, z91, z110, z128, F157
`\nulldelimiterspace` b332, t572
`\nullfont` y51
`\number` ... a86, d2, d91, m51, o451,
 o454, p393, r64, r93, r113, r128,
 r153, r184, s85, L505, L536, N108
`\numberline` F55, F65, F166, G17
`\numexpr` b186, b202, b212,
 b232, l909, K36, N85, N108, N160
`\nunknown` N624
`\nwarrow` t365

O

`\O` ... l194, l349, l447, l682, l968, O316
`\o` ... l203, l354, l465, l690, l974, O316
`\o@lign` b421,
 l339, l346, l422, l430, l672, l679
`\oalign` b421
`\obeycr` i309
`\obeylines` b371, y114, y127, y128, K557
`\obeyspaces` b371, K557
`\oddsidemargin` K79, K81, K582
`\odot` t342
`\OE` ... l193, l348, l446, l681, l985, O316
`\oe` ... l202, l353, l464, l691, l986, O316
`\of` z67, z253
`\offinterlineskip` b384
`\oint` t317
`\ointop` t316, t317
`\oldstylenums` l1633, s78
`\Omega` t270
`\omega` t253
`\ominus` t345
`\omit` z121, z122, C328, C331, C338, C342
`\on@line` g8, g15, g165, y56, B105, L424
`\onecolumn` K148
`\OnlyDescription` p5, u3
`\oalign` b421, l276, l306,
 l343, l426, l432, l434, l643, l676,
 l743, l746, l792, s90, t414, t417
`\openup` z129, z134
`\operator@font`
 t573, z3, z4, z5, z6, z7,
 z8, z9, z10, z11, z12, z13, z14,
 z15, z16, z17, z18, z19, z20, z21,

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

 z22, z23, z24, z25, z26, z27, z28,
 z29, z30, z31, z32, z33, z34, z37, z40
`\oplus` t346
`\optional@arg`
 p369, p448, p450, p504, p507
`\OptionNotUsed` L166, L173, L439
`\Orb` l626
`\oslash` t343
`\OT` l321
`\otimes` t344
`\outer` N19, N38
`\outer@nobreak`
 G181, G251, G256, G259, G346
`\outerparskip` A1
`\output` K230
`\outputpenalty` K232,
 K246, K269, K272, K273, K308,
 K1069, K1070, K1235, K1238
`\oval` D235, D238
`\over` t421, z107, z251
`\overbrace` t488
`\overfullrule` b327, J55
`\overleftarrow` t485
`\overrightarrow` t482
`\owns` t386

P

`\P` l259
`\p@` b295
`\p@equation` z261, z381
`\p@reset@font` s93
`\p@selectfont` p117
`\PackageError` . g84, l1319, l1374, l1418
`\PackageInfo` g84,
 l1348, l1364, l1365, l1425, l1710
`\PackageWarning` g84, l1375, l1639
`\PackageWarningNoLine` g84, l884, K1869
`\pagebreak` 65, i3
`\pagegoal` K1790, K1797
`\pagenumbering` 253, w5
`\pageref` x10
`\pageshrink` K512, K516, K532
`\pagestyle` J2
`\pagetotal` K135
`\paperheight` K100
`\paperwidth` K100
`\par` a120,
 b11, b364, b372, b373, b388,
 b397, b398, b399, b401, b403,
 b405, d6, h3, h4, h6, o526, y49,
 y69, y106, A63, A110, A127,
 A129, A135, A161, A164, B238,
 B282, C168, C344, F24, F73,

- F164, G15, G24, G249, J48,
 J49, K169, K231, K1796, N159
 \par@deathcycles [A56](#), [A77](#), [A79](#), [A80](#)
 \paragraphmark [F126](#)
 \parallel [t359](#)
 \parbox [294](#), [B189](#)
 \parboxrestore [B249](#)
 \parfillskip [b342](#), [o500](#), [o515](#), [o560](#),
[y78](#), [y91](#), [y103](#), [A76](#), [B246](#), [F152](#)
 \parindent . [b334](#), [b413](#), [b414](#), [y78](#),
[y85](#), [y91](#), [y103](#), [A50](#), [B241](#), [F153](#)
 \parsep [A1](#), [A49](#), [A90](#)
 \parseunicodedataI [N126](#), [N165](#)
 \parseunicodedataII [N127](#), [N129](#)
 \parseunicodedataIII [N131](#), [N137](#)
 \parseunicodedataIV [N133](#), [N145](#)
 \parseunicodedataV [N149](#), [N152](#)
 \parshape [A54](#)
 \parskip [b335](#), [y70](#),
[y101](#), [y103](#), [z390](#), [A49](#), [A73](#),
[A88](#), [A90](#), [A117](#), [A153](#), [A172](#),
[A223](#), [B241](#), [C68](#), [K1069](#), [K1237](#)
 \partial [t279](#)
 \partopsep [z388](#), [A1](#), [A61](#)
 \PassOptionsToClass [465](#), [L143](#)
 \PassOptionsToPackage [465](#), [L143](#)
 \patch@level [c1](#), [c35](#), [c40](#), [c42](#),
[c44](#), [c47](#), [c49](#), [O327](#), [O339](#), [O341](#)
 \patterns [l155](#)
 \penalty
[b393](#), [b394](#), [b395](#), [b396](#), [b397](#),
[b398](#), [b402](#), [b404](#), [b406](#), [i7](#),
[i10](#), [i21](#), [i177](#), [i187](#), [i212](#), [i216](#),
[v101](#), [y108](#), [y111](#), [z37](#), [z137](#),
[z296](#), [A190](#), [C56](#), [G195](#), [G199](#),
[G201](#), [G217](#), [G221](#), [G223](#), [K143](#),
[K171](#), [K172](#), [K1067](#), [K1233](#), [I17](#)
 \perp [t399](#)
 \ph@nt [z77](#), [z78](#), [z79](#), [z80](#)
 \phantom [z75](#)
 \Phi [t268](#)
 \phi [t250](#)
 \Pi [t265](#)
 \pi [t245](#)
 \pickup@font [l131](#), [o160](#), [o287](#),
[o402](#), [o436](#), [p122](#), [p285](#), [p287](#), [p289](#)
 \pictur@ [D8](#)
 \picture [D8](#)
 \pm [t348](#)
 \pmatrix [z114](#)
 \pmod [z39](#)
 \poptabs [g206](#), [C127](#)
 \poptracing [p130](#), [p294](#)
 File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx
 \postdisplaypenalty
 [i28](#), [z331](#), [z343](#), [z369](#)
 \pounds [l267](#)
 \Pr [z32](#)
 \pr@@s [z156](#), [z164](#)
 \pr@@t [z159](#), [z165](#)
 \pr@m@s [z153](#), [z154](#)
 \prec [t376](#)
 \preceq [t379](#)
 \predisplaypenalty
 [b313](#), [z330](#), [z342](#), [z368](#)
 \preload@sizes [q11](#), [q94](#)
 \pretolerance .. [b300](#), [o502](#), [o517](#), [o562](#)
 \prevdepth [b384](#), [b388](#),
[b389](#), [i183](#), [i184](#), [i241](#), [i246](#),
[z135](#), [G196](#), [G198](#), [G218](#), [G220](#)
 \prim@s [z150](#), [z152](#), [z164](#)
 \prime [t216](#), [t281](#), [z153](#)
 \prime@s [z151](#)
 \process@table [k34](#), [r200](#)
 \ProcessOptions
[l1339](#), [l1377](#), [p71](#), [L174](#), [L217](#), [L493](#)
 \ProcessOptions* [L174](#)
 \prod [t311](#)
 \propto [t356](#)
 \protect [d79](#), [d196](#), [d211](#), [d220](#), [d225](#),
[d228](#), [d229](#), [d231](#), [d232](#), [d237](#),
[d238](#), [d243](#), [d246](#), [d247](#), [d269](#),
[g197](#), [g199](#), [g200](#), [g206](#), [g212](#),
[g219](#), [g227](#), [g230](#), [g236](#), [k75](#), [l26](#),
[l32](#), [l51](#), [l55](#), [l159](#), [l167](#), [r475](#),
[r932](#), [s71](#), [v126](#), [x12](#), [C225](#), [F11](#),
[F55](#), [F65](#), [F143](#), [G17](#), [K566](#), [I5](#)
 \protected [m103](#)
 \protected@edef
 . [d230](#), [m101](#), [x37](#), [B302](#), [F43](#),
[G420](#), [O307](#), [O313](#), [O318](#), [O319](#)
 \protected@write
 .. [k66](#), [k71](#), [x33](#), [F145](#), [H14](#), [H31](#)
 \protected@xdef
 [d230](#), [F10](#), [G406](#), [G430](#), [G446](#)
 \provide@command [d155](#), [d156](#)
 \providecommand . [d155](#), [l6](#), [l879](#), [K1880](#)
 \provides_module [488](#), [N299](#)
 \ProvidesClass [464](#), [L130](#)
 \ProvidesFile
 . [a89](#), [t595](#), [t597](#), [t598](#), [t599](#), [L132](#)
 \ProvidesPackage
 [465](#), [p13](#), [L113](#), [L130](#), [L596](#)
 \ProvideTextCommand [l3](#), [l60](#)
 \ProvideTextCommandDefault [l57](#)
 \ps@empty [J10](#), [O91](#)
 \ps@plain [J13](#)
 \Psi [t269](#)

- \psi t252
 - \pushtabs g206, C124
 - \pushtracing p115, p275
 - \put D21, D176, D177, D178,
D179, D184, D186, D198, D199,
D200, D201, D206, D209, D404
- Q**
- \qbezier 328, D367
 - \qbeziermax D366, D388
 - \qqquad i306
 - \quad i306, z109, z111, z120, F94
 - \quotedblbase l466, l692, l1009
 - \quotesinglbase l467, l1006
- R**
- \r b362, b363, l186, l337, l377, l416,
l518, l545, l555, l581, l668, l704,
l1073, l1089, l1115, l1237, l1238
 - \r@@t z66
 - \radical r798, r801, r831
 - \raggedbottom J39
 - \raggedleft y86, y88
 - \raggedright y80, y82
 - \raise l276,
l308, l376, l379, l644, l706, l793,
s91, t417, t465, t467, z73, B358,
B367, D22, D32, D74, D162,
D237, D265, D309, D337, D415
 - \raisebox 295, l1052, B335
 - \rangle t540
 - \rbrace l258, t544
 - \rbrack b360
 - \rceil t548
 - \Re t277
 - \ref x10
 - \refstepcounter 140, x32,
z247, z370, A202, E27, F42, G9
 - \registernumber 487, N390
 - \relbar t428, t436, t438, t444
 - \relbar t425, t440, t442
 - \relpenalty b308
 - \rem@pt o263
 - \remove@angles p301, p324
 - \remove@nil r36
 - \remove@star p301, p307
 - \remove@tlig l898,
l900, l902, l909, l921, l923, l925
 - \remove@to@nnil o262, p301, p327, p440
 - \remove_from_callback .. 488, N681
 - \removelastskip b400, b402, b404, b406
 - \renewcommand d101, d102, d162, d170
 - \renew@environment d129, d130
 - File Key: a=ltdirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefs.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
 - \renewcommand 36, d101, t58,
t59, t60, t61, t63, t64, t65, t66,
t71, t72, t73, t74, z318, z338, z359
 - \renewenvironment 36, d129, z367, z379
 - \repeat a81,
a83, b376, o543, C341, N157, N167
 - \RequirePackage 465, K1877,
L249, L256, L277, L489, N22
 - \RequirePackageWithOptions 465, L275
 - \reserved@a a121, a125, a126,
a195, a196, a199, a217, a221,
a243, a250, a253, a255, a256,
a263, a266, a268, a269, a276,
a279, a281, a307, a308, a309,
b190, c12, c18, c33, d94, d97,
d110, d111, d112, d114, d161,
d162, d163, d169, d170, d171,
d172, d175, d194, d203, d207,
d262, d266, d291, d300, f33, f37,
g185, i265, i268, k76, k77, k99,
k100, k138, k140, k145, k147,
k149, k155, k159, k167, k170,
k183, k184, k188, k194, k213,
k217, k221, l75, l77, l85, l102,
l107, l892, l896, o30, o33, o36,
o70, o73, o75, o112, o116, o323,
o326, o374, o375, o390, o393,
o398, o409, o410, o423, o427,
o432, o459, o462, o463, o471,
p150, p152, p154, p164, p166,
p169, p298, p299, p312, p313,
q53, q57, r356, r365, r367, r411,
r414, r424, r427, r525, r527,
r585, r587, r628, r631, r722,
r724, r800, r802, r904, r906,
r922, r924, r925, r930, v30, v31,
v36, v37, v48, v51, v71, v78,
y41, y42, y54, y55, y59, y64,
y65, z298, z299, z300, z301,
z303, B52, B53, B56, B100,
B106, C202, C206, C211, C230,
C319, C320, D78, D80, D84,
D249, D293, D294, G29, G30,
G32, G33, G63, G67, G72, G74,
G76, G78, G83, G84, G132,
G136, G142, G145, G148,
G151, K37, K46, K48, K50,
K787, K807, K1873, K1875,
K1876, K1965, K1967, K1973,
K1976, L80, L88, L92, L98,
L106, L110, L230, L234, L240,
L244, L289, L290, L293, L334,
L338, L350, L351, L353, L362,
L366, L378, L379, L380, L382,

- L393, L433, L598, L600, O159,
O176, O177, O178, O185, O186,
O187, O228, O259, O265, O266,
O268, O270, O281, O282, O283,
O290, O291, O292, O305, O306,
O307, O308, O311, O312, O313,
O314, O340, O343, O344, O361
- \reserved@a a122,
a123, d86, d88, d95, d112, d113,
d204, d205, d207, d263, d264,
d266, d292, d302, f33, f34, f37,
i266, i267, i274, k98, k100,
k150, k152, k154, k216, k222,
l78, l85, l895, l896, o60, o62,
o115, o116, o460, o471, q47,
q54, q71, q73, r282, r284, r337,
r339, r364, r365, r366, r401,
r403, r482, r484, r529, r530,
r531, r538, v35, v36, v49, v51,
v78, v79, C207, C209, C211,
G43, G44, G112, G113, K696,
K699, K713, K716, K733, K736,
L81, L82, L83, L85, L99, L100,
L103, L342, L348, L351, L370,
L376, L380, L541, L542, L544,
L570, O162, O164, O168, O231,
O233, O237, O306, O312, O361
- \reserved@c a123, a128,
d297, d300, d302, d305, k205,
k206, o61, o62, o461, o464, q48,
q55, q61, q68, r33, r37, r283,
r284, r338, r339, r402, r403,
r483, r484, r506, r515, r530,
r544, r712, r729, r738, r766,
r777, r817, r830, r832, v50, v52,
v59, L518, L519, L520, L530,
L546, L553, L578, O166, O171,
O179, O235, O256, O257, O258,
O260, O261, O262, O263, O264,
O267, O269, O276, O284, O363
- \reserved@d a126, a129,
d290, d299, k204, k206, q61,
q68, q70, q74, r720, r729, r738,
r774, r777, r825, r830, r834, O364
- \reserved@e .. i36, i38, i47, i53, q39,
q45, q70, q73, q74, r34, r39, O365
- \reserved@f
i37, i38, i53, l1315, l1316, l1317,
l1318, l1320, l1327, o155, o157,
o163, o164, p336, p347, p351,
p355, p361, p364, p403, p440,
p443, q27, q38, q45, q71, q73, O366
- \reset@font s93, x13, B299,
G175, G351, G415, J14, K587, I20
- File Key:** a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
- \restglb@settings p222, p232
- \restore@mathversion
..... r107, r110, r125, r133
- \restore@protect d230
- \restorecr i309
- \reversemarginpar G367
- \rfloor t552
- \rgroup t556
- \rhd s113
- \rho t246
- \rho hook t431, t432
- \right t568,
t569, t570, t571, z109, z114, z127
- \Rightarrow t369, t438, t450
- \rightarrow t393,
t394, t396, t430, t440, t448, t499
- \rightarrowfill t483, t497
- \rightharpoonupdown t407
- \rightharpoonup t406, t418
- \righthyphenmin M11
- \rightleftharpoons t416
- \rightline B374
- \rightmargin A9, A40, A51
- \rightmark J34
- \rightskip b414, o514, y77,
y83, y90, y102, A75, B245, F152
- \rlap l376,
l379, l706, z308, z319, B378, C70
- \rlh@ t416, t417
- \rmdefault s6, s81, t42, t83
- \rmfamily s4, s5, v15
- \rmoustache t515
- \Roman 140, m47
- \roman 140, m46
- \romannumeral
..... m52, m53, A43, A234, A245
- \root z66, z253
- \rootbox z66
- \rq b358
- \rule 295, B306, B309, G425
- S**
- \S l260
- \s@fct@ p380, p444
- \s@fct@fixed p501
- \s@fct@gen p456
- \s@fct@genb p461
- \s@fct@s gen p456
- \s@fct@s genb p461
- \s@fct@sub p468
- \s@fct@subf p493
- \samepage 65, i27
- \savebox 294, B71

- \savecatcodetable . N120, N171, N173
 - \sb [z142](#)
 - \sbox [294](#), [b408](#),
 [j4](#), [A205](#), [B77](#), [B84](#), [B88](#), [B93](#), [B98](#)
 - \scan@fontshape [q7](#), [q40](#), [q43](#)
 - \scan@fontshape [q6](#), [q26](#), [q37](#)
 - \scdefault [s27](#), [t79](#)
 - \scriptfont [p292](#)
 - \scriptfont@name [p287](#), [p292](#)
 - \scriptscriptfont [p293](#)
 - \scriptscriptstyle [z65](#), [z68](#)
 - \scriptspace [b333](#)
 - \scriptstyle [t287](#), [z64](#)
 - \scshape [l249](#), [s25](#), [s26](#), [v23](#)
 - \searrow [t364](#)
 - \sec [z20](#)
 - \secdef [F125](#)
 - \sectionmark [F126](#)
 - \select@group [o444](#), [o463](#), [r48](#), [r236](#),
 [r273](#), [r411](#), [r464](#), [r473](#), [r511](#), [r543](#)
 - \selectfont [j7](#), [l251](#), [l278](#), [l309](#), [l395](#),
 [l718](#), [l1051](#), [l1340](#), [l1412](#), [l1430](#),
 [o248](#), [p112](#), [s6](#), [s9](#), [s12](#), [s15](#), [s18](#),
 [s21](#), [s24](#), [s27](#), [s30](#), [s74](#), [G383](#), [G391](#)
 - \seriesdefault [r239](#), [s96](#), [t83](#)
 - \set@mathdelimater [r775](#), [r791](#)
 - \set@color [B62](#)
 - \set@display@protect
 [d3](#), [d228](#), [g7](#), [g14](#), [g34](#), [g61](#)
 - \set@fontsize [o251](#), [o253](#), [p119](#), [p132](#)
 - \set@mathaccent [r589](#), [r597](#), [r613](#)
 - \set@mathchar [r649](#), [r659](#)
 - \set@mathdelimater [r726](#), [r735](#), [r787](#)
 - \set@mathradical [r244](#), [r827](#)
 - \set@mathsymbol [r633](#), [r641](#), [r662](#)
 - \set@simple@size@args
 [p302](#), [p315](#), [p322](#), [p343](#), [p357](#)
 - \set@size@funct@args [p305](#), [p307](#), [p365](#)
 - \set@size@funct@args@ [p365](#)
 - \set@typeset@protect [d228](#),
 [d247](#), [C170](#), [C196](#), [K572](#), [K574](#)
 - \setattribute [486](#), [N85](#), [N231](#)
 - \setcounter
 [140](#), [k127](#), [m2](#), [m37](#), [A225](#),
 [K2200](#), [K2203](#), [K2206](#), [K2210](#)
 - \setlength [146](#), [n4](#), [z386](#), [z391](#), [z392](#),
 [z393](#), [B43](#), [B159](#), [B220](#), [B223](#),
 [B268](#), [B325](#), [B326](#), [B327](#), [B356](#),
 [B357](#), [B364](#), [B365](#), [B366](#), [C149](#),
 [C343](#), [K2216](#), [K2217](#), [K2218](#),
 [K2221](#), [K2222](#), [K2226](#), [K2227](#),
 [K2228](#), [K2232](#), [K2233](#), [K2234](#)
 - \SetMathAlphabet
 [o12](#), [q140](#), [q141](#), [r480](#), [t118](#), [t119](#)
 - \SetMathAlphabet@ [r418](#), [r487](#), [r496](#)
 - \setminus [t351](#)
 - \setrangeatcode
 [N99](#), [N107](#), [N116](#), [N117](#)
 - \SetSymbolFont [r335](#), [t108](#), [t109](#), [t110](#)
 - \SetSymbolFont@ [r308](#), [r342](#), [r350](#)
 - \settodepth [146](#), [n17](#)
 - \settoheight [146](#), [n17](#)
 - \settowidth [146](#), [n17](#)
 - \sf@size [j6](#), [l251](#), [o189](#), [o208](#), [o483](#),
 [p282](#), [p286](#), [G385](#), [G393](#), [G403](#)
 - \sfcode [b350](#), [b351](#), [b352](#),
 [b353](#), [b437](#), [i272](#), [k39](#), [O183](#), [O288](#)
 - \sfdefault [s9](#), [t42](#)
 - \sffamily [s7](#), [s8](#), [v16](#)
 - \sh@ft [b425](#)
 - \shapedefault [r240](#), [s97](#), [t83](#)
 - \sharp [t298](#)
 - \shipout [K571](#)
 - \shortstack [D42](#)
 - \showboxbreadth
 [b322](#), [b440](#), [b493](#), [b510](#), [b526](#)
 - \showboxdepth [b323](#), [b440](#),
 [b492](#), [b509](#), [b527](#), [o502](#), [o546](#), [o563](#)
 - \showhyphens [o491](#)
 - \showoutput [b439](#)
 - \showoverfull [b438](#), [b441](#), [b475](#), [b483](#)
 - \Sigma [t266](#)
 - \sigma [t247](#)
 - \sim [t397](#), [t409](#)
 - \simeq [t398](#)
 - \sin [z9](#)
 - \sinh [z11](#)
 - \sixt@on [a71](#), [b16](#), [b64](#), [b66](#), [b93](#),
 [b94](#), [b95](#), [o15](#), [r84](#), [r175](#), [r580](#),
 [r582](#), [r623](#), [r625](#), [r668](#), [r670](#),
 [r708](#), [r710](#), [r716](#), [r718](#), [r762](#),
 [r764](#), [r770](#), [r772](#), [r813](#), [r815](#),
 [r821](#), [r823](#), [D135](#), [D150](#), [D152](#),
 [G62](#), [G80](#), [G131](#), [G153](#), [K915](#),
 [K961](#), [K1100](#), [K1268](#), [K1502](#),
 [K1566](#), [K1623](#), [K1693](#), [K1919](#),
 [K1928](#), [K1984](#), [K2000](#), [K2033](#), [N30](#)
 - \size@update [p128](#), [p139](#), [p158](#), [p160](#)
 - \sizefn@info
 [p306](#), [p308](#), [p316](#), [p344](#), [p358](#)
 - \skew [t495](#)
 - \skip [b28](#), [b53](#), [b89](#), [b205](#), [b236](#), [b281](#),
 [B285](#), [G371](#), [K290](#), [K464](#), [N33](#)
 - \skip@ [b41](#),
 [b387](#), [b389](#), [b390](#), [b392](#), [v88](#), [v91](#)
 - \skipdef [b45](#), [b53](#), [b89](#), [N219](#)
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx

- `\skipzero` N219
`\slash` b393
`\sldefault` s24, t79
`\sloppy` B248, J43, J48
`\sloppypar` J48
`sloppypar (environment)` J48
`\slshape` l386, l709, s22, s23, v22
`\smallbreak` b401
`\smallint` t319
`\smallskip` b402, i256
`\smallskipamount` b401, i256, i259
`\smash` . t425, t497, t498, t501, t502, z95
`\smile` t402
`\sp` z142
`\sp@n` C338
`\space` b366
`\spacefactor` b391, b392, i67,
 i76, i91, i103, i117, i131, i272,
 i288, i293, l70, l71, G440, G442
`\spaceskip` s80
`\spadesuit` t302
`\span` C342
`\split@name` o291, o303, o354, p473, p487
`\splitfirstmark` K2121
`\splitmaxdepth` ... b329, G418, K2115
`\splittopskip` b341, G417
`\sqcap` t334
`\sqcup` t335
`\sqrt` z252
`\sqrtsign` t481, z71, z252
`\sqsubset` s109
`\sqsubseteq` t357
`\sqsupset` s110
`\sqsupseteq` t358
`\SS` l253, l448, l999, O317
`\ss` .. l204, l355, l468, l693, l970, O317
`\ssf@size` l277,
 l309, o190, o209, o484, p282, p288
`\stackrel` z250
`\star` t355
`\stepcounter`
 l40, m17, m27, o456, r48, x36,
 z260, z303, z380, G405, G429, K617
`\stop` y49
`\storedpar` N159, N164
`\stretch` i302
`\strip@prefix` a111,
 a228, a299, d205, d264, d316, o441
`\strip@pt` b429,
 o181, o187, o188, o189, o190,
 o203, o207, o263, o483, o484, p134
`\strut` b409, z121, z122, C29
`\strutbox` b409, p143,
 B306, C159, C160, G418, G425
File Key: a=ltltdirchk.dtx, b=ltlplain.dtx, c=ltlvers.dtx, d=ltldefs.dtx,
 e=ltlalloc.dtx, f=ltlcntrl.dtx, g=ltlerror.dtx, h=ltlpar.dtx, i=ltltspace.dtx,
 j=ltllogos.dtx, k=ltlfiles.dtx, l=ltloutenc.dtx, m=ltlcounts.dtx, n=ltllength.dtx,
 o=ltlffssbas.dtx, p=ltlffsstrc.dtx, q=ltlffsscmp.dtx, r=ltlffssdcl.dtx, s=ltlffssini.dtx,
 t=ltlfontdef.dtx, u=ltlpreload.dtx, v=ltlfontcmd.dtx, w=ltltpageno.dtx, x=ltltxref.dtx,
 y=ltlmiscen.dtx, z=ltlmath.dtx, A=ltllists.dtx, B=ltlboxes.dtx, C=ltltab.dtx,
 D=ltlpictur.dtx, E=ltlthm.dtx, F=ltlsect.dtx, G=ltlfloat.dtx, H=ltltdxglo.dtx,
 I=ltlbibl.dtx, J=ltlpage.dtx, K=ltloutput.dtx, L=ltlclass.dtx, M=ltlthyphen.dtx,
 N=ltl luatex.dtx, O=ltlfinal.dtx
- T**
- `\T` g23, l284,
 l286, l288, l290, l292, l294, l296,
 l298, l300, l323, L579, L583, L584
`\t` .. l232, l653, l758, l1356, l1623, l1625
`\t@st@ic` v73, v77
`\tabbing` C60
`\tabbingsep` C119, C121, C139
`\tabcolsep` C220, C297
`\tabskip` b420, z138,
 z139, z265, z268, z271, z273,
 z384, z397, z400, z402, C140, C165
`\tabular` C147
`\tabular*` C148
`\tabularnewline` C167, C180
`\tan` z15
`\tanh` z17
`\tau` t248
`\tc@check@accent`
 l1435, l1511, l1513, l1515
`\tc@check@symbol` l1435,
 l1505, l1507, l1509, l1517, l1519,
 l1521, l1523, l1525, l1527, l1529,
 l1531, l1533, l1535, l1537, l1539,
 l1541, l1543, l1545, l1547, l1549,
 l1551, l1553, l1555, l1557, l1559,
 l1561, l1563, l1565, l1567, l1569,
 l1571, l1573, l1575, l1577, l1579,
 l1581, l1583, l1585, l1587, l1589,
 l1591, l1593, l1595, l1597, l1599,

- 11601, 11603, 11605, 11607, 11609,
11611, 11613, 11615, 11617, 11619
- \tc@error 11415, 11436
- \tc@errorwarn 11374, 11375, 11408
- \tc@fake@euro 11423, 11504
- \tc@forcedfalse 11368
- \tc@forcedtrue 11373
- \tc@subst 11407, 11407, 11435
- \tencirc u10, D37, D363
- \tencircw u10, D39
- \tenln u9, D37, D38, D362, D364
- \tenlnw u9, D39, D40
- \TeX j1, j12, N225
- \TeXOrMath m70, m86
- \text@command v8, v29
- \textacutedbl 1813, 1993, 11468
- \textascendercompwordmark 1763, 11451
- \textasciicircum 1863, 1954, 11492
- \textasciibreve 1811, 1992, 11465
- \textasciicaron 1812, 1991, 11466
- \textasciicircum 1236, 1469, 1930
- \textasciidieresis .. 1851, 1943, 11482
- \textasciigrave 1802, 1922, 11463
- \textasciimacron ... 1858, 1949, 11487
- \textasciitilde 1237, 1470, 1935
- \textasteriskcentered 1217,
1629, 1773, 11045, 11458, m73, m79
- \textbackslash .. 1218, 1471, 1630, 1929
- \textbaht 1837, 1996, 11598, 11599
- \textbar 1219, 1472, 1631, 1933
- \textbardbl
1220, 1632, 1817, 11003, 11471, m78
- \textbf v19
- \textbigcircle
... 1641, 1790, 11062, 11550, 11551
- \textblank ... 1770, 11059, 11520, 11521
- \textborn 1803, 11556, 11557
- \textbraceleft 1221, 1257, 1473, 1633, 1932
- \textbraceright
..... 1222, 1258, 1474, 1634, 1934
- \textbrokenbar 1849, 1941, 11480
- \textbullet 1223, 1635, 1819, 11012, 11473
- \textcapitalcompwordmark . 1762, 11450
- \textcelsius 1820, 11031, 11474
- \textcent 1845, 1937, 11477
- \textcentoldstyle . 1822, 11572, 11573
- \textcircled 1229, 1233, 1249,
1250, 1642, 1791, 11355, 11620, 11622
- \textcircledP . 1856, 11033, 11614, 11615
- \textcolonmonetary
..... 1824, 11024, 11574, 11575
- \textcommaabove 1302, 1304,
1318, 1319, 1404, 1405, 1608, 1609
- \textcommabelow
1273, 1275, 1281, 1282, 1611, 1612,
1613, 1614, 1615, 1616, 1617, 1618,
1619, 1620, 11275, 11276, 11277, 11278
- \textcompwordmark .. 11412, 11414
- \textcompwordmark .. 1238, 1475, 11000
- \textcopyright
..... 1233, 1266, 1852, 1944, 11483
- \textcurrency 1847,
1939, 11350, 11354, 11508, 11509
- \textdagger 1225, 1261,
1637, 1815, 11010, 11469, m74, m80
- \textdaggerdbl 1224, 1262,
1636, 1816, 11011, 11470, m75, m81
- \textdblhyphen 1774, 11522, 11523
- \textdblhyphenchar . 1810, 11568, 11569
- \textdegree 1859, 1950, 11488
- \textdied 1805, 11560, 11561
- \textdiscount . 1839, 11023, 11602, 11603
- \textdiv 1876, 1973, 11502
- \textdivorced . 1804, 11065, 11558, 11559
- \textdollar .. 1205, 1256, 1384, 1476,
1707, 1771, 1926, 11456, 11628, 11630
- \textdollaroldstyle 1821, 11570, 11571
- \textdong 1833, 11028, 11592, 11593
- \textdownarrow 1801, 11043, 11554, 11555
- \texteightoldstyle . 1784, 11540, 11541
- \textellipsis 1245, 1270, 11013
- \textemdash 1206, 1356, 1477, 1694, 11002
- \textendash 1207, 1357, 1478, 1695, 11001
- \textestimated
.. 1840, 11039, 11353, 11506, 11507
- \texteuro 1874, 11029, 11351, 11503, 11504
- \textexclamdown
.. 1208, 1358, 1360, 1479, 1696, 1936
- \textfiveoldstyle . 1781, 11534, 11535
- \textfloatsep
K638, K651, K2014, K2064, K2213
- \textflorin 1823, 1987, 11475
- \textfont p291, z148
- \textfont@name p285, p291
- \textfouroldstyle . 1780, 11532, 11533
- \textfraction K1827, K1830,
K1854, K1857, K2006, K2207
- \textfractionsolidus 1775, 11020, 11459
- \textgravedbl 1814, 1994, 11467
- \textgreater 1231, 1480, 1652, 1928
- \textguarani 1827, 11580, 11581
- \textheight k16, k17, G261,
G262, G265, G291, G305, K85,
K199, K200, K248, K373, K421,
K448, K616, K673, K725, O89, O90
- \texthyphen 1210, 1363, 1482, 1698
- File Key: a=ltltdirchk.dtx, b=ltlplain.dtx, c=ltlvers.dtx, d=ltldefs.dtx,
e=ltlalloc.dtx, f=ltlcntrl.dtx, g=ltlerror.dtx, h=ltlpar.dtx, i=ltltspace.dtx,
j=ltllogos.dtx, k=ltlfiles.dtx, l=ltloutenc.dtx, m=ltlcounts.dtx, n=ltllength.dtx,
o=ltlfsbas.dtx, p=ltlfsstrc.dtx, q=ltlfsncmp.dtx, r=ltlfsdcl.dtx, s=ltlfsini.dtx,
t=fontdef.dtx, u=ltlpreload.dtx, v=ltlfontcmd.dtx, w=ltlpageno.dtx, x=ltltxref.dtx,
y=ltlmiscen.dtx, z=ltlmath.dtx, A=ltllists.dtx, B=ltlboxes.dtx, C=ltltab.dtx,
D=ltlpictur.dtx, E=ltlthm.dtx, F=ltlsect.dtx, G=ltlfloat.dtx, H=ltlidxglo.dtx,
I=ltlbibl.dtx, J=ltlpage.dtx, K=ltloutput.dtx, L=ltlclass.dtx, M=ltlhyphen.dtx,
N=ltl luatex.dtx, O=ltlfinal.dtx

- `\texthyphenchar` . 1209, 1362, 1481, 1697
 - `\textinterrobang` 1831, 11019, 11588, 11589
 - `\textinterrobangdown` 1832, 11066, 11590, 11591
 - `\textit` v21
 - `\textlangle` ... 1786, 11057, 11544, 11545
 - `\textlbrackdbl` 1798, 11461
 - `\textleaf` 1806, 11562, 11563
 - `\textleftarrow` 1768, 11040, 11516, 11517
 - `\textless` 1230, 1483, 1651, 1927
 - `\textlira` 1829, 11025, 11584, 11585
 - `\textlnot` 1855, 1947, 11485
 - `\textlquill` ... 1843, 11021, 11608, 11609
 - `\textmarried` .. 1807, 11064, 11564, 11565
 - `\textmd` v19
 - `\textmho` 1789, 11038, 11548, 11549
 - `\textminus` 1787, 11044, 11460
 - `\textmu` 1864, 1955, 11493
 - `\textmusicalnote` 1808, 11063, 11566, 11567
 - `\textnaira` ... 1826, 11026, 11578, 11579
 - `\textnineoldstyle` . 1785, 11542, 11543
 - `\textnormal` v15
 - `\textnumero` ... 1838, 11032, 11600, 11601
 - `\textogonekcentered` .. 1433, 1606, 1607
 - `\textohm` 1797, 11037, 11352, 11505
 - `\textonehalf` 1872, 1962, 11499
 - `\textoneoldstyle` .. 1777, 11526, 11527
 - `\textonequarter` 1871, 1961, 11498
 - `\textonesuperior` ... 1868, 1958, 11496
 - `\textopenbullet` 1841, 11061, 11604, 11605
 - `\textordfeminine` 1254, 1853, 1945, 11484
 - `\textordmasculine` 1255, 1869, 1959, 11497
 - `\TextOrMath` .. m73, m74, m75, m76, m77, m78, m79, m80, m81, m93
 - `\textparagraph` 1226, 1259, 1638, 1865, 1956, 11494, m77
 - `\textperiodcentered` 1227, 1639, 1866, 1957, 11495
 - `\textpertenthousand` 1835, 11015, 11594, 11595, 11632
 - `\textperthousand` 1436, 1818, 11014, 11472, 11631
 - `\textpeso` 1828, 11030, 11582, 11583
 - `\textpilcrow` 1836, 11596, 11597
 - `\textpm` 1860, 1951, 11489
 - `\textquestiondown` 1211, 1359, 1361, 1484, 1699, 1964
 - `\textquotedbl` 1487, 1924
 - `\textquotedblleft` 1212, 1364, 1485, 1700, 11007
 - `\textquotedblright` 1213, 1365, 1486, 1701, 11008
 - `\textquoteleft` 1214, 1366, 1488, 1702, 11004
 - `\textquoteright` 1215, 1367, 1489, 1703, 11005
 - `\textquotesingle` ... 1772, 1920, 11457
 - `\textquotestraightbase` .. 1764, 11452
 - `\textquotestraightdblbase` 1765, 11453
 - `\textriangle` ... 1788, 11058, 11546, 11547
 - `\textrbrackdbl` 1799, 11462
 - `\textrecipe` ... 1830, 11034, 11586, 11587
 - `\textreferencemark` 1867, 11018, 11616, 11617
 - `\textregistered` 1249, 1250, 1857, 1948, 11486
 - `\textrightarrow` 1769, 11042, 11518, 11519
 - `\textrm` v15
 - `\textrquill` ... 1844, 11022, 11610, 11611
 - `\textsc` v21
 - `\textsection` 1228, 1260, 1490, 1640, 1850, 1942, 11481, m76
 - `\textservicemark` 1842, 11035, 11606, 11607
 - `\textsevenoldstyle` . 1783, 11538, 11539
 - `\textsf` v15
 - `\textsixoldstyle` .. 1782, 11536, 11537
 - `\textsl` v21
 - `\textsterling` 1216, 1268, 1391, 1491, 1714, 1846, 1938, 11478, 11627, 11629
 - `\textstyle` j15, t421, z63
 - `\textsubscript` G386, G397, G398
 - `\textsuperscript` 1252, 1254, 1255, G382
 - `\textsurd` 1870, 11056, 11618, 11619
 - `\TextSymbolUnavailable` 13, 1670
 - `\textthreeoldstyle` . 1779, 11530, 11531
 - `\textthreequarters` .. 1873, 1963, 11500
 - `\textthreequartersemdash` . 1767, 11455
 - `\textthreesuperior` .. 1862, 1953, 11491
 - `\texttildelow` 1809, 1995, 11464
 - `\texttimes` 1875, 1967, 11501
 - `\texttrademark` 1252, 1834, 11036, 11476
 - `\texttt` v15
 - `\texttwelveudash` 1766, 11454
 - `\texttwooldstyle` .. 1778, 11528, 11529
 - `\texttwosuperior` ... 1861, 1952, 11490
 - `\textunderscore` . 1239, 1264, 1492, 1931
 - `\textup` v21
 - `\textuparrow` .. 1800, 11041, 11552, 11553
 - `\textvisiblespace` .. 1241, 1493, 11060
 - `\textwidth` k18, B273, G270, K86, K151, K175, K192, K601, K611, K2133, K2165, O90
 - `\textwon` 1825, 11027, 11576, 11577
 - `\textyen` 1848, 1940, 11479
 - `\textzerooldstyle` . 1776, 11524, 11525
- File Key:** a=ltdirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefs.dtx, e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx, j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx, o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx, t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx, y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx, D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx, I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx, N=ltluatex.dtx, O=ltfinal.dtx

- \tf@size . o188, o208, o482, p282, p284
- \TH 1449, 1969, O317
- \th 1494, 1975, O317
- \thanks 354, F9
- thebibliography (environment) . . . 386
- \theequation . . . z249, z261, z320, z381
- \thefootnote . G376, G430, G435, G455
- \thempfn B275,
G406, G411, G446, G451, G454
- \thempfootnote B275, G378
- \thepage
k73, w6, x14, x34, F143, H15,
H32, J14, K218, K249, K1737, I23
- \Theta t262
- \theta t238
- \thicklines D37
- \thickmuskip t576, z146
- \thinlines D37
- \thinmuskip i282, t574, z144, z147
- \thinspace i282, i303, z119, z148
- \thispagestyle J6
- \thr@@ . b16, b470, p58, p208, p214,
p227, p234, p241, p246, z272,
z401, A232, A243, D144, D145,
D147, D148, D180, D202, O70, O78
- \tilde t471
- \time a179, a183
- \times t354
- \title 354, F3
- \to t394
- \today a184, a188, a196, a199, F8
- \toks b31, b63, b92,
r453, r454, r464, r473, N36, O367
- \toks@ b41,
c60, c64, c67, c71, i264, i265,
i270, o113, o117, o119, o122,
o186, o191, r6, r7, r259, r263,
r269, r272, r277, r323, r324,
r326, r327, r357, r359, r363,
r380, r383, r442, r454, r455,
r456, r502, r504, r510, r518,
r522, r534, r537, r540, r548,
r550, r880, r882, r884, r887,
r889, r892, r895, r927, r928,
K2119, K2120, K2121, K2122,
L158, L159, L161, L162, L452, L453
- \toksdef b46, b63, b92, N220
- \tokszero N220
- \tolerance
b301, o502, o547, o562, J44, J52
- \top t285
- \topfigrule K637, K2235
- \topfraction G277, K2201
- \topmargin K78, K595
- File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx
- \topmark K2119, K2128
- \topsep z386, A2, A59
- \topskip b340, k49, A1, K135
- \totalheight B33, B34, B35
- \tracefloats K1807
- \tracefloatsoff K1807
- \tracefloatvals K1807
- \tracingall b443
- \tracingassigns b472, b505
- \tracingcommands
b454, b470, b479, b491, b508
- \tracingfonts p17, p54, p58,
p86, p116, p125, p148, p178,
p192, p208, p214, p227, p234,
p241, p246, p255, p268, p276, p279
- \tracinggroups b463, b516
- \tracingifs b464, b515
- \tracinglostchars
b317, b449, b461, b480, b499, b519
- \tracingmacros
b453, b469, b481, b498, b518
- \tracingnesting b466, b513
- \tracingnone b485
- \tracingoff p116, p276
- \tracingon p117, p277
- \tracingonline
b438, b490, b507, b528, o511
- \tracingoutput b439, b494, b511, b525
- \tracingpages
b448, b460, b480, b500, b520
- \tracingparagraphs
b450, b462, b481, b497, b517
- \tracingrestores
b455, b471, b481, b496, b506
- \tracingscantokens
b445, b465, b488, b514
- \tracingstats
b447, b459, b479, b501, b521, O2
- \triangle t291
- \triangleleft t320, t434
- \triangleright t321, t434
- \trivlist y73, y80, y86,
y100, z371, A89, C67, E35, E37
- \try@load@fontshape
o306, o314, o386, p474, r208, r225
- \try@simple@size p310, p435
- \try@simples p393, p399, p403
- \try@size@range p101, p310, p386
- \try@size@substitution p103, p390
- \tryif@simple p401, p402
- \tryis@simple p402
- \ttdefault s12, t42
- \ttfamily s10, s11, v17, y120

- `\tw@` [b16](#)
`\two@digits` [a86](#),
[a185](#), [a186](#), [d2](#), [p466](#), [L505](#), [L536](#)
`\twocolumn` [K173](#)
`\type@restoreinfo` [p156](#), [p161](#)
`\typein` [36](#), [36](#), [d18](#)
`\typeout` [36](#), [a73](#),
[a116](#), [a172](#), [a197](#), [a199](#), [a211](#),
[a226](#), [a233](#), [a244](#), [a257](#), [a270](#),
[a283](#), [a297](#), [c20](#), [c37](#), [c42](#), [c47](#),
[d3](#), [d23](#), [d30](#), [g74](#), [k65](#), [k172](#),
[k173](#), [k175](#), [k210](#), [k220](#), [k223](#),
[o300](#), [s119](#), [s129](#), [s139](#), [t9](#), [t88](#),
[H8](#), [H25](#), [K1808](#), [L125](#), [O207](#),
[O321](#), [O328](#), [O340](#), [O341](#), [O349](#)
- U**
- `\u` [l187](#),
[l335](#), [l418](#), [l497](#), [l504](#), [l524](#), [l531](#),
[l666](#), [l1075](#), [l1143](#), [l1144](#), [l1159](#),
[l1160](#), [l1169](#), [l1170](#), [l1183](#), [l1184](#),
[l1185](#), [l1209](#), [l1210](#), [l1235](#), [l1236](#)
`\uccode` [O173](#), [O181](#),
[O188](#), [O190](#), [O193](#), [O195](#), [O278](#),
[O286](#), [O293](#), [O295](#), [O298](#), [O300](#)
`\uchyph` [b318](#)
`\Umathchar` [t14](#), [t44](#), [t57](#), [N30](#)
`\Umathcode` [b124](#), [O93](#), [O272](#)
`\unboldmath` [s65](#)
`\UndeclareTextCommand` [l141](#), [l1627](#),
[l1628](#), [l1629](#), [l1630](#), [l1631](#), [l1632](#)
`\undefined` [a9](#), [a11](#),
[a17](#), [a57](#), [O101](#), [O113](#), [O114](#), [O134](#)
`\undefinedpagestyle` [J4](#), [J8](#)
`\underbar` [b408](#)
`\underbrace` [t491](#)
`\underline` [295](#), [b408](#), [B330](#), [B331](#)
`\unhcopy` [b410](#), [C304](#), [D417](#)
`\unicodedataline`
... [N146](#), [N149](#), [N163](#), [N164](#), [N165](#)
`\UnicodeEncodingName`
... [l879](#), [l885](#), [l913](#), [l920](#),
[l922](#), [l924](#), [l926](#), [l927](#), [l928](#), [l929](#),
[l930](#), [l931](#), [l932](#), [l933](#), [l934](#), [l935](#),
[l936](#), [l937](#), [l938](#), [l939](#), [l940](#), [l941](#),
[l942](#), [l943](#), [l944](#), [l945](#), [l946](#), [l947](#),
[l948](#), [l949](#), [l950](#), [l951](#), [l952](#), [l953](#),
[l954](#), [l955](#), [l956](#), [l957](#), [l958](#), [l959](#),
[l960](#), [l961](#), [l962](#), [l963](#), [l964](#), [l965](#),
[l966](#), [l967](#), [l968](#), [l969](#), [l970](#), [l971](#),
[l972](#), [l973](#), [l974](#), [l975](#), [l976](#), [l977](#),
[l978](#), [l979](#), [l980](#), [l981](#), [l982](#), [l983](#),
[l984](#), [l985](#), [l986](#), [l987](#), [l988](#), [l989](#),
[l990](#), [l991](#), [l992](#), [l993](#), [l994](#), [l995](#),
[l996](#), [l997](#), [l998](#), [l999](#), [l1000](#),
[l1001](#), [l1002](#), [l1003](#), [l1004](#), [l1005](#),
[l1006](#), [l1007](#), [l1008](#), [l1009](#), [l1010](#),
[l1011](#), [l1012](#), [l1013](#), [l1014](#), [l1015](#),
[l1016](#), [l1017](#), [l1018](#), [l1019](#), [l1020](#),
[l1021](#), [l1022](#), [l1023](#), [l1024](#), [l1025](#),
[l1026](#), [l1027](#), [l1028](#), [l1029](#), [l1030](#),
[l1031](#), [l1032](#), [l1033](#), [l1034](#), [l1035](#),
[l1036](#), [l1037](#), [l1038](#), [l1039](#), [l1040](#),
[l1041](#), [l1042](#), [l1043](#), [l1044](#), [l1045](#),
[l1056](#), [l1057](#), [l1058](#), [l1059](#), [l1060](#),
[l1061](#), [l1062](#), [l1063](#), [l1064](#), [l1065](#),
[l1066](#), [l1067](#), [l1068](#), [l1069](#), [l1070](#),
[l1071](#), [l1072](#), [l1073](#), [l1074](#), [l1075](#),
[l1076](#), [l1077](#), [l1078](#), [l1079](#), [l1080](#),
[l1081](#), [l1082](#), [l1083](#), [l1084](#), [l1085](#),
[l1086](#), [l1087](#), [l1088](#), [l1089](#), [l1090](#),
[l1091](#), [l1092](#), [l1093](#), [l1094](#), [l1095](#),
[l1096](#), [l1097](#), [l1098](#), [l1099](#), [l1100](#),
[l1101](#), [l1102](#), [l1103](#), [l1104](#), [l1105](#),
[l1106](#), [l1107](#), [l1108](#), [l1109](#), [l1110](#),
[l1111](#), [l1112](#), [l1113](#), [l1114](#), [l1115](#),
[l1116](#), [l1117](#), [l1118](#), [l1119](#), [l1120](#),
[l1121](#), [l1122](#), [l1123](#), [l1124](#), [l1125](#),
[l1126](#), [l1127](#), [l1128](#), [l1129](#), [l1130](#),
[l1131](#), [l1132](#), [l1133](#), [l1134](#), [l1135](#),
[l1136](#), [l1137](#), [l1138](#), [l1139](#), [l1140](#),
[l1141](#), [l1142](#), [l1143](#), [l1144](#), [l1145](#),
[l1146](#), [l1147](#), [l1148](#), [l1149](#), [l1150](#),
[l1151](#), [l1152](#), [l1153](#), [l1154](#), [l1155](#),
[l1156](#), [l1157](#), [l1158](#), [l1159](#), [l1160](#),
[l1161](#), [l1162](#), [l1163](#), [l1164](#), [l1165](#),
[l1166](#), [l1167](#), [l1168](#), [l1169](#), [l1170](#),
[l1171](#), [l1172](#), [l1173](#), [l1174](#), [l1175](#),
[l1176](#), [l1177](#), [l1178](#), [l1179](#), [l1180](#),
[l1181](#), [l1182](#), [l1183](#), [l1184](#), [l1185](#),
[l1186](#), [l1187](#), [l1188](#), [l1189](#), [l1190](#),
[l1191](#), [l1192](#), [l1193](#), [l1194](#), [l1195](#),
[l1196](#), [l1197](#), [l1198](#), [l1199](#), [l1200](#),
[l1201](#), [l1202](#), [l1203](#), [l1204](#), [l1205](#),
[l1206](#), [l1207](#), [l1208](#), [l1209](#), [l1210](#),
[l1211](#), [l1212](#), [l1213](#), [l1214](#), [l1215](#),
[l1216](#), [l1217](#), [l1218](#), [l1219](#), [l1220](#),
[l1221](#), [l1222](#), [l1223](#), [l1224](#), [l1225](#),
[l1226](#), [l1227](#), [l1228](#), [l1229](#), [l1230](#),
[l1231](#), [l1232](#), [l1233](#), [l1234](#), [l1235](#),
[l1236](#), [l1237](#), [l1238](#), [l1239](#), [l1240](#),
[l1241](#), [l1242](#), [l1243](#), [l1244](#), [l1245](#),
[l1246](#), [l1247](#), [l1248](#), [l1249](#), [l1250](#),
[l1251](#), [l1252](#), [l1253](#), [l1254](#), [l1255](#),
[l1256](#), [l1257](#), [l1258](#), [l1259](#), [l1260](#),
[l1261](#), [l1262](#), [l1263](#), [l1264](#), [l1265](#),
[l1266](#), [l1267](#), [l1268](#), [l1269](#), [l1270](#),
[l1271](#), [l1272](#), [l1273](#), [l1274](#), [l1275](#),
- File Key:** `a=ltldirchk.dtx`, `b=ltplain.dtx`, `c=ltvers.dtx`, `d=ltdefns.dtx`,
`e=ltalloc.dtx`, `f=ltcntrl.dtx`, `g=lterror.dtx`, `h=ltpar.dtx`, `i=ltspace.dtx`,
`j=ltlogos.dtx`, `k=ltfiles.dtx`, `l=ltoutenc.dtx`, `m=ltcounts.dtx`, `n=ltlength.dtx`,
`o=ltfssbas.dtx`, `p=ltfssstrc.dtx`, `q=ltfsscmp.dtx`, `r=ltfssdcl.dtx`, `s=ltfssini.dtx`,
`t=fontdef.dtx`, `u=preload.dtx`, `v=ltfntcmd.dtx`, `w=ltpageno.dtx`, `x=ltxref.dtx`,
`y=ltmiscen.dtx`, `z=ltmath.dtx`, `A=ltlists.dtx`, `B=ltboxes.dtx`, `C=lttab.dtx`,
`D=ltpictur.dtx`, `E=ltthm.dtx`, `F=ltsect.dtx`, `G=ltfloat.dtx`, `H=ltidxglo.dtx`,
`I=ltbibl.dtx`, `J=ltpage.dtx`, `K=ltoutput.dtx`, `L=ltclass.dtx`, `M=lthyphen.dtx`,
`N=ltluatex.dtx`, `O=ltfinal.dtx`

- 11276, 11277, 11278, 11279, 11280
 \UnicodeFontFile 1911
 \UnicodeFontName 1912
 \UnicodeFontTeXLigatures .. 1891, 1908
 \unicoderead N146,
 N160, N161, N162, N163, N168
 \uninstall N764
 \unitlength B49, B59, D5, D12, D13,
 D14, D15, D22, D23, D26, D27,
 D34, D57, D115, D168, D170,
 D183, D188, D190, D205, D207,
 D210, D250, D251, D295, D296,
 D330, D341, D371, D372, D374,
 D375, D378, D379, D381, D382,
 D391, D393, D395, D397, O82
 \unkern o530
 \unless N154, N162, N164
 \unlhd s112
 \unpenalty o533, o537, v99, y116
 \unrestored@protected@xdef
 d230, G411, G435, G451, J21, J35
 \unrhd s114
 \unsetattribute 486, N85, N232
 \unvcopy z123
 \Uparrow t532
 \uparrow t526
 \upbracefill t494, t510
 \update@ucllc@with@cyrillic
 11283, 11311, 11335, 11341
 \updefault s21, t79, t85
 \Updownarrow t536
 \updownarrow t530
 \uplus t336
 \upper@bound .. p337, p338, p339, p352
 \uppercase O307
 \upshape 1388, 1644, 1711,
 1793, s19, s20, s37, s43, s91, v24
 \Upsilon t267
 \upsilon t249
 \use@mathgroup
 o450, o468, o470, p253,
 r63, r92, r424, r526, r529, r905, r929
 \usebox B111
 \usecounter A225, A238
 \usefont o45, o247, o507, s81, s94
 \usepackage L249, L279
 \UseTextAccent 1110, 1138,
 11436, 11621, 11622, 11624, 11625
 \UseTextSymbol 1110, 1136, 11435, 11504
- V**
- \v 1188, 1336, 1417,
 1500, 1501, 1502, 1506, 1508, 1511,
 1513, 1515, 1521, 1527, 1528, 1529,
 1533, 1535, 1538, 1540, 1542, 1548,
 1667, 11074, 11153, 11154, 11155,
 11156, 11165, 11166, 11199, 11200,
 11205, 11206, 11217, 11218, 11225,
 11226, 11229, 11230, 11252, 11253,
 11254, 11255, 11256, 11257, 11258,
 11259, 11260, 11261, 11262, 11265,
 11266, 11267, 11268, 11271, 11272
 \v@false z78
 \v@true z77, z79
 \vadjust i10,
 i38, i47, i233, i249, G201, G223
 \valign 11427
 \value 140, m14, I9
 \varbigtriangledown t324
 \varbigtriangleup t325
 \varepsilon j15, t254
 \varphi t259
 \varpi t256
 \varrho t257
 \varsigma t258
 \vartheta t255
 \vbadness b303, K2116
 \vdash t362
 \vdots t462
 \vec t476
 \vector g219, D112
 \vee t328, t329
 \verb y130, y132, y141
 \verb@balance@group
 y124, y125, y140, y142
 \verb@egroup .. y125, y129, y140, y143
 \verb@eol@error y126, y134
 \verbatim y118
 verbatim* (environment) y121
 \verbatim@font y114, y120, y135
 \verbatim@nolig@list y145, y151
 \version@elt r18, r31, r32, r256, r257,
 r306, r326, r417, r455, r547, r885
 \version@list r16,
 r21, r32, r249, r257, r311, r332,
 r351, r422, r467, r497, r552, r898
 \Vert t521, t523
 \vert t524
 \vfil b397, 11428, 11431, D274,
 D317, K170, K386, K433, K598
 \vfilneg b397
 \vfuzz b326, J47, J54
 \vgl@ b387, b388
 \vglue b387
 \vline C325
 \voidb@x b295, b418, n18
 \vphantom z75, z94
- File Key:** a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
 e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
 j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
 o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
 t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
 y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
 D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
 I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
 N=ltluatex.dtx, O=ltfinal.dtx

<code>\vrule</code>	b391, i298, l242, l244, p144, t508, t509, t511, t512, B120, B122, B173, B180, B329, B373, C159, C192, C306, C325, D106, D156, D159, D175, D182, D197, D204, D273, D317, D401, K1761, K2136, K2169	<code>\XeTeXcharclassIS</code>	O108
<code>\vspace</code>	i226, i256, i257, i258	<code>\XeTeXcharclassNS</code>	O109
<code>\vsplit</code>	K356, K403, K2118	<code>\XeTeXcharclassOP</code>	O105
W		<code>\XeTeXcharglyph</code>	1909
<code>\warn@rel@i</code>	q5, q25, q29, q81, q85, q90, q95, q119, q140	<code>\XeTeXdashbreakstate</code>	O204
<code>\wedge</code>	t326, t327	<code>\XeTeXglyph</code>	1909
<code>\whatsit</code>	N188	<code>\XeTeXintercharclasses</code> ..	O100, O133
<code>\widehat</code>	t479	<code>\XeTeXinterchartoks</code> ..	O101, O115, O116, O117, O118, O119, O120, O121, O122, O123, O124, O125, O126, O127, O128, O129, O134, O139, O140, O141, O142, O143, O144, O145, O146, O147, O148, O149, O150, O151, O152, O153
<code>\widetilde</code>	t478	<code>\XeTeXmathcode</code>	O94, O273
<code>\widowpenalties</code>	b103	<code>\XeTeXrevision</code>	O27
<code>\widowpenalty</code>	b310, o520	<code>\XeTeXuseglyphmetrics</code> ..	O201, O203
<code>\width</code>	B30	<code>\XeTeXversion</code>	O27
<code>\wlog</code>	a100, b40, b142, b227, b240, b270, b285, L127, N6, N7, N8, N54, O46, O374	<code>\Xi</code>	t264
<code>\wp</code>	t276	<code>\xi</code>	t244
<code>\wr</code>	t340	<code>\xtxHanGlue</code>	O113, O137, O145, O146, O147, O148, O149, O150, O151, O152, O153
<code>\wrong@fontshape</code>	o310, o368	<code>\xtxHanSpace</code> ..	O114, O138, O139, O140, O141, O142, O143, O144
X		Y	
<code>\x</code>	o267, o268	<code>\year</code>	a185, c13, L536
<code>\x@protect</code>	d208, d219, d267	<code>\yxdim</code>	D353
<code>\xe@alloc@</code>	O42, O52	Z	
<code>\xe@alloc@intercharclass</code>	O21	<code>\Z</code>	O185, O265, O290
<code>\xe@ch@ck</code>	O43, O47	<code>\z</code>	O176, O266, O281
<code>\XeTeXcharclass</code>	o495, O25, O33, O40, O53, O59, O68, O75	<code>\z@</code>	b295
<code>\XeTeXcharclassCL</code>	O106	<code>\z@skip</code>	b295
<code>\XeTeXcharclassCM</code>	O110	<code>\zap@space</code>	k84, L81, L147, L229, L312, L333, L350, L361, L378
<code>\XeTeXcharclassEX</code>	O107	<code>\zeta</code>	t236
<code>\XeTeXcharclassID</code>	O104		

File Key: a=ltldirchk.dtx, b=ltplain.dtx, c=ltvers.dtx, d=ltdefns.dtx,
e=ltalloc.dtx, f=ltcntrl.dtx, g=lterror.dtx, h=ltpar.dtx, i=ltspace.dtx,
j=ltlogos.dtx, k=ltfiles.dtx, l=ltoutenc.dtx, m=ltcounts.dtx, n=ltlength.dtx,
o=ltfssbas.dtx, p=ltfssstrc.dtx, q=ltfsscmp.dtx, r=ltfssdcl.dtx, s=ltfssini.dtx,
t=fontdef.dtx, u=preload.dtx, v=ltfntcmd.dtx, w=ltpageno.dtx, x=ltxref.dtx,
y=ltmiscen.dtx, z=ltmath.dtx, A=ltlists.dtx, B=ltboxes.dtx, C=lttab.dtx,
D=ltpictur.dtx, E=ltthm.dtx, F=ltsect.dtx, G=ltfloat.dtx, H=ltidxglo.dtx,
I=ltbibl.dtx, J=ltpage.dtx, K=ltoutput.dtx, L=ltclass.dtx, M=lthyphen.dtx,
N=ltluatex.dtx, O=ltfinal.dtx